

Prepared by
SEM/CVOVBAT ERIKO MAEDA
Contents responsible if other than preparer

Document number
1/151 86-1/FCP 119 1116/12 Uen
Date
2011-03-22
Remarks
This document is managed in metaDoc.

Revision
A

Approved by
SEM/CVOAAPP (TOSHIYUKI SHITE)

AAH-5880012-BV

SO007 Marking Drawing (Label Details)

1. General Information

This is KDDI's OEM product. The label is based on the requirement of KDDI and it has been approved.

2. Printing Information


	Content	Format
Line 1&2	Please insert the auIC card sideways	Text, height : 1.3 mm
Line 3	Symbol of insertion direction for auIC card	Graphic, height : 3.5 mm
Line 4 & 5a	Operator's name (Logo: au by KDDI)	Graphic, height : 2.5 mm
Line 5b	Official name (CDMA SO007)	Text, height : 1.4 mm
Line 6	Sony Ericsson stylized name	Graphic, height : 2.0 mm
Line 7a	Operator's product code	Text, height : 1.2 mm
Line 7b	SO006XXX (Operator's product code)	Text, height : 1.2 mm
Line 8a	Type number: AAH-5880012-BV	Text, height : 1.2 mm
Line 8b	HW&SW identification field: AAAA	Text, height : 1.2 mm
Line 9	The name of distribution company: KDDI Inc and Okinawa Cellular Telephone Company	Text, height : 1.2 mm
Line 10a	Manufacture : Applicant	Text, height : 1.2 mm
Line 10b	Sony Ericsson Mobile Communications AB (The name of manufacture)	Text, height : 1.2 mm
Line 11	JATE number: ADXX-XXXXXXX	Text, height : 1.1 mm
Line 12	Telecommunications mark	Graphic, height : 1.5 mm
Line 13	TELEC number (for CDMA): 001XZAAXXXX	Text, height : 1.1 mm
Line 14	TELEC number (for MC-CDMA): 001ZYAAXXXX	Text, height : 1.1 mm
Line 15	TELEC number (for T-CDMA): 001NXAAXXXX	Text, height : 1.1 mm
Line 16	Radio Law certification number mark	Graphic, height : 1.5 mm
Line 17	TELEC symbol	Graphic, height : 5.2 mm
Line 18	TELEC number (for T-CDMA MC): 001XUAAXXXX	Text, height : 1.1 mm
Line 19	TELEC number (for Bluetooth): 001WWDAXXXX	Text, height : 1.1 mm
Line 20	FCC ID: PY7A5880012	Text, height : 1.1 mm

Note: Any hard copy of this document is for reference only. Due to template and application dependencies the header and footer may fail to display correct data. It is the responsibility of the user to ensure that they have a correct and valid version. Any outdated hard copy is invalid and must be removed from possible use.




Line 21a	Bluetooth figure mark (Bluetooth logo)	Graphic, height : 3.0 mm
Line 21b	ARIB mark	Graphic, height : 2.5 mm
Line 22	IC ID: 4170B-A5880012	Text, height : 1.1 mm
Line 23	Date of manufacture	Text, height : 1.5 mm
Line 24	Line 22 in bar code for Manufacturing number for KDDI	Bar code height : 2.5 mm
Line 25	20XX/XX (Year/Month: Date of manufacture)	Text, height : 1.5 mm
Line 26	Manufacturing number for KDDI (SSOXXXXXXXXXX)	Text, height : 1.5 mm
Line 27	Line 24 in bar code for IMEI number	Bar code height : 2.5 mm
Line 28	IMEI number (IMEI XXXXXXXXXXXXXXXXXXXX)	Text, height : 1.5 mm
Line 29	Recycling Li-ion symbol	Graphic, height : 5.0 mm
Line 30a	CE approved symbol	Graphic, height : 5.0 mm
Line 30b	Alert mark	Graphic, height : 5.0 mm
Line 30c	Trash can mark	Graphic, height : 5.0 mm
Line 31a	Caution symbol	Graphic, height : 1.2 mm
Line 31b	Caution message. "Please turn off power in an airplane and in a hospital"	Text, height : 1.2 mm
Line 32a	Caution message. "Please do not peel off this sticker"	Text, height : 1.2 mm
Line 32b	Marking of Origin: Made in Japan	Text, height : 1.2 mm

3. Layout





4. Dimensions



Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

