



Prepared (also subject responsible if other)

Flora Kang (28848956)

Approved

Flora Kang (28848956)

Checked

Company Internal
MARKING DRAWING
No.

1243-6236

Date

Rev

Reference

2010-08-24

3

4

A8i, Mobile Phone Label Content, Made in, CN

1 General information

Mobile Phone label part no	<ul style="list-style-type: none"> 1237-3571
Bar code	<ul style="list-style-type: none"> Standard: according to Ericsson corporate standard 102 01-109 Uen Print quality: C, according to ANSI X3.182-1990 as stated in Ericsson corporate standard 102 01-1003 Uen Quiet zone: No bar codes are allowed to be closer to a label edge than 2 mm!
Text	If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.
Coordinates	"(x/y)" under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

2 Printing information

	Content	Format
Line 1 (11,0/30,0)	SIM card logo	Graphics height 6,0mm, According to 1001-6195
Line 2a (23,0/30,0)	CCC-sticker with S&E	Graphics, height 5 mm, width 6,5mm According to 1201-7981.
Line 3 (25,5/24,0)	"CMIIT ID: 20XXXXXXX"	Text, height 1,5mm with frame around. <i>According to Chapter 3.1.1 in MLCI.</i>
Line 4a (33,5/2,0)	Sony Ericsson stylized name.	Graphics, height 1,5 mm. According to 1200-1925.
Line 4b (33,5/19,0)	型号:	Text, height 1,2 mm.
Line 4c (33,5/22,5)	Model Name "A8i"	Text, height 1,2 mm.
Line 5a (35,5/2,0)	Type number of the phone, "TYPE: AAK-7880001-BV".	Text, height 1,2 mm.
Line 5b (35,5/19,0)	HW & SW identification field, if applicable; "FFGG"	Text, height 1,2 mm. <i>According to Type-testing report under Product Model Specifying Document</i>
Line 5c (35,5/27,0)	Location code of where the phone is flashed, if applicable, "XXX"	Text, height 1,2 mm.
Line 5d (35,5/33,0)	Production week (flash), "yy'W'ww" (yy = year, ww = week)	Text, height 1,2 mm.
Line 6a (37,5/2,0)	"FCC ID: PY7A7880001"	Text, height 1,2 mm.
Line 6b (37,5/19,0)	Product number without revision of the Sales Item in which the phone is packed, if applicable. "SI XXXX-XXXX"	Text, height 1,2 mm.
Line 6c (37,5/33,0)	Repair week, if applicable. "Ry'W'ww" (y = year, ww = week)	Text, height 1,2 mm.
Line 7a (39,5/2,0)	"IC: 4170B-A7880001"	Text, height 1,2 mm.

Prepared (also subject responsible if other)

Flora Kang (28848956)

Approved

Flora Kang (28848956)

Checked

**Company Internal
MARKING DRAWING**
No.

1243-6236

Date

Rev

Reference

2010-08-24

3

4

Line 7b (39,5/19,0)	Marking of origin: 中国制造	Text or graphics according to 1200-4285, height 1,2 mm.
Line 8 (41,5/2,0)	Line 9a in bar code. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).
Line 9a (43,5/2,0)	Supplier's identification for trace-ability of the telephone, as desired by supplier (e.g. "S/N: nnn...." for serial number).	Text, height 1,2 mm. Defined by supplier.
Line 9b (43,5/19,0)	Actual electronic serial number (IMEI) of the mobile phone, "00000000-000000-0"	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 10 (46,0/2,0)	Line 9b in bar code (only actual number, without data identifier).	Bar code, height 2,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
Line 11 (49,0/2,0)	TD-SCDMA/GSM双模数字移动电话机	Text, height 1,5 mm.
Line 12 (51,5/2,0)	索尼爱立信移动通信产品(中国)有限公司	Text, height 1,5 mm.
Line 13a (57,5/2,0)	CE approval symbol	Graphics, height 5 mm. According to 1210-0131.
Line 13b (57,5/9,5)	The notified body number "0682"	Text, height 5,0 mm.
Line 13c (57,5/22,0)	"Alert Symbol"	Graphics, height 5 mm According to 1001-5859
Line 13d (57,5/33,0)	WEE trashcan without bar symbol	Graphics, height 5,0 mm, According to 1202-5537.

3 Layout

The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

3.1 Conceptual picture

Prepared (also subject responsible if other)

Flora Kang (28848956)

Approved

Flora Kang (28848956)

Checked

Company Internal
MARKING DRAWING
No.

1243-6236

Date


2010-08-24

Rev

Reference

3

4



double underlined = major changes since last revision.

Prepared (also subject responsible if other)

Flora Kang (28848956)

Approved

Flora Kang (28848956)

Checked

Company Internal
MARKING DRAWING

No.

1243-6236

Date

2010-08-24

Rev

3

Reference

4

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

