



PY7AD021011

SAM 1 Phantom; Flat Section; Position: (270°,90°); Frequency: 1850 MHz
Probe: ET3DV6 - SN1569; ConvF(4.60,4.60,4.60); Crest factor: 8.0; Body 1900MHz: $\sigma = 1.53 \text{ mho/m}$ $\epsilon_r = 50.8$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.431 mW/g, SAR (10g): 0.226 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.06 dB




PY7AD021011

SAM 1 Phantom; Righ Hand Section; Position: (90°,301°); Frequency: 1910 MHz
Probe: ET3DV6 - SN1569; ConvF(5.28,5.28,5.28); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.47 \text{ mho/m}$ $\epsilon_r = 39.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.463 mW/g, SAR (10g): 0.242 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 15.0
Powerdrift: 0.01 dB




PY7AD021011

SAM 1 Phantom; Left Hand Section; Position: (105°,59°); Frequency: 1910 MHz
Probe: ET3DV6 - SN1569; ConvF(5.28,5.28,5.28); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.47 \text{ mho/m}$ $\epsilon_r = 39.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.613 mW/g, SAR (10g): 0.304 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.06 dB




PY7AD021011

SAM 1 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 1910 MHz
Probe: ET3DV6 - SN1569; ConvF(5.28,5.28,5.28); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.47 \text{ mho/m}$ $\epsilon_r = 39.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.545 mW/g, SAR (10g): 0.287 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.04 dB




PY7AD021011

SAM 1 Phantom; Flat Section; Position: (270°,90°); Frequency: 1910 MHz
Probe: ET3DV6 - SN1569; ConvF(4.60,4.60,4.60); Crest factor: 8.0; Body 1900MHz: $\sigma = 1.53 \text{ mho/m}$ $\epsilon_r = 50.8$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.0499 mW/g, SAR (10g): 0.0306 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.03 dB




PY7AD021011

SAM 1 Phantom; Flat Section; Position: (270°,90°); Frequency: 1910 MHz
Probe: ET3DV6 - SN1569; ConvF(4.60,4.60,4.60); Crest factor: 8.0; Body 1900MHz: $\sigma = 1.53 \text{ mho/m}$ $\epsilon_r = 50.8$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.380 mW/g, SAR (10g): 0.196 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.05 dB




PY7AD021011

SAM 1 Phantom; Righ Hand Section; Position: (105°,301°); Frequency: 1880 MHz
Probe: ET3DV6 - SN1569; ConvF(5.28,5.28,5.28); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.47 \text{ mho/m}$ $\epsilon_r = 39.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.496 mW/g, SAR (10g): 0.250 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 15.0
Powerdrift: 0.00 dB




PY7AD021011

SAM 1 Phantom; Righ Hand Section; Position: (90°,301°); Frequency: 1880 MHz
Probe: ET3DV6 - SN1569; ConvF(5.28,5.28,5.28); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.47 \text{ mho/m}$ $\epsilon_r = 39.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.459 mW/g, SAR (10g): 0.241 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 15.0
Powerdrift: 0.00 dB




PY7AD021011

SAM 1 Phantom; Left Hand Section; Position: (105°,59°); Frequency: 1880 MHz
Probe: ET3DV6 - SN1569; ConvF(5.28,5.28,5.28); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.47 \text{ mho/m}$ $\epsilon_r = 39.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.582 mW/g, SAR (10g): 0.283 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.09 dB




PY7AD021011

SAM 1 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 1880 MHz
Probe: ET3DV6 - SN1569; ConvF(5.28,5.28,5.28); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.47 \text{ mho/m}$ $\epsilon_r = 39.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.546 mW/g, SAR (10g): 0.288 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.01 dB



PY7AD021011

SAM 1 Phantom; Flat Section; Position: (270°,90°); Frequency: 1880 MHz
Probe: ET3DV6 - SN1569; ConvF(4.60,4.60,4.60); Crest factor: 8.0; Body 1900MHz: $\sigma = 1.53 \text{ mho/m}$ $\epsilon_r = 50.8$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.0497 mW/g, SAR (10g): 0.0309 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.00 dB




PY7AD021011

SAM 1 Phantom; Flat Section; Position: (270°,90°); Frequency: 1880 MHz
Probe: ET3DV6 - SN1569; ConvF(4.60,4.60,4.60); Crest factor: 8.0; Body 1900MHz: $\sigma = 1.53 \text{ mho/m}$ $\epsilon_r = 50.8$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.357 mW/g, SAR (10g): 0.184 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.09 dB




PY7AD021011

SAM 1 Phantom; Righ Hand Section; Position: (105°,301°); Frequency: 1850 MHz
Probe: ET3DV6 - SN1569; ConvF(5.28,5.28,5.28); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.47 \text{ mho/m}$ $\epsilon_r = 39.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.571 mW/g, SAR (10g): 0.289 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 15.0
Powerdrift: -0.01 dB




PY7AD021011

SAM 1 Phantom; Righ Hand Section; Position: (90°,301°); Frequency: 1850 MHz
Probe: ET3DV6 - SN1569; ConvF(5.28,5.28,5.28); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.47 \text{ mho/m}$ $\epsilon_r = 39.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.572 mW/g, SAR (10g): 0.302 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 15.0
Powerdrift: -0.00 dB




PY7AD021011

SAM 1 Phantom; Left Hand Section; Position: (105°,59°); Frequency: 1850 MHz
Probe: ET3DV6 - SN1569; ConvF(5.28,5.28,5.28); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.47 \text{ mho/m}$ $\epsilon_r = 39.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.731 mW/g, SAR (10g): 0.358 mW/g, (Worst-case extrapolation)
Cube 5x5x7: Dx = 8.0, Dy = 8.0, Dz = 5.0




PY7AD021011

SAM 1 Phantom; Left Hand Section; Position: (105°,59°); Frequency: 1850 MHz
Probe: ET3DV6 - SN1569; ConvF(5.28,5.28,5.28); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.47 \text{ mho/m}$ $\epsilon_r = 39.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.731 mW/g, SAR (10g): 0.358 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.01 dB




PY7AD021011

SAM 1 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 1850 MHz
Probe: ET3DV6 - SN1569; ConvF(5.28,5.28,5.28); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.47 \text{ mho/m}$ $\epsilon_r = 39.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.561 mW/g, SAR (10g): 0.306 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.01 dB




PY7AD021011

SAM 1 Phantom; Flat Section; Position: (270°,90°); Frequency: 1850 MHz
Probe: ET3DV6 - SN1569; ConvF(4.60,4.60,4.60); Crest factor: 8.0; Body 1900MHz: $\sigma = 1.53 \text{ mho/m}$ $\epsilon_r = 50.8$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.0599 mW/g, SAR (10g): 0.0374 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.01 dB



PY7AD021011

SAM 1 Phantom; Flat Section; Position: (270°,90°); Frequency: 1850 MHz
Probe: ET3DV6 - SN1569; ConvF(4.60,4.60,4.60); Crest factor: 8.0; Body 1900MHz: $\sigma = 1.53 \text{ mho/m}$ $\epsilon_r = 50.8$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.431 mW/g, SAR (10g): 0.226 mW/g, (Worst-case extrapolation)
Cube 5x5x7: Dx = 8.0, Dy = 8.0, Dz = 5.0



PY7AD021011

SAM 1 Phantom; Righ Hand Section; Position: (105°,301°); Frequency: 1910 MHz
Probe: ET3DV6 - SN1569; ConvF(5.28,5.28,5.28); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.47 \text{ mho/m}$ $\epsilon_r = 39.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.539 mW/g, SAR (10g): 0.272 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 15.0
Powerdrift: -0.01 dB

