



Prepared by  
R&D/Debby Kuo  
Contents responsible if other than preparer

Approved by  
SEMC / CNDS / JESSIE

- **Type number: DDA-0002022**
- **FCC id: PY7DDA-2022**
- **IC id: 4170B-DDA2022**

## Marking Drawing

### Contents

1	General Information .....	2
1.1	SCOPE .....	2
1.2	DOCUMENTATION .....	2
1.3	LABEL INFORMATION .....	2
1.4	PRINTING INFORMATION for BULK PACKAGING .....	2
1.5	LANGUAGE (optional).....	3
1.6	TESTS (optional) .....	3
2	CONTENTS AND POSITIONING OF LABEL PRINTING for VH300's BULK PACKAGING .....	3
2.1	CONTENTS for Date Code Marking (Laser Etching on product, except Glamour Red) .....	3
2.2	CONTENTS for Date Code Marking (ID Label for Glamour Red only)	5
2.3	CONTENTS for Date Code Label (Put on BAG) .....	6
2.4	CONTENTS for Date Code Label (Put on BOX) .....	6
2.5	CONTENTS for Date Code Label (Put on under BOX) .....	7
2.6	CONTENTS for Date Code Label (Put on CARTON).....	7
2.7	CONTENTS for Pallet Label (Put on Pallet) .....	8
2.8	POSITIONING OF LABEL PRINTING.....	9
3	REVISION INFORMATION .....	10



# 1 General Information

## 1.1 SCOPE

This document specifies the label printing for VH300, FCP 119 0717

SEMC Product number (ID) on Product can be exchanged as product number shown in below table for VH300 series BT headsets.

item	SEMC product number (ID)	Color
1	1220-6551	Feather White
2	1222-4189	Argentum Black
3	1222-4191	Stellar Silver
4	1222-5211	Discreet Black
5	1224-1625	Galaxy Silver
6	1224-1626	Rouge Pink
7	1224-1628	Glamour Red

## 1.2 DOCUMENTATION

All documents are listed in the Document overview 1056-FCP 119 0717

## 1.3 LABEL INFORMATION

Material and measurements are specified in document 1301-FCP 119 0717

## 1.4 PRINTING INFORMATION for BULK PACKAGING

- CONTENTS for Date Code Marking (Laser Etching on product, except Glamour Red):
  - Color text : Written color : White Letters
  - Printing : All printing shall be sharp, well readable and permanent
  - Text height : Refer to the page (3) of 2.1 explanation
  - Text font : "Arial" ,Except the text "Sony Ericsson" on Line1 should be printed with the SE logo text style/font .
  
- CONTENTS for Date Code Marking (ID Label for Glamour Red only):
  - Color text : Written color : White Letters
  - Printing : All printing shall be sharp, well readable and permanent
  - Text height : Refer to the page (3) of 2.2 explanation
  - Text font : "Arial" ,Except the text "Sony Ericsson" on Line1 should be printed with the SE logo text style/font .
  
- Date code label (put on PE Bag)
  - Color text : Written color : Black Letters / Background color: White
  - Printing : All printing shall be sharp, well readable and permanent
  - Text height : 2 mm
  - Text font : "Arial"



- Box Label
  - Color text : Written color :Black Letters / Background color: Green Pantone 368C
  - Printing : All printing shall be sharp, well readable and permanent
  - Text height : 3 mm
  - Text font : "Arial"
- Label (under White BOX)
  - Color text : Written color :Black Letters / Background color: White
  - Printing : All printing shall be sharp, well readable and permanent
  - Text height : 5 mm
  - Text font : "Arial"
- Carton Label
  - Color text : Written color :Black Letters / Background color: Green Pantone 368C
  - Printing : All printing shall be sharp, well readable and permanent
  - Text height : 3 mm
  - Text font : "Arial"
- Pallet Label
  - Color text : Written color :Black Letters / Background color: White
  - Printing : All printing shall be sharp, well readable and permanent
  - Text height : 2 mm
  - Text font : "Arial"

### 1.5 LANGUAGE (optional)

Only English text shall be printed on the label according to specification in section 2 below.

### 1.6 TESTS (optional)

The label shall be tested and approved according to valid safety requirements.

## 2 CONTENTS AND POSITIONING OF LABEL PRINTING for VH300's BULK PACKAGING

### 2.1 CONTENTS for Date Code Marking (Laser Etching on product, except Glamour Red)

The label shall have the following content, Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	Sony Ericsson	Left, width 9.55 mm High 1.17 mm	printed with the SE logo text style/font
Line 1:	Type:DDA-0002022	Right width 9.29 mm High 0.8 mm	
Line 2:	Model:VH300	Left, width 6.34 mm	Note 1



Line 2:	IC:4170B-DDA2022	High 0.8 mm Middle width 9.28 mm	
Line 2:	BDA:XXXXXXXXXXXX	High 0.8 mm Right width 9.24 mm	
Line 3:	XXXX-XXXX.X	High 0.8 mm Left, width 5.69 mm	Note 2
Line 3:	FCC ID:PY7DDA-2022	High 0.8 mm Right width 10.71 mm	
Line 4:	C-Tick Marking	High 0.8 mm Left, width 6.92 mm	
Line 4:	Z354 Marking (New Zealand)	High 3.0 mm Middle width 1.84 mm	
Line 4:	CE 0682 Marking	High 0.8 mm Middle width 5.56 mm	
Line 4:	WEEE Marking	High 2.04 mm Right width 4.66 mm	
Line 5:	Serial No:YYWWSSPCXXXXXXC	High 5.11 mm Middle width 11.29 mm	Note 3
Line 6:	Japanese TA Marking	High 0.8 mm Left width 13.58 mm	
Line 6:	Made in China	High 3.0 mm Right width 5.07 mm	
Line 7:	Japan Lion built-in battery statement	High 0.6 mm Left, width 12.22 mm	
Line 8:	KCC SOK-VH300 Marking (Korea)	High 0.8 mm Left, width 19.79 mm	
Line 8:	CMIIT ID:XXXXXXXXXX (China)	High 2.35 mm Right width 8.71 mm	
Line 8:	Anatel XXXX-XX-XXXX (Brazil)	High 0.6 mm Right width 8.36 mm	

Note 1: Sony Ericsson Product Name.

Note 2: Product number and R-state along with color change

item	SEMC product number (ID)	Color
1	1220-6551	Feather White
2	1222-4189	Argentum Black
3	1222-4191	Stellar Silver
4	1222-5211	Discreet Black
5	1224-1625	Galaxy Silver
6	1224-1626	Rouge Pink



Note 3: (Y)Year  
(W)Week  
(S)Supplier site code, identify production site, managed by sourcing  
(P)Production line / Product code, handled by supplier  
(X)Running number  
(C1)Checksum  
(C2)Checksum

**2.2 CONTENTS for Date Code Marking (ID Label for Glamour Red only)**

2.2.1.1 The Left side of this Label

The label shall have the following content, Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	Sony Ericsson	Left, width 9.55 mm High 1.17 mm	printed with the SE logo text style/font
Line 2:	Model:VH300	Left, width 5.27 mm High 0.8 mm	Note 1
Line 2	Type:DDA-0002022	Right, width 7.73 mm High 1.02 mm	
Line 3:	1224-1628.1	Left, width 4.74 mm High 0.8 mm	Note 2
Line 3	IC:4170B-DDA2022	Right, width 7.72 mm High 0.8 mm	
Line 4	CMIIT ID:XXXXXXXXXX (China)	Left, width 9.65 mm High 0.8 mm	
Line 4	FCC ID:PY7DDA-2022	Right, width 8.91 mm High 0.8 mm	
Line 5	Anatel XXXX-XX-XXXX (Brazil)	Left, width 9.27 mm High 0.8 mm	
Line 5:	Made In China	Right, width 5.63 mm High 0.8 mm	
Line 6:	BDA:XXXXXXXXXXXX	Left, width 11 mm High 1.6 mm	
Line 7:	Serial No:YYWWSSPCXXXXXXC	Left, width 12.8 mm High 1.6 mm	Note 3

Note 1: Sony Ericsson Product Name.  
Note 2: Product number and R-state along with color change  
Note 3: (Y)Year  
(W)Week  
(S)Supplier site code, identify production site, managed by sourcing  
(P)Production line / Product code, handled by supplier  
(X)Running number  
(C1)Checksum  
(C2)Checksum



2.2.1.2 The Right side of this Label

The label shall have the following content, Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	C-Tick Marking	Left, width 6.94 mm High 3.0 mm	
Line 1:	Z354 Marking (New Zealand)	Middle width 1.84 mm High 0.8 mm	
Line 1:	CE 0682 Marking	Right, width 8.4 mm High 3 mm	
Line 2:	Japanese TA Marking	Left, width 13.58 mm High 3.0 mm	
Line 2:	WEEE Marking	Right, width 4.66 mm High 5.11 mm	
Line 3:	Japan Lion built-in battery statement	Left, width 12.36 mm High 0.8 mm	
Line 4:	KCC SOK-VH300 Marking (Korea)	Left, width 19.79 mm High 2.35 mm	

2.3 CONTENTS for Date Code Label (Put on BAG)

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	Barcode	Left width 36.5 mm High 8.0 mm	Note 1
Line 2:	XXXX-XXXX.X	Left width 19.0 mm High 2.0 mm	Note 1
Line 3:	yyWww	Left width 9.6 mm High 2.6 mm	Note 2
Line 4:	WEEE logo	Right width 6.75 mm High 6.7 mm	
	MADE IN xxxxx	Left width 18.2 mm High 2.0 mm	Note 3
Note 1:	Product number and R-state		
Note 2:	Is a variable digit "09W03" means year 2009 week 3		
Note 3:	Country of origin		

2.4 CONTENTS for Date Code Label (Put on BOX)

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	P/O:	Left width 20 mm High 3.0 mm	Note 1
Line 2:	Q'TY:	Left width 17 mm	



Line 3	Supplier:Merry Electronics Co., Ltd.	High 3.0 mm Left width 47 mm	
Line 4:	P/N:XXXX-XXXX.X	High 3.0 mm Left width 27 mm High 3.0 mm	Note 2
	Note 1:	Order Number by each one Sales Order.	
	Note 2:	Product number and R-state	

**2.5 CONTENTS for Date Code Label (Put on under BOX)**

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	BLUETOOTH	Left width 43 mm High 5 mm	
Line 2:	HEADSET	Left width 33 mm High 5 mm	

**2.6 CONTENTS for Date Code Label (Put on CARTON)**

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	(P)Product No. XXXX-XXXX.X	Left width 24 mm High 3.3 mm	Note 1
Line 1:	Product Name Bluetooth Headset	Middle width 28.7 mm High 6.8 mm	
Line 1:	Country of origin CB	Right width 25 mm High 6.8 mm	
Line 2:	(V)Factory code	Left width 25.7 mm High 3.3 mm	
Line 2:	(12D) Year/Month/Day	Middle width 34.7 mm High 3.3 mm	
Line 2:	(K)Purchase order No.	Right width 35.8 mm High 3.3 mm	Note 2:
Line 3:	(1T)Lot no.	Middle width 17.7 mm High 3.3 mm	
Line 3:	CE-and/or TTE-marking	Right width 37 mm High 3.3 mm	
Line 4:	(Q)Quantity	Left width 19 mm High 3.3 mm	
Line 5:	Item Code	Left width 16.5mm High 2.6 mm	Note 3:
Line 5:	Ship to	Right width 10 mm High 2.6 mm	



Line 6:	Po Nr.:	Left width 10 mm High 2.6 mm	Note 3:
Line 6:	MODEL NO.:	Right width 19 mm High 2.6 mm	Note 3:
Line 7:	Pos. Nr.:	Left width 12 mm High 2.6 mm	Note 3:
Line 7:	N.W.:	Right width 7.6 mm High 2.6 mm	Note 3:
Line 8:	CTN Nr.:	Left width 13 mm High 2.6 mm	Note 3:
Line 8:	G.W.:	Right width 8 mm High 2.6 mm	Note 3:
Line 9:	Pallet Nr.:	Left width 14.6 mm High 2.6 mm	Note 3:
Line 9:	Q'TY:	Right width 8 mm High 2.6 mm	Note 3:
Line 10:	Merry Electronics Co., Ltd.	Left width 40 mm High 3.0 mm	
Line 21:	Made in China	Right width 21 mm High 2.6 mm	

- Note 1: Product number and R-state
- Note 2: Order Number by each one Sales Order.
- Note 3: Printing content is subject to change according to PO requirement

## 2.7 CONTENTS for Pallet Label (Put on Pallet)

The label shall have the following contents Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	(1J)License plate No.	Left width 24 mm High 2 mm	
Line 1:	Shipper's Address	Right width 54 mm High 2.0 mm	
Line 2:	Receiving Address	Right width 38 mm High 2.0 mm	
Line 3:	(Q)Quantity	Left width 14 mm High 2.0 mm	
Line 4:	(1K)Purchase Order No.	Left width 27 mm High 2.0 mm	Note 1
Line 4:	Weight/Volume	Right width 22 mm High 2.0 mm	
Line 5:	(1P)Product No.	Left	Note 2


width 19 mm  
High 2.0 mm

- Note 1: Product number and R-state
- Note 2: Order Number by each one Sales Order.


## 2.8 POSITIONING OF LABEL PRINTING

The logotype, text and safety approval symbols mentioned shall be placed according to the following schematic sketch (only layout, no measurements).

Date code Marking (Laser Etching on product, except Glamour Red) :




Date code Marking (ID Label for Glamour Red only) :



label (put on bag) :



label (put on box) :





label (put on under box) :

**BLUETOOTH  
HEADSET**

bar code label (put on carton) :

(P) Product No. XXXX.XXXX X 	Product Name Bluetooth Headset	Country of origin CB
(V) Factory code Z7197 	(12D) Year/Month/Day YYMMDD 	(K) Purchase order No. XXXXXXXXX 
(1T) Lot no. XXXXX 	CE-and/or TTE-marking	
(Q) Quantity XXX 	Ship to	
Item Code:	MODEL NO.:	
Po Nr.:	N.W.:	
Pos.Nr.:	G.W.:	
CTN Nr.:	Q'TY:	
Pallet Nr.:	Made in China	
Merry Electronics Co.,Ltd.		

bar code label (put on pallet) :

(1J) License plate No. Z7197 	Ship to : Ship address
(Q) Quantity XXXX 	From : MERRY ELECTRONICS (SHENZHEN) CO., LTD. DA LOUNG IND. PARK, LOUGHUA, BAOAN, SHENZHEN, CHINA
(1K) Purchase order No. XXXXXXXXX 	Weight/Volume XXXKG/XXXXL
(1P) Product No. XXXX.XXXX X 	

### 3

### REVISION INFORMATION

<u>Version</u>	<u>Date</u>	<u>Note</u>
1	Apr. 07, 2009	New Release