



- **Type number: DDA-0002024**
- **FCC id: PY7DDA-2024**
- **IC id: 4170B-DDA2024**

Marking Drawing for VH310 (without Korea, China, Brazil marking)

Contents

1	General Information	1
1.1	SCOPE	1
1.2	DOCUMENTATION	1
1.3	LABEL INFORMATION	1
1.4	PRINTING INFORMATION	1
1.5	LANGUAGE (optional)	2
1.6	TESTS (optional)	2
2	CONTENTS AND POSITIONING OF LABEL PRINTING	2
2.1	CONTENTS	2
2.2	POSITIONING OF LABEL PRINTING	3
3	REVISION INFORMATION	3

1 General Information

1.1 SCOPE

This document specifies the laser marking for VH310, 1223-5948.

1.2 DOCUMENTATION

All documents are listed in the SPACE BOM


1.3 LABEL INFORMATION

Material: PC+ABS, Printing by laser.

Marking size: 26.1x11.5mm

1.4 PRINTING INFORMATION

- Color text: Gray
- Printing: All printing shall be sharp, well readable and permanent
- Text height: 0.75mm
- Text font: Arial



1.5 LANGUAGE (optional)

Only English text shall be printed on the label according to specification in section 2 below.

1.6 TESTS (optional)

The label shall be tested and approved according to valid safety requirements.

2 CONTENTS AND POSITIONING OF LABEL PRINTING

2.1 CONTENTS

The label shall have the following content, Line and alignment may vary:

LINE	TEXT	ALIGN	NOTE
Line 1:	Sony Ericsson trademark	Left width 12 mm	Note 1
	Model:VH310	Middle high 0.75mm	
Line 2:	1223-5597.1	Left high 0.75mm	Note 2
Line 3	Type:DDA-0002024	Left high 0.75mm	
Line 4	FCC ID:PY7DDA-2024	Left high 0.75mm	Note 4
Line 5	IC:4170B-DDA2024	Left high 0.75mm	Note 5
Line 6	Serial No. YYWWSSPCXXXXXXC.	Left high 0.75mm	Note 3
Line 7 Line 8	BDA:XXXXXXXXXXXXXX	Left high 0.75mm	BDA number
	Made in China	Left high 0.75mm	Note 6
	Z354	Middle high 0.75mm	
	C-tic logo N12878, CE logo 0682,	Middle under High 3mm	Note 7




	Ashbin mark	Right under High 3mm	WEEE logo Note 7
--	-------------	-------------------------	---------------------

- Note 1: Sony Ericsson trademark according to 190 89-EN/LZT 108 5347.
- Note 2: 1223-5597 is the SPACE id.
1 is the revision number (1,2,3 etc)
- Note 3: Serial No according to 4/159 35-LXE 108 179
YYWWSSPCXXXXXXC
YY = Year
WW = Week of production
SS = Supplier/site
P = Production Line/Product Code
XXXXXX = Serial value
C = Checksum (in two positions)
- Note 4: US approval
- Note 5: Canadian approval
- Note 6: Country of origin
- Note 7: C-tick according to 1424-SVF 930 2333A
CE symbol according to 1210-0131.3
WEEE according to:1424-SVF 930 1444-1A

2.2 POSITIONING OF LASER MARKING

The logotype, text and safety approval symbols mentioned shall be placed according to the following schematic sketch (only layout, no measurements).



3 REVISION INFORMATION

Rev. 1 First issue