

Marking Drawing HCB-105

Contents

1	General Information	1
1.1	SCOPE	1
1.2	DOCUMENTATION	1
1.3	LABEL INFORMATION	1
1.4	PRINTING INFORMATION	1
2	CONTENTS AND POSITIONING OF LABEL PRINTING	2
2.1	CONTENTS	2
2.2	POSITIONING OF LABEL PRINTING	3
2.3	POSITIONING OF LABEL PASTING ON PRODUCT	3
3	REVISION INFORMATION	4

1 General Information

1.1 SCOPE

This document specifies the label printing for HCB-105, KRY 107 1148 R1A

1.2 DOCUMENTATION

All documents are listed in the Document overview 151 86-KRY107 1148

1.3 LABEL INFORMATION

- Label material :
- Label color: White
- Adhesive:
- Measurements: See layout below

1.4 PRINTING INFORMATION

- Color text: Black
- Printing: All printing shall be sharp, well readable and permanent
- Text height: see below
- Text font: Arial or equivalent

2 CONTENTS AND POSITIONING OF LABEL PRINTING

2.1 CONTENTS

The label shall have the following contents:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	Sony Ericsson trademark	Left	Note 1
Line 2:	Model : HCB-105	Left	Note 5
Line 3:	KRY 107 1148 R1A	Left	Note 6
Line 4:	Type: DEA-0002004	Left	
Line 5:	FCC id: PY7DEA-2004	Left	
Line 6:	IC: 4170B-DEA2004	Left	
Line 7:	Japanese TA number, R-ID	Left (after JP TA symbol)	Note 8
Line 8:	Japanese TA number, T-ID	Left (after JP TA symbol)	Note 9
Line 9:	(S/N number)	Left	Note 7
Line 10:	(BD address)	Left	Note 3
Approval Symbols	CE marking C.tick marking	Right/Vertical	Note 4

Note 1: Sony Ericsson trademark according to 190 89-EN/LZT 108 5347,
width: 12 mm

Note 3: (BD address) = According to the BDA numbers given by SEMC

Note 4: CE-mark height: 5 mm, C tick diameter 3mm

Note 5: Separate a line indicating "Model : HCB-105" (based on SRRC
requirement)

Note 6 : "R1A" for RTL version


Note 7 : "S/N" number according to SEMC newest requirement.

Note 8 : Japanese TA number, R-ID = 202WW072455011.

Note 9 : Japanese TA number, T-ID = D 08-001 202.


2.2 POSITIONING OF LABEL PRINTING

The logotype, text and safety approval symbols mentioned shall be placed according to the following schematic sketch (only layout, no measurements).



2.3 POSITIONING OF LABEL PASTING ON PRODUCT

The Label will be pasted on the product as position indicated below :





3

REVISION INFORMATION

- Rev. A First release including Japan Type Approval requirement.
- Rev. B Content in header changed.