

## MARKING SPECIFICATION

(For Type numbers, see contents below)

### Contents

1	General Information.....	1
1.1	SCOPE.....	1
1.2	DOCUMENTATION.....	1
1.3	LABEL INFORMATION .....	1
1.4	PRINTING INFORMATION .....	1
1.5	LANGUAGE (optional).....	1
1.6	TESTS (optional).....	2
2	CONTENTS AND POSITIONING OF LABEL PRINTING .....	2
2.1	CONTENTS.....	2
2.2	POSITIONING OF LABEL PRINTING .....	3
3	REVISION INFORMATION .....	3

### General Information

#### 1.1 SCOPE

This document specifies the label printing for JERRY, 1240-6974.

#### 1.2 DOCUMENTATION

All documents are listed in the SPACE BOM

#### 1.3 LABEL INFORMATION

Material and measurements are laser marked.

#### 1.4 PRINTING INFORMATION

- Colour text: "text gray color."
- Printing: All printing shall be sharp, well readable and permanent
- Text height: 0.8 mm
- Text font: " Arial or equivalent "

#### 1.5 LANGUAGE (optional)

Only English text shall be printed on the label according to specification in section 2 below.

## 1.6 TESTS (optional)

The label shall be tested and approved according to valid safety requirements.

## 2 CONTENTS AND POSITIONING OF LABEL PRINTING

### 2.1 CONTENTS

The label shall have the following content, Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	LiveView™ MN800	Left, width 8.2 mm	note 1
Line 2:	1240-6974.1	Left width 6.0 mm	Note 2
Line 3:	Type no. DGA-0004001	Left width 10.0 mm	
Line 4:	BDA:xxxxxxxxxxx	Left width 12.0 mm	
Dli Line 5:	Serial No. YYWW07PCXXXXXXXXXC	Left width 14.0 mm	Note 3
Line 6:	FCC id:PY7DGA-4001	Left width 24.0 mm	Note 4
Line 7:	IC id: 4170B-DGA4001	Left width 24.0 mm	Note 5
Line 11:	MADE IN CHINA	Left width 14.2 mm	Note 6
Icon	<b>Z354</b>	Sketch	New Zealand EMC-requirement. Shall be put together with C-tick
Icon	 N12878	Sketch	<b>C-tick</b> icon with <b>N12878</b> number Australian EMC requirement Ref. doc <a href="#">1001-5788</a> Min size: 3mm
Icon	 0682	Sketch	<b>CE 0682</b> icon CE with notify body number Ref. doc <a href="#">1210-0131</a> Min size: 5mm
Icon	 R 202WW101195445 T D 10-0013 202	Sketch	Japanese TA number and logo Symbol size: 3mm, text 1mm height
Icon		Sketch	<b>EPUP 20</b> icon China requirement, ref. doc <a href="#">9/1770-LXE108 715</a> Min size: 5x5mm
Icon:		Sketch	<b>Recycling WEEE</b> icon ref.doc. <a href="#">1003-0743</a> Min size: 5mm height of cross

Note 1: Sony Ericsson trademark according to 190 89-EN/LZT 108 5347.

Note 2: XXXX-XXXX is the SPACE id.  
Y is the revision number (1,2,3 etc)




- Note 3: Serial No according to 4/159 35-LXE 108 179  
**YYWWSSPCXXXXXC**  
YY = Year  
WW = Week of production  
SS = Supplier/site  
P = Production Line/Product Code  
XXXXXX = Serial value  
C = Checksum ( in two positions)
- Note 4: US approval
- Note 5: Canadian approval
- Note 6: Country of origin

## 2.2 POSITIONING OF LABEL PRINTING

The logotype, text and safety approval symbols mentioned shall be placed according to the following schematic sketch (only layout, no measurements).

### LASER MARKING:



## 3 REVISION INFORMATION

Rev. A      2010/09/13