

CETECOM™

CETECOM ICT Services
consulting - testing - certification >>>

Annex C Photo documentation

Appendix to Test Report No.: 1-4254/12-32-02-D



DAkkS
Deutsche
Akkreditierungsstelle
D-PL-12076-01-01

Testing Laboratory

CETECOM ICT Services GmbH
Untertürkheimer Straße 6 – 10
66117 Saarbrücken/Germany
Phone: + 49 681 5 98 - 0
Fax: + 49 681 5 98 - 9075
Internet: <http://www.cetecom.com>
e-mail: ict@cetecom.com

Accredited Test Laboratory:

The testing laboratory (area of testing) is accredited according to DIN EN ISO/IEC 17025 (2005) by the Deutsche Akkreditierungsstelle GmbH (DAkkS)
The accreditation is valid for the scope of testing procedures as stated in the accreditation certificate with the registration number: D-PL-12076-01-01

Photo 1: Measurement System DASY 4



Photo 2: DUT - front view




Photo 3: DUT - side view



Photo 4: DUT - rear view



Photo 5: DUT - rear view (open)



Photo 6: DUT - rear view (open) without battery



Photo 7: DUT - rear view (label)



Photo 8: Battery



Photo 9: Test position left hand touched




Photo 10: Test position left hand touched



Photo 11: Test position left hand touched




Photo 12: Test position left hand tilted 15°




Photo 13: Test position left hand tilted 15°



Photo 14: Test position right hand touched




Photo 15: Test position right hand touched



Photo 16: Test position right hand touched



Photo 17: Test position right hand tilted 15°




Photo 18: Test position right hand tilted 15°



Photo 19: Test position body worn front side with 15 mm distance



Photo 20: Test position body worn rear side with 15 mm distance



Photo 21: Test body position (hotspot) front side with 10 mm distance



Photo 22: Test body position (hotspot) rear side with 10 mm distance



Photo 23: Test body position (hotspot) left side with 10 mm distance



Photo 24: Test body position (hotspot) right side with 10 mm distance



Photo 25: Test body position (hotspot) bottom side with 10 mm distance



Photo 26: Test body position (hotspot) top side with 10 mm distance

