

Prepared (also subject responsible if other)

Leif Hedin (23056584)

Approved

Leif Hedin (23056584)

Checked

Company Internal
MARKING DRAWING LABEL CONTENT
No.

1265-6792

Date

2012-10-25

Rev

10

Reference

5State: Released

Mobile Phone label content

1 General information

Mobile Phone label part no	<ul style="list-style-type: none"> • Not applicable
Mobile Phone label content part no	<ul style="list-style-type: none"> • 1265-6791
Bar code	<ul style="list-style-type: none"> • Print quality: according to COSMETIC GUIDELINE – Bar code labels document 1222-6072 Uen • Quiet zone: No bar codes are allowed to be closer to a label edge than 2 mm!
Text	If applicable, or nothing else specified, Helvetica Neue LT Std 37 Light Condensed 4.75 pt (kerning -20) is imposed. When needed, the text is adjusted to fit the label.
Coordinates	“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

2 Printing information

	Content	Format
Line 1a <u>(1,4/28,0)</u>	Marking of origin; “MADE IN CHINA”	Text, height 1,2 mm.
Line 1b <u>(1,4/37,2)</u>	Model Name “C6603”	Text, height 1,2 mm. <i>According to model name in Chapter 1 in MLCI.</i>
Line 1c <u>(1,4/41,6)</u>	Actual electronic serial number (IMEI) of the mobile phone, “00000000-000000-0”	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 1d <u>(1,4/54,0)</u>	Production week (flash), “00W01” (yy = year, ww = week)	Text, height 1,2 mm.
Line 1e <u>(1,4/58,4)</u>	HW & SW identification field, if applicable; “EFF”	Text, height 1,2 mm. <i>According to Type-testing report under Product Model Specifying Document</i>
Line 2 <u>(3,6/41,6)</u>	Line 2 in bar code, according to line 1c. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).

Prepared (also subject responsible if other)

Leif Hedin (23056584)

Approved

Leif Hedin (23056584)

Checked

Company Internal

MARKING DRAWING LABEL CONTENT

No.

1265-6792

Date

2012-10-25

Rev

10

Reference

5State: Released

3 Layout


The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

3.1 Conceptual picture

Font : Helvetica Neue LT Std 37 Thin Condense 4.55pt

barcode Image

for white (image)



for black (image)



EXPLANATION

for white



for black



Level image

for white (image)



for black (image)



for white



for black



double underlined = major changes since last revision.

Prepared (also subject responsible if other)

Leif Hedin (23056584)

Approved

Leif Hedin (23056584)

Checked

Company Internal

MARKING DRAWING LABEL CONTENT

No.

1265-6792

Date

2012-10-25

Rev

10

Reference

5State: Released



image

Prepared (also subject responsible if other)

Leif Hedin (23056584)

Approved

Leif Hedin (23056584)

Checked

Company Internal

MARKING DRAWING LABEL CONTENT

No.

1265-6792

Date


2012-10-25

Rev

10

Reference

5State: Released



 mirror ink
Back print Glass