

Prepared (also subject responsible if other)  
 CGOVDPLG, Anna Englund  
 Approved  
 CGOVDPLG, Anna Englund

Checked

Company Internal  
 MARKING DRAWING  
 No.  
 1267-9871 Uen  
 Date  
 2012-07-03  
 Rev  
 4  
 Reference

## , Mobile Phone label content

### 1 General information

|   |  |
|---|--|
| <b>Mobile Phone label part no</b>         | <ul style="list-style-type: none"> <li>• <b>Not applicable</b></li> </ul>  |
| <b>Mobile Phone label content part no</b> | <ul style="list-style-type: none"> <li>• <b>1267-9873</b></li> </ul>   |
| <b>Bar code</b>                           | <ul style="list-style-type: none"> <li>• <b>Print quality:</b> according to COSMETIC GUIDELINE – Bar code labels document 1222-6072 Uen</li> <li>• <b>Quiet zone:</b> No bar codes are allowed to be closer to a label edge than 2 mm!</li> </ul>                                    |
| <b>Text</b>                               | If applicable, or nothing else specified, Helvetica Neue LT Std 37 Light Condensed 4.75 pt (kerning -20) is imposed. When needed, the text is adjusted to fit the label.   |
| <b>Coordinates</b>                        | “(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label. |

MLCI=Main Label Content information

### 2 Printing information

|                                     | Content  | Format   |
|-------------------------------------|--|--|
| <b>Line 1a</b><br><i>(1,4/28,0)</i> | Marking of origin;<br>“MADE IN CHINA”  | Text, height 1,2 mm.   |
| <b>Line 1b</b><br><i>(1,4/37,1)</i> | Model Name<br>“C6602”  | Text, height 1,2 mm.<br><i>According to model name in Chapter 1 in MLCI.</i>   |
| <b>Line 1c</b><br><i>(1,4/41,5)</i> | Actual electronic serial number (IMEI) of the mobile phone,<br>“00000000-000000-0”             | Text, height 1,2 mm.<br>In the format TAC-SNR-CD.<br>TAC and SNR derived from pos 500 in BOM.<br>CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16. |
| <b>Line 1d</b><br><i>(1,4/54,0)</i> | Production week (flash), “00W01”<br>(yy = year, ww = week)                                     | Text, height 1,2 mm.   |
| <b>Line 1e</b><br><i>(1,4/58,2)</i> | HW & SW identification field, if applicable;<br>“EFF”  | Text, height 1,2 mm.<br><i>According to Type-testing report under Product Model Specifying Document</i>  |
| <b>Line 2</b><br><i>(3,6/41,5)</i>  | Line 2 in bar code, according to line 1c.<br>As desired by supplier (e.g. only actual number). | Bar code, height 2,0 mm.<br>As desired by supplier (e.g. Code 128 symbology).  |

Prepared (also subject responsible if other)  
 CGOVDPLG, Anna Englund  
 Approved  
 CGOVDPLG, Anna Englund

Checked

Company Internal  
 MARKING DRAWING  
 No.

1267-9871 Uen

Date

2012-07-03

Rev

4

Reference

3


## 3 Layout

The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

### 3.1 Conceptual picture

Font : Helvetica Neue LT Std 37 Thin Condense 4.55pt

barcode Image  
 for white (image)



for black (image)



#### EXPLANATION



#### Level image

for white (image)



for black (image)



for white



for black



double underlined = major changes since last revision.

Prepared (also subject responsible if other)  
CGOVDPLG, Anna Englund  
Approved  
CGOVDPLG, Anna Englund

Checked

Company Internal  
MARKING DRAWING  
No.  
1267-9871 Uen  
Date  
2012-07-03  
Rev  
4

Reference

3



image

Prepared (also subject responsible if other)  
CGOVDPLG, Anna Englund  
Approved  
CGOVDPLG, Anna Englund

Checked

Company Internal  
MARKING DRAWING  
No.  
1267-9871 Uen  
Date  
2012-07-03  
Rev  
4

Reference

3

