

IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page of 89

FCC CERTIFICATION REPORT

Test Report No.: EI/2012/A0015

Applicant: Sony Mobile Communications AB

Address of Applicant: Nya Vattentornet 22188 Lund/SWEDEN

Equipment Under Test (EUT):

Product Name: Mobile Phone

Brand Name: Sony

Marketing Name: C2104

Model No.: PM-0300-BV

Added Model(s): N/A

FCC ID: PY7PM-0300

IC: 4170B-PM0300

Standards : FCC Part 15:2010, Subpart B, Class B

Canada ICES-003 Issue 5(Aug. 2012)

Date of Receipt : Oct. 29, 2012

Date of Test : Oct. 29 ~ Nov. 16, 2012

Date of Issue : Apr. 29, 2013

Test Result: **PASS**

In the configuration tested, the EUT complied with the standards specified above.

Remarks:

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report shall not be reproduced except in full, without the written approval of the laboratory. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

Test By: Apr. 29, 2013 Date Jimmy Liu / Engineer Approved By Date Apr. 29, 2013

Jim Chang / Supervisor

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sas.com



IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 2 of 89

Version

Version No.	Description	Date
00	Original report	Feb. 07, 2013
01	Modified report header, added radio feature defining statements, renew test result plots.	Mar. 11, 2013
02	Revise the incorrect naming of product specification.	Mar 27, 2013
03	Add FCC Registration Number and Canada Registration Number	Apr. 29, 2013

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Report No.: EI/2012/A0015 Issue Date: Apr. 29, 2013

Page : 3 of 89

Contents

1.	GENERAL INFORMATION	. 5
	1.1 APPLICANT & MANUFACTURER INFORMATION	5
	1.2 GENERAL DESCRIPTION OF EUT	5
	1.3 DETAILS OF EUT	10
	1.4 OPERATION PROCEDURE	11
	1.5 DESCRIPTION OF SUPPORT UNITS	12
	1.6 Modification List	12
	1.7 Cable List	12
	1.8 Test Set-Up Configuration	12
	1.9 Measurment Procedure	14
	1.10 Standards Applicable for Testing	14
	1.11 SUMMARY OF RESULTS	14
2.	RADIO DISTURBANCE	15
	2.1 Test Results	15
	2.2 Frequency Range	15
	2.3 LIMITS OF CONDUCTED AND RADIATED EMISSION	15
	2.3.1 LIMIT OF CONDUCTED EMISSION OF FCC PART 15, SUBPART B/CISPR 22	15
	2.3.2 LIMIT OF RADIATED EMISSIONS OF FCC PART 15, SUBPART B/CISPR 22	16
	2.4.Test of Conducted Emission.	17
	2.4.1 TEST EQUIPMENTS	17
	2.4.2 Test Site	17
	2.4.3 OPERATING ENVIRONMENT	17
	2.4.3.1 Uncertainty of Conducted Emission	17
	2.4.3.2 MEASUREMENT LEVEL AND FACTOR CALCULATE METHOD	17
	2.4.4 MEASUREMENT DATA	18
	2.5 Test of Radiated Emission.	32
	2.5.1 Test Instruments	32
	2.5.2 Test Site	32
	2.5.3 OPERATING ENVIRONMENT	33
	2.5.3.1 Uncertainty of Radiated Emission	33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Report No.: EI/2012/A0015 **Issue Date: Apr. 29, 2013**

Page : 4 of 89

Contents

2.5.3.2 Measurement level and Factor calculate method	. 33
2.5.4 Measurement Data	. 34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



IC: 4170B-PM0300

Report No.: EI/2012/A0015

of 89

Issue Date: Apr. 29, 2013 : 5

Page

1. General Information

1.1 Applicant & Manufacturer Information

Applicant: Sony Mobile Communications AB

Address of Applicant: Nya Vattentornet 22188 Lund/SWEDEN

1.2 General Description of EUT

Name: Mobile Phone **Brand Name: Sony**

Marketing Name: C2104 Model No.: PM-0300-BV Added Model(s): N/A FCC ID: PY7PM-0300 IC: 4170B-PM0300 Model Difference: N/A Filing Type: Certification

Bluetooth_BR+EDR:

Bluetooth Version:	V2.1 + EDR (GFSK + п/4DQPSK + 8DPSK)
Channel number:	79 channels
Modulation type:	Frequency Hopping Spread Spectrum
Transmit Power:	9.75dBm
Frequency Range:	2.402GHz – 2.480GHz
Dwell Time:	<= 0.4s
Antenna Designation:	PIFA Antenna, 0.02dBi.
Type of Emission:	891KF7D (GFSK) / 1M18G7D (n/4DQPSK) /1M18G7D (8DPSK)

The EUT is compliance for Bluetooth function.

For more detail please refer to report No.: EH/2012/B0006

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com



Report No.: EI/2012/A0015 Issue Date: Apr. 29, 2013

Page : 6 of 89

Bluetooth Low Energy:

Frequency Range:	2402 – 2480MHz
Bluetooth Version:	V4.0 Dual mode
Channel number:	40 channels
Modulation type:	GFSK
Transmit Power:	1.45 dBm (Peak)
Antenna Designation:	PIFA Antenna, Gain: 0.018dBi
Type of Emission:	1M09F7D

The EUT is compliance for Bluetooth V4.0 function.

For more detail please refer to report No.: EH/2012/B0020

NFC:

Operating Frequency	13.56MHz
Transmit Power	< 123dBuV/m at 3m.
Number of Channels	1
Operating Mode	Point-to-Point
Antenna Type	Loop Antenna
Modulation Type	ASK, BPSK
Type of Emission:	23KF1D

The EUT is compliance for NFC Standard.

For more detail please refer to report No.: EH/2012/B0009

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Report No.: EI/2012/A0015 Issue Date: Apr. 29, 2013

Page : 7 of 89

WLAN 2.4GHz+5.7GHz:

VVL/\\\\Z.=	4GHZ+5.7GHZ: -				1	
Wi-Fi	Frequency Range	Channels	Rated Power	Modulation Technology	Type of Emission	
11b/g	2412-2462	11	b: 20.36dBm g: 19.19dBm	DSSS, OFDM	b: 15M3G1D g: 17M2D1D	
11n	HT20 2412-2462	11	HT20: 19.13dBm	OFDM	n: 18M0D1D	
11a	5725-5850	5	a: 19.38 dBm		a: 17M9D1D	
11n (5GHz)	HT20 5725-5850	5	HT20: 19.26 dBm	OFDM	n_20HT:18M4D1D	
11n (5GHz)	HT40 5725-5850	2	HT40: 19.50 dBm		n_40HT:36M8D1D	
Antenna	Designation:	5GHz Ga 5GHz Ga	enna, Gain: 0.02dBi in: 0.26dBi (5150N in: 1.03dBi (5250N in: 3.40dBi (5470N	/Hz-5350MHz)		
Modulati	on type:	CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM				
Transitio	n Rate:	802.11 a: 6/9/12/18/24/36/48/54 Mbps 802.11 b: 1/2/5.5/11 Mbps 802.11 g: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 72.2Mbps 802.11 n_40MHz: 13.5 – 150Mbps				

The EUT is compliance for IEEE 802.11 a/b/g/n Standard For more detail please refer to report No.: EH/2012/B0007

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Report No.: EI/2012/A0015 Issue Date: Apr. 29, 2013

Page : 8 of 89

WLAN 5GHz

	WEAR SOIL						
Wi-Fi	Frequency Range	Channels	Rated Power (Avg)	Rated Power (EIRP)	Modulation Technology	Type of Emission	
	5150~5250	4	15.95dBm	16.21dBm		17M7D1D	
11a	5250~5350	4	15.87dBm	16.90dBm	OFDM	17M6D1D	
	5470~5725	11	15.97dBm	19.37dBm		17M9D1D	
	HT20 5150~5250	4	HT20: 15.97dBm	HT20: 16.23dBm		18M5D1D	
11n	HT20 5250~5350	4	HT20: 15.92dBm	HT20: 16.95dBm	OFDM	18M5D1D	
	HT20 5470~5725	11	HT20: 15.98dBm	HT20: 19.38dBm		18M5D1D	
	HT40 5150~5250	2	HT40: 15.77dBm	HT40: 16.03dBm		36M2D1D	
11n	HT40 5250~5350	2	HT40: 15.78dBm	HT40: 16.81dBm	OFDM	36M3D1D	
	HT40 5470~5725	5	HT40: 15.93dBm	HT40: 19.33dBm		36M4D1D	
Antenna Designation			PIFA Antenna, 2.4GHz Gain: 0.02dBi 5GHz Gain: 0.26dBi (5150MHz-5250MHz) 5GHz Gain: 1.03dBi (5250MHz-5350MHz) 5GHz Gain: 3.40dBi (5470MHz-5725MHz) 5GHz Gain: 3.11dBi (5725MHz-5850MHz)				
Modulation type			CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM				
Transitio	n Rate:		802.11 a: 6/9/12/18/24/36/48/54 Mbps; 802.11 b: 1/2/5.5/11 Mbps 802.11 g: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 72.2Mbps 802.11 n_40MHz: 13.5 – 150Mbps				

The EUT is compliance for IEEE 802.11 a/n_HT20M/n_HT40M Standard.

For more detail please refer to report No.: EH/2012/B0008

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Report No.: EI/2012/A0015 Issue Date: Apr. 29, 2013

Page : 9 of 89

GSM / WCDMA:

	Operating Frequency	Rated Power		
	GSM/GPRS 850, Class 12 824.2 MHz- 848.8 M		33 dBm	
	EDGE 850, Class 12	824.2 MHz- 848.8 MHz	27 dBm	
Cellular Phone	GSM/GPRS 1900, Class 12		30 dBm	
Standards Frequency	EDGE 1900, Class 12	1850.2MHz – 1909.8MHz	26 dBm	
Range and Power.	WCDMA/HSUPA/HSDPA /HSPA+ Band II	1852.4MH/ - 1907.6MH/		
	WCDMA/HSUPA/HSDPA /HSPA+ Band IV	1712.4MHz - 1752.6MHz	24 dBm	
	WCDMA/HSUPA/HSDPA /HSPA+ Band V	820.4MHZ - 840.6MHZ		
Type of Emission:	GSM 850: 249KGXW, GSM 1900: 253KGXW GPRS 850: 250KGXW, GPRS 1900: 247KGXW EDGE 850: 243KG7W, EDGE 1900: 251KG7W WCDMA Band II: 4M19F9W, WCDMA Band IV: 4M19F9W, WCDMA Band V: 4M20F9W HSDPA Band II: 4M24F9W, HSDPA Band IV: 4M24F9W, HSDPA Band V: 4M22F9W HSUPA Band II: 4M24F9W, HSUPA Band IV: 4M23F9W, HSUPA Band V: 4M25F9W			

The EUT is compliance for 850/1900 GSM/GPRS/EDGE,WCDMA/HSDPA/HSPA+Band II/IV/V

For more detail please refer to report No.: EH/2012/B0014

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 10 of 89

1.3 Details of EUT

Hardware Version:	A		
Software Version:	15.0.A.1.1		
Simple Hands Free:	Model No.: MH410c, Supplier: Foster Electric Type No.: AG-1100		
USB Cable:	Model No.: EC802, Supplier: Foxlink Type No.: AI-0402		
Car Charger:	Model No.: AN400, Supplier: Salcomp Type No.: CAA-0003013		
Fast Charger:	Model No.: EP850, Supplier: Emerson Type No.:CAA-0004008-US		
	3.7Vdc from Li-Polymer battery		
Power Supply:	Battery:	Model No.: BA900, Supplier: Sony Type No.: AB-0500	
	Adapter :	Model No.: EP800, Supplier: Salcomp Type No.: CAA-0002016-US	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Report No.: EI/2012/A0015 Issue Date: Apr. 29, 2013

Page : 11 of 89

Test Plan:

C2104	Config 1	Config 2	Config 3
Applicable standard (FCC 15B)			
Accessories	UE + Battery(BA 900) + USB Cable (EC802) +SHF (MH410C)	UE + Battery(BA 900) + AC Adaptor (EP 850) +USB Cable (EC802) + SHF(MH410C)	UE + Battery(BA 900) + AC Adaptor(EP 800) +USB Cable(EC802) + SHF(MH410C)
	DATA Link	CAMERA	CAMERA
	DATA Link + Idle	FULL SYSTEM + Idle	FULL SYSTEM + Idle
Description			
radiated emission	DATA Link	Recording&play recording&MP3	Recording&play recording&MP3
conducted emission (DC Power)	NA	N/A	N/A
conducted emission (AC Power)	DATA Link	Recording&play recording&MP3	Recording&play recording&MP3

^{*} Test configuration by client

1.4 Operation Procedure

- 1. Set down EUT with support units and turn on the power of all equipment.
- 2. Pre-test the EUT in all modes by each model, then figure the worst case out.
- 3. Tests under the normal operation due to unintentional radiation mode.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 12 of 89

1.5 Description of Support Units

PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
NOTEBOOK	IBM	L412	LR-ZYMYD
Mouse	HP	M-UAE96	390938-001
Printer	HP	DJ3820	CN34L181B1

1.6 Modification List


No modification by SGS Taiwan Electronics & Communication Laboratory.

1.7 Cable List

Cable Type	Length	Shield/Non-shield
USB cable with core near EUT, near Adapter	1.2m	Non-shielding
Earphone	1.5m	Non-shielding

1.8 Test Set-Up Configuration

Config1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com




IC: 4170B-PM0300

Report No.: EI/2012/A0015


Issue Date: Apr. 29, 2013

Page : 13 of 89

Config2



Config3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com



IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 14 of 89

1.9 Measurment Procedure

Conducted Emission Testing was performed according ANSI C63.4:2003 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall. Radiated Emission Testing was performed according to ANSI C63.4:2003 at the 9*6*6 3m Semi-Anechoic chamber test site. The EUT was placed in a 0.8m high table along with the peripherals. The turn table was separated from the antenna distance 3meters. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for maximum. The frequencies and amplitudes of maximum emission were measured at varying azimuths, antenna heights and antenna polarities. Reported are maximized emission levels.

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4:2003. FCC Registration Number: TW0513, Canada Registration Number: 4620A-3.

1.10 Standards Applicable for Testing

Table of tests to be carried out under FCC Part 15, Subpart B

Test Standards	Status
FCC Part 15, Subpart B	Applicable
Deviation from Standard	No Deviation

1.11 Summary of Results

Hightest Emission						
Standard	Test Type	Result	Phase/Polar.	Frequency (MHz)	Margin(dB)	
FCC Part 15 Subpart B Class B/CISPR 22	Conducted Emission	PASS	Line	0.1969	-11.13(AVG)	
		PASS	Neutral	3.2018	-9.26(AVG)	
ICES-003(Feb. 2004)	Radiated Emission	PASS	Ver.	30.2800	-6.34(QP)	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 15 of 89

2. Radio Disturbance

2.1 Test Results

	Results
Conducted Emission	Pass
Radiated Emission	Pass

2.2 Frequency Range

Conducted Emission : 150 kHz - 30 MHz Radiated Emission : See below table

Highest frequency generated or Upper frequency of measurement used in the device or on which the range (MHz)

device operates or tunes (MHz)

Below 1.705 30 1.705 - 1081000 108 - 500 2000 500 - 1000 5000

5th harmonic of the highest frequency or Above 1000

40 GHz, whichever is lower

2.3 Limits Of Conducted And Radiated Emission

2.3.1 Limit Of Conducted Emission Of FCC Part 15, Subpart B/CISPR 22

FREQUENCY	Class A	(dBuV)	Class B	(dBuV)
(MHz)	Quasi - peak Average (Quasi - peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.50 - 5.0	73	60	56	46
5.0 - 30.0	73	60	60	50

Note: (1) The lower limit shall apply at the transition frequencies.

- (2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.
- (3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sas.com



IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 16 of 89

2.3.2 Limit Of Radiated Emissions Of FCC Part 15, Subpart B/CISPR 22

FCC Limit:

Detector Function : Quasi – Peak

FREQUENCY	Class A (at 10m)	Class B (at 3m)
(MHz)	dBuV/m	dBuV/m
30~88	39	40
88~216	43.5	43.5
216~960	46.44	46
Above 960	49.54	54

Detector Function : Peak , Average

FREQUENCY	Class A (dBuV) (at 3m)		Class B (dBuV) (at 3m)	
(MHz)	Peak	Peak Average		Average
Above 1000	79.3	59.3	73.9	53.9

CISPR Limit:

Detector Function : Quasi – Peak

FREQUENCY	Class A (at 10m)	Class B (at 10m)
(MHz)	dBuV/m	dBuV/m
30-230	40	30
230-1000	47	37

Detector Function : Peak , Average – Class A

Frequency range GHz	Average Limit dB(µV/m)	Peak Limit dB(μV/m)
1 to 3	56	76
3 to 6	60	80

Detector Function: Peak, Average - Class B

Frequency range	Average Limit	Peak Limit
GHz	dB(μV/m)	dB(μV/m)
1 to 3	50	70
3 to 6	54	74

Note: The lower limit applies at the transition frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sas.com



FCC ID: PY7PM-0300 Report No.: EI/2012/A0015

IC: 4170B-PM0300 Issue Date: Apr. 29, 2013

Page : 17 of 89

2.4.Test of Conducted Emission

2.4.1 Test Equipments

Description	Manufacturer	Model No.	Serial No.	Last Calibration	Next Calibration
				Date	Date
EMI Test Receiver	ROHDE&SCHWARZ	ESCS 30	828985/004	Sep. 22, 2012	Sep. 21, 2013
Coaxial Cables	N/A	WK CE Cable	N/A	Jan. 04, 2012	Jan. 03, 2013
L.I.S.N	Rolf-Heine	NNB-2/16Z	99012	Mar. 23, 2012	Mar. 22, 2013
L.I.S.N	FCC	FCC-LISN-50/250-25-2-01	04034	Mar. 23, 2012	Mar. 22, 2013
Software	Farad	EZ-EMC-VER2A1.1(USB)	N/A	N/A	N/A

2.4.2 Test Site

SGS Taiwan LTD. Electronics & Communication Laboratory NO.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803

2.4.3 Operating Environment

Temperature : 26 degree C Humidity : 60 %RH

Atmospheric Pressure: 996 mBar

2.4.3.1 Uncertainty of Conducted Emission

Expanded uncertainty (k=2) of Conducted Emission measurement is 0.98dB.

2.4.3.2 Measurement level and Factor calculate method

Factor = LISN insertion loss + Cable loss Measurement Level = Reading Level + Factor

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



IC: 4170B-PM0300

Report No.: EI/2012/A0015

of 89


Issue Date: Apr. 29, 2013 : 18

Page

Humidity:

2.4.4 Measurement Data

Config 1 Data Link Mode:



Power:

Distance:

FromSystem

Limit: FCC Class B Conduction(QP)

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config1 (AC120V/60Hz)

Note:

MHz 0.1969	dBuV	dВ	dBuV					
1434-003			dBuV	dBuV	dB	Detector	Comment	
and the second second	51.20	0.21	51.41	63.74	-12.33	QP		
0.1969	42.40	0.21	42.61	53.74	-11.13	AVG		
0.2634	45.50	0.21	45.71	61.32	-15.61	QP		
0.2634	36.30	0.21	36.51	51.32	-14.81	AVG		
3.2253	30.40	0.28	30.68	56.00	-25.32	QP		
3.2253	18.30	0.28	18.58	46.00	-27.42	AVG		
3.4247	32.80	0.28	33.08	56.00	-22.92	QP		
3.4247	18.90	0.28	19.18	46.00	-26.82	AVG		
4.0229	37.50	0.30	37.80	56.00	-18.20	QP		
4.0229	27.70	0.30	28.00	46.00	-18.00	AVG		
4.2918	38.00	0.30	38.30	56.00	-17.70	QP		
4.2918	26.90	0.30	27.20	46.00	-18.80	AVG		
m data	x:Over limit	: !:over r	margin					•ReferenceOnly
	3.2253 3.2253 3.4247 3.4247 4.0229 4.0229 4.2918 4.2918	3.2253 30.40 3.2253 18.30 3.4247 32.80 3.4247 18.90 4.0229 37.50 4.0229 27.70 4.2918 38.00 4.2918 26.90 m data x:Over limit	3.2253 30.40 0.28 3.2253 18.30 0.28 3.4247 32.80 0.28 3.4247 18.90 0.28 4.0229 37.50 0.30 4.0229 27.70 0.30 4.2918 38.00 0.30 4.2918 26.90 0.30	3.2253 30.40 0.28 30.68 3.2253 18.30 0.28 18.58 3.4247 32.80 0.28 33.08 3.4247 18.90 0.28 19.18 4.0229 37.50 0.30 37.80 4.0229 27.70 0.30 28.00 4.2918 38.00 0.30 38.30 4.2918 26.90 0.30 27.20	3.2253 30.40 0.28 30.68 56.00 3.2253 18.30 0.28 18.58 46.00 3.4247 32.80 0.28 33.08 56.00 3.4247 18.90 0.28 19.18 46.00 4.0229 37.50 0.30 37.80 56.00 4.0229 27.70 0.30 28.00 46.00 4.2918 38.00 0.30 38.30 56.00 4.2918 26.90 0.30 27.20 46.00	3.2253 30.40 0.28 30.68 56.00 -25.32 3.2253 18.30 0.28 18.58 46.00 -27.42 3.4247 32.80 0.28 33.08 56.00 -22.92 3.4247 18.90 0.28 19.18 46.00 -26.82 4.0229 37.50 0.30 37.80 56.00 -18.20 4.0229 27.70 0.30 28.00 46.00 -18.00 4.2918 38.00 0.30 38.30 56.00 -17.70 4.2918 26.90 0.30 27.20 46.00 -18.80	3.2253 30.40 0.28 30.68 56.00 -25.32 QP 3.2253 18.30 0.28 18.58 46.00 -27.42 AVG 3.4247 32.80 0.28 33.08 56.00 -22.92 QP 3.4247 18.90 0.28 19.18 46.00 -26.82 AVG 4.0229 37.50 0.30 37.80 56.00 -18.20 QP 4.0229 27.70 0.30 28.00 46.00 -18.00 AVG 4.2918 38.00 0.30 38.30 56.00 -17.70 QP 4.2918 26.90 0.30 27.20 46.00 -18.80 AVG	3.2253 30.40 0.28 30.68 56.00 -25.32 QP 3.2253 18.30 0.28 18.58 46.00 -27.42 AVG 3.4247 32.80 0.28 33.08 56.00 -22.92 QP 3.4247 18.90 0.28 19.18 46.00 -26.82 AVG 4.0229 37.50 0.30 37.80 56.00 -18.20 QP 4.0229 27.70 0.30 28.00 46.00 -18.00 AVG 4.2918 38.00 0.30 38.30 56.00 -17.70 QP 4.2918 26.90 0.30 27.20 46.00 -18.80 AVG

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279




IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 19 of 89

Ν



EUT: MobilePhone M/N: PM-0300-BV

Mode: Config1 (AC120V/60Hz)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dВ	dBuV	dBuV	dB	Detector	Comment
1		0.1500	40.00	0.34	40.34	66.00	-25.66	QP	
2		0.1500	16.50	0.34	16.84	56.00	-39.16	AVG	
3		0.1969	50.20	0.31	50.51	63.74	-13.23	QP	
4	*	0.1969	41.30	0.31	41.61	53.74	-12.13	AVG	
5		0.2634	44.80	0.32	45.12	61.32	-16.20	QP	
6		0.2634	37.20	0.32	37.52	51.32	-13.80	AVG	
7		3.1744	38.30	0.34	38.64	56.00	-17.36	QP	
8		3.1744	31.70	0.34	32.04	46.00	-13.96	AVG	
9		3.4458	39.40	0.34	39.74	56.00	-16.26	QP	
10		3.4458	30.80	0.34	31.14	46.00	-14.86	AVG	
11		3.7023	36.80	0.35	37.15	56.00	-18.85	QP	
12		3.7023	25.50	0.35	25.85	46.00	-20.15	AVG	

':Maximum data x:Over limit !:over margin ReferenceOnly

File :EIA 0015 Midiscrete \Data :#14

Page:

Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279




IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 20 of 89

Config 2 Recording Mode:



Limit: FCC Class B Conduction(QP)

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 2 Recording

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dВ	dBuV	dBuV	dВ	Detector	Comment
1		0.1516	44.90	0.24	45.14	65.91	-20.77	QP	
2		0.1516	30.50	0.24	30.74	55.91	-25.17	AVG	
3		0.1813	44.10	0.22	44.32	64.43	-20.11	QP	
4		0.1813	32.00	0.22	32.22	54.43	-22.21	AVG	
5		0.2165	38,60	0.21	38.81	62.95	-24.14	QP	
6		0.2165	26.20	0.21	26.41	52.95	-26.54	AVG	
7	*	0.3729	42.60	0.22	42.82	58.44	-15.62	QP	
8		0.3729	31.90	0.22	32.12	48.44	-16.32	AVG	
9		3.3699	37.57	0.28	37.85	56.00	-18.15	QP	
10		9.0117	40.84	0.41	41.25	60.00	-18.75	QP	

Distance:

*:Maximum data ReferenceOnly x:Over limit !:over margin

File :EIA 0015 Midiscrete \Data :#1

Page:

Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com




IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 21 of 89

Ν



Limit: FCC Class B Conduction(QP)

MobilePhone M/N: PM-0300-BV Mode: Config 2 Recording

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dВ	dBuV	dBuV	dВ	Detector	Comment
1		0.1852	42.47	0.32	42.79	64.25	-21.46	QP	
2	*	0.3690	41.78	0.34	42.12	58.52	-16.40	QP	
3		0.7385	37.77	0.32	38.09	56.00	-17.91	QP	
4		1.6769	35.11	0.33	35.44	56.00	-20.56	QP	
5		2.4706	34.07	0.33	34.40	56.00	-21,60	QP	
6		9.0625	37.75	0.45	38.20	60.00	-21.80	QP	

Power:

Distance:

AC 120V/60Hz

Humidity:

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File :EIA 0015 /#discrete \Data :#2 Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 www.tw.sas.com




IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 22 of 89

Config 2 Play Recording Mode:



Limit: FCC Class B Conduction(QP)

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2 Play Recording

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dВ	dBuV	dBuV	dB	Detector	Comment
1		0.3729	42.70	0.22	42.92	58.44	-15.52	QP	
2	*	0.3729	33.80	0.22	34.02	48.44	-14.42	AVG	
3		0.7659	36.50	0.22	36.72	56.00	-19.28	QP	
4		0.7659	26.20	0.22	26.42	46.00	-19.58	AVG	
5		1.6691	38.52	0.24	38.76	56.00	-17.24	QP	
6		2.3103	37.72	0.25	37.97	56.00	-18.03	QP	
7		3.1979	36.43	0.28	36.71	56.00	-19.29	QP	
8		8.6441	39.16	0.40	39.56	60.00	-20.44	QP	

Distance:

*:Maximum data x:Over limit !:over margin ReferenceOnly

File :EIA 0015 midiscrete \Data :#4

Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 23 of 89

Ν





AC 120V/60Hz

Humidity:

Site ConductionRoom

Limit: FCC Class B Conduction(QP)

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2 Play Recording

Note:

No.	o. Mk.	Freq.	Freq. Reading Level	Correct Factor œ	Measure- ment dBuV	Limit	Over		
		MHz				dBuV	dB	Detector	Comment
1		0.1656	40.98	0.33	41.31	65.18	-23.87	QP	
2	*	0.3768	40.57	0.34	40.91	58.35	-17.44	QP	
3		1.6769	33.52	0.33	33.85	56.00	-22.15	QP	
4		2.5215	32.73	0.34	33.07	56.00	-22.93	QP	
5		8.5190	36.46	0.43	36.89	60.00	-23.11	QP	
6		22.2353	32.50	0.81	33.31	60.00	-26.69	QP	

Power:

Distance:

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File :EIA 0015 Midiscrete \Data :#3 Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com



IC: 4170B-PM0300

Report No.: EI/2012/A0015


Issue Date: Apr. 29, 2013

Page : 24 of 89

Config 2 MP3 Mode:



臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site ConductionRoom

Limit: FCC Class B Conduction(QP)

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 2 MP3

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1	*	0.3775	42.70	0.22	42.92	58.33	-15.41	QP	
2		0.3775	32.10	0.22	32.32	48.33	-16.01	AVG	
3		0.7815	36.60	0.22	36.82	56.00	-19.18	QP	
4		0.7815	26.30	0.22	26.52	46.00	-19.48	AVG	
5		1.6065	37.78	0.24	38.02	56.00	-17.98	QP	
6		2.5058	37.27	0.27	37.54	56.00	-18.46	QP	
7		3.2292	36.67	0.28	36.95	56.00	-19.05	QP	
8		8.7966	39.39	0.41	39.80	60.00	-20.20	OP	

Phase:

Power:

Distance:

L1

AC 120V/60Hz

*:Maximum data x:Over limit !:over margin ReferenceOnly

File :EIA 0015 ##discrete \Data :#5

Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Temperature

Humidity:



IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013


Page : 25 of 89

Ν



臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698

Conducted Emission Measurement



Site ConductionRoom

Limit: FCC Class B Conduction(QP)

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 2MP3

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dВ	dBuV	dBuV	dB	Detector	Comment
1		0.1656	40.56	0.33	40.89	65.18	-24.29	QP	
2	*	0.3768	40.33	0.34	40.67	58.35	-17.68	QP	
3		0.7502	35.72	0.32	36.04	56.00	-19.96	QP	
4		1.7277	33.11	0.33	33.44	56.00	-22.56	QP	
5		2.4120	33.24	0.33	33.57	56.00	-22.43	QP	
6		8.4643	35.77	0.43	36.20	60.00	-23.80	OP:	

Phase:

Power:

Distance:

AC 120V/60Hz

*:Maximum data x:Over limit !:over margin ReferenceOnly

File: EIA 0015 姚discrete \Data:#6

Page:

Engineer Signature

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

Temperature:

Humidity:

26 10




IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 26 of 89

Config 3 Recording Mode:



0 150 Site ConductionRoom

Limit: FCC Class B Conduction(QP)

0.5

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 3 Recording

Note:

AC 120V/60Hz Power: Distance:

LI

[MHz]

Phase:

Temperature Humidity:

30 000

Reading Correct Measure-No. Mk. Limit Over Freq. Level Factor ment MHz dBuV dB Detector Comment 0.1617 0.23 65.38 43.69 43.92 -21.46 0.4786 39.18 0.22 39.40 56.36 2 -16.96 3 2.9946 38.20 0.27 38.47 56.00 -17.53 2.9946 30.50 0.27 -15.23 46.00 AVG 5 3.1471 40.60 0.28 -15.12 QP 40.88 56.00 3.1471 32.20 0.28 -13.52 6 46.00 AVG 3.4912 39.80 0.28 40.08 56.00 -15.92 3.4912 31.30 0.28 8 31.58 46.00 -14.42 AVG 4.9222 36.80 0.33 37.13 QP. 9 56.00 -18.87 4.9222 28.93 10 28.60 0.33 46.00 -17.07 AVG

*:Maximum data x:Over limit !:over margin ReferenceOnly

File :EIA 0015 midiscrete \Data :#9

Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488




IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 27 of 89

Ν



MobilePhone M/N: PM-0300-BV Mode: Config 3 Recording

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dВ	dBuV	dBuV	dB	Detector	Comment
1		0.4706	39.90	0.34	40.24	56.50	-16.26	QP	
2		0.4706	31.10	0.34	31.44	46.50	-15.06	AVG	
3		1.5674	38.30	0.33	38.63	56.00	-17.37	QP	
4		1.5674	26.30	0.33	26.63	46.00	-19.37	AVG	
5		3.0845	44.60	0.34	44.94	56.00	-11.06	QP	
6	W	3.0845	35.90	0.34	36.24	46.00	-9.76	AVG	
7		3.5537	44.10	0.35	44.45	56.00	-11.55	QP	
8		3.5537	35.60	0.35	35.95	46.00	-10.05	AVG	
9		4.2067	42.20	0.35	42.55	56.00	-13.45	QP	
10		4.2067	34.30	0.35	34.65	46.00	-11.35	AVG	
11		5.2033	40.70	0.38	41.08	60.00	-18.92	QP	
12		5.2033	32.20	0.38	32.58	50.00	-17.42	AVG	

*:Maximum data ReferenceOnly x:Over limit !:over margin

File :EIA 0015 Midiscrete \Data :#10

Page:

Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 28 of 89

Config 3 Play Recording Mode:

L



Power:

Distance:

AC 120V/60Hz

Humidity:

Site ConductionRoom

Limit: FCC Class B Conduction(QP)

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3 Play Recording

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.4863	39.76	0.22	39.98	56.23	-16.25	QP	
2		2.8499	35.30	0.27	35.57	56.00	-20.43	QP	
3		2.8499	26.90	0.27	27.17	46.00	-18.83	AVG	
4		3.1158	40.10	0.28	40.38	56.00	-15.62	QP	
5	*	3.1158	31.60	0.28	31.88	46.00	-14.12	AVG	
6		3.5615	39.30	0.29	39.59	56.00	-16.41	QP	
7		3.5615	31.00	0.29	31.29	46.00	-14.71	AVG	
8		4.0659	38.00	0.30	38.30	56.00	-17.70	QP	
9		4.0659	29.90	0.30	30.20	46.00	-15.80	AVG	
10		4.8049	37.10	0.32	37.42	56.00	-18.58	QP	
11		4.8049	28.80	0.32	29.12	46.00	-16.88	AVG	

*:Maximum data x:Over limit !:over margin •ReferenceOnly

File :EIA 0015 Midiscrete \Data :#12

Page: 1

Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號




IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 29 of 89

Ν



Power:

Distance:

AC 120V/60Hz

Humidity:

Limit: FCC Class B Conduction(QP)

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3 Play Recording

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dВ	dBuV	dBuV	dB	Detector	Comment
1		2.2517	36.50	0.33	36.83	56.00	-19.17	QP	
2		2.2517	26.10	0.33	26.43	46.00	-19.57	AVG	
3		3.2018	44.80	0.34	45.14	56.00	-10.86	QP	
4	*	3.2018	36.40	0.34	36.74	46.00	-9.26	AVG	
5		3.5537	43.70	0.35	44.05	56.00	-11.95	QP	
6		3.5537	35.40	0.35	35.75	46.00	-10.25	AVG	
7		3.9017	42.70	0.35	43.05	56.00	-12.95	QP	
8		3.9017	34.50	0.35	34.85	46.00	-11.15	AVG	
9		4.4256	41.60	0.36	41.96	56.00	-14.04	QP	
10		4.4256	33.70	0.36	34.06	46.00	-11.94	AVG	
11		5.1603	40.30	0.38	40.68	60.00	-19.32	QP	
12		5.1603	32.00	0.38	32.38	50.00	-17.62	AVG	

*:Maximum data x:Over limit !:over margin ReferenceOnly

File :EIA 0015 Midiscrete \Data :#11

Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sas.com



IC: 4170B-PM0300

Report No.: EI/2012/A0015


Issue Date: Apr. 29, 2013

Page : 30 of 89

Config 3 MP3 Mode:



臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site ConductionRoom

Limit: FCC Class B Conduction(QP)

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 3 MP3

Note:

Power:	AC
2000	

120V/60Hz

LI

Temperature Humidity:

Distance:

Phase:

No. I	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dВ	dBuV	dBuV	dВ	Detector	Comment
1		0.1617	46.26	0.23	46.49	65.38	-18.89	QP	
2		0.4863	39.33	0.22	39.55	56.23	-16.68	QP	
3		3.1510	39.20	0.28	39,48	56.00	-16.52	QP	
4	*	3.1510	31.40	0.28	31.68	46.00	-14.32	AVG	
5		3.7414	38,80	0.30	39.10	56.00	-16.90	QP	
6		3.7414	30.70	0.30	31.00	46.00	-15.00	AVG	
7		4.8597	36.50	0.32	36.82	56.00	-19.18	QP	
8		4.8597	28.30	0.32	28.62	46.00	-17.38	AVG	
9		5.6530	34.90	0.34	35.24	60.00	-24.76	QP	
10		5.6530	27.00	0.34	27.34	50.00	-22.66	AVG	

*:Maximum data x:Over limit !:over margin ReferenceOnly

File :EIA 0015 ##discrete \Data :#8

Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號




IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 31 of 89

Ν



Power:

Distance:

AC 120V/60Hz

Humidity:

Limit: FCC Class B Conduction(QP)

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 3 MP3

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dВ	dBuV	dBuV	dB	Detector	Comment
1		0.1617	47.10	0.33	47.43	65.38	-17.95	QP	
2		0.1617	35.50	0.33	35.83	55.38	-19.55	AVG	
3		3.1705	43.90	0.34	44.24	56.00	-11.76	QP	
4	*	3.1705	35.30	0.34	35.64	46.00	-10.36	AVG	
5		3.4638	43.30	0.34	43.64	56.00	-12.36	QP	
6		3.4638	35.20	0.34	35.54	46.00	-10.46	AVG	
7		4.2067	42.20	0.35	42.55	56.00	-13,45	QP	
8		4.2067	33.80	0.35	34.15	46.00	-11.85	AVG	
9		4.6250	41.50	0.37	41.87	56.00	-14.13	QP	
10		4.6250	33.10	0.37	33.47	46.00	-12.53	AVG	
11		5.5474	40.20	0.38	40.58	60.00	-19.42	QP	
12		5.5474	30.90	0.38	31.28	50.00	-18.72	AVG	

*:Maximum data x:Over limit ReferenceOnly

File: EIA 0015 嫉discrete \Data:#7

Page:

Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 www.tw.sas.com



Report No.: EI/2012/A0015 Issue Date: Apr. 29, 2013

Page : 32 of 89

2.5 Test of Radiated Emission

2.5.1 Test Instruments

Below 1G & Above 1G

Description	Manufacturer	Model No.	Serial No.	Last Calibration Date	Next Calibration Date
Site NSA	Chamost	96611 Chamber	N/A	Dec. 30, 2011	Dec. 29, 2012
Site VSWR	Chamost	96611 Chamber	N/A	Dec. 30, 2011	Dec. 29, 2012
EMI Test Receiver	ROHDE&SCHWARZ	ESCI 7	100760	May 25, 2012	May 24, 2013
Spectrum Analyzer	Agilent	E4440A	MY45304525	Mar. 17, 2012	Mar. 16, 2014
RF-Amplifier (0.1-1300MHz)	HP	8447D	1937A02774	Nov. 26, 2012	Nov. 25, 2013
RF-Amplifier (1-26.5GHz)	HP	8449B	3008A00578	Nov. 26, 2012	Nov. 25, 2013
RF-Amplifier (26-40GHz)	EM Electronics Corp.	EM26400	N/A	Dec. 28, 2011	Dec. 27, 2012
Coaxial Cables (For 9kHz~3GHz)	HUBER SUHNER	SUCCOFLEX 104PEA	N/A	Nov. 26, 2012	Nov. 25, 2013
Coaxial Cables (For 9kHz~26.5GHz)	HUBER SUHNER	SUCCOFLEX 104PEA	N/A	Nov. 26, 2012	Nov. 25, 2013
Re Cables (966II) (For 1~40GHz)	HUBER SUHNER	SUCCOFLEX 102	22962/2	Nov. 26, 2012	Nov. 25, 2013
Re Cables (966II) (For 1~40GHz)	HUBER SUHNER	SUCCOFLEX 102	23051/2	Nov. 26, 2012	Nov. 25, 2013
Antenna Master	MF.	N/A	N/A	N/A	N/A
Turn Table	MF.	N/A	N/A	N/A	N/A
Controller	MF.	3000	MF780208153	N/A	N/A
Broadband Antenna	SCHWAZBECK	VULB9168	VULB9168-298	Nov. 01, 2012	Oct. 31, 2013
Horn Antenna (For 1~18G)	ETS-Lindgren	3117	00135200	Oct. 05, 2012	Oct. 04, 2013
Horn Antenna (For 18~40G)	SCHWAZBECK	BBHA 9170	BBHA9170185	Jul. 11, 2011	Jul. 10, 2013
Software	Farad	EZ-EMC- VER2A1.1(USB)	N/A	N/A	N/A

2.5.2 Test Site

SGS Taiwan LTD. Electronics & Communication Laboratory NO.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 33 of 89

2.5.3 Operating Environment

Temperature: 25 degree C Humidity: 60 %RH

Atmospheric Pressure: 996 mBar

2.5.3.1 Uncertainty of Radiated Emission

Expanded uncertainty (k=2) of radiated emission measurement is 3.70dB.(30-1000MHz) Expanded uncertainty (k=2) of radiated emission measurement is 5.34dB.(1-18GHz) Expanded uncertainty (k=2) of radiated emission measurement is 5.63dB.(18-40GHz)

2.5.3.2 Measurement level and Factor calculate method

Correct Factor = Antenna Factor + Cable loss- Amplifier Gain Measurement Level = Reading Level + Correct Factor

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 34 of 89

2.5.4 Measurement Data **Below 1G** Config 1 Data Link: **Horizontal Polarization**

> 臺灣檢驗科技股份有限公司一電子聲通訊實驗室 Address:台北縣五股丁業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Limit: FCC Class B 3M Radiation

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 1 DATA Link (AC 120V/60Hz)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1		30.0000	37.80	-14.63	23.17	40.00	-16.83	QP		
2		233.1400	40.24	-14.47	25.77	46.00	-20.23	QP		
3		258.5500	39.08	-13.80	25.28	46.00	-20.72	QP		
4		440.6100	41.37	-8.64	32.73	46.00	-13.27	QP		
5		497.8600	35.40	-8.25	27.15	46.00	-18,85	QP		
6	*	696.9800	36.92	-3.81	33.11	46.00	-12.89	QP		

Distance:

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File: FIA0015\Data:#4 Page: 1

Printed with FinePrint - purchase at www.lineprint.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The

Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 35 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Power:

Distance:

From System

Humidity:

Limit: FCC Class B 3M Radiation

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 1 DATA Link (AC 120V/60Hz)

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		30.0000	36.10	-14.63	21.47	40.00	-18.53	QP	
2	T	165.9800	36.05	-13.24	22.81	43.50	-20.69	QP	
3		233.1500	37.79	-14.47	23.32	46.00	-22.68	QP	
4	1 7	438.2100	37.23	-8.75	28.48	46.00	-17.52	QΡ	
5		594.0400	30.82	-5.95	24.87	46.00	-21.13	QP	
6	*	699.5400	38.70	-4.06	34.64	46.00	-11.36	QP	

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File:EIA0015\Data:#3 Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號




IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 36 of 89

Config 2 Recording Mode: Horizontal Polarization





Power:

Distance:

Limit: FCC Class B 3M Radiation

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2 Recording

Note:

No.	Mk.	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		30.5000	41.95	-14.64	27.31	40.00	-12.69	QP	
2		72.6800	42.70	-16.95	25.75	40.00	-14.25	QP	
3	*	165.5100	44.79	-13.26	31.53	43.50	-11.97	QP	
4		185.7100	39.02	-14.64	24.38	43.50	-19.12	QΡ	
5		256.8700	43.96	-13.88	30.08	46.00	-15.92	QP	
6		352.5700	40.80	-11.08	29.72	46.00	-16.28	QP	

AC 120V/60Hz

Humidity:

60%

*:Maximum data	x:Over limit	l:over margin				 ReferenceOnly
File:EIA0015\Data	a:#8		Page:	7	Engineer Signature:	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 37 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Power:

Distance:

AC 120V/60Hz

Humidity:

Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2 Recording

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1	*.	31.5300	47.60	-14.66	32.94	40.00	-7.06	QP	
2		66.2000	44.96	-15.91	29.05	40.00	-10.95	QP	
3		167.0500	43.32	-13.21	30.11	43.50	-13,39	QP	
4	11	187.1900	37.65	-14.78	22.87	43.50	-20.63	QΡ	
5	10	256,1100	43.78	-13.92	29.86	46.00	-16.14	QP	
6		351.8900	41.63	-11.13	30.50	46.00	-15.50	QP	

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File:EIA0015\Data:#7 Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 38 of 89

Config 2 Play Recording Mode: Horizontal Polarization





Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2 Play Recording

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dΒ	Detector	Comment
1	*:	30.4200	42.78	-14.64	28.14	40.00	-11.86	QP	
2		73.8200	44.90	-17.08	27.82	40.00	-12.18	QP	
3		100.7500	45.71	-16.97	28.74	43.50	-14.76	QP	
4	L	165.1300	44.20	-13.28	30.92	43.50	-12.58	QP	
5	110	256.8000	43.57	-13.89	29.68	46.00	-16.32	QP	
6		352.8900	40.85	-11.06	29.79	46.00	-16.21	QP	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

*:Maximum data ReferenceOnly x:Over limit !:over margin File: EIA0015\Data:#12 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 39 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Power:

Distance:

AC 120V/60Hz

Humidity:

Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2 Play Recording

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*.	30.2800	48.30	-14.64	33.66	40.00	-6.34	QP	
2		73.7600	40.60	-17.07	23,53	40.00	-16.47	QP	
3		99.2000	41.10	-17.20	23.90	43.50	-19.60	QP	
4		166.1900	43.63	-13.24	30.39	43.50	-13.11	QΡ	
5	16	255.7500	43.50	-13.93	29,57	46.00	-16.43	QP	
6		352.1100	40.95	-11.11	29.84	46.00	-16.16	QP	

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File:EIA0015\Data:#11 Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com



IC: 4170B-PM0300

Report No.: EI/2012/A0015

of 89


Issue Date: Apr. 29, 2013 : 40

Config 2 MP3 Mode: **Horizontal Polarization**

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698

Page

Humidity:



:966-2 Chamber

Limit: FCC Class B 3M Radiation

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 2 MP3

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		30.4600	40.34	-14.64	25.70	40.00	-14.30	QP	
2		76.8100	44.52	-17.43	27.09	40.00	-12.91	QP	
3	*	165.0900	44.37	-13.28	31.09	43.50	-12.41	QP	
4		255.9900	43.19	-13.92	29.27	46.00	-16.73	QP	
5		352.8400	40.81	-11.06	29.75	46.00	-16.25	QP	
6		417.4600	32.86	-9.91	22.95	46.00	-23.05	QP	

Power:

Distance:

AC 120V/60Hz

*:Maximum data x:Over limit !:over margin ReferenceOnly File: EIA0015\Data:#16 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 41 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Limit: FCC Class B 3M Radiation

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 2 MP3

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1	*.	30.1800	47.10	-14.63	32.47	40.00	-7.53	QP	
2		73.7800	42.80	-17.07	25.73	40.00	-14.27	QP	
3	- 1	166.6000	44.19	-13.23	30.96	43.50	-12.54	QP	
4		186.7900	38.02	-14.74	23.28	43.50	-20.22	QΡ	
5	1	256.2800	42.63	-13.91	28.72	46.00	-17.28	QP	
6		351.5100	41.97	-11.15	30.82	46.00	-15.18	QP	

Power:

Distance:

AC 120V/60Hz

Humidity:

*:Maximum data x:Over limit !:over margin ReferenceOnly File:EIA0015\Data:#15 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300

Report No.: EI/2012/A0015

of 89


Issue Date: Apr. 29, 2013 : 42

Config 3 Recording Mode: Horizontal Polarization

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698

Page

Humidity:



Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3 Recording

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		30.4600	38.24	-14.64	23.60	40.00	-16.40	QP	
2		73.7700	44.50	-17.07	27.43	40.00	-12.57	QP	
3	*	166.2200	44.27	-13.24	31.03	43.50	-12.47	QP	
4		255,2300	43.85	-13.95	29.90	46.00	-16.10	QΡ	
5	1.7	350.3900	39.92	-11.23	28.69	46.00	-17.31	QP	
6		418.1600	32.15	-9.90	22.25	46.00	-23.75	QP	
		200000000000000000000000000000000000000				40 -41			

Power:

Distance:

AC 120V/60Hz

*:Maximum data x:Over limit !:over margin ReferenceOnly File: EIA0015\Data:#28 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined

therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 43 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3 Recording

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1	*.	34.2800	41.22	-14.70	26.52	40.00	-13,48	QP	
2		73.3900	43.19	-17.03	26.16	40.00	-13.84	QP	
3		167.3700	42.76	-13.20	29.56	43.50	-13,94	QP	
4		255.5700	41.76	-13.94	27.82	46.00	-18.18	QΡ	
5		350,4100	38.49	-11.23	27.26	46.00	-18.74	QP	
6		420.4800	29.53	-9.82	19.71	46.00	-26.29	QP	

Power:

Distance:

AC 120V/60Hz

Humidity:

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File: EIA0015\Data:#27 Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 44 of 89

Config 3 Play Recording Mode: Horizontal Polarization

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3 Play Recording

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		30.5000	36.88	-14.64	22.24	40.00	-17.76	QP	
2		76.0700	43.59	-17.34	26.25	40.00	-13.75	QP	
3	*	166.5800	44.32	-13.23	31.09	43.50	-12.41	QP	
4		256.7900	44.97	-13.89	31.08	46.00	-14.92	QΡ	
5	1.7	354.2600	40.87	-10.96	29,91	46.00	-16.09	QP	
6		416.8300	32.09	-9.92	22.17	46.00	-23,83	QP	

Power:

Distance:

AC 120V/60Hz

Humidity:

*:Maximum data x:Over limit !:over margin ReferenceOnly File: EIA0015\Data:#24 Engineer Signature: Page:

SGS Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The

Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

> t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 45 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3 Play Recording

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		34.5600	40.48	-14.71	25.77	40.00	-14.23	QP	
2	*	73.7500	43.99	-17.07	26.92	40.00	-13.08	QP	
3		165.5100	43.26	-13.26	30.00	43.50	-13,50	QP	
4		257.5700	42.14	-13.86	28.28	46.00	-17.72	QΡ	
5	112	351.3200	39.27	-11.16	28.11	46.00	-17.89	QP	
6		419.2500	30.83	-9.86	20.97	46.00	-25.03	QP	

Power:

Distance:

AC 120V/60Hz

Humidity:

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File: EIA0015\Data:#23 Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300

Report No.: EI/2012/A0015

of 89


Issue Date: Apr. 29, 2013 : 46

Config 3 MP3 Mode: **Horizontal Polarization**

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698

Page

Humidity:



Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 3 MP3

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		30.4000	39.66	-14.64	25.02	40.00	-14.98	QP	
2	*	76.0700	44.59	-17.34	27.25	40.00	-12.75	QP	
3		99.7200	38.37	-17.11	21.26	43.50	-22.24	QΡ	
4		165.0700	42.84	-13.28	29.56	43.50	-13.94	QP	
5		257.8500	43.97	-13.84	30.13	46.00	-15.87	QP	
6	-	353.9300	38.97	-10.98	27.99	46.00	-18.01	QP	

Power:

Distance:

AC 120V/60Hz

*:Maximum data x:Over limit !:over margin ReferenceOnly File:EIA0015\Data:#20 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 47 of 89

Vertical Polarization





Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 3 MP3

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		32.2000	41.11	-14.67	26.44	40.00	-13.56	QP	
2		73.7300	42.46	-17.07	25.39	40.00	-14.61	QP	
3	*	166.2500	43.63	-13.24	30.39	43.50	-13,11	QP	
4		187.5000	39.34	-14.81	24.53	43.50	-18.97	QP	
5	1 3	257.5400	42.37	-13.86	28.51	46.00	-17.49	QP	
6		352.1300	40.64	-11.11	29.53	46.00	-16.47	QP	

Power:

Distance:

AC 120V/60Hz

Humidity:

*:Maximum data x:Over limit !:over margin ReferenceOnly File: EIA0015\Data:#19 Engineer Signature: Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300

Report No.: EI/2012/A0015


of 89

Issue Date: Apr. 29, 2013 : 48

Page

Above 1G - 1~18G Config 1 Data Link Mode: **Horizontal Polarization**

> 臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Polarization:

Power:

Distance:

Horizontal

From System

Temperature

60%

Humidity:

Site :966-2 Chamber

Limit: FCC Class B 3M Radiation(1G-40G)(Pea

EUT: MobilePhone

M/N: PM-0300-BV

Mode: Config 1: DATA LINK (120V/60HZ)

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		2156.000	36.21	1.53	37.74	74.00	-36.26	peak	
2		4060.000	34.63	5.19	39.82	74.00	-34.18	peak	
3		5080.000	33.12	6.85	39.97	74.00	-34.03	peak	
4	. 10	6678.000	32.41	9.06	41.47	74.00	-32.53	peak	
5		7800.000	32.66	10.04	42.70	74.00	-31.30	peak	
6	*	9160.000	32.08	11.70	43.78	74.00	-30.22	peak	

*:Maximum data ReferenceOnly x:Over limit !:over margin

File: A0110-1\Data: #264

Page:

Engineer Signature:

Printed with FinePrint - purchase at www.lineprint.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 49 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Limit: FCC Class B 3M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 1: DATA LINK (120V/60HZ)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1	2	2360.000	36.37	2.06	38.43	74.00	-35,57	peak	
2	4	1026.000	33.17	5.15	38,32	74.00	-35.68	peak	
3		590.000	33.05	7.58	40.63	74.00	-33,37	peak	
4	7	800.000	33.45	10.04	43.49	74.00	-30.51	peak	
5	9	9092.000	31.58	11.59	43.17	74.00	-30,83	peak	
6	* 6	840.000	32.28	13.12	45.40	74.00	-28.60	peak	

Power:

From System

Humidity:

60%

*:Maximum data x:Over limit !:over margin ReferenceOnly File: A0110-1\Data: #263 Engineer Signature: Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 50 of 89

Config 2 Recording Mode: Horizontal Polarization





AC 120V/60Hz

Humidity:

60%

Site :966-2Chamber Limit: FCC Class B 3M Radiation(1G-40G)(Pea

EUT: MobilePhone

M/N: PM-0300-BV Mode: Config 2: recoreding

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		1714.000	35.99	-121	34.78	74.00	-39.22	peak	
2		3414.000	33.34	4.07	37.41	74.00	-36.59	peak	
3		4400.000	33.05	5.77	38.82	74.00	-35.18	peak	
4		5726.000	32.31	7.78	40.09	74.00	-33.91	peak	
5	- 1	7426.000	31.01	9.51	40.52	74.00	-33.48	peak	
6	*	8344.000	31.61	10.57	42.18	74.00	-31.82	peak	

Power:

Distance:

*:Maximum data x:Over limit !:over margin •ReferenceOnly

File :A0110-1\Data:#254 Page: 1 Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 51 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2: recoreding

Note:

No.	Mk.	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1	1 6 6	1850.000	36.72	-0.15	36.57	74.00	-37.43	peak	
2		2870.000	33.38	3.05	36,43	74.00	-37.57	peak	
3	- 73	4060.000	33.65	5.19	38.84	74.00	-35.16	peak	
4		5998.000	32.09	8.44	40.53	74.00	-33,47	peak	
5	- 11	7698.000	31.65	9.89	41.54	74.00	-32.46	peak	
6	*	9330.000	31.47	11.96	43.43	74.00	-30.57	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

*:Maximum data x:Over limit !:over margin ReferenceOnly File: A0110-1\Data: #253 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 52 of 89

Config 2 Play Recording Mode: Horizontal Polarization

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Limit: FCC Class B 3M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2: play recoreding

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		1510.000	42.43	-2.45	39.98	74.00	-34.02	peak	
2		2326.000	36.31	1.96	38.27	74.00	-35.73	peak	
3		3720.000	34.53	4.71	39.24	74.00	-34.76	peak	
4		5148.000	33.15	6.95	40.10	74.00	-33.90	peak	
5		7154.000	32.65	9.39	42.04	74.00	-31.96	peak	
6	*	9840.000	32.50	13.12	45.62	74.00	-28.38	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File: A0110-1\Data: #256 Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 53 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Limit: FCC Class B 3M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2: play recoreding

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		1680.000	40.75	-1.41	39.34	74.00	-34.66	peak	
2	T	4060.000	33.65	5.19	38,84	74.00	-35.16	peak	
3		5590.000	33.05	7.58	40.63	74.00	-33,37	peak	
4	10	6168.000	33.27	8.67	41.94	74.00	-32.06	peak	
5		6882.000	31.49	9.23	40.72	74.00	-33.28	peak	
6	*	8514.000	32.88	10.76	43.64	74.00	-30.36	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

*:Maximum data x:Over limit !:over margin ReferenceOnly File: A0110-1\Data: #255 Engineer Signature: Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 54 of 89

Config 2 MP3 Mode: **Horizontal Polarization**

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Limit: FCC Class B 3M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 2: MP3

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	2	530.000	33.58	2.46	36.04	74.00	-37.96	peak	
2	4	026.000	33.85	5.15	39.00	74.00	-35,00	peak	
3	5	250.000	32.02	7.10	39.12	74.00	-34.88	peak	
4	6	610.000	31.57	9.01	40.58	74.00	-33,42	peak	
5	ε	854.000	31.20	11.24	42.44	74.00	-31.56	peak	
6	* 9	602.000	31.46	12.50	43.96	74.00	-30.04	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

*:Maximum data x:Over limit !:over margin ReferenceOnly

File: A0110-1\Data: #252

Page: 1

Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 55 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 2: MP3

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		1918.000	35.15	0.42	35.57	74.00	-38.43	peak	
2		4502.000	32.90	6.00	38.90	74.00	-35.10	peak	
3		6202.000	31.47	8.73	40.20	74.00	-33,80	peak	
4		7290.000	30.93	9.43	40.36	74.00	-33.64	peak	
5	*	8514.000	32.88	10.76	43.64	74.00	-30,36	peak	
6		11166.00	27.53	15.98	43.51	74.00	-30.49	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

 ReferenceOnly *:Maximum data x:Over limit !:over margin File: A0110-1\Data: #251 Engineer Signature: Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300

Report No.: EI/2012/A0015

of 89


Issue Date: Apr. 29, 2013 : 56

Config 3 Recording Mode: Horizontal Polarization

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698

Page

Humidity:



AC 120V/60Hz

Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3: recoreding

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		2156.000	36.21	1.53	37.74	74.00	-36.26	peak	
2	7.1	3176.000	35.14	3.63	38.77	74.00	-35.23	peak	
3		4604.000	32.89	6.19	39.08	74.00	-34.92	peak	
4		7120.000	33.25	9.38	42.63	74.00	-31.37	peak	
5		8820.000	32.15	11.20	43.35	74.00	-30.65	peak	
6	*	10146.00	30.55	13.93	44.48	74.00	-29.52	peak	

Power:

Distance:

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File: A0110-1\Data: #260 Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 57 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3: recoreding

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		1680.000	40.75	-1.41	39.34	74.00	-34.66	peak	
2	2	2734.000	34.78	2.76	37.54	74.00	-36.46	peak	
3		3278.000	34.57	3.79	38.36	74.00	-35.64	peak	
4	- 4	1842.000	34.53	6.56	41.09	74.00	-32.91	peak	
5	(6066.000	32.45	8.54	40.99	74.00	-33.01	peak	
6	*	7154.000	32.23	9.39	41.62	74.00	-32.38	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

*:Maximum data x:Over limit !:over margin ReferenceOnly File: A0110-1\Data: #259 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 58 of 89

Config 3 Play Recording Mode: Horizontal Polarization





Polarization:

Power:

Distance:

Horizontal AC 120V/60Hz

Humidity:

60%

Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation(1G-40G)(Pea

FUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3: play recoreding

Note:

No.	Mk.	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		1986.000	36.58	1.00	37.58	74.00	-36.42	peak	
2	111	3176.000	35.14	3.63	38,77	74.00	-35.23	peak	
3		4706.000	33.03	6.38	39.41	74.00	-34.59	peak	
4	. 11	5862.000	32.82	8.09	40.91	74.00	-33.09	peak	
5		7290.000	32.16	9.43	41.59	74.00	-32.41	peak	
6	*	7800.000	32.66	10.04	42.70	74.00	-31.30	peak	

*:Maximum data x:Over limit ReferenceOnly !:over margin File:A0110-1\Data:#258 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 59 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site: 966-2 Chamber

Limit: FCC Class B 3M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3: play recoreding

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	1	1374.000	39.89	-2.73	37.16	74.00	-36.84	peak	
2	13	2462.000	36.64	2.32	38.96	74.00	-35.04	peak	
3		3346.000	35.54	3.93	39.47	74.00	-34.53	peak	
4	1.2	4196.000	33.53	5.35	38.88	74.00	-35.12	peak	
5	1 3	6338.000	31.56	8.85	40.41	74.00	-33,59	peak	
6	*	8344.000	31.33	10.57	41.90	74.00	-32.10	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File: A0110-1\Data: #257 Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300

Report No.: EI/2012/A0015

of 89


Issue Date: Apr. 29, 2013 : 60

Config 3 MP3 Mode: **Horizontal Polarization**

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698

Page

Humidity:



Limit: FCC Class B 3M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 3: MP3

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		1850.000	38.64	-0.15	38.49	74.00	-35.51	peak	
2		3346.000	34.86	3.93	38.79	74.00	-35.21	peak	
3	- 1	6066.000	33.29	8.54	41.83	74.00	-32.17	peak	
4		7290.000	32.16	9.43	41.59	74.00	-32.41	peak	
5		8990.000	32.17	11.43	43.60	74.00	-30.40	peak	
6	*	10078.00	31.12	13.74	44.86	74.00	-29.14	peak	

Power:

Distance:

AC 120V/60Hz

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File: A0110-1\Data: #262 Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 61 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子野通訊實驗室 Address:台北縣五股工業區五工路 134 號 Tel:02-2299-3279 Fax:02-2298-2698



Limit: FCC Class B 3M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3: MP3

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1	2	2054.000	37.25	1.26	38.51	74.00	-35.49	peak	
2	2	3244.000	33.88	3.73	37.61	74.00	-36.39	peak	
3	5	5318.000	32.54	7.20	39.74	74.00	-34.26	peak	
4	E	6406.000	30.81	8.89	39.70	74.00	-34.30	peak	
5	7	7800.000	33.45	10.04	43.49	74.00	-30.51	peak	
6	* 8	3514.000	32.88	10.76	43.64	74.00	-30.36	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

*:Maximum data x:Over limit !:over margin •ReferenceOnly

File :A0110-1\Data :#261 Page: 1 Engineer Signature:

Printed with FinePrint - purchase at www.lineprint.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 62 of 89

18~26.5G Config 1 Data Link Mode: **Horizontal Polarization**

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



From System

Humidity:

60%

Site :966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone

M/N: PM-0300-BV

Mode: Config 1: DATA LINK (120V/60HZ)

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		19190.00	29.81	19.82	49.63	83.50	-33.87	peak	
2		20601.00	30.64	20.33	50.97	83.50	-32.53	peak	
3		21672.00	28.73	21.19	49.92	83.50	-33.58	peak	
4		22335.00	30.48	21.60	52.08	83.50	-31.42	peak	
5	*	23372.00	30.01	22.32	52,33	83,50	-31.17	peak	
6		24460.00	28.29	23.16	51.45	83.50	-32.05	peak	

Power:

Distance:

*:Maximum data ReferenceOnly x:Over limit !:over margin Engineer Signature: File:A0110-1\Data:#276 Page:

Printed with FinePrint - purchase at www.lineprint.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 63 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site: 966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 1: DATA LINK (120V/60HZ)

Note:

No.	Mk.	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		18425.00	28.99	19.11	48.10	83.50	-35.40	peak	
2		19190.00	30.31	19.82	50,13	83.50	-33.37	peak	
3		20193.00	31.56	19.86	51.42	83.50	-32.08	peak	
4		21485.00	30.21	21.05	51.26	83.50	-32.24	peak	
5		23100.00	29.55	21.94	51.49	83.50	-32.01	peak	
6	*	23678.00	31.78	22.31	54.09	83.50	-29.41	peak	

Power:

From System

Humidity:

*:Maximum data x:Over limit !:over margin ReferenceOnly File: A0110-1\Data: #275 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 64 of 89


Config 2 Recording Mode: Horizontal Polarization



Horizontal AC 120V/60Hz

Humidity:

60%



Site: 966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

FUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2: recoreding

Note:

No.	Mk.	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dΒ	Detector	Comment
1		18425.00	28.49	19.11	47.60	83.50	-35,90	peak	
2		19496.00	28.11	19.86	47.97	83.50	-35.53	peak	
3		20720.00	31.17	20.50	51.67	83.50	-31.83	peak	
4		22012.00	29.85	21.44	51.29	83.50	-32.21	peak	
5	*	23831.00	32.42	22,16	54.58	83,50	-28.92	peak	
6	11	24222.00	30.26	22.56	52.82	83.50	-30.68	peak	

Power:

Distance:

*:Maximum data ReferenceOnly x:Over limit !:over margin File:A0110-1\Data:#272 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 65 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site: 966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2: recoreding

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		19054.00	30.33	19.80	50.13	83.50	-33.37	peak	
2		19768.00	28.98	19.75	48.73	83.50	-34.77	peak	
3		20431.00	32.62	20.13	52.75	83.50	-30.75	peak	
4		21536.00	29.49	21.08	50.57	83.50	-32.93	peak	
5		22692.00	30.19	21.73	51.92	83.50	-31.58	peak	
6	*	24222.00	31.76	22.56	54.32	83.50	-29.18	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

*:Maximum data x:Over limit !:over margin ReferenceOnly File:A0110-1\Data:#271 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




IC: 4170B-PM0300

Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 66 of 89

Config 2 Play Recording Mode: Horizontal Polarization



Limit: FCC Class B 1M Radiation(1G-40G)(Pea

FUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2: play recoreding

Note:

Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
	MHz	MHz dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
	18884.00	31.35	19.50	50,85	83.50	-32.65	peak	
	20159.00	30.55	19.83	50,38	83.50	-33.12	peak	
	20720.00	32.17	20.50	52.67	83.50	-30.83	peak	
	22862.00	30.85	21.77	52.62	83.50	-30.88	peak	
*	23831.00	33.92	22.16	56,08	83.50	-27.42	peak	
	24715.00	31.08	23.23	54.31	83.50	-29.19	peak	
	Mk	MHz 18884.00 20159.00 20720.00 22862.00 * 23831.00	Mk. Freq. Level MHz dBuV 18884.00 31.35 20159.00 30.55 20720.00 32.17 22862.00 30.85 * 23831.00 33.92	Mk. Freq. Level Factor MHz dBuV dB 18884.00 31.35 19.50 20159.00 30.55 19.83 20720.00 32.17 20.50 22862.00 30.85 21.77 * 23831.00 33.92 22.16	Mk. Freq. Level Factor ment MHz dBuV dB dBuV/m 18884.00 31.35 19.50 50.85 20159.00 30.55 19.83 50.38 20720.00 32.17 20.50 52.67 22862.00 30.85 21.77 52.62 * 23831.00 33.92 22.16 56.08	Mk. Freq. Level Factor ment Limit MHz dBuV dB dBuV/m dBuV/m 18884.00 31.35 19.50 50.85 83.50 20159.00 30.55 19.83 50,38 83.50 20720.00 32.17 20.50 52.67 83.50 22862.00 30.85 21.77 52.62 83.50 * 23831.00 33.92 22.16 56.08 83.50	Mk. Freq. Level Factor ment Limit Over MHz dBuV dB dBuV/m dBuV/m dB 18884.00 31.35 19.50 50.85 83.50 -32.65 20159.00 30.55 19.83 50.38 83.50 -33.12 20720.00 32.17 20.50 52.67 83.50 -30.83 22862.00 30.85 21.77 52.62 83.50 -30.88 * 23831.00 33.92 22.16 56.08 83.50 -27.42	Mk. Freq. Level Factor ment Limit Over MHz dBuV dB dBuV/m dBuV/m dB Detector 18884.00 31.35 19.50 50.85 83.50 -32.65 peak 20159.00 30.55 19.83 50.38 83.50 -33.12 peak 20720.00 32.17 20.50 52.67 83.50 -30.83 peak 22862.00 30.85 21.77 52.62 83.50 -30.88 peak * 23831.00 33.92 22.16 56.08 83.50 -27.42 peak

Distance:

*:Maximum data x:Over limit ReferenceOnly !:over margin File: A0110-1\Data: #292 Page: 1 Engineer Signature:

Printed with FinePrint - purchase at www.lineprint.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 67 of 89

Vertical Polarization





Polarization:

Power:

Distance:

Horizontal

Humidity:

60%

AC 120V/60Hz

Site :966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

FUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3: play recoreding

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dΒ	Detector	Comment
1	1 1	18884.00	30.85	19.50	50.35	83.50	-33.15	peak	
2		20431.00	32.12	20.13	52.25	83.50	-31.25	peak	
3		21298.00	30.83	20.98	51.81	83.50	-31.69	peak	
4		21961.00	32.04	21.40	53.44	83.50	-30.06	peak	
5	*	23831.00	32.42	22,16	54.58	83,50	-28.92	peak	
6		24953.00	31.04	23.20	54.24	83.50	-29.26	peak	

*:Maximum data ReferenceOnly x:Over limit !:over margin File: A0110-1\Data: #291 Engineer Signature: Page: 1

Printed with FinePrint - purchase at www.lineprint.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300

Report No.: EI/2012/A0015

of 89


Issue Date: Apr. 29, 2013 : 68

Config 2 MP3 Mode: **Horizontal Polarization**

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698

Page

Humidity:



Limit: FCC Class B 1M Radiation(1G-40G)(Pea

32.04

26.65

21.40

21.80

53.44

48.45

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 2: MP3

21961.00

22981.00

Note:

5

Reading Correct Measure-Limit Over No. Mk. Freq. Level Factor MHz dBuV dB dBuV/m dBuV/m dB Detector Comment 18595.00 30.46 18.80 49.26 83.50 -34.24 peak 2 19615.00 28.55 19.81 48.36 83.50 35.14 peak 3 20193.00 31.06 19.86 50.92 83.50 -32.58 peak 21213.00 29.22 20.95 50.17 83.50 -33.33 peak

-30.06

-35.05

peak

peak

83.50

83.50

Power:

Distance:

AC 120V/60Hz

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File: A0110-1\Data: #274 Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 69 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 2: MP3

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		18884.00	31.35	19.50	50.85	83.50	-32.65	peak	
2		19275.00	29.83	19.83	49.66	83.50	-33.84	peak	
3		19870.00	28.64	19.71	48.35	83.50	-35.15	peak	
4	1.4	20720.00	32.17	20.50	52.67	83.50	-30.83	peak	
5		21876.00	31.75	21.34	53,09	83.50	-30,41	peak	
6	*	23712.00	32.57	22.28	54.85	83.50	-28,65	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

*:Maximum data ReferenceOnly x:Over limit !:over margin File:A0110-1\Data:#273 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 70 of 89

Config 3 Recording Mode: Horizontal Polarization





Site :966-2Chamber Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3: recoreding

Note:

No.	Mk.	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		18884.00	30.85	19.50	50.35	83.50	-33.15	peak	
2	11	20193.00	31.06	19.86	50.92	83.50	-32.58	peak	
3		21961.00	32.04	21.40	53.44	83.50	-30.06	peak	
4		23831.00	32.42	22.16	54.58	83.50	-28.92	peak	
5		24953.00	31.04	23.20	54.24	83.50	-29.26	peak	
6	*	25820.00	32.78	23.96	56.74	83.50	-26.76	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

*:Maximum data x:Over limit !:over margin •ReferenceOnly

File :A0110-1\Data:#268 Page: 1 Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page :71 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site: 966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3: recoreding

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	1 1 1 7	18493.00	28.77	18.62	47.39	83.50	-36.11	peak	
2	1	19904.00	27.75	19.70	47.45	83.50	-36.05	peak	
3		21485.00	30.21	21.05	51.26	83.50	-32.24	peak	
4	- 4	23219.00	28.63	22.10	50.73	83.50	-32.77	peak	
5		24851.00	29.29	23.21	52.50	83.50	-31.00	peak	
6		25820.00	33.28	23.96	57.24	83.50	-26.26	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

*:Maximum data x:Over limit !:over margin ReferenceOnly File: A0110-1\Data: #267 Engineer Signature: Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 72 of 89

Config 3 Play Recording Mode: Horizontal Polarization





AC 120V/60Hz

Humidity:

60%

Site: 966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

FUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3: play recoreding

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1	1 1	18884.00	30.85	19.50	50.35	83.50	-33.15	peak	
2		20431.00	32.12	20.13	52.25	83.50	-31.25	peak	
3		21298.00	30.83	20.98	51.81	83.50	-31.69	peak	
4		21961.00	32.04	21.40	53.44	83.50	-30.06	peak	
5	*	23831.00	32.42	22,16	54.58	83,50	-28.92	peak	
6		24953.00	31.04	23.20	54.24	83.50	-29.26	peak	

Power:

Distance:

*:Maximum data x:Over limit !:over margin ReferenceOnly File:A0110-1\Data:#270 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page :73 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site: 966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3: play recoreding

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		18255.00	31.15	20.34	51.49	83.50	-32.01	peak	
2		19054.00	30.33	19.80	50.13	83.50	-33.37	peak	
3		20431.00	32.62	20.13	52.75	83.50	-30.75	peak	
4		21893.00	32.66	21.36	54.02	83.50	-29.48	peak	
5	*	23831.00	33.92	22.16	56.08	83.50	-27.42	peak	
6		24953.00	32.54	23.20	55.74	83.50	-27.76	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

*:Maximum data x:Over limit !:over margin ReferenceOnly File: A0110-1\Data: #269 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 74 of 89

Config 3 MP3 Mode: **Horizontal Polarization**





Site: 966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

Reading

Level

Correct

Measure-

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 3: MP3

Freq.

Note:

No. Mk.

-	Limit	Over			
	dBuV/m	dB	Detector	Comment	
	83.50	-34.14	peak		
	83.50	-34.70	peak		

Humidity:

	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	18918.00	29.76	19.60	49.36	83.50	-34.14	peak	
2	21077.00	27.90	20.90	48.80	83.50	-34.70	peak	
3	21672.00	28.73	21.19	49.92	83.50	-33,58	peak	
4	23100.00	28.05	21.94	49.99	83.50	-33.51	peak	
5 *	23474.00	30.13	22.45	52.58	83,50	-30.92	peak	
6	24613.00	27.72	23.25	50.97	83.50	-32.53	peak	

Power:

Distance:

AC 120V/60Hz

*:Maximum data x:Over limit !:over margin ReferenceOnly

File: A0110-1\Data: #266

Page:

Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 75 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 3: MP3

Note:

No.	Mk.	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		19105.00	30.25	19.81	50.06	83.50	-33,44	peak	
2		20193.00	31.56	19.86	51.42	83.50	-32.08	peak	
3		21859.00	31.08	21.32	52.40	83.50	-31.10	peak	
4		22862.00	30.85	21.77	52.62	83.50	-30.88	peak	
5	*	23831.00	33.92	22.16	56,08	83.50	-27.42	peak	
6		24460.00	30.29	23.16	53.45	83.50	-30.05	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

*:Maximum data x:Over limit !:over margin ReferenceOnly File: A0110-1\Data: #265 Engineer Signature: Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300

Report No.: EI/2012/A0015


of 89

Issue Date: Apr. 29, 2013 : 76

26.5~30G Config 1 Data Link Mode: **Horizontal Polarization**

> 臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698

Page



Polarization:

Distance:

Horizontal

From System

Temperature

60%

Humidity:

Site :966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone

M/N: PM-0300-BV

Mode: Config 1: DATA LINK (120V/60HZ)

Note:

MHz dBuV dB 1 26738.00 28.18 19.20 2 27039.00 29.42 19.13 3 * 27718.00 33.32 18.83	dBuV/m 47.38	dBuV/m	dΒ	Detector	
2 27039.00 29.42 19.13	17 38			20100101	Comment
	47.30	83.50	-36.12	peak	
3 * 27718.00 33.32 18.83	48.55	83.50	-34.95	peak	
	52.15	83.50	-31.35	peak	
4 28292.00 31.35 18.60	49.95	83.50	-33.55	peak	
5 28740.00 29.36 18.23	47.59	83.50	-35.91	peak	
6 29027.00 31.51 18.02	49.53	83.50	-33,97	peak	

*:Maximum data ReferenceOnly x:Over limit !:over margin Engineer Signature: File:A0110-1\Data:#278 Page:

Printed with FinePrint - purchase at www.lineprint.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page :77 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site: 966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 1: DATA LINK (120V/60HZ)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		26808.00	30.21	19.20	49.41	83.50	-34.09	peak	
2		27347.00	29.97	18.92	48.89	83.50	-34.61	peak	
3	- 3	28103.00	30.76	18.77	49.53	83.50	-33,97	peak	
4		28803.00	29.41	18.18	47.59	83.50	-35,91	peak	
5		29314.00	29.94	17.98	47.92	83,50	-35.58	peak	
6	*	29559.00	33.74	17.97	51.71	83.50	-31.79	peak	

Power:

Distance:

From System

Humidity:

*:Maximum data x:Over limit !:over margin ReferenceOnly File: A0110-1\Data: #277 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 78 of 89

Config 2 Recording Mode: Horizontal Polarization

臺灣檢驗科技股份有限公司一電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



AC 120V/60Hz

Humidity:

60%

Site: 966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

FUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2: recoreding

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		26703.00	29.09	19.21	48.30	83.50	-35.20	peak	
2		27200.00	29.92	19.03	48.95	83.50	-34.55	peak	
3	*	28348.00	31.72	18.55	50.27	83.50	-33,23	peak	
4		28586.00	30.44	18.34	48.78	83.50	-34.72	peak	
5		29174.00	31.42	18.00	49.42	83.50	-34.08	peak	
6		29496.00	29.96	17.96	47.92	83.50	-35.58	peak	

Power:

Distance:

*:Maximum data ReferenceOnly x:Over limit !:over margin File:A0110-1\Data:#282 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com




IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 79 of 89

Vertical Polarization





Site: 966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2: recoreding

Note:

MHz dBuV dB dBuV/m dBuV/m dBuV/m dB Detector Comment 1 26808.00 30.21 19.20 49.41 83.50 -34.09 peak 2 27347.00 29.97 18.92 48.89 83.50 -34.61 peak 3 * 27746.00 33.69 18.84 52.53 83.50 -30.97 peak 4 28348.00 32.22 18.55 50.77 83.50 -32.73 peak 5 28684.00 29.23 18.27 47.50 83.50 -36.00 peak 6 29524.00 32.66 17.96 50.62 83.50 -32.88 peak	No.	Mk.	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
2 27347.00 29.97 18.92 48.89 83.50 -34.61 peak 3 * 27746.00 33.69 18.84 52.53 83.50 -30.97 peak 4 28348.00 32.22 18.55 50.77 83.50 -32.73 peak 5 28684.00 29.23 18.27 47.50 83.50 -36.00 peak			MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
3 * 27746.00 33.69 18.84 52.53 83.50 -30.97 peak 4 28348.00 32.22 18.55 50.77 83.50 -32.73 peak 5 28684.00 29.23 18.27 47.50 83.50 -36.00 peak	1		26808.00	30.21	19.20	49.41	83.50	-34.09	peak	
4 28348.00 32.22 18.55 50.77 83.50 -32.73 peak 5 28684.00 29.23 18.27 47.50 83.50 -36.00 peak	2		27347.00	29.97	18.92	48.89	83.50	-34.61	peak	
5 28684.00 29.23 18.27 47.50 83.50 -36.00 peak	3	*	27746.00	33.69	18.84	52.53	83.50	-30.97	peak	
The state of the s	4		28348.00	32.22	18.55	50.77	83.50	-32.73	peak	
6 29524.00 32.66 17.96 50.62 83.50 -32.88 peak	5		28684.00	29.23	18.27	47.50	83.50	-36.00	peak	
	6		29524.00	32.66	17.96	50.62	83.50	-32,88	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

*:Maximum data x:Over limit !:over margin ReferenceOnly File:A0110-1\Data:#281 Engineer Signature: Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 80 of 89

Config 2 Play Recording Mode: Horizontal Polarization





Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2: play recoreding

Note:

No.	Mk.	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		26703.00	29.09	19,21	48.30	83.50	-35.20	peak	
2		27347.00	29.47	18.92	48.39	83.50	-35.11	peak	
3	*	27879.00	31.86	18.85	50.71	83.50	-32.79	peak	
4		28488.00	30.46	18.43	48.89	83.50	-34.61	peak	
5		29139.00	32.33	18.00	50.33	83.50	-33.17	peak	
6		29370.00	30.04	17.97	48.01	83.50	-35.49	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

*:Maximum data x:Over limit !:over margin •ReferenceOnly

File :A0110-1\Data:#284 Page: 1 Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留%天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page :81 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Power:

Distance:

AC 120V/60Hz

Humidity:

60%

Site: 966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 2: play recoreding

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1	- 0	26703.00	29.59	19.21	48,80	83.50	-34.70	peak	
2		27004.00	30.59	19.17	49.76	83.50	-33.74	peak	
3		27424.00	30.22	18.87	49.09	83.50	-34.41	peak	
4	*	27879.00	32.36	18.85	51.21	83.50	-32.29	peak	
5		28586.00	30.44	18.34	48.78	83,50	-34.72	peak	
6		29139.00	32.83	18.00	50.83	83.50	-32.67	peak	

*:Maximum data x:Over limit !:over margin ReferenceOnly File: A0110-1\Data: #283 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300

Report No.: EI/2012/A0015


of 89

Issue Date: Apr. 29, 2013 : 82

Config 2 MP3 Mode: **Horizontal Polarization**

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698

Page



Site: 966-2 Chamber Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 2: MP3

Note:

Polarization: Horizontal Power: AC 120V/60Hz

Temperature: 25 0 Humidity:

Distance:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		26703.00	29.09	19.21	48.30	83.50	-35.20	peak	
2		27466.00	29.73	18.84	48.57	83.50	-34.93	peak	
3	*	28110.00	31.92	18.77	50.69	83.50	-32.81	peak	
4		28698.00	29.72	18.26	47.98	83.50	-35.52	peak	
5		29139.00	32.33	18.00	50.33	83.50	-33.17	peak	
6		29496.00	29.96	17.96	47.92	83.50	-35.58	peak	

*:Maximum data x:Over limit !:over margin ReferenceOnly

File: A0110-1\Data: #280

Page:

Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page :83 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Site: 966-2 Chamber

Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 2: MP3

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dΒ	Detector	Comment
1		26808.00	30.21	19.20	49.41	83.50	-34.09	peak	
2		27466.00	30.73	18.84	49.57	83.50	-33.93	peak	
3	*	27879.00	32.36	18.85	51.21	83.50	-32.29	peak	
4		28348.00	32.22	18.55	50.77	83.50	-32.73	peak	
5		28803.00	29.41	18.18	47.59	83.50	-35.91	peak	
6		29370.00	31.04	17.97	49,01	83.50	-34.49	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

*:Maximum data x:Over limit !:over margin ReferenceOnly File: A0110-1\Data: #279 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300

Report No.: EI/2012/A0015

of 89


Issue Date: Apr. 29, 2013 : 84

Config 3 Recording Mode: Horizontal Polarization

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698

Page

Humidity:



Site: 966-2 Chamber Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3: recoreding

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		26703.00	29.09	19.21	48.30	83.50	-35.20	peak	
2		26906.00	29.50	19.17	48,67	83.50	-34.83	peak	
3		27144.00	29.90	19.06	48.96	83.50	-34.54	peak	
4	. 1 1	27480.00	31.36	18.82	50.18	83.50	-33.32	peak	
5	*	27718.00	33.32	18.83	52.15	83.50	-31,35	peak	
6		27879.00	31.86	18.85	50,71	83.50	-32.79	peak	

Power:

Distance:

AC 120V/60Hz

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File: A0110-1\Data: #288 Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 85 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子響通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3 : recoreding

Note:

No.	Mk.	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		26703.00	29.59	19.21	48,80	83.50	-34.70	peak	
2		26843.00	30.18	19.19	49.37	83.50	-34.13	peak	
3		27095.00	31.72	19.10	50.82	83.50	-32.68	peak	
4		27480.00	32.36	18.82	51.18	83.50	-32.32	peak	
5	*	27599.00	34.01	18.82	52.83	83.50	-30.67	peak	
6		27963.00	31.71	18.86	50.57	83.50	-32.93	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

60%

*:Maximum data x:Over limit !:over margin ReferenceOnly File: A0110-1\Data: #287 Engineer Signature: Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 86 of 89

Config 3 Play Recording Mode: Horizontal Polarization





AC 120V/60Hz

Humidity:

60%

Site :966-2Chamber Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3: play recoreding

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		26843.00	29.68	19.19	48,87	83.50	-34.63	peak	
2		27347.00	29.47	18.92	48.39	83.50	-35.11	peak	
3	*	27718.00	33.32	18.83	52.15	83.50	-31.35	peak	
4		28110.00	31.92	18.77	50.69	83.50	-32.81	peak	
5		28348.00	31.72	18.55	50.27	83.50	-33,23	peak	
6		28586.00	30.44	18.34	48.78	83.50	-34.72	peak	

Power:

Distance:

*:Maximum data x:Over limit !:over margin •ReferenceOnly

File :A0110-1\Data:#286 Page: 1 Engineer Signature:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 87 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698



Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3: play recoreding

Note:

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		26808.00	30.21	19.20	49.41	83.50	-34.09	peak	
2		27144.00	30.40	19.06	49.46	83.50	-34.04	peak	
3	*	27599.00	34.01	18.82	52.83	83.50	-30.67	peak	
4		28110.00	31.92	18.77	50.69	83.50	-32.81	peak	
5		28705.00	28.96	18.26	47.22	83.50	-36.28	peak	
6	1.11	29076.00	32.58	18.02	50.60	83.50	-32.90	peak	

Power:

Distance:

AC 120V/60Hz

Humidity:

*:Maximum data x:Over limit !:over margin ReferenceOnly File: A0110-1\Data: #285 Engineer Signature: Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300

Report No.: EI/2012/A0015

of 89


Issue Date: Apr. 29, 2013 : 88

Config 3 MP3 Mode: **Horizontal Polarization**

臺灣檢驗科技股份有限公司 -電子暨通訊實驗室 Address:台北縣五股工業區五工路 134號 Tel:02-2299-3279 Fax:02-2298-2698

Page

Humidity:



Limit: FCC Class B 1M Radiation(1G-40G)(Pea

31.33

18.63

49.96

EUT: MobilePhone M/N: PM-0300-BV Mode: Config 3: MP3

28264.00

Note:

No.	Mk.	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dВ	Detector	Comment
1		26703.00	29.09	19.21	48.30	83.50	-35.20	peak	
2		26808.00	29.71	19.20	48.91	83.50	-34.59	peak	
3		27095.00	31.22	19.10	50.32	83.50	-33,18	peak	
4	*	27599.00	33.01	18.82	51.83	83.50	-31.67	peak	
5		27935.00	31.82	18.85	50.67	83.50	-32.83	peak	

-33,54

peak

83.50

Power:

Distance:

AC 120V/60Hz

*:Maximum data x:Over limit !:over margin ReferenceOnly Engineer Signature: File: A0110-1\Data: #290 Page:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



IC: 4170B-PM0300


Report No.: EI/2012/A0015

Issue Date: Apr. 29, 2013

Page : 89 of 89

Vertical Polarization

臺灣檢驗科技股份有限公司 -電子學通訊實驗室 Address:台北縣五股工業區五工路 134 號 Tel:02-2299-3279 Fax:02-2298-2698



Limit: FCC Class B 1M Radiation(1G-40G)(Pea

EUT: MobilePhone M/N: PM-0300-BV

Mode: Config 3: MP3

Note:

Comment	
ak ak	

Power:

Distance:

AC 120V/60Hz

Humidity:

*:Maximum data x:Over limit !:over margin •ReferenceOnly

File :A0110-1\Data:#289 Page: 1 Engineer Signature:

Printed with FinePrint - purchase at www.lineprint.com

** End of Report **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_end_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com