

The Photos of SAR test

No. 2013SAR00048

For

Sony Mobile Communications AB

GSM/UMTS/LTE mobile phone

Type number: PM-0390-BV

Marketing name: C5306

With

Hardware Version: A

Software Version: 12.0.A.1.69 / s_atp_huashan_0_0_18_c (WLAN)

FCC ID: PY7PM-0390

IC: 4170B-PM0390

Issued Date: 2013-05-23



Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:


TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. www.emcite.com



Picture 1: Constituents of the sample



Picture 2: Left Hand Touch Cheek Position



Picture 3: Left Hand Tilt 15° Position




Picture 4: Right Hand Touch Cheek Position



Picture 5: Right Hand Tilt 15° Position


Test positions for body:


The Body SAR is tested at the following 6 test positions all with the distance =10mm or 15mm between the EUT and the phantom bottom:






Picture 6: Front - 10mm






Picture 6-1: Front - 15mm







Picture 6-2: Front with Headset - 15mm






Picture 7: Rear - 10mm







Picture 7-1: Rear - 15mm






Picture 8: Left Edge - 10mm







Picture 8-1: Left Edge - 15mm





Picture 9: Right Edge - 10mm






Picture 9-1: Right Edge - 15mm





Picture 10: Bottom Edge - 10mm





Picture 10-1: Bottom Edge - 15mm



Picture 11: Top Edge - 10mm