



# The Photos of SAR test

No. 2013SAR00136

For

**Sony Mobile Communications AB**

**GSM/WCDMA/LTE mobile phone**

**Type number: PM-0610-BV**

With

**Hardware Version: AP1.2**

**Software Version: 14.1.H.1.55 (Main antenna)**

**s\_atp\_amami\_1\_32\_2\_18\_a (WLAN antenna)**

**FCC ID: PY7PM-0610**

**Issued Date: 2013-10-16**



**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

**Test Laboratory:**


TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. [www.emcite.com](http://www.emcite.com)



**Picture 1: Constituents of the sample**




**Picture 2: Left Hand Touch Cheek Position**




**Picture 3: Left Hand Tilt 15° Position**






**Picture 4: Right Hand Touch Cheek Position**



**Picture 5: Right Hand Tilt 15° Position**



**Test positions for body:**

The Body SAR is tested at the following 5 test positions all with the distance =10mm or 15mm between the EUT and the phantom bottom:




**Picture 6: Front – 10mm**






Picture 7: Rear – 10mm




Picture 8: Front with headset – 15mm




Picture 9: Rear with headset -15mm





Picture 10: Left Edge – 10mm





Picture 11: Right Edge – 10mm



Picture 12: Bottom Edge – 10mm