

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

UN-INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART B REQUIREMENT

OF

Product Name: PDA Phone
Brand Name: Sony
Type No.: PM-0732-BV
Added Model(s): N/A
Model Difference: N/A
FCC ID: PY7PM-0732
Report No.: EM/2014/10067
Issue Date: Apr. 28, 2014
FCC Rule Part: FCC Part 15:2013, Subpart B, Class B
Prepared for: Sony Mobile Communications AB
Nya Vattentornet 22188 Lund/SWEDEN
SGS Taiwan Ltd.
Electronics & Communication Laboratory
Prepared by: No.134, Wu Kung Road, New Taipei Industrial
Park, Wuku District, New Taipei City, Taiwan
24803

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

VERIFICATION OF COMPLIANCE

Applicant: Sony Mobile Communications AB
 Nya Vattentornet 22188 Lund/SWEDEN

Product Name: PDA Phone

Brand Name: Sony

Type No.: PM-0732-BV

Added Model(s): N/A

Model Difference: N/A

FCC ID: PY7PM-0732

File Number: EM/2014/10067

Date of EUT Received: Jan. 29, 2014

Date of test: Jan. 29 ~ Feb. 14, 2014

Issue Date: Apr. 28, 2014

Standards : FCC Part 15:2013, Subpart B, Class B

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.4 (2003) and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rules Part 15B, Class B. The test results of this report relate only to the tested sample identified in this report.

Test By: *Eddy Cheng* **Date:** Apr. 28, 2014

Eddy Cheng / Engineer

Prepared By: *Anna Huang* **Date:** Apr. 28, 2014

Anna Huang / Clerk

Approved By: *Victor Wen* **Date:** Apr. 28, 2014

Victor Wen / Assistant Manager

Revision History

Report Number	Revision	Description	Issue Date
EM/2014/10067	Rev.00	Initial Version	Apr. 28, 2014

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Contents

1. GENERAL INFORMATION.....	6
1.1 APPLICANT & MANUFACTURER INFORMATION	6
1.2 GENERAL DESCRIPTION OF EUT	6
1.3 DETAILS OF EUT	7
1.4 EUT DESCRIPTION	8
1.5 OPERATION PROCEDURE	12
1.6 DESCRIPTION OF SUPPORT UNITS.....	12
1.7 MODIFICATION LIST.....	13
1.8 CABLE LIST.....	13
1.9 TEST SET-UP CONFIGURATION	13
1.10 MEASUREMENT PROCEDURE.....	14
1.11 STANDARDS APPLICABLE FOR TESTING	15
1.12 SUMMARY OF RESULTS	15
2. EMISSION	16
2.1 TEST RESULTS	16
2.2 FREQUENCY RANGE.....	16
2.3 LIMITS OF CONDUCTED AND RADIATED EMISSION	16
2.3.1 LIMIT OF CONDUCTED EMISSION OF FCC PART 15, SUBPART B/CISPR 22	16
2.3.2 LIMIT OF RADIATED EMISSIONS OF FCC PART 15, SUBPART B/CISPR 22.....	17
2.4. TEST OF CONDUCTED EMISSION	18
2.4.1 TEST EQUIPMENTS	18
2.4.2 TEST SITE.....	18
2.4.3 OPERATING ENVIRONMENT	18
2.4.4 MEASUREMENT UNCERTAINTY OF CONDUCTED EMISSION	18
2.4.5 MEASUREMENT LEVEL CALCULATION.....	18
2.4.6 MEASUREMENT DATA.....	19
2.5 TEST OF RADIATED EMISSION	35
2.5.1 TEST INSTRUMENTS	35
2.5.2 TEST SITE.....	36
2.5.3 OPERATING ENVIRONMENT	36
2.5.4 MEASUREMENT UNCERTAINTY OF RADIATED EMISSION	37
2.5.5 MEASUREMENT LEVEL CALCULATION.....	37

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Contents

2.5.6 MEASUREMENT DATA.....	38
3. PHOTOGRAPHS OF TEST	126
4. PHOTOGRAPHS OF PRODUCT.....	136

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1. General Information

1.1 Applicant & Manufacturer Information

Applicant : Sony Mobile Communications AB

Address of Applicant : Nya Vattentorget 22188 Lund/Sweden

Manufacturer : Sony Mobile Communications AB

Address of Manufacturer : Nya Vattentorget 22188 Lund/Sweden

1.2 General Description of EUT

Name : PDA Phone

Brand Name : Sony

Type No. : PM-0732-BV

Added Model(s) : N/A

Model Difference : N/A

FCC ID : PY7PM-0732

Filing Type : Certification

1.3 Details of EUT

Data Cable (USB):	1.Model No.: EC450, Supplier: K-one Type No.: AI-0700, Length: 100 cm	
	2.Model No.: EC801, Supplier: Sony Type No.: AI-0401, Length: 100 cm	
Simple Hands-Free (SHF-White):	Model No.: MH410c, Supplier: Foster Electric Type No.: AG-1100	
Simple Hands-Free (SHF-Black):	Model No.: MH410c, Supplier: Foster Electric Type No.: CCA-0004017	
Car Charger:	Model No.: AN400, Supplier: Salcomp Type No.: CAA-0003013	
Hi-Fi Wireless Headset:	Model No.: MW600, Supplier: BALDA Type No.: DDA-0002029.B coupling with Simple Hands Free (Model No.: MH755, Supplier: BALDA Type No.: AG-0502)	
Hardware Version:	A	
Software Version:	18.2.A.0.20	
Power Supply:	3.8Vdc	
	Battery:	Model No.: LIS1546ERPC, Supplier: Sony Type No.: N/A
	Adapter :	1.Model No.: EP800, Supplier: Salcomp Type No.: CAA-0002016-US
		2.Model No.: EP880, Supplier: Salcomp Type No.: AC-0400-US
IMEI:	004402146984939	

Bluetooth BR+EDR:

Bluetooth Version:	V3.0+HS
Channel number:	79 channels
Modulation type:	Frequency Hopping Spread Spectrum
Transmit Power:	10.12dBm
Frequency Range:	2.402GHz – 2.480GHz
Dwell Time:	<= 0.4s
Antenna Designation:	PIFA Antenna, Gain: -1.34dBi

Bluetooth Low Energy:

Frequency Range:	2402 – 2480MHz
Bluetooth Version:	V4.0 Dual mode
Channel number:	40 channels
Modulation type:	GFSK
Transmit Power:	1.79dBm (Peak)
Antenna Designation:	PIFA Antenna, Gain: -1.34dBi

NFC:

Operating Frequency:	13.56MHz
Transmit Power:	< 123dBuV/m at 3m.
Number of Channels:	1
Antenna Type:	Loop Antenna
Modulation Type:	ASK, BPSK

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN 2.4GHz+5.7GHz:

Wi-Fi	Frequency Range	Channels	Rated Power	Modulation Technology
11b/g	2412-2462	11	b: 20.40dBm g: 21.93dBm	DSSS, OFDM
11n	HT20 2412-2462	11	HT20: 20.89dBm	OFDM
11a	5725-5850	5	a: 20.66dBm	OFDM
11n (5GHz)	HT20 5725-5850	5	HT20: 19.89dBm	
11n (5GHz)	HT40 5725-5850	2	HT40: 19.07dBm	
Antenna Designation:		PIFA Antenna, 2.4GHz Gain: -1.34dBi 5GHz Gain: 4.51dBi (5725MHz-5850MHz)		
Modulation type:		CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM		
Transition Rate:		802.11 a: 6/9/12/18/24/36/48/54 Mbps 802.11 b: 1/2/5.5/11 Mbps 802.11 g: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 65.0Mbps 802.11 n_40MHz: 13.5 – 135.0Mbps		

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN 5GHz:

Wi-Fi	Frequency Range	Channels	Rated Power (Avg)	Modulation Technology
11a	5150~5250	4	13.98dBm	OFDM
	5250~5350	4	13.99dBm	
	5470~5725	8	13.99dBm	
11n	HT20 5150~5250	4	HT20: 11.49dBm	OFDM
	HT20 5250~5350	4	HT20: 11.49dBm	
	HT20 5470~5725	8	HT20: 11.48dBm	
11n	HT40 5150~5250	2	HT40: 10.48dBm	OFDM
	HT40 5250~5350	2	HT40: 10.46dBm	
	HT40 5470~5725	3	HT40: 10.49dBm	
Antenna Designation		PIFA Antenna, 5GHz Gain: -0.38dBi (5150MHz-5250MHz) 5GHz Gain: 0.10dBi (5250MHz-5350MHz) 5GHz Gain: 3.98dBi (5470MHz-5725MHz)		
Modulation type		64QAM, 16QAM, QPSK, BPSK for OFDM		
Transition Rate:		802.11 a: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 65.0Mbps 802.11 n_40MHz: 13.5 – 135.0Mbps		

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GSM / WCDMA:

Cellular Standards Frequency Range and Power.	Phone Range	Operating Frequency		Rated Power	
		GSM/GPRS 850, Class 33	824.2 MHz– 848.8 MHz		33dBm
		EDGE 850, Class 33	824.2 MHz– 848.8 MHz		27dBm
		GSM/GPRS 1900, Class 33	1850.2MHz	–	30dBm
			1909.8MHz		
		EDGE 1900, Class 33	1850.2MHz	–	26dBm
			1909.8MHz		
Type of Emission:	WCDMA/HSUPA/HSDPA /HSPA+ Band II	1852.4MHz	–	24dBm	
		1907.6MHz			
	WCDMA/HSUPA/HSDPA /HSPA+ Band V	826.4MHz - 846.6MHz		24dBm	
	GSM 850: 249KGXW, GSM 1900: 255KGXW				
	GPRS 850: 243KGXW, GPRS 1900: 254KGXW				
	EDGE 850: 248KG7W, EDGE 1900: 251KG7W				
	WCDMA Band II: 4M19F9W, WCDMA Band V: 4M18F9W				
HSDPA Band II: 4M18F9W, HSDPA Band V: 4M17F9W					
HSUPA Band II: 4M18F9W, HSUPA Band V: 4M18F9W					

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.4 EUT description

PM-0732-BV	Config 1	Config 2	Config 3
Applicable standard (FCC 15B)			
Accessories	EUT + USB Cable(EC801) + SHF(MH410C)	EUT + AC Adaptor(EP880) + USB Cable(EC801) + SHF(MH410C)	EUT + AC Adaptor(EP800) + USB Cable(EC450) + SHF(MH410C)
	DATA Link (USB)	CAMERA	CAMERA
	DATA Link(USB) + Idle(WWAN.WIFI.BT.GPS & NFC ON)	FULL SYSTEM + Idle(WWAN.WIFI.BT.GPS & NFC ON)	FULL SYSTEM + Idle(WWAN.WIFI.BT.GPS & NFC ON)
Description			
radiated emission	DATA Link (USB)	Recording/Play Recording/MP3	Recording/Play Recording/MP3
conducted emission (AC Power)	DATA Link (USB)	Recording/Play Recording/MP3	Recording/Play Recording/MP3

1.5 Operation Procedure

1. Set down EUT with support units and turn on the power of all equipment.
2. Pre-test the EUT in all modes by each model, then figure the worst case out.
3. Tests under the normal operation due to unintentional radiation mode.

1.6 Description of Support Units

PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
NOTEBOOK	IBM	L412	LR-ZYMYD
Radio Communication Analyzer	R&S	CMU200	N/A
Mouse	HP	M-UAE96	390938-001
Printer	HP	DJ3820	CN34L181B1

1.7 Modification List


No modification by SGS Taiwan Electronics & Communication Laboratory.

1.8 Cable List


Cable Type	Length	Shielding/Non-shielding
Power cable	1.0 m	Shielding
USB cable	1.0 m	Shielding
USB cable with 2 cores	1.0 m	Shielding
SHF	1.5 m	Non-Shielding

1.9 Test Set-Up Configuration

Config1 Mode



Config2 & Config3 Mode



1.10 Measurement Procedure

Conducted Emission Testing was performed according ANSI C63.4:2003 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2003 at the open field test site. The EUT was placed in a 0.8m high table along with the peripherals. The turn table was separated from the antenna distance 10meters. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for maximum.

The frequencies and amplitudes of maximum emission were measured at varying azimuths, antenna heights and antenna polarities. Reported are maximized emission levels.

1.11 Standards Applicable for Testing

Table of tests to be carried out under FCC Part 15, Subpart B

Test Standards	Status
FCC Part 15, Subpart B	Applicable
Deviation from Standard	No Deviation

1.12 Summary of Results

Highest Emission					
Standard	Test Type	Result	Phase/Polar.	Frequency(MHz)	Margin(dB)
FCC Part 15 Subpart B Class B	Conducted Emission	PASS	Line	2.9910	-10.47(QP)
			Neutral	1.1704	-11.52(QP)
	Radiated Emission	PASS	Hor.	161.7700	-6.68(QP)

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2. EMISSION

2.1 Test Results

	Results
Conducted Emission	Pass
Radiated Emission	Pass

2.2 Frequency Range

Conducted Emission : 150 kHz - 30 MHz
 Radiated Emission : 30 MHz - 1000 MHz
 1GHz – 30GHz

2.3 Limits Of Conducted And Radiated Emission

2.3.1 Limit Of Conducted Emission Of FCC Part 15, Subpart B/CISPR 22

FREQUENCY (MHz)	Class A (dBuV)		Class B (dBuV)	
	Quasi - peak	Average	Quasi - peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.50 - 5.0	73	60	56	46
5.0 - 30.0	73	60	60	50

- Note :
- (1) The lower limit shall apply at the transition frequencies.
 - (2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.
 - (3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

2.3.2 Limit Of Radiated Emissions Of FCC Part 15, Subpart B/CISPR 22

FCC Limit:

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 3m)
	dBuV/m	dBuV/m
30~88	39	40
88~216	43.5	43.5
216~960	46.44	46
Above 960	49.54	54

- Detector Function : Peak , Average

FREQUENCY (MHz)	Class A (dBuV) (at 3m)		Class B (dBuV) (at 3m)	
	Peak	Average	Peak	Average
Above 1000	79.3	59.3	73.9	53.9

CISPR Limit:

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 10m)
	dBuV/m	dBuV/m
30-230	40	30
230-1000	47	37

- Detector Function : Peak , Average – Class A

Frequency range GHz	Average Limit dB(µV/m)	Peak Limit dB(µV/m)
1 to 3	56	76
3 to 6	60	80


- Detector Function : Peak , Average – Class B

Frequency range GHz	Average Limit dB(µV/m)	Peak Limit dB(µV/m)
1 to 3	50	70
3 to 6	54	74

Note : The lower limit applies at the transition frequency.

2.4.6 Measurement Data

Operation Mode:	Config 1 : Data Link Internal Storage (Read)	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	L1




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.1900	46.89	0.16	47.05	64.04	-16.99	QP	
2		0.2500	40.26	0.16	40.42	61.76	-21.34	QP	
3		0.2802	39.27	0.16	39.43	60.81	-21.38	QP	
4		2.9720	38.98	0.21	39.19	56.00	-16.81	QP	
5	*	3.1440	39.35	0.23	39.58	56.00	-16.42	QP	
6		12.9140	38.76	0.37	39.13	60.00	-20.87	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 1 : Data Link Internal Storage (Read)	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	N




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1980	47.59	0.19	47.78	63.69	-15.91	QP	
2		0.1980	30.92	0.19	31.11	53.69	-22.58	AVG	
3		0.2780	40.76	0.19	40.95	60.88	-19.93	QP	
4		2.8810	37.15	0.25	37.40	56.00	-18.60	QP	
5	*	3.4320	40.34	0.28	40.62	56.00	-15.38	QP	
6		3.4320	30.01	0.28	30.29	46.00	-15.71	AVG	
7		13.2220	37.83	0.45	38.28	60.00	-21.72	QP	
8		20.6280	31.74	0.53	32.27	60.00	-27.73	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 1 : Data Link SD Card (Write)	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	L1




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		0.1860	46.33	0.16	46.49	64.21	-17.72	QP	
2		0.2540	39.75	0.16	39.91	61.63	-21.72	QP	
3		0.3820	31.42	0.16	31.58	58.24	-26.66	QP	
4		2.7500	37.04	0.21	37.25	56.00	-18.75	QP	
5	*	3.1700	38.61	0.23	38.84	56.00	-17.16	QP	
6		12.6740	37.49	0.37	37.86	60.00	-22.14	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 1 : Data Link SD Card (Write)	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	N




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1620	40.29	0.18	40.47	65.36	-24.89	QP	
2		0.1940	46.50	0.19	46.69	63.86	-17.17	QP	
3		0.3780	34.22	0.19	34.41	58.32	-23.91	QP	
4		2.9860	37.50	0.25	37.75	56.00	-18.25	QP	
5	*	3.3220	39.02	0.27	39.29	56.00	-16.71	QP	
6		13.2660	36.93	0.45	37.38	60.00	-22.62	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 2 : Recording	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	L1




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.6462	34.70	0.16	34.86	56.00	-21.14	QP	
2		0.8086	36.52	0.17	36.69	56.00	-19.31	QP	
3		1.0778	38.29	0.17	38.46	56.00	-17.54	QP	
4		1.4010	38.85	0.18	39.03	56.00	-16.97	QP	
5	*	1.6164	38.93	0.19	39.12	56.00	-16.88	QP	
6		21.7274	39.63	0.42	40.05	60.00	-19.95	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 2 : Recording	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	N




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.4820	39.63	0.19	39.82	56.30	-16.48	QP	
2		1.0014	41.69	0.21	41.90	56.00	-14.10	QP	
3		1.0014	30.05	0.21	30.26	46.00	-15.74	AVG	
4	*	1.1704	44.27	0.21	44.48	56.00	-11.52	QP	
5		1.1704	32.50	0.21	32.71	46.00	-13.29	AVG	
6		1.4406	43.65	0.21	43.86	56.00	-12.14	QP	
7		1.4406	30.95	0.21	31.16	46.00	-14.84	AVG	
8		1.8102	41.07	0.23	41.30	56.00	-14.70	QP	
9		1.8102	27.83	0.23	28.06	46.00	-17.94	AVG	
10		21.5950	42.15	0.54	42.69	60.00	-17.31	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 2 : Play Recording	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	L1




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.4814	40.63	0.16	40.79	56.31	-15.52	QP	
2		0.4814	32.31	0.16	32.47	46.31	-13.84	AVG	
3		1.0180	41.27	0.17	41.44	56.00	-14.56	QP	
4		1.0180	28.29	0.17	28.46	46.00	-17.54	AVG	
5 *		1.1740	43.98	0.17	44.15	56.00	-11.85	QP	
6		1.1740	29.95	0.17	30.12	46.00	-15.88	AVG	
7		1.2820	43.59	0.18	43.77	56.00	-12.23	QP	
8		1.2820	29.23	0.18	29.41	46.00	-16.59	AVG	
9		1.4966	43.03	0.18	43.21	56.00	-12.79	QP	
10		1.4966	28.33	0.18	28.51	46.00	-17.49	AVG	
11		21.6520	43.72	0.42	44.14	60.00	-15.86	QP	
12		21.6520	26.57	0.42	26.99	50.00	-23.01	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 2 : Play Recording	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	N




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		0.9128	38.06	0.21	38.27	56.00	-17.73	QP	
2		1.0200	38.25	0.21	38.46	56.00	-17.54	QP	
3		1.1272	39.37	0.21	39.58	56.00	-16.42	QP	
4	*	1.2892	40.43	0.21	40.64	56.00	-15.36	QP	
5		1.2892	27.33	0.21	27.54	46.00	-18.46	AVG	
6		1.5036	39.57	0.23	39.80	56.00	-16.20	QP	
7		21.6000	40.21	0.54	40.75	60.00	-19.25	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 2 : MP3	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	L1




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.9568	41.21	0.17	41.38	56.00	-14.62	QP	
2		0.9568	27.53	0.17	27.70	46.00	-18.30	AVG	
3		1.0680	41.42	0.17	41.59	56.00	-14.41	QP	
4		1.0680	28.92	0.17	29.09	46.00	-16.91	AVG	
5		1.1192	42.79	0.17	42.96	56.00	-13.04	QP	
6		1.1192	29.32	0.17	29.49	46.00	-16.51	AVG	
7	*	1.2264	42.99	0.17	43.16	56.00	-12.84	QP	
8		1.2264	29.41	0.17	29.58	46.00	-16.42	AVG	
9		1.4943	42.87	0.18	43.05	56.00	-12.95	QP	
10		1.4943	28.36	0.18	28.54	46.00	-17.46	AVG	
11		22.2388	39.89	0.43	40.32	60.00	-19.68	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 2 : MP3	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	N




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.8088	37.11	0.20	37.31	56.00	-18.69	QP	
2		1.1316	38.88	0.21	39.09	56.00	-16.91	QP	
3		1.4550	39.01	0.21	39.22	56.00	-16.78	QP	
4	*	1.5622	39.37	0.23	39.60	56.00	-16.40	QP	
5		1.6698	37.63	0.23	37.86	56.00	-18.14	QP	
6		22.2166	36.34	0.54	36.88	60.00	-23.12	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 3 : Recording	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	L1




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		1.5020	41.25	0.19	41.44	56.00	-14.56	QP	
2		1.5020	28.77	0.19	28.96	46.00	-17.04	AVG	
3		1.8670	42.07	0.20	42.27	56.00	-13.73	QP	
4		1.8670	28.79	0.20	28.99	46.00	-17.01	AVG	
5		2.6440	43.57	0.21	43.78	56.00	-12.22	QP	
6		2.6440	30.53	0.21	30.74	46.00	-15.26	AVG	
7 *		3.0540	44.26	0.23	44.49	56.00	-11.51	QP	
8		3.0540	32.97	0.23	33.20	46.00	-12.80	AVG	
9		3.3900	43.25	0.23	43.48	56.00	-12.52	QP	
10		3.3900	31.72	0.23	31.95	46.00	-14.05	AVG	
11		4.1860	43.74	0.24	43.98	56.00	-12.02	QP	
12		4.1860	32.74	0.24	32.98	46.00	-13.02	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 3 : Recording	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	N




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1	*	2.9980	43.00	0.25	43.25	56.00	-12.75	QP	
2		2.9980	31.41	0.25	31.66	46.00	-14.34	AVG	
3		2.9980	42.76	0.25	43.01	56.00	-12.99	QP	
4		2.9980	31.06	0.25	31.31	46.00	-14.69	AVG	
5		3.4220	42.42	0.28	42.70	56.00	-13.30	QP	
6		3.4220	31.54	0.28	31.82	46.00	-14.18	AVG	
7		4.1200	42.25	0.29	42.54	56.00	-13.46	QP	
8		4.1200	31.49	0.29	31.78	46.00	-14.22	AVG	
9		4.6520	39.98	0.30	40.28	56.00	-15.72	QP	
10		4.6520	30.24	0.30	30.54	46.00	-15.46	AVG	
11		20.6260	40.95	0.53	41.48	60.00	-18.52	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 3 : Play Recording	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	L1




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		1.5341	41.72	0.19	41.91	56.00	-14.09	QP	
2		1.5341	26.53	0.19	26.72	46.00	-19.28	AVG	
3		1.8540	43.12	0.20	43.32	56.00	-12.68	QP	
4		1.8540	28.11	0.20	28.31	46.00	-17.69	AVG	
5		2.7180	43.56	0.21	43.77	56.00	-12.23	QP	
6		2.7180	31.55	0.21	31.76	46.00	-14.24	AVG	
7 *		2.9910	45.32	0.21	45.53	56.00	-10.47	QP	
8		2.9910	32.89	0.21	33.10	46.00	-12.90	AVG	
9		3.3980	44.75	0.23	44.98	56.00	-11.02	QP	
10		3.3980	31.86	0.23	32.09	46.00	-13.91	AVG	
11		4.0240	44.16	0.24	44.40	56.00	-11.60	QP	
12		4.0240	32.13	0.24	32.37	46.00	-13.63	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 3 : Play Recording	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	N




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		1.8710	38.79	0.23	39.02	56.00	-16.98	QP	
2		2.8380	39.79	0.25	40.04	56.00	-15.96	QP	
3		2.8380	30.07	0.25	30.32	46.00	-15.68	AVG	
4		3.4660	40.91	0.28	41.19	56.00	-14.81	QP	
5		3.4660	30.92	0.28	31.20	46.00	-14.80	AVG	
6 *		4.0580	41.00	0.29	41.29	56.00	-14.71	QP	
7		4.0580	30.97	0.29	31.26	46.00	-14.74	AVG	
8		4.8220	38.96	0.30	39.26	56.00	-16.74	QP	
9		20.8920	41.20	0.53	41.73	60.00	-18.27	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 3 : MP3	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	L1




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		1.9420	42.00	0.20	42.20	56.00	-13.80	QP	
2		1.9420	27.52	0.20	27.72	46.00	-18.28	AVG	
3		2.7100	43.17	0.21	43.38	56.00	-12.62	QP	
4		2.7100	31.07	0.21	31.28	46.00	-14.72	AVG	
5		3.0480	44.69	0.23	44.92	56.00	-11.08	QP	
6		3.0480	33.01	0.23	33.24	46.00	-12.76	AVG	
7 *		3.3980	44.97	0.23	45.20	56.00	-10.80	QP	
8		3.3980	32.06	0.23	32.29	46.00	-13.71	AVG	
9		3.7204	44.00	0.24	44.24	56.00	-11.76	QP	
10		3.7204	32.11	0.24	32.35	46.00	-13.65	AVG	
11		4.4520	42.58	0.25	42.83	56.00	-13.17	QP	
12		4.4520	30.60	0.25	30.85	46.00	-15.15	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode:	Config 3 : MP3	Test Date:	Feb. 02, 2014
Tested By:	Eddy Cheng	Pol.:	N



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		2.7270	41.29	0.25	41.54	56.00	-14.46	QP	
2		2.7270	30.05	0.25	30.30	46.00	-15.70	AVG	
3	*	2.9870	42.96	0.25	43.21	56.00	-12.79	QP	
4		2.9870	30.87	0.25	31.12	46.00	-14.88	AVG	
5		3.2000	41.00	0.27	41.27	56.00	-14.73	QP	
6		3.2000	31.23	0.27	31.50	46.00	-14.50	AVG	
7		3.4720	42.36	0.28	42.64	56.00	-13.36	QP	
8		3.4720	32.02	0.28	32.30	46.00	-13.70	AVG	
9		3.6860	42.31	0.28	42.59	56.00	-13.41	QP	
10		3.6860	31.44	0.28	31.72	46.00	-14.28	AVG	
11		4.3810	40.76	0.30	41.06	56.00	-14.94	QP	
12		4.3810	30.62	0.30	30.92	46.00	-15.08	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.5 Test of Radiated Emission

2.5.1 Test Instruments

Below 1GHz

SGS 966 Chamber No.II (30M~1000M)					
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI 7	100760	May 27, 2013	May 26, 2014
Broadband Antenna	SCHWAZBECK	VULB9168	VULB9168-298	Nov. 14, 2013	Nov. 13, 2014
Pre-Amplifier	EMC Instruments	EMC330	980122	Mar. 04, 2014	Mar. 03, 2015
Coaxial Cable	Huber+Suhner	SUCCOFLEX 104PEA	N/A	Nov. 26, 2013	Nov. 25, 2014
Antenna Master	MF.	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF.	N/A	N/A	N.C.R.	N.C.R.
Controller	MF.	3000	MF780208153	N.C.R.	N.C.R.
Site NSA	Chamost	966II Chamber	N/A	Dec. 30, 2013	Dec. 29, 2014
Test Software	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.5.4 Measurement Uncertainty of Radiated Emission

Expanded uncertainty (k=2) of radiated emission measurement is 3.76dB. (30-1000MHz)

Expanded uncertainty (k=2) of radiated emission measurement is 6.30dB. (1-18GHz)

Expanded uncertainty (k=2) of radiated emission measurement is 6.54dB. (18-40GHz)

2.5.5 Measurement level calculation


Correction Factor = Antenna Factor + Cable loss- Amplifier Gain

Measurement Level = Reading Level + Correction Factor

2.5.6 Measurement Data

Below 1GHz


Operation Mode	Config 1 : DATA Link Internal Storage (Read)	Test Date	Jan. 29, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1	*	161.7200	47.40	-11.28	36.12	43.50	-7.38	QP	
2		240.1200	32.50	-12.70	19.80	46.00	-26.20	QP	
3		259.1100	42.70	-12.45	30.25	46.00	-15.75	QP	
4		291.2500	42.90	-11.31	31.59	46.00	-14.41	QP	
5		355.8500	39.90	-9.45	30.45	46.00	-15.55	QP	
6		387.9500	38.30	-9.11	29.19	46.00	-16.81	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	*	38.5500	39.70	-12.31	27.39	40.00	-12.61	QP	
2		129.3000	39.40	-12.74	26.66	43.50	-16.84	QP	
3		161.7700	39.10	-11.28	27.82	43.50	-15.68	QP	
4		259.2100	37.80	-12.44	25.36	46.00	-20.64	QP	
5		291.0900	39.10	-11.32	27.78	46.00	-18.22	QP	
6		355.5200	35.80	-9.45	26.35	46.00	-19.65	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 1 : DATA Link SD Card (Write)	Test Date	Jan. 29, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		70.1300	38.00	-14.24	23.76	40.00	-16.24	QP	
2		129.4600	44.70	-12.72	31.98	43.50	-11.52	QP	
3	*	161.7700	48.10	-11.28	36.82	43.50	-6.68	QP	
4		258.8200	42.30	-12.45	29.85	46.00	-16.15	QP	
5		291.1300	41.30	-11.32	29.98	46.00	-16.02	QP	
6		355.9300	40.10	-9.45	30.65	46.00	-15.35	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	*	38.0800	37.20	-12.36	24.84	40.00	-15.16	QP	
2		129.2200	38.60	-12.75	25.85	43.50	-17.65	QP	
3		161.5700	37.30	-11.26	26.04	43.50	-17.46	QP	
4		258.5200	41.00	-12.46	28.54	46.00	-17.46	QP	
5		290.7900	39.40	-11.32	28.08	46.00	-17.92	QP	
6		355.8700	35.20	-9.45	25.75	46.00	-20.25	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號


Operation Mode	Config 2 : Recording (Front)	Test Date	Jan. 29, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	*	35.0500	28.70	-12.71	15.99	40.00	-24.01	QP	
2		60.5900	26.80	-12.52	14.28	40.00	-25.72	QP	
3		87.5200	32.30	-17.50	14.80	40.00	-25.20	QP	
4		136.0400	25.70	-12.19	13.51	43.50	-29.99	QP	
5		262.4100	26.40	-12.34	14.06	46.00	-31.94	QP	
6		322.5000	22.40	-10.39	12.01	46.00	-33.99	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		35.9300	40.30	-12.61	27.69	40.00	-12.31	QP	
2	*	38.4800	42.90	-12.31	30.59	40.00	-9.41	QP	
3		65.6200	35.20	-13.43	21.77	40.00	-18.23	QP	
4		84.1400	34.70	-16.77	17.93	40.00	-22.07	QP	
5		149.8800	23.10	-11.69	11.41	43.50	-32.09	QP	
6		261.2200	22.40	-12.38	10.02	46.00	-35.98	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 2 : Play Recording	Test Date	Jan. 29, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	*	35.0800	29.00	-12.70	16.30	40.00	-23.70	QP	
2		47.2100	25.40	-11.51	13.89	40.00	-26.11	QP	
3		60.5900	26.50	-12.52	13.98	40.00	-26.02	QP	
4		87.7300	32.00	-17.55	14.45	40.00	-25.55	QP	
5		132.3400	27.20	-12.46	14.74	43.50	-28.76	QP	
6		262.4100	29.40	-12.34	17.06	46.00	-28.94	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	*	35.7500	44.20	-12.63	31.57	40.00	-8.43	QP	
2		66.4800	35.60	-13.59	22.01	40.00	-17.99	QP	
3		85.4500	36.10	-17.05	19.05	40.00	-20.95	QP	
4		154.5100	23.80	-11.45	12.35	43.50	-31.15	QP	
5		275.1900	26.70	-11.89	14.81	46.00	-31.19	QP	
6		399.9100	31.00	-8.99	22.01	46.00	-23.99	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 2 : MP3	Test Date	Jan. 29, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1	*	34.6000	28.40	-12.76	15.64	40.00	-24.36	QP	
2		61.5600	26.50	-12.69	13.81	40.00	-26.19	QP	
3		87.5900	31.40	-17.52	13.88	40.00	-26.12	QP	
4		132.1500	27.10	-12.47	14.63	43.50	-28.87	QP	
5		259.5300	24.10	-12.43	11.67	46.00	-34.33	QP	
6		326.3200	23.00	-10.27	12.73	46.00	-33.27	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		35.2400	40.10	-12.69	27.41	40.00	-12.59	QP	
2	*	38.4400	42.90	-12.32	30.58	40.00	-9.42	QP	
3		65.1300	35.20	-13.34	21.86	40.00	-18.14	QP	
4		169.1900	24.10	-11.78	12.32	43.50	-31.18	QP	
5		236.2700	24.20	-13.03	11.17	46.00	-34.83	QP	
6		399.9100	22.30	-8.99	13.31	46.00	-32.69	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : Recording (Front)	Test Date	Jan. 29, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		62.4300	25.30	-12.86	12.44	40.00	-27.56	QP	
2		144.0800	24.80	-11.81	12.99	43.50	-30.51	QP	
3		184.8600	23.30	-14.02	9.28	43.50	-34.22	QP	
4		269.0000	26.10	-12.16	13.94	46.00	-32.06	QP	
5		366.2300	22.30	-9.34	12.96	46.00	-33.04	QP	
6 *		399.9300	29.80	-8.99	20.81	46.00	-25.19	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1	*	33.0400	36.70	-12.94	23.76	40.00	-16.24	QP	
2		61.9600	31.50	-12.76	18.74	40.00	-21.26	QP	
3		77.4100	32.10	-15.44	16.66	40.00	-23.34	QP	
4		164.4300	22.60	-11.46	11.14	43.50	-32.36	QP	
5		291.7700	22.40	-11.30	11.10	46.00	-34.90	QP	
6		399.9500	30.30	-8.99	21.31	46.00	-24.69	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : Play Recording	Test Date	Jan. 29, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		61.3800	25.90	-12.66	13.24	40.00	-26.76	QP	
2		129.4100	23.80	-12.73	11.07	43.50	-32.43	QP	
3		184.9800	23.70	-14.04	9.66	43.50	-33.84	QP	
4		268.7600	27.30	-12.17	15.13	46.00	-30.87	QP	
5		331.3300	22.10	-10.10	12.00	46.00	-34.00	QP	
6 *		399.9100	29.30	-8.99	20.31	46.00	-25.69	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		31.6100	30.40	-13.10	17.30	40.00	-22.70	QP	
2	*	61.8400	34.60	-12.74	21.86	40.00	-18.14	QP	
3		75.6300	29.60	-15.14	14.46	40.00	-25.54	QP	
4		160.6700	22.80	-11.20	11.60	43.50	-31.90	QP	
5		284.7900	23.10	-11.52	11.58	46.00	-34.42	QP	
6		399.9100	29.80	-8.99	20.81	46.00	-25.19	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : MP3	Test Date	Jan. 29, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		62.6100	24.80	-12.88	11.92	40.00	-28.08	QP	
2		140.8200	25.50	-11.87	13.63	43.50	-29.87	QP	
3	*	268.8000	32.50	-12.17	20.33	46.00	-25.67	QP	
4		312.9500	22.70	-10.69	12.01	46.00	-33.99	QP	
5		399.9100	29.00	-8.99	20.01	46.00	-25.99	QP	
6		500.9700	22.10	-6.96	15.14	46.00	-30.86	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	*	32.9600	36.60	-12.94	23.66	40.00	-16.34	QP	
2		62.4200	31.10	-12.86	18.24	40.00	-21.76	QP	
3		81.1100	30.90	-16.10	14.80	40.00	-25.20	QP	
4		159.7000	22.50	-11.18	11.32	43.50	-32.18	QP	
5		281.6200	24.30	-11.63	12.67	46.00	-33.33	QP	
6		399.9300	29.80	-8.99	20.81	46.00	-25.19	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Above 1GHz:1-18GHz


Operation Mode	Config 1 : DATA Link Internal Storage (Read)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1731.000	48.89	-6.90	41.99	74.00	-32.01	peak	
2		3057.000	46.08	-1.77	44.31	74.00	-29.69	peak	
3		4485.000	45.42	1.51	46.93	74.00	-27.07	peak	
4		7816.640	32.02	10.20	42.22	54.00	-11.78	AVG	
5		7817.000	45.82	10.20	56.02	74.00	-17.98	peak	
6		11149.000	42.08	18.42	60.50	74.00	-13.50	peak	
7		11149.220	27.85	18.43	46.28	54.00	-7.72	AVG	
8		14889.000	42.32	20.73	63.05	74.00	-10.95	peak	
9 *		14889.000	26.59	20.73	47.32	54.00	-6.68	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1493.000	49.85	-7.90	41.95	74.00	-32.05	peak	
2		3465.000	45.89	-1.59	44.30	74.00	-29.70	peak	
3		4264.000	44.80	0.71	45.51	74.00	-28.49	peak	
4		10112.000	42.84	15.67	58.51	74.00	-15.49	peak	
5		10112.080	30.24	15.67	45.91	54.00	-8.09	AVG	
6	*	14276.181	25.82	21.59	47.41	54.00	-6.59	AVG	
7		14277.000	42.97	21.59	64.56	74.00	-9.44	peak	
8		16572.000	41.97	21.00	62.97	74.00	-11.03	peak	
9		16572.260	25.45	21.00	46.45	54.00	-7.55	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 1 : DATA Link Internal Storage (Write)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		1510.000	50.12	-7.80	42.32	74.00	-31.68	peak	
2		3261.000	45.95	-1.67	44.28	74.00	-29.72	peak	
3		4434.000	46.34	1.32	47.66	74.00	-26.34	peak	
4		7918.820	31.53	10.37	41.90	54.00	-12.10	AVG	
5		7919.000	45.41	10.37	55.78	74.00	-18.22	peak	
6		10877.000	42.27	17.43	59.70	74.00	-14.30	peak	
7		10877.639	29.42	17.43	46.85	54.00	-7.15	AVG	
8		13903.000	41.75	21.29	63.04	74.00	-10.96	peak	
9	*	13903.300	25.90	21.29	47.19	54.00	-6.81	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1748.000	48.41	-6.83	41.58	74.00	-32.42	peak	
2		3448.000	46.23	-1.60	44.63	74.00	-29.37	peak	
3		4638.000	45.67	1.90	47.57	74.00	-26.43	peak	
4		7765.680	32.17	10.12	42.29	54.00	-11.71	AVG	
5		7766.000	45.18	10.12	55.30	74.00	-18.70	peak	
6		10978.441	28.70	18.01	46.71	54.00	-7.29	AVG	
7		10979.000	43.04	18.01	61.05	74.00	-12.95	peak	
8		14260.000	42.80	21.58	64.38	74.00	-9.62	peak	
9	*	14260.340	25.73	21.58	47.31	54.00	-6.69	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode	Config 1 : DATA Link SD Card (Read)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		1765.000	48.65	-6.77	41.88	74.00	-32.12	peak	
2		3057.000	47.14	-1.77	45.37	74.00	-28.63	peak	
3		4638.000	44.89	1.90	46.79	74.00	-27.21	peak	
4		8003.600	31.59	10.52	42.11	54.00	-11.89	AVG	
5		8004.000	44.42	10.52	54.94	74.00	-19.06	peak	
6		11081.000	42.08	18.29	60.37	74.00	-13.63	peak	
7		11081.799	28.73	18.29	47.02	54.00	-6.98	AVG	
8		13257.000	42.29	20.35	62.64	74.00	-11.36	peak	
9	*	13257.440	26.99	20.35	47.34	54.00	-6.66	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1425.000	49.92	-8.45	41.47	74.00	-32.53	peak	
2		2836.000	47.47	-2.82	44.65	74.00	-29.35	peak	
3		4485.000	44.90	1.51	46.41	74.00	-27.59	peak	
4		8598.680	31.13	10.99	42.12	54.00	-11.88	AVG	
5		8599.000	44.67	10.99	55.66	74.00	-18.34	peak	
6		11455.000	42.22	19.01	61.23	74.00	-12.77	peak	
7		11455.539	28.13	19.02	47.15	54.00	-6.85	AVG	
8		15008.000	42.63	20.42	63.05	74.00	-10.95	peak	
9	*	15008.420	26.87	20.42	47.29	54.00	-6.71	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 1 : DATA Link SD Card (Write)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1748.000	48.79	-6.83	41.96	74.00	-32.04	peak	
2		4315.000	44.45	0.89	45.34	74.00	-28.66	peak	
3		6916.000	45.17	7.99	53.16	74.00	-20.84	peak	
4		6916.220	32.26	8.00	40.26	54.00	-13.74	AVG	
5		9976.000	42.44	15.63	58.07	74.00	-15.93	peak	
6		9976.280	30.67	15.63	46.30	54.00	-7.70	AVG	
7		12168.520	28.21	17.76	45.97	54.00	-8.03	AVG	
8		12169.000	41.62	17.76	59.38	74.00	-14.62	peak	
9		13835.000	41.95	21.15	63.10	74.00	-10.90	peak	
10	*	13835.320	26.30	21.15	47.45	54.00	-6.55	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		1425.000	49.94	-8.45	41.49	74.00	-32.51	peak	
2		2156.000	48.62	-5.54	43.08	74.00	-30.92	peak	
3		4264.000	44.70	0.71	45.41	74.00	-28.59	peak	
4		7782.680	32.20	10.14	42.34	54.00	-11.66	AVG	
5		7783.000	45.08	10.14	55.22	74.00	-18.78	peak	
6		11709.760	28.52	18.55	47.07	54.00	-6.93	AVG	
7		11710.000	42.22	18.55	60.77	74.00	-13.23	peak	
8		14702.000	41.89	21.20	63.09	74.00	-10.91	peak	
9 *		14703.279	26.10	21.20	47.30	54.00	-6.70	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode	Config 2 : Recording (Front)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1952.000	49.26	-6.00	43.26	74.00	-30.74	peak	
2		3924.000	45.49	-0.46	45.03	74.00	-28.97	peak	
3		5130.600	32.23	2.95	35.18	54.00	-18.82	AVG	
4		5131.000	45.54	2.95	48.49	74.00	-25.51	peak	
5		9976.000	42.98	15.63	58.61	74.00	-15.39	peak	
6		9976.799	30.63	15.63	46.26	54.00	-7.74	AVG	
7		12186.000	42.69	17.76	60.45	74.00	-13.55	peak	
8		12186.240	28.94	17.76	46.70	54.00	-7.30	AVG	
9 *		13596.281	26.63	20.69	47.32	54.00	-6.68	AVG	
10		13597.000	42.00	20.69	62.69	74.00	-11.31	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		1782.000	48.77	-6.69	42.08	74.00	-31.92	peak	
2		3108.000	45.87	-1.74	44.13	74.00	-29.87	peak	
3		4553.000	45.04	1.69	46.73	74.00	-27.27	peak	
4		8972.620	30.66	11.69	42.35	54.00	-11.65	AVG	
5		8973.000	43.78	11.70	55.48	74.00	-18.52	peak	
6		11013.000	42.55	18.15	60.70	74.00	-13.30	peak	
7		11013.539	28.67	18.15	46.82	54.00	-7.18	AVG	
8		13036.000	41.33	20.20	61.53	74.00	-12.47	peak	
9 *		13036.639	27.00	20.20	47.20	54.00	-6.80	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 2 : Recording (Back)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1493.000	50.19	-7.90	42.29	74.00	-31.71	peak	
2		3074.000	46.23	-1.76	44.47	74.00	-29.53	peak	
3		4689.000	45.46	2.02	47.48	74.00	-26.52	peak	
4		8632.660	31.19	11.04	42.23	54.00	-11.77	AVG	
5		8633.000	43.78	11.04	54.82	74.00	-19.18	peak	
6	*	11913.381	29.11	18.01	47.12	54.00	-6.88	AVG	
7		11914.000	42.53	18.01	60.54	74.00	-13.46	peak	
8		14906.000	42.45	20.69	63.14	74.00	-10.86	peak	
9		14906.460	26.41	20.69	47.10	54.00	-6.90	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1408.000	50.51	-8.59	41.92	74.00	-32.08	peak	
2		3125.000	46.13	-1.73	44.40	74.00	-29.60	peak	
3		4468.000	45.20	1.45	46.65	74.00	-27.35	peak	
4		7799.680	32.06	10.18	42.24	54.00	-11.76	AVG	
5		7800.000	44.65	10.18	54.83	74.00	-19.17	peak	
6		10978.301	28.72	18.01	46.73	54.00	-7.27	AVG	
7		10979.000	42.41	18.01	60.42	74.00	-13.58	peak	
8		13818.000	41.10	21.12	62.22	74.00	-11.78	peak	
9	*	13818.440	25.90	21.12	47.02	54.00	-6.98	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 2 : Play Recording	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1476.000	49.40	-8.04	41.36	74.00	-32.64	peak	
2		3448.000	45.82	-1.60	44.22	74.00	-29.78	peak	
3		5606.021	32.25	3.79	36.04	54.00	-17.96	AVG	
4		5607.000	45.14	3.79	48.93	74.00	-25.07	peak	
5		7833.780	32.08	10.23	42.31	54.00	-11.69	AVG	
6		7834.000	44.17	10.23	54.40	74.00	-19.60	peak	
7		10265.000	44.06	15.52	59.58	74.00	-14.42	peak	
8		10265.340	30.05	15.52	45.57	54.00	-8.43	AVG	
9		13155.000	41.94	20.27	62.21	74.00	-11.79	peak	
10	*	13155.260	27.01	20.27	47.28	54.00	-6.72	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		2190.000	49.53	-5.47	44.06	74.00	-29.94	peak	
2		3550.000	46.31	-1.44	44.87	74.00	-29.13	peak	
3		5351.061	32.52	3.24	35.76	54.00	-18.24	AVG	
4		5352.000	45.21	3.24	48.45	74.00	-25.55	peak	
5		8020.560	31.56	10.53	42.09	54.00	-11.91	AVG	
6		8021.000	44.76	10.53	55.29	74.00	-18.71	peak	
7		11098.000	42.17	18.32	60.49	74.00	-13.51	peak	
8		11098.440	28.00	18.32	46.32	54.00	-7.68	AVG	
9	*	14956.341	26.62	20.57	47.19	54.00	-6.81	AVG	
10		14957.000	42.66	20.57	63.23	74.00	-10.77	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 2 : MP3	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1425.000	51.80	-8.45	43.35	74.00	-30.65	peak	
2		2836.000	48.78	-2.82	45.96	74.00	-28.04	peak	
3		4196.000	45.93	0.45	46.38	74.00	-27.62	peak	
4		7731.660	31.73	10.04	41.77	54.00	-12.23	AVG	
5		7732.000	45.54	10.04	55.58	74.00	-18.42	peak	
6		10979.000	43.13	18.01	61.14	74.00	-12.86	peak	
7		10979.360	28.87	18.02	46.89	54.00	-7.11	AVG	
8		14532.000	42.85	21.62	64.47	74.00	-9.53	peak	
9 *		14532.360	25.76	21.63	47.39	54.00	-6.61	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		1748.000	49.75	-6.83	42.92	74.00	-31.08	peak	
2		2836.000	48.40	-2.82	45.58	74.00	-28.42	peak	
3		4145.000	46.31	0.28	46.59	74.00	-27.41	peak	
4		7867.820	31.99	10.29	42.28	54.00	-11.72	AVG	
5		7868.000	45.66	10.29	55.95	74.00	-18.05	peak	
6		11743.700	28.49	18.46	46.95	54.00	-7.05	AVG	
7		11744.000	42.49	18.46	60.95	74.00	-13.05	peak	
8		14719.000	43.37	21.15	64.52	74.00	-9.48	peak	
9	*	14719.599	26.20	21.15	47.35	54.00	-6.65	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : Recording (Front)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1765.000	48.36	-6.77	41.59	74.00	-32.41	peak	
2		3125.000	45.61	-1.73	43.88	74.00	-30.12	peak	
3		5351.660	32.66	3.24	35.90	54.00	-18.10	AVG	
4		5352.000	44.85	3.24	48.09	74.00	-25.91	peak	
5		8632.700	31.17	11.04	42.21	54.00	-11.79	AVG	
6		8633.000	43.79	11.04	54.83	74.00	-19.17	peak	
7		11199.780	28.56	18.53	47.09	54.00	-6.91	AVG	
8		11200.000	42.66	18.53	61.19	74.00	-12.81	peak	
9		13461.000	41.70	20.47	62.17	74.00	-11.83	peak	
10	*	13461.420	26.70	20.48	47.18	54.00	-6.82	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1782.000	48.34	-6.69	41.65	74.00	-32.35	peak	
2		2870.000	47.41	-2.60	44.81	74.00	-29.19	peak	
3		4026.000	46.04	-0.15	45.89	74.00	-28.11	peak	
4		6048.560	32.18	5.23	37.41	54.00	-16.59	AVG	
5		6049.000	44.63	5.23	49.86	74.00	-24.14	peak	
6		8089.000	44.10	10.58	54.68	74.00	-19.32	peak	
7		8089.480	31.01	10.58	41.59	54.00	-12.41	AVG	
8		11047.000	42.60	18.23	60.83	74.00	-13.17	peak	
9	*	11047.180	28.80	18.23	47.03	54.00	-6.97	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : Recording (Back)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		1952.000	47.44	-6.00	41.44	74.00	-32.56	peak	
2		3499.000	45.84	-1.57	44.27	74.00	-29.73	peak	
3		4638.000	45.02	1.90	46.92	74.00	-27.08	peak	
4		6814.000	45.60	7.64	53.24	74.00	-20.76	peak	
5		6814.380	32.37	7.64	40.01	54.00	-13.99	AVG	
6		10265.000	42.95	15.52	58.47	74.00	-15.53	peak	
7		10265.360	30.01	15.52	45.53	54.00	-8.47	AVG	
8		13036.000	41.03	20.20	61.23	74.00	-12.77	peak	
9 *		13036.280	26.10	20.20	46.30	54.00	-7.70	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		2207.000	49.36	-5.43	43.93	74.00	-30.07	peak	
2		3890.000	45.28	-0.53	44.75	74.00	-29.25	peak	
3		8428.700	31.33	10.75	42.08	54.00	-11.92	AVG	
4		8429.000	45.00	10.75	55.75	74.00	-18.25	peak	
5		10180.000	42.66	15.60	58.26	74.00	-15.74	peak	
6		10180.440	30.10	15.60	45.70	54.00	-8.30	AVG	
7		11828.820	28.80	18.24	47.04	54.00	-6.96	AVG	
8		11829.000	41.97	18.24	60.21	74.00	-13.79	peak	
9		14056.000	42.25	21.49	63.74	74.00	-10.26	peak	
10	*	14056.220	25.78	21.49	47.27	54.00	-6.73	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : Play Recording	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1476.000	49.44	-8.04	41.40	74.00	-32.60	peak	
2		3465.000	45.17	-1.59	43.58	74.00	-30.42	peak	
3		4638.000	44.70	1.90	46.60	74.00	-27.40	peak	
4		7884.740	31.96	10.32	42.28	54.00	-11.72	AVG	
5		7885.000	44.84	10.32	55.16	74.00	-18.84	peak	
6		10094.540	31.16	15.69	46.85	54.00	-7.15	AVG	
7		10095.000	42.67	15.69	58.36	74.00	-15.64	peak	
8		13308.000	41.26	20.38	61.64	74.00	-12.36	peak	
9 *		13308.440	26.92	20.38	47.30	54.00	-6.70	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		1731.000	49.54	-6.90	42.64	74.00	-31.36	peak	
2		2989.000	46.01	-1.86	44.15	74.00	-29.85	peak	
3		4400.000	44.90	1.19	46.09	74.00	-27.91	peak	
4		8309.680	30.67	10.68	41.35	54.00	-12.65	AVG	
5		8310.000	43.62	10.68	54.30	74.00	-19.70	peak	
6		10893.560	28.84	17.52	46.36	54.00	-7.64	AVG	
7		10894.000	43.13	17.53	60.66	74.00	-13.34	peak	
8		13580.000	41.26	20.66	61.92	74.00	-12.08	peak	
9	*	13580.320	26.24	20.66	46.90	54.00	-7.10	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : MP3	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		2207.000	48.74	-5.43	43.31	74.00	-30.69	peak	
2		3601.000	45.07	-1.30	43.77	74.00	-30.23	peak	
3		5334.680	32.42	3.22	35.64	54.00	-18.36	AVG	
4		5335.000	45.50	3.22	48.72	74.00	-25.28	peak	
5		8718.000	43.87	11.21	55.08	74.00	-18.92	peak	
6		8719.099	30.43	11.21	41.64	54.00	-12.36	AVG	
7		11743.500	28.46	18.46	46.92	54.00	-7.08	AVG	
8		11744.000	41.99	18.46	60.45	74.00	-13.55	peak	
9		13801.000	42.24	21.08	63.32	74.00	-10.68	peak	
10	*	13801.240	26.00	21.08	47.08	54.00	-6.92	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1425.000	50.00	-8.45	41.55	74.00	-32.45	peak	
2		2173.000	49.17	-5.50	43.67	74.00	-30.33	peak	
3		4298.000	45.36	0.83	46.19	74.00	-27.81	peak	
4		8785.520	30.45	11.34	41.79	54.00	-12.21	AVG	
5		8786.000	43.53	11.34	54.87	74.00	-19.13	peak	
6		10894.000	42.80	17.53	60.33	74.00	-13.67	peak	
7		10894.200	29.75	17.53	47.28	54.00	-6.72	AVG	
8		14277.000	42.62	21.59	64.21	74.00	-9.79	peak	
9	*	14277.420	25.70	21.59	47.29	54.00	-6.71	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

18-26.5GHz


Operation Mode	Config 1 : DATA Link Internal Storage (Read)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18357.000	63.56	-12.65	50.91	83.50	-32.59	peak	
2		20227.000	61.51	-12.61	48.90	83.50	-34.60	peak	
3		21264.000	62.47	-11.57	50.90	83.50	-32.60	peak	
4		23117.000	63.56	-10.71	52.85	83.50	-30.65	peak	
5		24613.000	63.88	-9.83	54.05	83.50	-29.45	peak	
6	*	25854.000	64.48	-8.34	56.14	83.50	-27.36	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18374.000	62.71	-12.63	50.08	83.50	-33.42	peak	
2		20380.000	63.49	-12.33	51.16	83.50	-32.34	peak	
3		22080.000	63.82	-11.25	52.57	83.50	-30.93	peak	
4		23304.000	63.53	-10.58	52.95	83.50	-30.55	peak	
5		24579.000	62.26	-9.86	52.40	83.50	-31.10	peak	
6	*	25735.000	64.58	-8.03	56.55	83.50	-26.95	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 1 : DATA Link Internal Storage (Write)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		18136.000	64.07	-12.98	51.09	83.50	-32.41	peak	
2		20363.000	62.57	-12.36	50.21	83.50	-33.29	peak	
3		21179.000	62.64	-11.62	51.02	83.50	-32.48	peak	
4		22131.000	64.24	-11.26	52.98	83.50	-30.52	peak	
5		23831.000	65.67	-10.94	54.73	83.50	-28.77	peak	
6	*	25718.000	64.18	-7.98	56.20	83.50	-27.30	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18051.000	64.41	-13.11	51.30	83.50	-32.20	peak	
2		19547.000	62.29	-11.41	50.88	83.50	-32.62	peak	
3		20805.000	62.51	-11.88	50.63	83.50	-32.87	peak	
4		22386.000	63.37	-11.31	52.06	83.50	-31.44	peak	
5		23831.000	64.22	-10.94	53.28	83.50	-30.22	peak	
6	*	25735.000	64.58	-8.03	56.55	83.50	-26.95	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 1 : DATA Link SD Card (Read)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18459.000	62.92	-12.50	50.42	83.50	-33.08	peak	
2		21179.000	62.64	-11.62	51.02	83.50	-32.48	peak	
3		23627.000	64.49	-10.62	53.87	83.50	-29.63	peak	
4		24307.000	64.05	-10.41	53.64	83.50	-29.86	peak	
5		25055.000	63.13	-9.29	53.84	83.50	-29.66	peak	
6 *		25905.000	64.65	-8.48	56.17	83.50	-27.33	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18170.000	63.20	-12.93	50.27	83.50	-33.23	peak	
2		20244.000	63.62	-12.58	51.04	83.50	-32.46	peak	
3		22097.000	63.69	-11.25	52.44	83.50	-31.06	peak	
4		23202.000	63.57	-10.65	52.92	83.50	-30.58	peak	
5		24579.000	62.26	-9.86	52.40	83.50	-31.10	peak	
6 *		25803.000	64.63	-8.21	56.42	83.50	-27.08	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 1 : DATA Link SD Card (Write)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		18187.000	63.88	-12.91	50.97	83.50	-32.53	peak	
2		20125.000	61.76	-12.79	48.97	83.50	-34.53	peak	
3		22250.000	63.95	-11.28	52.67	83.50	-30.83	peak	
4		23559.000	64.61	-10.52	54.09	83.50	-29.41	peak	
5		24613.000	63.88	-9.83	54.05	83.50	-29.45	peak	
6	*	25905.000	64.65	-8.48	56.17	83.50	-27.33	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18170.000	63.20	-12.93	50.27	83.50	-33.23	peak	
2		19955.000	64.78	-12.85	51.93	83.50	-31.57	peak	
3		21315.000	63.45	-11.54	51.91	83.50	-31.59	peak	
4		23202.000	63.57	-10.65	52.92	83.50	-30.58	peak	
5		24307.000	62.84	-10.41	52.43	83.50	-31.07	peak	
6 *		25344.000	61.52	-8.05	53.47	83.50	-30.03	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 2 : Recording (Front)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18289.000	63.23	-12.76	50.47	83.50	-33.03	peak	
2		19309.000	60.93	-11.44	49.49	83.50	-34.01	peak	
3		20261.000	61.52	-12.55	48.97	83.50	-34.53	peak	
4		22369.000	63.95	-11.30	52.65	83.50	-30.85	peak	
5		23287.000	64.04	-10.59	53.45	83.50	-30.05	peak	
6	*	25854.000	64.48	-8.34	56.14	83.50	-27.36	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18170.000	63.20	-12.93	50.27	83.50	-33.23	peak	
2		19904.000	64.66	-12.67	51.99	83.50	-31.51	peak	
3	*	21995.000	65.12	-11.23	53.89	83.50	-29.61	peak	
4		23831.000	64.22	-10.94	53.28	83.50	-30.22	peak	
5		24834.000	62.53	-9.65	52.88	83.50	-30.62	peak	
6		26245.000	62.61	-9.14	53.47	83.50	-30.03	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 2 : Recording (Back)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18119.000	64.10	-13.01	51.09	83.50	-32.41	peak	
2		20125.000	61.76	-12.79	48.97	83.50	-34.53	peak	
3		21043.000	60.66	-11.70	48.96	83.50	-34.54	peak	
4		23729.000	63.69	-10.78	52.91	83.50	-30.59	peak	
5		25174.000	63.48	-8.78	54.70	83.50	-28.80	peak	
6	*	26126.000	65.35	-8.95	56.40	83.50	-27.10	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18425.000	62.62	-12.55	50.07	83.50	-33.43	peak	
2		20074.000	64.52	-12.88	51.64	83.50	-31.86	peak	
3		21315.000	63.45	-11.54	51.91	83.50	-31.59	peak	
4		23304.000	63.53	-10.58	52.95	83.50	-30.55	peak	
5		24307.000	62.84	-10.41	52.43	83.50	-31.07	peak	
6	*	25837.000	63.47	-8.30	55.17	83.50	-28.33	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 2 : Play Recording	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18119.000	64.10	-13.01	51.09	83.50	-32.41	peak	
2		20312.000	61.84	-12.46	49.38	83.50	-34.12	peak	
3		21451.000	61.45	-11.47	49.98	83.50	-33.52	peak	
4		22131.000	64.24	-11.26	52.98	83.50	-30.52	peak	
5		23831.000	65.67	-10.94	54.73	83.50	-28.77	peak	
6	*	25973.000	64.93	-8.66	56.27	83.50	-27.23	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18170.000	63.20	-12.93	50.27	83.50	-33.23	peak	
2		19003.000	62.45	-11.78	50.67	83.50	-32.83	peak	
3		21859.000	62.57	-11.29	51.28	83.50	-32.22	peak	
4		23967.000	63.76	-11.15	52.61	83.50	-30.89	peak	
5	*	25582.000	61.69	-7.61	54.08	83.50	-29.42	peak	
6		26211.000	62.30	-9.09	53.21	83.50	-30.29	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 2 : MP3	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18289.000	63.23	-12.76	50.47	83.50	-33.03	peak	
2		20363.000	62.57	-12.36	50.21	83.50	-33.29	peak	
3		22250.000	63.95	-11.28	52.67	83.50	-30.83	peak	
4		23627.000	64.49	-10.62	53.87	83.50	-29.63	peak	
5		25021.000	62.74	-9.43	53.31	83.50	-30.19	peak	
6	*	25973.000	64.93	-8.66	56.27	83.50	-27.23	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18731.000	61.56	-12.14	49.42	83.50	-34.08	peak	
2		19955.000	64.78	-12.85	51.93	83.50	-31.57	peak	
3		21502.000	61.85	-11.44	50.41	83.50	-33.09	peak	
4		22726.000	62.15	-11.09	51.06	83.50	-32.44	peak	
5		24052.000	64.81	-11.07	53.74	83.50	-29.76	peak	
6	*	25735.000	64.58	-8.03	56.55	83.50	-26.95	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : Recording (Front)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18289.000	63.23	-12.76	50.47	83.50	-33.03	peak	
2		19717.000	60.80	-12.01	48.79	83.50	-34.71	peak	
3		21043.000	60.66	-11.70	48.96	83.50	-34.54	peak	
4		23729.000	63.69	-10.78	52.91	83.50	-30.59	peak	
5		24749.000	63.79	-9.72	54.07	83.50	-29.43	peak	
6 *		25905.000	64.65	-8.48	56.17	83.50	-27.33	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18374.000	62.71	-12.63	50.08	83.50	-33.42	peak	
2		19870.000	63.75	-12.55	51.20	83.50	-32.30	peak	
3		21315.000	63.45	-11.54	51.91	83.50	-31.59	peak	
4		23015.000	62.24	-10.79	51.45	83.50	-32.05	peak	
5		24205.000	63.08	-10.68	52.40	83.50	-31.10	peak	
6 *		25803.000	64.63	-8.21	56.42	83.50	-27.08	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : Recording (Back)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		19479.000	60.29	-11.27	49.02	83.50	-34.48	peak	
2		20890.000	61.63	-11.80	49.83	83.50	-33.67	peak	
3		22063.000	64.09	-11.24	52.85	83.50	-30.65	peak	
4		23440.000	63.88	-10.47	53.41	83.50	-30.09	peak	
5		24477.000	63.59	-9.98	53.61	83.50	-29.89	peak	
6	*	26126.000	65.35	-8.95	56.40	83.50	-27.10	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		18731.000	61.56	-12.14	49.42	83.50	-34.08	peak	
2		20380.000	63.49	-12.33	51.16	83.50	-32.34	peak	
3		22216.000	63.00	-11.27	51.73	83.50	-31.77	peak	
4		23304.000	63.53	-10.58	52.95	83.50	-30.55	peak	
5		24426.000	62.60	-10.11	52.49	83.50	-31.01	peak	
6	*	25803.000	64.63	-8.21	56.42	83.50	-27.08	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : Play Recording	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		18187.000	63.88	-12.91	50.97	83.50	-32.53	peak	
2		20261.000	61.52	-12.55	48.97	83.50	-34.53	peak	
3		21927.000	62.89	-11.26	51.63	83.50	-31.87	peak	
4		23559.000	64.61	-10.52	54.09	83.50	-29.41	peak	
5		24885.000	63.56	-9.61	53.95	83.50	-29.55	peak	
6	*	25718.000	64.18	-7.98	56.20	83.50	-27.30	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		18170.000	63.20	-12.93	50.27	83.50	-33.23	peak	
2		19904.000	64.66	-12.67	51.99	83.50	-31.51	peak	
3		21995.000	65.12	-11.23	53.89	83.50	-29.61	peak	
4		24307.000	62.84	-10.41	52.43	83.50	-31.07	peak	
5	*	25633.000	62.30	-7.75	54.55	83.50	-28.95	peak	
6		26296.000	63.15	-9.23	53.92	83.50	-29.58	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : MP3	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		18187.000	63.88	-12.91	50.97	83.50	-32.53	peak	
2		20499.000	62.05	-12.12	49.93	83.50	-33.57	peak	
3		22369.000	63.95	-11.30	52.65	83.50	-30.85	peak	
4		24375.000	63.11	-10.24	52.87	83.50	-30.63	peak	
5		25123.000	63.49	-8.99	54.50	83.50	-29.00	peak	
6	*	25973.000	64.93	-8.66	56.27	83.50	-27.23	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		19003.000	62.45	-11.78	50.67	83.50	-32.83	peak	
2		20771.000	62.12	-11.90	50.22	83.50	-33.28	peak	
3		22216.000	63.00	-11.27	51.73	83.50	-31.77	peak	
4		23542.000	62.59	-10.49	52.10	83.50	-31.40	peak	
5		24970.000	62.00	-9.54	52.46	83.50	-31.04	peak	
6 *		26007.000	64.04	-8.75	55.29	83.50	-28.21	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

26.5-30GHz


Operation Mode	Config 1 : DATA Link Internal Storage (Read)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26619.000	64.16	-9.69	54.47	83.50	-29.03	peak	
2		27074.000	64.93	-10.23	54.70	83.50	-28.80	peak	
3		27662.000	66.06	-11.00	55.06	83.50	-28.44	peak	
4		28572.000	62.60	-10.59	52.01	83.50	-31.49	peak	
5	*	29139.000	69.10	-12.25	56.85	83.50	-26.65	peak	
6		29748.000	66.99	-12.26	54.73	83.50	-28.77	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26682.000	58.35	-9.76	48.59	83.50	-34.91	peak	
2		27004.000	60.58	-10.14	50.44	83.50	-33.06	peak	
3	*	27949.000	61.88	-11.25	50.63	83.50	-32.87	peak	
4		28586.000	61.04	-10.65	50.39	83.50	-33.11	peak	
5		29300.000	61.69	-12.26	49.43	83.50	-34.07	peak	
6		29839.000	62.38	-12.26	50.12	83.50	-33.38	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 1 : DATA Link Internal Storage (Write)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26668.000	63.70	-9.76	53.94	83.50	-29.56	peak	
2		27466.000	64.39	-10.81	53.58	83.50	-29.92	peak	
3		27802.000	64.69	-11.12	53.57	83.50	-29.93	peak	
4		28460.000	62.76	-10.40	52.36	83.50	-31.14	peak	
5		28838.000	63.73	-11.62	52.11	83.50	-31.39	peak	
6	*	29545.000	67.20	-12.27	54.93	83.50	-28.57	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26759.000	58.84	-9.85	48.99	83.50	-34.51	peak	
2		27305.000	59.64	-10.57	49.07	83.50	-34.43	peak	
3	*	27655.000	65.06	-11.00	54.06	83.50	-29.44	peak	
4		28551.000	60.97	-10.52	50.45	83.50	-33.05	peak	
5		29104.000	64.90	-12.25	52.65	83.50	-30.85	peak	
6		29538.000	64.43	-12.27	52.16	83.50	-31.34	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 1 : DATA Link SD Card (Read)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		26549.000	64.92	-9.62	55.30	83.50	-28.20	peak	
2		27074.000	64.93	-10.23	54.70	83.50	-28.80	peak	
3	*	27893.000	67.38	-11.19	56.19	83.50	-27.31	peak	
4		28418.000	63.99	-10.48	53.51	83.50	-29.99	peak	
5		28936.000	66.17	-12.00	54.17	83.50	-29.33	peak	
6		29461.000	67.00	-12.26	54.74	83.50	-28.76	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26801.000	58.81	-9.90	48.91	83.50	-34.59	peak	
2		27207.000	60.59	-10.43	50.16	83.50	-33.34	peak	
3	*	27746.000	64.51	-11.07	53.44	83.50	-30.06	peak	
4		28747.000	61.01	-11.27	49.74	83.50	-33.76	peak	
5		29405.000	62.72	-12.27	50.45	83.50	-33.05	peak	
6		29853.000	62.21	-12.27	49.94	83.50	-33.56	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 1 : DATA Link SD Card (Write)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26682.000	63.74	-9.76	53.98	83.50	-29.52	peak	
2		27529.000	65.99	-10.88	55.11	83.50	-28.39	peak	
3	*	27893.000	67.38	-11.19	56.19	83.50	-27.31	peak	
4		28502.000	62.63	-10.33	52.30	83.50	-31.20	peak	
5		29202.000	68.36	-12.25	56.11	83.50	-27.39	peak	
6		29629.000	67.08	-12.27	54.81	83.50	-28.69	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26640.000	57.70	-9.72	47.98	83.50	-35.52	peak	
2		27165.000	61.26	-10.37	50.89	83.50	-32.61	peak	
3		28159.000	61.42	-10.98	50.44	83.50	-33.06	peak	
4		28600.000	61.01	-10.70	50.31	83.50	-33.19	peak	
5	*	29062.000	64.35	-12.24	52.11	83.50	-31.39	peak	
6		29580.000	63.40	-12.27	51.13	83.50	-32.37	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 2 : Recording (Front)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26682.000	63.74	-9.76	53.98	83.50	-29.52	peak	
2		27074.000	64.93	-10.23	54.70	83.50	-28.80	peak	
3		27676.000	66.19	-11.01	55.18	83.50	-28.32	peak	
4	*	28208.000	67.70	-10.88	56.82	83.50	-26.68	peak	
5		28502.000	62.63	-10.33	52.30	83.50	-31.20	peak	
6		29629.000	67.08	-12.27	54.81	83.50	-28.69	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26948.000	60.27	-10.07	50.20	83.50	-33.30	peak	
2	*	27578.000	63.77	-10.92	52.85	83.50	-30.65	peak	
3		28138.000	61.62	-11.02	50.60	83.50	-32.90	peak	
4		28642.000	61.36	-10.87	50.49	83.50	-33.01	peak	
5		29104.000	64.90	-12.25	52.65	83.50	-30.85	peak	
6		29678.000	63.70	-12.27	51.43	83.50	-32.07	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 2 : Recording (Back)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26549.000	64.92	-9.62	55.30	83.50	-28.20	peak	
2		27613.000	67.07	-10.95	56.12	83.50	-27.38	peak	
3		28222.000	66.95	-10.85	56.10	83.50	-27.40	peak	
4		28691.000	62.41	-11.06	51.35	83.50	-32.15	peak	
5		29510.000	67.29	-12.27	55.02	83.50	-28.48	peak	
6	*	29972.000	68.98	-12.26	56.72	83.50	-26.78	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26591.000	57.76	-9.67	48.09	83.50	-35.41	peak	
2		27347.000	60.13	-10.64	49.49	83.50	-34.01	peak	
3		28257.000	61.86	-10.79	51.07	83.50	-32.43	peak	
4		28670.000	60.84	-10.97	49.87	83.50	-33.63	peak	
5	*	29468.000	64.06	-12.27	51.79	83.50	-31.71	peak	
6		29776.000	62.56	-12.27	50.29	83.50	-33.21	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 2 : Play Recording	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26542.000	64.92	-9.61	55.31	83.50	-28.19	peak	
2		27312.000	64.81	-10.58	54.23	83.50	-29.27	peak	
3		27676.000	66.19	-11.01	55.18	83.50	-28.32	peak	
4		28208.000	67.70	-10.88	56.82	83.50	-26.68	peak	
5	*	29139.000	69.10	-12.25	56.85	83.50	-26.65	peak	
6		29888.000	67.16	-12.26	54.90	83.50	-28.60	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26556.000	59.20	-9.63	49.57	83.50	-33.93	peak	
2		27270.000	60.65	-10.52	50.13	83.50	-33.37	peak	
3		27949.000	61.88	-11.25	50.63	83.50	-32.87	peak	
4		28551.000	60.97	-10.52	50.45	83.50	-33.05	peak	
5	*	29104.000	64.90	-12.25	52.65	83.50	-30.85	peak	
6		29776.000	62.56	-12.27	50.29	83.50	-33.21	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 2 : MP3	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		26619.000	64.16	-9.69	54.47	83.50	-29.03	peak	
2		27662.000	66.06	-11.00	55.06	83.50	-28.44	peak	
3		27956.000	67.10	-11.26	55.84	83.50	-27.66	peak	
4		28418.000	63.99	-10.48	53.51	83.50	-29.99	peak	
5	*	29139.000	69.10	-12.25	56.85	83.50	-26.65	peak	
6		29972.000	68.98	-12.26	56.72	83.50	-26.78	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26570.000	58.01	-9.64	48.37	83.50	-35.13	peak	
2	*	27718.000	64.46	-11.05	53.41	83.50	-30.09	peak	
3		28159.000	61.42	-10.98	50.44	83.50	-33.06	peak	
4		28642.000	61.36	-10.87	50.49	83.50	-33.01	peak	
5		29405.000	62.72	-12.27	50.45	83.50	-33.05	peak	
6		29839.000	62.38	-12.26	50.12	83.50	-33.38	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : Recording (Front)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26668.000	63.70	-9.76	53.94	83.50	-29.56	peak	
2		27207.000	63.75	-10.43	53.32	83.50	-30.18	peak	
3		27781.000	65.06	-11.10	53.96	83.50	-29.54	peak	
4	*	28208.000	67.70	-10.88	56.82	83.50	-26.68	peak	
5		29160.000	68.43	-12.25	56.18	83.50	-27.32	peak	
6		29951.000	68.86	-12.26	56.60	83.50	-26.90	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26724.000	58.83	-9.81	49.02	83.50	-34.48	peak	
2		27333.000	60.02	-10.62	49.40	83.50	-34.10	peak	
3	*	27949.000	61.88	-11.25	50.63	83.50	-32.87	peak	
4		28467.000	60.70	-10.38	50.32	83.50	-33.18	peak	
5		29335.000	61.74	-12.26	49.48	83.50	-34.02	peak	
6		29811.000	62.39	-12.26	50.13	83.50	-33.37	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : Recording (Back)	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26682.000	63.74	-9.76	53.98	83.50	-29.52	peak	
2		26997.000	64.34	-10.12	54.22	83.50	-29.28	peak	
3	*	27613.000	67.07	-10.95	56.12	83.50	-27.38	peak	
4		28131.000	66.80	-11.04	55.76	83.50	-27.74	peak	
5		28509.000	62.50	-10.35	52.15	83.50	-31.35	peak	
6		29559.000	67.26	-12.27	54.99	83.50	-28.51	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		27165.000	61.26	-10.37	50.89	83.50	-32.61	peak	
2	*	27578.000	63.77	-10.92	52.85	83.50	-30.65	peak	
3		28383.000	60.50	-10.55	49.95	83.50	-33.55	peak	
4		28747.000	61.01	-11.27	49.74	83.50	-33.76	peak	
5		29538.000	64.43	-12.27	52.16	83.50	-31.34	peak	
6		29902.000	62.68	-12.26	50.42	83.50	-33.08	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : Play Recording	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26619.000	64.16	-9.69	54.47	83.50	-29.03	peak	
2		27179.000	64.14	-10.40	53.74	83.50	-29.76	peak	
3		27935.000	66.82	-11.24	55.58	83.50	-27.92	peak	
4		28488.000	62.68	-10.35	52.33	83.50	-31.17	peak	
5	*	29202.000	68.36	-12.25	56.11	83.50	-27.39	peak	
6		29748.000	66.99	-12.26	54.73	83.50	-28.77	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26682.000	58.35	-9.76	48.59	83.50	-34.91	peak	
2		27165.000	61.26	-10.37	50.89	83.50	-32.61	peak	
3	*	27746.000	64.51	-11.07	53.44	83.50	-30.06	peak	
4		28551.000	60.97	-10.52	50.45	83.50	-33.05	peak	
5		29300.000	61.69	-12.26	49.43	83.50	-34.07	peak	
6		29902.000	62.68	-12.26	50.42	83.50	-33.08	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Operation Mode	Config 3 : MP3	Test Date	Feb. 03, 2014
Tested By	Eddy Cheng	Pol	Hor. and Ver.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26703.000	63.07	-9.79	53.28	83.50	-30.22	peak	
2		27165.000	64.63	-10.37	54.26	83.50	-29.24	peak	
3		27529.000	65.99	-10.88	55.11	83.50	-28.39	peak	
4	*	28131.000	66.80	-11.04	55.76	83.50	-27.74	peak	
5		28691.000	62.41	-11.06	51.35	83.50	-32.15	peak	
6		29510.000	67.29	-12.27	55.02	83.50	-28.48	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		26563.000	58.54	-9.63	48.91	83.50	-34.59	peak	
2		27207.000	60.59	-10.43	50.16	83.50	-33.34	peak	
3	*	27655.000	65.06	-11.00	54.06	83.50	-29.44	peak	
4		28215.000	62.19	-10.87	51.32	83.50	-32.18	peak	
5		29104.000	64.90	-12.25	52.65	83.50	-30.85	peak	
6		29776.000	62.56	-12.27	50.29	83.50	-33.21	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.