

Sony Mobile Communications SEM/CGQTAOA TOSHIKO KITAHARA

Contents responsible if other than preparer

Approved by SEM/CGQTAOA (TOSHIKO KITAHARA) Confidential WORK DESCRIPTION

67/1483-LXE 108 828 Uen

Date

2014-05-07

Document number

Remarks

This document is managed in metaDoc.

Revision

1(1)

Declaration about MIF values Modulation Index Factor values

2014-05-07

Federal Communication Commission Equipment Authorization Division, Application Processing Branch 7435 Oakland Mills Road Columbia, MD 21046

TO WHOM IT MAY CONCERN

Sony Mobile Communications AB declares that the reported MIF (Modulation Index Factor) values for our equipment with

FCC ID: PY7PM-0744

are based on worst case operating modes for all air interfaces for which the HAC rating is provided based on the current methodology for determining MIF values.

The following related UID files for GSM, WCDMA and CDMA are filed together with the HAC test report under exhibition type 'Test Report'.

10011 UMTS-FDD (WCDMA), probe calibration certificate appendix UID 10011-CAA, 2013-02-28 10021 GSM-FDD (TDMA, GMSK), probe calibration certificate appendix UID 10021-DAA, 2013-05-13

We confirm that the listed UID files used represent the air interfaces supported by our above identified equipment.

Razvan Bujila

Global Type Approval Sony Mobile Communications

Tel: +46 10 801 53 23

Mobilvägen 10, SE-221 88 Lund, Sweden

razvan.bujila@sonymobile.com