

Federal Communications Commission  
Office of Engineering and Technology Laboratory  
Division  
7435 Oakland Mills Rd.  
Columbia MD 21046

## Re: HAC Attestation - FCC ID: PY7PM-0810

Date: July 16, 2014

Attn: Office of Engineering and Technology

To whom it may concern:

SONY MOBILE COMMUNICATIONS, INC. hereby declares that the MIF values detailed below are based on worst case operating modes for all air interfaces for which the HAC rating is provided based on the current methodology for determining MIF values.

Reference Test report Number(s): UL Verification Services Test Report 14U17929.

### SPEAG test files

UID	Communication System Name	MIF (dB)
10021-DAA	GSM-FDD (TDMA, GMSK)	3.63
10011-CAA	UMTS-FDD (WCDMA)	-27.23
10170-CAB	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	-9.76
10176-CAB	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	-9.76

Sincerely,



**Mika Kaneko**  
Senior Architect – Global Type Approval  
Sony Mobile Communications Inc.  
Tel: +81 3 5782 5706  
Konan, Minato-ku, 108-0075, Tokyo, Japan  
[mika.kaneko@sonymobile.com](mailto:mika.kaneko@sonymobile.com)