



A D T

# RF EXPOSURE REPORT

**REPORT NO.:** SA971212A14-1

**MODEL NO.:** LPS-5

**VERSION:** HW: 0.11, SW: 0.9, MV: 0.6, Proto:B3.6A

**ACCORDING:** FCC Guidelines for Human Exposure

IEEE C95.1

**APPLICANT :** Nokia Corporation

**ADDRESS :** Joensuunkatu 7, P.O. Box: 86, Salo, Finland

**ISSUED BY :** Bureau Veritas Consumer Products Services  
(H.K.) Ltd., Taoyuan Branch

**LAB ADDRESS :** No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou  
Hsiang, Taipei Hsien, 244 Taiwan



A D T

## Conclusion

No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

Pout (dBm)		Pout (mW)
Conducted Power	5.3	3.4
EIRP Power	6.3	4.3

\*Note: The antenna is Chip antenna with 1dBi gain

Threshold for no SAR evaluation is 24.58mW

Transmitter power is 4.3mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold

---END---