

## FCC Part 22/27 Compliance Test Report

<b>Test Report no.:</b>	FCC_Cellular_RM-1085_03_ant2	<b>Date of Report:</b>	18-Sep-2015
<b>Number of pages:</b>	41	<b>Customer's Contact person:</b>	Tia Melava
<b>Testing laboratory:</b>	TCC Microsoft Tampere Laboratory P.O.Box 403 Visiokatu 3 FIN-33101 TAMPERE, FINLAND Tel. +358 71 800 8000 Fax. +358 71 804 6880	<b>Customer:</b>	Microsoft P.O.Box(86) Joensuunkatu 7E FIN-24101 SALO, FINLAND Tel. +358 (0) 7180 08000 Fax. +358 71 80 44122
<b>FCC listing no.:</b>	94436		
<b>IC recognition no.:</b>	661AK-1		
<b>Tested devices/ accessories:</b>	<b>Phone RM-1085 / Battery BV-T4D / Charger AC-100E / Headset WH-308</b>		
<b>FCC ID:</b>	PYARM-1085	<b>IC:</b>	661X-RM1085
<b>Supplement reports:</b>	-		
<b>Testing has been carried out in accordance with:</b>	CFR 47, FCC rules Parts 22/24/27, TIA-603-C-2004 and IC standards, RSS-GEN (Issue 4, November 2014), RSS-133 (Issue 6, January 2013), RSS-139 (Issue 2, February 2009), RSS-132 (Issue 3, January 2013), RSS-199 (Issue 2, October 2014), RSS-130 (Issue 1, October 2013). Deviations, modifications or clarifications (if any) to above mentioned documents are written in each section under "Test method and limit".		
<b>Documentation:</b>	The test report must always be reproduced in full; reproduction of an excerpt only is subject to written approval of the testing laboratory. The documentation of the testing performed on the tested devices is archived for 15 years at TCC Microsoft.		
<b>Test Results:</b>	<b>The EUT complies with the requirements in respect of all parameters subject to the test.</b> The test results relate only to devices specified in this document		
<b>Date and signature for the contents:</b>			

Timo Raiskio, System Manager, EMC

## 1. Summary for FCC Part 22/24/27 Compliance Test Report

<b>Date of receipt</b>	17-Jun-2015
<b>Testing completed</b>	30-Jun-2015
<b>The customer's contact person</b>	Tia Melava
<b>Test Plan referred to</b>	T:\Projects\RM-1085\TestPlan\RS_TestPlan_RM-1085.xlsm
<b>Notes</b>	LTE conducted output power results can be found in chapter 12. Appendix.
<b>Document name</b>	T:\Projects\RM-1085\EMC\FCC_Cellular_RM-1085_03_ant2.docx

### 1.1. EUT and Accessory Information

The EUT is a mobile phone with following features:  
GSM/WCDMA/WLAN/Bluetooth  
The EUT is tested with maximum rated TX power.

Devices under tests

Product	Type	SN	HW	MV	SW	DUT
Phone	RM-1085	004402742308392	2110	-	1063.00001.15244.09000	400011
Battery	BV-T4D	-	LGC V3.0	-	-	400012
Charger	AC-100E	40904951255803017590675758	0.3	-	-	400013
Headset	WH-308	-	-	-	-	400014
Phone	RM-1085	004402742308376;059W5J6	2110	-	01065.00000.15264.47000	400024
Battery	BV-T4D	4955405174010300359;0670771	LG v3.0	-	-	400025
Phone	RM-1085	004402742178365	2110	-	01065.00000.15264.47000	400026

### 1.2. Summary of Test Results

#### GSM 850:

Section in CFR 47	Section in RSS-GEN or RSS-132	Name of the test	Result
§2.1046(a), 22.913(a)	4.4	Conducted RF output power	NP
§22.913(a)	4.4	Radiated RF output power	PASSED
N/A	5.4	Peak to average power ratio	NP
§2.1049(h)	6.6	99 % occupied bandwidth	NP
§22.917(a)	4.5	Band edge compliance	NP
§22.917(a), §2.1051	4.5	Spurious emissions at antenna terminals	NP
§22.917(a), §2.1053	4.5	Spurious radiated emissions	PASSED
§2.1055(a)	4.3	Frequency stability, temperature variation	NP
§2.1055(d)	4.3	Frequency stability, voltage variation	NP

#### GSM 1900:

Section in CFR 47	Section in RSS-GEN or RSS-133	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	NP
§24.232(b)	6.4	Radiated RF output power	PASSED
N/A	6.4	Peak to average power ratio	NP
§2.1049(h)	6.6	99 % occupied bandwidth	NP
§24.238(a)	6.5	Band edge compliance	NP
§24.238(a), §2.1051	6.5	Spurious emissions at antenna terminals	NP
§24.238(a), §2.1053	6.5	Spurious radiated emissions	PASSED
§2.1055(a)	6.3	Frequency stability, temperature variation	NP
§2.1055(d)	6.3	Frequency stability, voltage variation	NP

#### WCDMA2:

Section in CFR 47	Section in RSS-GEN or RSS-133	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	NP
§24.232(b)	6.4	Radiated RF output power	PASSED
N/A	6.4	Peak to average power ratio	NP
§2.1049(h)	6.6	99 % occupied bandwidth	NP
§24.238(a)	6.5	Band edge compliance	NP
§24.238(a), §2.1051	6.5	Spurious emissions at antenna terminals	NP
§24.238(a), §2.1053	6.5	Spurious radiated emissions	PASSED
§2.1055(a)	6.3	Frequency stability, temperature variation	NP
§2.1055(d)	6.3	Frequency stability, voltage variation	NP

#### WCDMA4:

Section in CFR 47	Section in RSS-GEN or RSS-139	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	NP
§27.50(d)(2)	6.4	Radiated RF output power	PASSED
N/A	6.4	Peak to average power ratio	NP
§2.1049(h)	6.6	99 % occupied bandwidth	NP
§27.53(g)	6.5	Band edge compliance	NP
§27.53(g), §2.1051	6.5	Spurious emissions at antenna terminals	NP
§24.238(a), §2.1053	6.5	Spurious radiated emissions	PASSED
§2.1055(a)	6.3	Frequency stability, temperature variation	NP
§2.1055(d)	6.3	Frequency stability, voltage variation	NP

#### WCDMA5:

Section in CFR 47	Section in RSS-GEN or RSS-132	Name of the test	Result
§2.1046(a), 22.913(a)	4.4	Conducted RF output power	NP
§22.913(a)	4.4	Radiated RF output power	PASSED
N/A	5.4	Peak to average power ratio	NP
§2.1049(h)	6.6	99 % occupied bandwidth	NP
§22.917(a)	4.5	Band edge compliance	NP
§22.917(a), §2.1051	4.5	Spurious emissions at antenna terminals	NP
§22.917(a), §2.1053	4.5	Spurious radiated emissions	PASSED
§2.1055(a)	4.3	Frequency stability, temperature variation	NP
§2.1055(d)	4.3	Frequency stability, voltage variation	NP

#### LTE2:

Section in CFR 47	Section in RSS-GEN or RSS-133	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	NP
§24.232(b)	6.4	Radiated RF output power	PASSED
N/A	6.4	Peak to average power ratio	NP
§2.1049(h)	6.6	99 % occupied bandwidth	NP
§24.238(a)	6.5	Band edge compliance	NP
§24.238(a), §2.1051	6.5	Spurious emissions at antenna terminals	NP
§24.238(a), §2.1053	6.5	Spurious radiated emissions	PASSED
§2.1055(a)	6.3	Frequency stability, temperature variation	NP
§2.1055(d)	6.3	Frequency stability, voltage variation	NP

**LTE4:**

Section in CFR 47	Section in RSS-GEN or RSS-139	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	NP
§27.50(d)(4)	6.4	Radiated RF output power	PASSED
N/A	6.4	Peak to average power ratio	NP
§2.1049(h)	6.6	99 % occupied bandwidth	NP
§27.53(h)	6.5	Band edge compliance	NP
§27.53(h), §2.1051	6.5	Spurious emissions at antenna terminals	NP
§27.53(h), §2.1053	6.5	Spurious radiated emissions	PASSED
§2.1055(a)	6.3	Frequency stability, temperature variation	NP
§2.1055(d)	6.3	Frequency stability, voltage variation	NP

**LTE5:**

Section in CFR 47	Section in RSS-GEN or RSS-132	Name of the test	Result
§2.1046(a), 22.913(a)	4.4	Conducted RF output power	NP
§22.913(a)	4.4	Radiated RF output power	PASSED
N/A	5.4	Peak to average power ratio	NP
§2.1049(h)	6.6	99 % occupied bandwidth	NP
§22.917(a)	4.5	Band edge compliance	NP
§22.917(a), §2.1051	4.5	Spurious emissions at antenna terminals	NP
§22.917(a), §2.1053	4.5	Spurious radiated emissions	PASSED
§2.1055(a)	4.3	Frequency stability, temperature variation	NP
§2.1055(d)	4.3	Frequency stability, voltage variation	NP

**LTE7:**

Section in CFR 47	Section in RSS-GEN or RSS-199	Name of the test	Result
§2.1046(a)	4.4	Conducted RF output power	NP
§27.50(h)(2)	4.4	Radiated RF output power	PASSED
N/A	N/A	Peak to average power ratio	NP
§2.1049(h)	6.6	99 % occupied bandwidth	NP
§27.53(l)	4.5(b)	Band edge compliance	NP
§2.1051	4.5(b)	Spurious emissions at antenna terminals	NP
§27.53(l), §2.1053	4.5(b)	Spurious radiated emissions	PASSED
§27.54	4.3	Frequency stability, temperature variation	NP
§27.54	4.3	Frequency stability, voltage variation	NP

**LTE12:**

Section in CFR 47	Section in RSS-GEN or RSS-130	Name of the test	Result
§2.1046(a)	4.4	Conducted RF output power	NP
§27.50(c)10	4.4	Radiated RF output power	PASSED
N/A	N/A	Peak to average power ratio	NP
§2.1049(h)	6.6	99 % occupied bandwidth	NP
§27.53(f)	4.6	Band edge compliance	NP
§27.53(f)	4.6	Spurious emissions at antenna terminals	NP
§27.53(f)	4.6	Spurious radiated emissions	PASSED
§27.54	4.3	Frequency stability, temperature variation	NP
§27.54	4.3	Frequency stability, voltage variation	NP

**LTE17:**

Section in CFR 47	Section in RSS-GEN or RSS-130	Name of the test	Result
§2.1046(a)	4.4	Conducted RF output power	NP
§27.50(c)(10)	4.4	Radiated RF output power	PASSED
N/A	N/A	Peak to average power ratio	NP
§2.1049(h)	6.6	99 % occupied bandwidth	NP
§27.53(g)	4.6	Band edge compliance	NP
§27.53(g), §2.1051	4.6	Spurious emissions at antenna terminals	NP
§27.53(g), §2.1051	4.6	Spurious radiated emissions	PASSED
§2.1055(a)	4.3 (a)	Frequency stability, temperature variation	NP
§2.1055(d)	4.3 (a)	Frequency stability, voltage variation	NP

PASSED  
 FAILED  
 NP

The EUT complies with the essential requirements in the standard.  
 The EUT does not comply with the essential requirements in the standard.  
 The test was not performed by the TCC Microsoft Laboratory.

## CONTENTS

<b>1. Summary for FCC Part 22/24/27 Compliance Test Report .....</b>	<b>2</b>
1.1. EUT and Accessory Information .....	2
1.2. Summary of Test Results .....	2
<b>2. Radiated RF output power, Antenna 2 (FCC §22.913(a), §27.50(d)(2), §27.50(c)(10), §27.50(c)10, §27.50(h)(2), §27.50(d)(4), §24.232(b), RSS-132 4.4, RSS-133 6.4, RSS-139 6.4, RSS-199 4.4, RSS-130 4.4) .....</b>	<b>8</b>
2.2. Test method and limit .....	9
2.3. GSM 850 test results .....	10
2.4. GSM 850 E-GPRS (MSC9) test results.....	10
2.5. GSM 1900 test results .....	10
2.6. GSM 1900 E-GPRS (MSC9) test results.....	10
2.7. WCDMA2 test results .....	11
2.8. WCDMA4 test results .....	11
2.9. WCDMA5 test results .....	11
2.10. LTE2 test results.....	12
2.11. LTE4 test results.....	13
2.12. LTE5 test results.....	14
2.13. LTE7 test results.....	15
2.14. LTE12 test results.....	16
2.15. LTE17 test results.....	17
<b>3. Spurious radiated emissions, Antenna 2 (FCC §24.238(a), §27.53(g), §2.1051, §27.53(f), §27.53(l), §2.1053, §27.53(h), §2.1053, §24.238(a), §2.1053, §22.917(a), §2.1053, §2.1053, RSS-133 6.5, RSS-139 6.5, RSS- 132 4.5, RSS-199 4.5(b), RSS-130 4.6).....</b>	<b>18</b>
3.2. Test method and limit .....	19
3.3. GSM 850 test results .....	20
3.4. GSM 850 E-GPRS (MSC9) test results.....	20
3.5. GSM 1900 test results .....	20
3.6. GSM 1900 E-GPRS (MSC9) test results.....	21
3.7. WCDMA2 test results .....	21
3.8. WCDMA4 test results .....	22
3.9. WCDMA5 test results .....	22
3.10. LTE2 test results.....	23
3.11. LTE4 test results.....	23
3.12. LTE5 test results.....	24
3.13. LTE7 test results.....	24
3.14. LTE12 test results.....	25


---

3.15.	LTE17 test results.....	25
<b>4.</b>	<b>Test Equipment.....</b>	<b>26</b>
4.1.	Conducted measurements .....	26
4.2.	Radiated measurements .....	27
<b>5.</b>	<b>Appendix .....</b>	<b>28</b>
5.1.	Conducted LTE RF output power values measured by the customer.....	28

**2. Radiated RF output power, Antenna 2**  
(FCC §22.913(a), §27.50(d)(2), §27.50(c)(10), §27.50(c)10, §27.50(h)(2), §27.50(d)(4), §24.232(b), RSS-132 4.4, RSS-133 6.4, RSS-139 6.4, RSS-199 4.4, RSS-130 4.4)

<b>EUT with DUT number</b>	RM-1085, DUT 400024
<b>Accessories with DUT numbers</b>	BV-T4D, DUT 400025
<b>Operation Voltage [V] / [Hz]</b>	Nominal
<b>Results</b>	PASSED
<b>Remarks</b>	LTE conducted output power results can be found in chapter 12. Appendix.
<b>Temp [°C] / Humidity [%RH] / Air Pressure [kPa]</b>	20 / 40 / 101.2
<b>Date of measurements</b>	16-Sep-2015
<b>Measured by</b>	Timo Raisio

**2.1.1 Test setup**



## 2.2. Test method and limit

The measurement is made according to TIA-603-C-2004 as follows:

The measurement is performed in the Anechoic Chamber with absorbers on the floor and measuring antenna at fixed height using 2-axis EUT position system. The turntable is rotated 360 degrees and this is repeated for both horizontal and vertical receive antenna polarizations.

The EUT is placed on a nonconductive plate at 170 cm height.

The substitution method is used. The measurement results are obtained as described below:

$$P[\text{dBm}] = P_{\text{SUBST TX}} + P_{\text{MEAS}} - P_{\text{SUBST RX}} - L_{\text{SUBST CABLES}} + G_{\text{SUBST TX ANT}}$$

Where  $P_{\text{SUBST TX}}$  is signal generator level.  $P_{\text{MEAS}}$  is measured power level from the EUT.  $P_{\text{SUBST RX}}$  is measured power level in substitute measurement.  $L_{\text{SUBST CABLE}}$  is the loss of the cable between the signal generator and the substitution antenna and  $G_{\text{SUBST TX ANT}}$  is substitution antenna gain.

Limits for radiated RF output power measurements

Frequency range [MHz]	Limit [W]	Limit [dBm]
824 - 849	7 ERP	38.5
1850 - 1910	2 EIRP	33
2502.5 - 2567.5	2 EIRP	33
699 - 712	2 ERP	33
704 - 716	3 ERP	34.8
1710 - 1755	1 EIRP	30

### 2.3. GSM 850 test results

RMS detector

Channel / f <sub>c</sub> [MHz]	ERP [dBm]	ERP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
128 / 824.2	27.77	0.598	-4.51	32.28	HORIZONTAL	PASSED
190 / 836.6	27.81	0.605	-3.82	31.63	VERTICAL	PASSED
251 / 848.8	27.42	0.552	-3.39	30.81	VERTICAL	PASSED

### 2.4. GSM 850 E-GPRS (MSC9) test results

RMS detector

Channel / f <sub>c</sub> [MHz]	ERP [dBm]	ERP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
128 / 824.2	23.76	0.238	-8.57	32.33	VERTICAL	PASSED
190 / 836.6	23.56	0.227	-8.07	31.63	VERTICAL	PASSED
251 / 848.8	23.43	0.22	-7.38	30.81	VERTICAL	PASSED

### 2.5. GSM 1900 test results

RMS detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
512 / 1850.2	29.83	0.961	-12.94	42.77	HORIZONTAL	PASSED
661 / 1880	29.55	0.902	-13.21	42.76	HORIZONTAL	PASSED
810 / 1909.8	29.4	0.87	-13.51	42.91	HORIZONTAL	PASSED

### 2.6. GSM 1900 E-GPRS (MSC9) test results

RMS detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
512 / 1850.2	25.44	0.35	-17.33	42.77	HORIZONTAL	PASSED
661 / 1880	25	0.316	-17.76	42.76	HORIZONTAL	PASSED
810 / 1909.8	24.41	0.276	-18.5	42.91	HORIZONTAL	PASSED

## 2.7. WCDMA2 test results

RMS detector

Channel / $f_c$ [MHz]	EIRP [dBm]	EIRP [W]	$P_{MEAS}$ [dBm]	$A_{TOT}$ [dB]	Polarisation	Results
9262 / 1852.4	23.18	0.208	-19.61	42.79	HORIZONTAL	PASSED
9400 / 1880	22.77	0.189	-19.99	42.76	HORIZONTAL	PASSED
9538 / 1907.6	21.98	0.158	-20.87	42.85	HORIZONTAL	PASSED

## 2.8. WCDMA4 test results

RMS detector

Channel / $f_c$ [MHz]	EIRP [dBm]	EIRP [W]	$P_{MEAS}$ [dBm]	$A_{TOT}$ [dB]	Polarisation	Results
1312 / 1712.4	20.6	0.115	-21.2	41.8	HORIZONTAL	PASSED
1412 / 1732.4	21.2	0.132	-20.69	41.89	HORIZONTAL	PASSED
1513 / 1752.6	21.75	0.15	-20.14	41.89	HORIZONTAL	PASSED

## 2.9. WCDMA5 test results

RMS detector

Channel / $f_c$ [MHz]	ERP [dBm]	ERP [W]	$P_{MEAS}$ [dBm]	$A_{TOT}$ [dB]	Polarisation	Results
4132 / 826.4	19.45	0.088	-13.03	32.48	VERTICAL	PASSED
4175 / 835	18.86	0.077	-13.07	31.93	VERTICAL	PASSED
4233 / 846.6	18.08	0.064	-12.71	30.79	VERTICAL	PASSED

## 2.10. LTE2 test results

FDD, CBW 3MHz, QPSK, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 1851.5	22.81	0.191	-19.96	42.77	HORIZONTAL	PASSED
18900 / 1880	22.57	0.181	-20.19	42.76	HORIZONTAL	PASSED
18900 / 1908.5	22.07	0.161	-20.81	42.88	HORIZONTAL	PASSED

FDD, CBW 20MHz, QPSK, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 1860	22.96	0.198	-19.84	42.8	HORIZONTAL	PASSED
18900 / 1880	22.86	0.193	-19.9	42.76	HORIZONTAL	PASSED
18900 / 1900	22.26	0.168	-20.57	42.83	HORIZONTAL	PASSED

FDD, CBW 10MHz, 16QAM, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 1855	23.15	0.206	-19.73	42.88	HORIZONTAL	PASSED
18900 / 1880	22.73	0.187	-20.03	42.76	HORIZONTAL	PASSED
18900 / 1905	22.55	0.18	-20.29	42.84	HORIZONTAL	PASSED

FDD, CBW 20MHz, 16QAM, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 1860	22.98	0.199	-19.82	42.8	HORIZONTAL	PASSED
18900 / 1880	22.54	0.179	-20.22	42.76	HORIZONTAL	PASSED
18900 / 1900	22.31	0.17	-20.52	42.83	HORIZONTAL	PASSED

## 2.11. LTE4 test results

FDD, CBW 3MHz, QPSK, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 1711.5	21.27	0.134	-20.52	41.79	HORIZONTAL	PASSED
20175 / 1732.5	21.63	0.146	-20.26	41.89	HORIZONTAL	PASSED
20175 / 1753.5	21.85	0.153	-20.03	41.88	HORIZONTAL	PASSED

FDD, CBW 20MHz, QPSK, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 1720	21.42	0.139	-20.47	41.89	HORIZONTAL	PASSED
20175 / 1732.5	21.42	0.139	-20.47	41.89	HORIZONTAL	PASSED
20175 / 1745	21.97	0.157	-19.93	41.9	HORIZONTAL	PASSED

FDD, CBW 5MHz, 16QAM, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
19975 / 1712.5	21.43	0.139	-20.37	41.8	HORIZONTAL	PASSED
20175 / 1732.5	21.34	0.136	-20.55	41.89	HORIZONTAL	PASSED
20375 / 1752.5	21.69	0.148	-20.2	41.89	HORIZONTAL	PASSED

FDD, CBW 20MHz, 16QAM, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 1720	21.18	0.131	-20.71	41.89	HORIZONTAL	PASSED
20175 / 1732.5	20.99	0.126	-20.9	41.89	HORIZONTAL	PASSED
20175 / 1745	21.3	0.135	-20.6	41.9	HORIZONTAL	PASSED

## 2.12. LTE5 test results

FDD, CBW 3MHz, QPSK, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	ERP [dBm]	ERP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 825.5	20.23	0.105	-12.13	32.36	VERTICAL	PASSED
20525 / 836.5	19.59	0.091	-12.05	31.64	VERTICAL	PASSED
20525 / 847.5	18.3	0.068	-12.48	30.78	VERTICAL	PASSED

FDD, CBW 10MHz, QPSK, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	ERP [dBm]	ERP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 829	20.35	0.108	-11.87	32.22	VERTICAL	PASSED
20525 / 836.5	19.78	0.095	-11.86	31.64	VERTICAL	PASSED
20525 / 844	18.94	0.078	-12.06	31	VERTICAL	PASSED

FDD, CBW 5MHz, 16QAM, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	ERP [dBm]	ERP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
20425 / 826.5	20.03	0.101	-12.34	32.37	HORIZONTAL	PASSED
20525 / 836.5	19.62	0.092	-12.02	31.64	VERTICAL	PASSED
20625 / 846.5	18.52	0.071	-12.27	30.79	VERTICAL	PASSED

FDD, CBW 10MHz, 16QAM, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	ERP [dBm]	ERP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 829	19.95	0.099	-12.27	32.22	VERTICAL	PASSED
20525 / 836.5	19.48	0.089	-12.16	31.64	VERTICAL	PASSED
20525 / 844	19.09	0.081	-11.91	31	VERTICAL	PASSED

## 2.13. LTE7 test results

FDD, CBW 15MHz, QPSK, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 2507.5	22.76	0.189	-23.89	46.65	HORIZONTAL	PASSED
21100 / 2535	23.38	0.218	-23.57	46.95	HORIZONTAL	PASSED
21100 / 2562.5	22.71	0.186	-24.24	46.95	HORIZONTAL	PASSED

FDD, CBW 15MHz, QPSK, 1RB mid, Peak detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 2507.5	25.44	0.35	-21.21	46.65	HORIZONTAL	PASSED
21100 / 2535	26.12	0.409	-20.83	46.95	HORIZONTAL	PASSED
21100 / 2562.5	25.55	0.359	-21.4	46.95	HORIZONTAL	PASSED

FDD, CBW 20MHz, QPSK, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 2510	22.69	0.186	-24.05	46.74	HORIZONTAL	PASSED
21100 / 2535	23.38	0.218	-23.57	46.95	HORIZONTAL	PASSED
21100 / 2560	22.69	0.186	-24.33	47.02	HORIZONTAL	PASSED

FDD, CBW 20MHz, QPSK, 1RB mid, Peak detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 2510	25.91	0.39	-20.83	46.74	HORIZONTAL	PASSED
21100 / 2535	26.18	0.415	-20.77	46.95	HORIZONTAL	PASSED
21100 / 2560	25.94	0.392	-21.08	47.02	HORIZONTAL	PASSED

FDD, CBW 20MHz, 16QAM, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 2510	22.26	0.168	-24.48	46.74	HORIZONTAL	PASSED
21100 / 2535	23.04	0.202	-23.91	46.95	HORIZONTAL	PASSED
21100 / 2560	22.55	0.18	-24.47	47.02	HORIZONTAL	PASSED

FDD, CBW 20MHz, 16QAM, 1RB mid, Peak detector

Channel / f <sub>c</sub> [MHz]	EIRP [dBm]	EIRP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 2510	25.84	0.384	-20.9	46.74	HORIZONTAL	PASSED
21100 / 2535	26.18	0.415	-20.77	46.95	HORIZONTAL	PASSED
21100 / 2560	26.06	0.404	-20.96	47.02	HORIZONTAL	PASSED

## 2.14. LTE12 test results

FDD, CBW 3MHz, QPSK, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	ERP [dBm]	ERP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 700.5	17.54	0.057	-12	29.54	HORIZONTAL	PASSED
23095 / 707.5	18.35	0.068	-11.8	30.15	HORIZONTAL	PASSED
23095 / 714.5	18.07	0.064	-12.26	30.33	HORIZONTAL	PASSED

FDD, CBW 10MHz, QPSK, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	ERP [dBm]	ERP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 704	18.49	0.071	-11.44	29.93	HORIZONTAL	PASSED
23095 / 707.5	18.46	0.07	-11.69	30.15	HORIZONTAL	PASSED
23095 / 711	18.63	0.073	-11.67	30.3	HORIZONTAL	PASSED

FDD, CBW 1.4MHz, 16QAM, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	ERP [dBm]	ERP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 699.7	18.2	0.066	-11.31	29.51	HORIZONTAL	PASSED
23095 / 707.5	18.66	0.073	-11.49	30.15	HORIZONTAL	PASSED
23095 / 715.3	18.47	0.07	-11.85	30.32	HORIZONTAL	PASSED

FDD, CBW 10MHz, 16QAM, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	ERP [dBm]	ERP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
0 / 704	18.81	0.076	-11.12	29.93	HORIZONTAL	PASSED
23095 / 707.5	18.3	0.068	-11.85	30.15	HORIZONTAL	PASSED
23095 / 711	18.28	0.067	-12.02	30.3	HORIZONTAL	PASSED

## 2.15. LTE17 test results

FDD, CBW 5MHz, 16QAM, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	ERP [dBm]	ERP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
23755 / 706.5	18.92	0.078	-11.17	30.09	HORIZONTAL	PASSED
23790 / 710	18.87	0.077	-11.42	30.29	HORIZONTAL	PASSED
23825 / 713.5	19	0.079	-11.32	30.32	HORIZONTAL	PASSED

FDD, CBW 10MHz, QPSK, 1RB mid, RMS detector

Channel / f <sub>c</sub> [MHz]	ERP [dBm]	ERP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
23780 / 709	18.85	0.077	-11.38	30.23	HORIZONTAL	PASSED
23790 / 710	18.72	0.074	-11.57	30.29	HORIZONTAL	PASSED
23800 / 711	18.95	0.078	-11.35	30.3	HORIZONTAL	PASSED

FDD, CBW 10MHz, 16QAM, 1RB mid, RMS detector


Channel / f <sub>c</sub> [MHz]	ERP [dBm]	ERP [W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
23780 / 709	18.7	0.074	-11.53	30.23	HORIZONTAL	PASSED
23790 / 710	18.76	0.075	-11.53	30.29	HORIZONTAL	PASSED
23800 / 711	19.28	0.085	-11.02	30.3	HORIZONTAL	PASSED

### 3. Spurious radiated emissions, Antenna 2

(FCC §24.238(a), §27.53(g), §2.1051, §27.53(f), §27.53(l), §2.1053, §27.53(h), §2.1053, §24.238(a), §2.1053, §22.917(a), §2.1053, §2.1053, RSS-133 6.5, RSS-139 6.5, RSS-132 4.5, RSS-199 4.5(b), RSS-130 4.6)

<b>EUT with DUT number</b>	RM-1085, DUT 400011
<b>Accessories with DUT numbers</b>	BVT4D, DUT 400012 ; AC-100E, DUT 400013 ; WH-308, DUT 400014
<b>Operation Voltage [V] / [Hz]</b>	115 / 60
<b>Results</b>	PASSED
<b>Remarks</b>	-
<b>Temp [°C] / Humidity [%RH] / Air Pressure [kPa]</b>	22 / 40 / 100.7
<b>Date of measurements</b>	19-Jun-2015
<b>Measured by</b>	Timo Raisio

#### 3.1.1 Test setup



### 3.2. Test method and limit

The measurement is made according to TIA-603-C-2004 as follows:

The measurement is divided into the Preliminary Measurement and the Final Measurement.

The suspected frequencies are searched for in Preliminary Measurement with absorbers on the floor and measuring antenna at fixed height using 2-axis EUT position system.

The Final Measurement is performed in the Semi-Anechoic Chamber with conducting metal floor, if the Preliminary Measurement results are closer than 20 dB to the permissible value.

The EUT is placed at nonconductive plate at the turntable center.

For each suspected frequency, the turntable is rotated 360 degrees and antenna is scanned from 1 to 4 m. This is repeated for both horizontal and vertical receive antenna polarizations.

The emissions less than 20 dB below the permissible value are reported.

The measurement is made up to 10th harmonic of the EUT highest TX channel.

The substitution method is used.

The measurement results are obtained as described below:

$$P [dBm] = P_{SUBST TX} + G_{SUBST TX ANT} - L_{SUBST CABLE}$$

Where  $P_{SUBST TX}$  is signal generator level, which produces the same receiver reading  $P_{MEAS}$  in dBm as EUT.  $G_{SUBST TX ANT}$  is substitution antenna gain and  $L_{SUBST CABLE}$  is the loss of the cable between the signal generator and the substitution antenna.

#### Limits for spurious radiated emissions measurements

Operation band	Frequency range [MHz]	Limit [dBm]
WCDMA2	30 - 19100	-13
WCDMA4	30 - 17500	-13
GSM 850	30 - 8500	-13
GSM 1900	30 - 19100	-13
LTE2	30 - 19100	-13
LTE4	30 - 17500	-13
LTE5	30 - 8500	-13
LTE7	30 - 25700	-13
LTE12	30 - 7200	-13
LTE17	30 - 7200	-13 (RBW = 100 kHz, ERP)

### 3.3. GSM 850 test results

Channel 190 / 836.6 MHz

Peak detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
1673.106	-49.18	0.01208	-42.48	-6.7	HORIZONTAL	PASSED
1673.267	-49.26	0.01186	-42.56	-6.7	HORIZONTAL	PASSED
1719.96	-59.93	0.00102	-53.33	-6.6	VERTICAL	PASSED
2492.986	-54.42	0.00361	-54.42	0	VERTICAL	PASSED
2510.02	-45.51	0.02812	-45.81	0.3	VERTICAL	PASSED
3353.908	-60.01	0.001	-60.71	0.7	VERTICAL	PASSED

### 3.4. GSM 850 E-GPRS (MSC9) test results

Channel 190 / 836.6 MHz

Peak detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
1676.026	-59.96	0.00101	-53.36	-6.6	VERTICAL	PASSED
2509.9	-54.62	0.00345	-54.92	0.3	VERTICAL	PASSED

### 3.5. GSM 1900 test results

Channel 661 / 1880.0 MHz

Peak detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
7530.902	-49.28	0.0118	-63.78	14.5	VERTICAL	PASSED
9236.994	-44.99	0.0317	-64.19	19.2	VERTICAL	PASSED
9264.729	-44.67	0.03412	-63.87	19.2	HORIZONTAL	PASSED
9281.002	-45.42	0.02871	-64.92	19.5	VERTICAL	PASSED
9910.982	-45.27	0.02972	-63.17	17.9	HORIZONTAL	PASSED
9998.594	-46.21	0.02393	-63.91	17.7	HORIZONTAL	PASSED

### 3.6. GSM 1900 E-GPRS (MSC9) test results

Channel 661 / 1880.0 MHz

Peak detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
3760.02	-50.93	0.00807	-55.43	4.5	HORIZONTAL	PASSED
5640.02	-49.13	0.01222	-56.93	7.8	VERTICAL	PASSED

### 3.7. WCDMA2 test results

Channel 9400 / 1880.0 MHz

FDD mode, Peak detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
1911.103	-45.23	0.02999	-42.03	-3.2	HORIZONTAL	PASSED
3758.257	-54.78	0.00333	-59.28	4.5	VERTICAL	PASSED
5636.253	-50.76	0.00839	-58.66	7.9	VERTICAL	PASSED
7527.475	-48.3	0.01479	-62.7	14.4	VERTICAL	PASSED
8842.385	-46.14	0.02432	-63.14	17	HORIZONTAL	PASSED
9284.269	-44.64	0.03436	-64.04	19.4	VERTICAL	PASSED
9394.409	-43.68	0.04285	-62.08	18.4	VERTICAL	PASSED
9439.339	-45.06	0.03119	-63.16	18.1	VERTICAL	PASSED
9776.012	-45.33	0.02931	-63.43	18.1	HORIZONTAL	PASSED
9896.894	-44.95	0.03199	-62.95	18	HORIZONTAL	PASSED
11281.102	-44.42	0.03614	-63.22	18.8	HORIZONTAL	PASSED
13164.349	-51.57	0.00697	-63.27	11.7	HORIZONTAL	PASSED
15046.834	-51.08	0.0078	-65.38	14.3	HORIZONTAL	PASSED
16916.573	-49.18	0.01208	-65.68	16.5	VERTICAL	PASSED

### 3.8. WCDMA4 test results

Channel 1412 / 1732.4 MHz

FDD mode, Peak detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
1710.333	-42.75	0.05309	-38.05	-4.7	HORIZONTAL	PASSED
1713.116	-40.22	0.09506	-35.62	-4.6	HORIZONTAL	PASSED
1755.035	-42.18	0.06053	-37.78	-4.4	HORIZONTAL	PASSED
1759.719	-43.6	0.04365	-39.1	-4.5	HORIZONTAL	PASSED
3463.057	-55	0.00316	-58.9	3.9	HORIZONTAL	PASSED
5206.158	-52.53	0.00558	-60.23	7.7	HORIZONTAL	PASSED
6925.853	-48.36	0.01459	-59.56	11.2	VERTICAL	PASSED
8652	-46.35	0.02317	-63.25	16.9	VERTICAL	PASSED
9242.184	-45.04	0.03133	-64.14	19.1	HORIZONTAL	PASSED
10386.204	-45.33	0.02931	-63.23	17.9	HORIZONTAL	PASSED
10557.936	-43.28	0.04699	-61.88	18.6	HORIZONTAL	PASSED
12124.696	-45.71	0.02685	-64.31	18.6	VERTICAL	PASSED
13858.819	-51.41	0.00723	-63.41	12	HORIZONTAL	PASSED
15600.478	-50.52	0.00887	-66.22	15.7	VERTICAL	PASSED
17324.22	-49.34	0.01164	-67.14	17.8	VERTICAL	PASSED

### 3.9. WCDMA5 test results

Channel 4175 / 835.0 MHz

FDD mode, Peak detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
821.839	-44.47	0.03573	-76.77	32.3	VERTICAL	PASSED
848.081	-48.66	0.01361	-79.46	30.8	VERTICAL	PASSED
848.609	-47.78	0.01667	-78.58	30.8	VERTICAL	PASSED
1009.8	-62.6	0.00055	-52.4	-10.2	VERTICAL	PASSED
1666.253	-59.38	0.00115	-52.68	-6.7	VERTICAL	PASSED
1669.92	-58.75	0.00133	-52.25	-6.5	VERTICAL	PASSED
2495	-54.56	0.0035	-54.46	-0.1	HORIZONTAL	PASSED
2512.485	-54.6	0.00347	-55.1	0.5	HORIZONTAL	PASSED
3343.387	-59.24	0.00119	-59.74	0.5	HORIZONTAL	PASSED
4173.297	-57.4	0.00182	-61.1	3.7	HORIZONTAL	PASSED
5018.277	-54.02	0.00396	-60.02	6	VERTICAL	PASSED
5839.569	-53.57	0.0044	-59.47	5.9	VERTICAL	PASSED
6672.084	-49.64	0.01086	-57.94	8.3	VERTICAL	PASSED
7524.92	-51.3	0.00741	-62.9	11.6	HORIZONTAL	PASSED
8349.098	-50.32	0.00929	-63.62	13.3	HORIZONTAL	PASSED

### 3.10. LTE2 test results

Channel 18900 / 1880.0 MHz

FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
3765.15	-66.49	0.00022	-70.99	4.5	HORIZONTAL	PASSED
5640.461	-57.72	0.00169	-65.92	8.2	HORIZONTAL	PASSED
7520.581	-60.01	0.001	-73.91	13.9	HORIZONTAL	PASSED

Channel 18900 / 1880.0 MHz

FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
3760.701	-66.24	0.00024	-70.74	4.5	HORIZONTAL	PASSED
5640.461	-60.74	0.00084	-68.94	8.2	HORIZONTAL	PASSED
7512.926	-59.86	0.00103	-73.96	14.1	HORIZONTAL	PASSED

### 3.11. LTE4 test results

Channel 20175 / 1732.5 MHz

FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
3465.421	-62.34	0.00058	-66.04	3.7	VERTICAL	PASSED
5197.881	-62.58	0.00055	-70.28	7.7	HORIZONTAL	PASSED
6925.01	-58.69	0.00135	-69.89	11.2	VERTICAL	PASSED
8672.3	-57.22	0.0019	-74.22	17	VERTICAL	PASSED
10385.922	-56.35	0.00232	-74.25	17.9	HORIZONTAL	PASSED

Channel 20175 / 1732.5 MHz

FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
3465.421	-62.6	0.00055	-66.3	3.7	VERTICAL	PASSED
5187.781	-62.86	0.00052	-70.76	7.9	VERTICAL	PASSED
6925.05	-58.69	0.00135	-69.89	11.2	VERTICAL	PASSED
8672.5	-57.21	0.0019	-74.31	17.1	VERTICAL	PASSED
10387.565	-56.23	0.00238	-74.23	18	VERTICAL	PASSED

### 3.12. LTE5 test results

Channel 20525 / 836.5 MHz  
FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
858.86	-61.74	0.00067	-93.04	31.3	HORIZONTAL	PASSED
1681.076	-78.61	1E-05	-71.91	-6.7	HORIZONTAL	PASSED
2514.61	-73.7	4E-05	-74.3	0.6	HORIZONTAL	PASSED
3338.044	-76.91	2E-05	-77.51	0.6	HORIZONTAL	PASSED

Channel 20525 / 836.5 MHz  
FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
851.164	-62.6	0.00055	-93	30.4	HORIZONTAL	PASSED
1665.766	-78.28	1E-05	-71.48	-6.8	HORIZONTAL	PASSED
2512.085	-73.5	4E-05	-73.9	0.4	HORIZONTAL	PASSED
3348.064	-78.48	1E-05	-79.08	0.6	HORIZONTAL	PASSED

### 3.13. LTE7 test results

Channel 21100 / 2535.0 MHz  
FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
2554.494	-53.12	0.00488	-54.32	1.2	HORIZONTAL	PASSED
5070.301	-56.78	0.0021	-65.28	8.5	HORIZONTAL	PASSED
7605.621	-45.96	0.02535	-59.96	14	HORIZONTAL	PASSED
10145.711	-56.58	0.0022	-72.98	16.4	HORIZONTAL	PASSED

Channel 21100 / 2535.0 MHz  
FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [ $\mu$ W]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
2555.376	-51.3	0.00741	-52.5	1.2	HORIZONTAL	PASSED
5070.341	-59.4	0.00115	-67.9	8.5	HORIZONTAL	PASSED
7605.621	-48.65	0.01365	-62.65	14	HORIZONTAL	PASSED
10140.621	-56.5	0.00224	-73	16.5	HORIZONTAL	PASSED

### 3.14. LTE12 test results

Channel 23095 / 707.5 MHz  
FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μW]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
1424.038	-79.36	1E-05	-70.76	-8.6	VERTICAL	PASSED
2123.041	-70.7	9E-05	-67.4	-3.3	VERTICAL	PASSED
2836.834	-71.85	7E-05	-74.65	2.8	VERTICAL	PASSED

Channel 23095 / 707.5 MHz  
FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μW]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
1424.84	-79.43	1E-05	-70.93	-8.5	HORIZONTAL	PASSED
2123.001	-70.26	9E-05	-66.86	-3.4	HORIZONTAL	PASSED
2839.96	-71.98	6E-05	-74.58	2.6	HORIZONTAL	PASSED

### 3.15. LTE17 test results

Channel 23790 / 710 MHz

FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μW]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
1429.92	-79.67	1E-05	-71.47	-8.2	HORIZONTAL	PASSED
2130.581	-71.19	8E-05	-67.89	-3.3	HORIZONTAL	PASSED
2840.661	-71.63	7E-05	-74.23	2.6	HORIZONTAL	PASSED

Channel 23790 / 710 MHz

FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μW]	P <sub>MEAS</sub> [dBm]	A <sub>TOT</sub> [dB]	Polarisation	Results
1429.84	-79.67	1E-05	-71.47	-8.2	HORIZONTAL	PASSED
2130.541	-73.08	5E-05	-70.08	-3	VERTICAL	PASSED
2847.034	-71.7	7E-05	-74.6	2.9	VERTICAL	PASSED

## 4. Test Equipment

### 4.1. Conducted measurements

Eq. No	Equipment	Type	Manufacturer	Used in
TM38112	Power supply	6632A	Agilent	22/24/27, 15C, 15E
TM38114	Power supply	6632A	Agilent	22/24/27, 15C, 15E
TM210233	Communication Tester	CMU200	R&S	22/24/27
TM30600	Impulse limiter	ESH3-Z2	R&S	15C, 15B
TM26490	LISN 50 µH	ESH3-Z5	R&S	15C, 15B
TM26491	LISN 50 µH	ESH3-Z5	R&S	15C, 15B
TM37610	Spectrum Analyzer	FSU26	R&S	22/24/27, 15C, 15E
TM23007	Oscilloscope	TDS684B	Tektronix	15E
TM22806	Battery	BAT 20/E	Fiskars	15C, 15B
TM22805	UPS	PS 20/1.2	Fiskars	15C, 15B
-	Temperature and humidity logger	175-H2	Testo	15C, 15B
-	Temperature and humidity logger	175-H2	Testo	22/24/27, 15C
-	Air pressure and temperature logger	635-2	Testo	22/24/27, 15C, 15B
-	Air pressure sensor	0638-1835	Testo	22/24/27, 15C, 15B
-	Temperature test chamber	VT 4002	Vötsch	22/24/27
2001	Bluetooth tester	CBT	R&S	15C, 15B
2009	LISN 50 µH	ENV216	R&S	15C, 15B
2010	LISN 50 µH	ENV216	R&S	15C, 15B
2012	Power splitter	11667B	Agilent	22/24/27, 15C
2013	Attenuator	8493C	Agilent	22/24/27, 15C
2014	Attenuator	8493C	Agilent	22/24/27, 15C
2019	Power splitter	ZN2PD-9G-S+	Mini-Circuits	15E
2020	Power splitter	ZN2PD-9G-S+	Mini-Circuits	15E
2021	Communication Tester	CMW500	R&S	22/24/27
2022	Communication Tester	CMU200	R&S	22/24/27
2023	Spectrum Analyzer	ESMI-RF	R&S	15B/15C
2024	Analyzer display unit	ESAI-D	R&S	15B/15C
2026	Signal Generator	SMF 100A	R&S	22/24/27, 15C, 15E, 15B
-	Bluetooth tester	CBT	R&S	15C, 15B
-	Communication Tester	CMU200	R&S	22/24/27, 15B

## 4.2. Radiated measurements

Eq. No	Equipment	Type	Manufacturer	Used in
-	Antenna	BBHA 9120 D	Schwarzbeck	22/24/27, 15C
TM38845	Receiver	ESIB 26	R&S	22/24/27, 15C, 15E, 15B
-	Antenna	HL562	R&S	22/24/27, 15C, 15E, 15B
-	Turntable	2188	EMCO	22/24/27, 15C, 15E, 15B
-	Turntable controller	2090	EMCO	22/24/27, 15C, 15E, 15B
-	RF system panel	OSP130	R&S	22/24/27, 15C, 15E, 15B
-	Mini mast	2075-2	ETS Lindgren	22/24/27, 15C, 15B
TM38843	Mini mast	2075	Emco	22/24/27, 15C, 15B
TM38842	Antenna mast controller	2090	Emco	22/24/27, 15C, 15B
TM30643	LISN 50 µH	LISN-5-20-2	FCC	22/24/27, 15C, 15B
TM30644	LISN 50 µH	LISN-5-20-2	FCC	22/24/27, 15C, 15B
-	Temperature and humidity logger	175-H2	Testo	22/24/27, 15C, 15B
-	Air pressure and temperature logger	635-2	Testo	22/24/27, 15C, 15B
-	Air pressure sensor	0638-1835	Testo	22/24/27, 15C, 15B
TM37523	Preamplifier	AMF-4D-10M-3G-25-20P	Miteq	22/24/27, 15C, 15B
TM37498	Preamplifier	AMF-5D-020180-26-10P	Miteq	22/24/27, 15C, 15B
TM30599	Semi anechoic chamber	UNKNOWN	TDK	22/24/27, 15C, 15B
TM22638	Power supply	OL63743-901	-	22/24/27, 15C, 15E, 15B
TM38066	High pass filter	WHKX3.0/18G-12SS	Wainwright	22/24/27, 15C, 15E, 15B
2028	High pass filter	WHKX 1.0/15G-12SS	Wainwright	22/24/27, 15C, 15E, 15B
TM37545	Tunable notch filter	800.0/960.0-0.2/40-8SSK	Wainwright	22
TM26512	Tunable notch filter	WRCD1850/1910-0.2/40-10SSK	Wainwright	24
-	Band reject filter	WRCG1877/1883-1870/1890-40/6EE	Wainwright	24
-	Band reject filter	WRCG1729.4/1735.4-1722.4/1742.4-40/6SS	Wainwright	27
TM23892	Controller	G-1000SDX	Yaesu	22/24/27, 15C, 15E
2001	Bluetooth tester	CBT	R&S	15C, 15B
2002	Communication Tester	CMU200	R&S	22/24/27, 15B
6023	Antenna	VUBA 9117	Schwarzbeck	22/24/27
2021	Communication Tester	CMW500	R&S	22/24/27
2025	Antenna	HFH2-Z2	R&S	15C
2026	Signal Generator	SMF 100A	R&S	22/24/27, 15C, 15E, 15B
2052	Antenna	BBHA 9120 D	Schwarzbeck	22/24/27, 15C, 15B, 15E
-	Antenna	QSH18S20	Q-Par	22/24/27, 15C, 15B, 15E
-	Antenna	QSH20S20	Q-Par	22/24/27, 15C, 15B, 15E
-	Antenna	QSH20S20	Q-Par	22/24/27, 15C, 15B, 15E
-	Bluetooth tester	CBT	R&S	15C, 15B

## 5. Appendix

### 5.1. Conducted LTE RF output power values measured by the customer

#### 5.1.1 Tolerance

Tolerance [dB]	
Low	-0.5
High	0.4

#### 5.1.2 LTE 2

SN:004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch18607 / 1850.7 MHz	Ch18900 / 1880 MHz	Ch19193 / 1909.3 MHz
LTE2 1.4 MHz	QPSK	1	0	22.5	22.9	22.3	22.2	22.3
		1	2	22.5	22.9	22.3	22.1	22.3
		1	5	22.5	22.9	22.2	22.1	22.2
		3	0	22.5	22.9	22.2	22.0	22.2
		3	2	22.5	22.9	22.3	22.1	22.3
		3	3	22.5	22.9	22.2	22.0	22.2
	16QAM	6	0	21.5	21.9	21.1	21.0	21.2
		1	0	21.5	21.9	21.8	21.4	21.5
		1	2	21.5	21.9	21.8	21.6	21.5
		1	5	21.5	21.9	21.8	21.4	21.5
		3	0	21.5	21.9	21.3	21.0	21.2
		3	2	21.5	21.9	21.3	21.0	21.3
		3	3	21.5	21.9	21.2	21.0	21.2
		6	0	20.5	20.9	20.4	20.1	20.2

SN: 004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch18615 / 1851.5 MHz	Ch18900 / 1880 MHz	Ch19185 / 1908.5 MHz
LTE2 3 MHz	QPSK	1	0	22.5	22.9	22.3	22.2	22.2
		1	7	22.5	22.9	22.6	22.5	22.5
		1	14	22.5	22.9	22.3	22.1	22.2
		8	0	21.5	21.9	21.2	21.2	21.2
		8	3	21.5	21.9	21.2	21.1	21.2
		8	7	21.5	21.9	21.2	21.1	21.2
		15	0	21.5	21.9	21.2	21.1	21.2
	16QAM	1	0	21.5	21.9	21.6	21.7	21.6
		1	7	22.0	22.4	21.7	21.7	21.8
		1	14	21.5	21.9	21.5	21.5	21.4
		8	0	20.5	20.9	20.2	20.2	20.3
		8	3	20.5	20.9	20.2	20.2	20.3
		8	7	20.5	20.9	20.2	20.2	20.2
		15	0	20.5	20.9	20.3	20.0	20.1

SN: 004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch18625 / 1852.5 MHz	Ch18900 / 1880 MHz	Ch19175 / 1907.5 MHz
LTE2 5 MHz	QPSK	1	0	22.5	22.9	22.2	22.1	22.4
		1	12	22.5	22.9	22.3	22.5	22.2
		1	24	22.5	22.9	22.1	22.5	22.3
		12	0	21.5	21.9	21.2	21.1	21.1
		12	6	21.5	21.9	21.2	21.1	21.2
		12	13	21.5	21.9	21.0	21.0	21.1
		25	0	21.5	21.9	21.3	21.0	21.1
	16QAM	1	0	21.5	21.9	21.3	21.2	21.4
		1	12	21.5	21.9	21.4	21.1	21.3
		1	24	21.5	21.9	21.1	21.1	21.3
		12	0	20.5	20.9	20.2	20.1	20.2
		12	6	20.5	20.9	20.2	20.1	20.1
		12	13	20.5	20.9	20.1	20.0	20.1
		25	0	20.5	20.9	20.3	20.0	20.2

SN: 004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch18650 / 1855 MHz	Ch18900 / 1880 MHz	Ch19150 / 1905 MHz
LTE2 10 MHz	QPSK	1	0	22.5	22.9	22.6	22.4	22.4
		1	24	22.5	22.9	22.2	22.1	22.2
		1	49	22.5	22.9	22.3	22.0	22.2
		25	0	21.5	21.9	21.4	21.2	21.2
		25	12	21.5	21.9	21.3	21.1	21.2
		25	25	21.5	21.9	21.2	21.0	21.0
		50	0	21.5	21.9	21.2	21.1	21.2
	16QAM	1	0	22.0	22.4	22.1	22.0	22.0
		1	24	21.5	21.9	21.5	21.6	21.8
		1	49	21.5	21.9	21.9	21.6	21.5
		25	0	20.5	20.9	20.3	20.3	20.3
		25	12	20.5	20.9	20.2	20.1	20.3
		25	25	20.5	20.9	20.1	20.0	20.1
		50	0	20.5	20.9	20.2	20.1	20.3

SN: 004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch18675 / 1857.5 MHz	Ch18900 / 1880 MHz	Ch19125 / 1902.5 MHz
LTE2 15 MHz	QPSK	1	0	22.5	22.9	22.8	22.6	22.7
		1	36	22.5	22.9	22.3	22.3	22.2
		1	74	22.5	22.9	22.2	22.1	22.2
		36	0	21.5	21.9	21.4	21.3	21.3
		36	18	21.5	21.9	21.2	21.2	21.2
		36	38	21.5	21.9	21.2	21.1	21.2
		75	0	21.5	21.9	21.2	21.2	21.2
	16QAM	1	0	22.0	22.4	21.9	21.9	21.9
		1	36	21.5	21.9	21.4	21.4	21.5
		1	74	21.5	21.9	21.4	21.3	21.5
		36	0	20.5	20.9	20.4	20.2	20.3
		36	18	20.5	20.9	20.2	20.1	20.2
		36	38	20.5	20.9	20.1	20.1	20.2
		75	0	20.5	20.9	20.3	20.2	20.2

SN: 004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch18700 / 1860 MHz	Ch18900 / 1880 MHz	Ch19100 / 1900 MHz
LTE2 20 MHz		1	0	23.0	23.4	22.9	22.7	22.8
		1	49	22.5	22.9	22.1	22.1	22.1
		1	99	22.5	22.9	22.1	22.1	22.2
	QPSK	50	0	21.5	21.9	21.6	21.4	21.6
		50	24	21.5	21.9	21.2	21.1	21.1
		50	50	21.5	21.9	21.2	21.0	21.1
	16QAM	100	0	21.5	21.9	21.3	21.2	21.3
		1	0	22.0	22.4	22.1	21.8	21.8
		1	49	21.5	21.9	21.5	21.3	21.0
		1	99	21.5	21.9	21.3	21.1	21.1
		50	0	20.5	20.9	20.6	20.4	20.5
		50	24	20.5	20.9	20.2	20.2	20.1
		50	50	20.5	20.9	20.2	20.0	20.1
		100	0	20.5	20.9	20.3	20.2	20.3

### 5.1.3 LTE 4

SN:004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch19957 / 1710.7 MHz	Ch20175 / 1732.5 MHz	Ch20393 / 1754.3 MHz
LTE4 1.4 MHz	QPSK	1	0	22.5	22.9	22.7	22.7	22.7
		1	2	22.5	22.9	22.7	22.6	22.7
		1	5	22.5	22.9	22.6	22.6	22.6
		3	0	22.5	22.9	22.5	22.6	22.6
		3	2	22.5	22.9	22.6	22.6	22.7
		3	3	22.5	22.9	22.5	22.6	22.5
		6	0	21.5	21.9	21.6	21.5	21.5
	16QAM	1	0	21.5	21.9	21.8	21.9	21.9
		1	2	21.5	21.9	21.8	21.9	21.8
		1	5	21.5	21.9	21.7	21.8	21.9
		3	0	21.5	21.9	21.6	21.7	21.6
		3	2	21.5	21.9	21.6	21.8	21.7
		3	3	21.5	21.9	21.6	21.6	21.6
		6	0	20.5	20.9	20.6	20.6	20.8

SN:004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch19965 / 1711.5 MHz	Ch20175 / 1732.5 MHz	Ch20385 / 1753.5 MHz
LTE4 3 MHz	QPSK	1	0	22.5	22.9	22.7	22.6	22.6
		1	7	22.5	22.9	22.9	22.8	22.9
		1	14	22.5	22.9	22.6	22.5	22.6
		8	0	21.5	21.9	21.6	21.5	21.7
		8	3	21.5	21.9	21.6	21.6	21.6
		8	7	21.5	21.9	21.6	21.5	21.5
		15	0	21.5	21.9	21.6	21.5	21.6
	16QAM	1	0	21.5	21.9	21.8	21.9	21.9
		1	7	22.0	22.4	22.0	22.0	22.1
		1	14	21.5	21.9	21.7	21.9	21.8
		8	0	20.5	20.9	20.6	20.6	20.6
		8	3	20.5	20.9	20.7	20.6	20.6
		8	7	20.5	20.9	20.6	20.5	20.5
		15	0	20.5	20.9	20.7	20.5	20.6

SN:004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch19975 / 1712.5 MHz	Ch20175 / 1732.5 MHz	Ch20375 / 1752.5 MHz
LTE4 5 MHz	QPSK	1	0	22.5	22.9	22.7	22.7	22.7
		1	12	22.5	22.9	22.7	22.6	22.5
		1	24	22.5	22.9	22.5	22.6	22.5
		12	0	21.5	21.9	21.6	21.6	21.6
		12	6	21.5	21.9	21.6	21.6	21.6
		12	13	21.5	21.9	21.5	21.5	21.5
		25	0	21.5	21.9	21.6	21.6	21.6
	16QAM	1	0	22.0	22.4	22.3	22.0	21.7
		1	12	22.0	22.4	22.2	21.8	21.8
		1	24	22.0	22.4	22.1	21.7	21.5
		12	0	20.5	20.9	20.6	20.7	20.7
		12	6	20.5	20.9	20.6	20.7	20.7
		12	13	20.5	20.9	20.5	20.6	20.6
		25	0	20.5	20.9	20.6	20.6	20.6

SN:004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch20000 / 1715 MHz	Ch20175 / 1732.5 MHz	Ch20350 / 1750 MHz
LTE4 10 MHz	QPSK	1	0	22.5	22.9	22.8	22.9	22.9
		1	24	22.5	22.9	22.6	22.6	22.6
		1	49	22.5	22.9	22.5	22.5	22.5
		25	0	21.5	21.9	21.7	21.6	21.7
		25	12	21.5	21.9	21.6	21.5	21.5
		25	25	21.5	21.9	21.6	21.5	21.5
		50	0	21.5	21.9	21.6	21.5	21.6
	16QAM	1	0	21.5	21.9	21.7	21.9	21.9
		1	24	21.5	21.9	21.6	21.8	21.9
		1	49	21.5	21.9	21.6	21.7	21.9
		25	0	20.5	20.9	20.6	20.7	20.6
		25	12	20.5	20.9	20.5	20.5	20.5
		25	25	20.5	20.9	20.5	20.5	20.5
		50	0	20.5	20.9	20.6	20.5	20.5

SN:004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch20025 / 1717.5 MHz	Ch20175 / 1732.5 MHz	Ch20325 / 1747.5 MHz
LTE4 15 MHz	QPSK	1	0	23.0	23.4	23.1	23.3	23.2
		1	36	22.0	22.4	22.1	22.4	22.4
		1	74	22.0	22.4	22.2	22.3	22.4
		36	0	21.5	21.9	21.7	21.7	21.9
		36	18	21.5	21.9	21.7	21.5	21.7
		36	38	21.5	21.9	21.7	21.5	21.6
		75	0	21.5	21.9	21.6	21.5	21.8
	16QAM	1	0	22.0	22.4	22.4	22.3	22.4
		1	36	22.0	22.4	22.1	21.6	21.9
		1	74	22.0	22.4	22.1	21.6	21.9
		36	0	20.5	20.9	20.7	20.7	20.9
		36	18	20.5	20.9	20.7	20.6	20.7
		36	38	20.5	20.9	20.7	20.5	20.6
		75	0	20.5	20.9	20.7	20.6	20.9

SN:004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch20050 / 1720 MHz	Ch20175 / 1732.5 MHz	Ch20300 / 1745 MHz
LTE4 20 MHz	QPSK	1	0	23.0	23.4	23.3	23.4	23.3
		1	49	22.5	22.9	22.6	22.5	22.6
		1	99	22.5	22.9	22.7	22.5	22.6
		50	0	21.5	21.9	21.9	21.9	21.9
		50	24	21.5	21.9	21.7	21.5	21.6
		50	50	21.5	21.9	21.6	21.5	21.6
		100	0	21.5	21.9	21.8	21.6	21.7
	16QAM	1	0	22.5	22.9	22.4	22.4	22.2
		1	49	21.5	21.9	21.9	21.9	21.8
		1	99	21.5	21.9	21.9	21.9	21.8
		50	0	20.5	20.9	20.9	20.9	20.9
		50	24	20.5	20.9	20.8	20.5	20.6
		50	50	20.5	20.9	20.6	20.5	20.6
		100	0	20.5	20.9	20.8	20.6	20.7

#### 5.1.4 LTE 5

SN:004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch20407 / 824.7 MHz	Ch20525 / 836.5 MHz	Ch20643 / 848.3 MHz
LTE5 1.4 MHz	QPSK	1	0	23.0	23.4	22.9	23.1	23.2
		1	2	23.0	23.4	22.9	23.2	23.2
		1	5	23.0	23.4	22.9	23.0	23.0
		3	0	23.0	23.4	22.7	23.0	22.9
		3	2	23.0	23.4	22.8	23.1	23.0
		3	3	23.0	23.4	22.7	23.0	22.9
		6	0	22.0	22.4	21.7	21.9	21.9
	16QAM	1	0	22.0	22.4	22.2	22.4	22.4
		1	2	22.0	22.4	22.0	22.4	22.4
		1	5	22.0	22.4	22.1	22.3	22.4
		3	0	22.0	22.4	21.8	22.2	22.0
		3	2	22.0	22.4	21.7	22.2	21.9
		3	3	22.0	22.4	21.7	22.1	21.9
		6	0	21.0	21.4	20.7	21.0	20.9

SN:004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch20415 / 825.5 MHz	Ch20525 / 836.5 MHz	Ch20635 / 847.5 MHz
LTE5 3 MHz	QPSK	1	0	23.0	23.4	22.7	23.0	23.0
		1	7	23.0	23.4	23.0	23.3	23.2
		1	14	23.0	23.4	22.6	23.0	22.9
		8	0	22.0	22.4	21.7	22.0	21.9
		8	3	22.0	22.4	21.7	22.0	21.9
		8	7	22.0	22.4	21.6	21.9	21.9
		15	0	22.0	22.4	21.7	22.0	21.9
	16QAM	1	0	22.0	22.4	21.8	22.0	22.1
		1	7	22.0	22.4	22.1	22.2	22.1
		1	14	22.0	22.4	21.9	21.9	21.9
		8	0	21.0	21.4	20.8	21.1	21.0
		8	3	21.0	21.4	20.8	21.1	21.0
		8	7	21.0	21.4	20.7	21.0	21.0
		15	0	21.0	21.4	20.7	21.0	20.9

SN:004402742308376						Nominal			
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch20425 / 826.5 MHz	Ch20525 / 836.5 MHz	Ch20625 / 846.5 MHz	
LTE5 5 MHz	QPSK	1	0	23.0	23.4	22.8	23.0	23.0	
		1	12	23.0	23.4	22.7	22.9	23.0	
		1	24	23.0	23.4	22.8	23.0	23.0	
		12	0	22.0	22.4	21.6	21.9	22.0	
		12	6	22.0	22.4	21.7	22.0	22.0	
		12	13	22.0	22.4	21.6	21.9	21.8	
		25	0	22.0	22.4	21.6	22.0	22.0	
	16QAM	16QAM	1	0	22.0	22.4	22.0	22.3	22.4
			1	12	22.0	22.4	21.8	22.2	22.4
			1	24	22.0	22.4	21.9	22.4	22.3
			12	0	21.0	21.4	20.6	20.9	21.0
			12	6	21.0	21.4	20.6	20.9	21.0
			12	13	21.0	21.4	20.6	21.0	20.9
			25	0	21.0	21.4	20.6	20.9	20.9

SN:004402742308376						Nominal			
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch20450 / 829 MHz	Ch20525 / 836.5 MHz	Ch20600 / 844 MHz	
LTE5 10 MHz	QPSK	1	0	23.0	23.4	22.7	23.0	23.2	
		1	24	23.0	23.4	22.8	23.0	23.1	
		1	49	23.0	23.4	22.7	22.9	22.9	
		25	0	22.0	22.4	21.7	21.9	21.9	
		25	12	22.0	22.4	21.7	22.0	22.0	
		25	25	22.0	22.4	21.7	21.8	21.8	
		50	0	22.0	22.4	21.7	21.9	22.0	
	16QAM	16QAM	1	0	22.0	22.4	22.1	22.3	22.4
			1	24	22.0	22.4	22.3	22.3	22.3
			1	49	22.0	22.4	22.1	22.2	22.1
			25	0	21.0	21.4	20.7	20.9	20.9
			25	12	21.0	21.4	20.7	21.0	20.9
			25	25	21.0	21.4	20.8	20.9	20.8
			50	0	21.0	21.4	20.7	20.9	21.0

### 5.1.5 LTE 7

SN: 004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch20775 / 2502.5 MHz	Ch21100 / 2535 MHz	Ch21425 / 2567.5 MHz
LTE7 5 MHz	QPSK	1	0	24.0	24.4	23.9	23.8	23.8
		1	12	24.0	24.4	23.7	24.0	23.9
		1	24	24.0	24.4	23.7	24.0	23.8
		12	0	23.0	23.4	22.7	22.9	22.8
		12	6	23.0	23.4	22.7	23.0	22.9
		12	13	22.5	22.9	22.6	22.9	22.7
		25	0	23.0	23.4	22.7	22.8	22.8
	16QAM	1	0	23.0	23.4	23.3	23.4	23.1
		1	12	23.0	23.4	23.4	23.4	23.2
		1	24	23.0	23.4	23.1	23.2	23.1
		12	0	22.0	22.4	21.8	22.0	21.9
		12	6	22.0	22.4	21.7	22.1	21.9
		12	13	22.0	22.4	21.7	22.0	21.8
		25	0	22.0	22.4	21.6	22.0	21.9

SN: 004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch20800 / 2505 MHz	Ch21100 / 2535 MHz	Ch21400 / 2565 MHz
LTE7 10 MHz	QPSK	1	0	24.0	24.4	23.9	24.1	23.9
		1	24	24.0	24.4	23.9	24.1	23.9
		1	49	24.0	24.4	23.5	24.0	23.7
		25	0	23.0	23.4	22.8	23.0	22.8
		25	12	23.0	23.4	22.8	23.0	22.8
		25	25	23.0	23.4	22.7	23.0	22.7
		50	0	23.0	23.4	22.7	22.9	22.8
	16QAM	1	0	23.0	23.4	23.2	23.4	23.4
		1	24	23.0	23.4	23.3	23.4	23.4
		1	49	23.0	23.4	22.8	23.2	23.1
		25	0	22.0	22.4	21.8	21.9	21.8
		25	12	22.0	22.4	21.8	22.0	21.8
		25	25	21.5	21.9	21.7	21.8	21.7
		50	0	21.5	21.9	21.8	21.9	21.8

SN: 004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch20825 / 2507.5 MHz	Ch21100 / 2535 MHz	Ch21375 / 2562.5 MHz
LTE7 15 MHz		1	0	24.0	24.4	23.8	24.1	23.9
		1	36	24.0	24.4	23.8	24.2	24.1
		1	74	23.5	23.9	23.5	23.8	23.6
	QPSK	36	0	23.0	23.4	22.7	23.1	23.0
	16QAM	36	18	23.0	23.4	22.8	23.1	23.0
		36	38	23.0	23.4	22.5	23.1	22.9
		75	0	23.0	23.4	22.7	23.0	22.9
		1	0	23.0	23.4	22.8	23.0	23.0
		1	36	23.0	23.4	23.0	23.1	23.1
		1	74	22.5	22.9	22.5	22.7	22.7
		36	0	22.0	22.4	21.7	22.1	22.0
	36	18	22.0	22.4	21.8	22.1	22.0	
	36	38	22.0	22.4	21.6	22.0	21.9	
	75	0	22.0	22.4	21.7	21.9	21.9	

SN: 004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch20850 / 2510 MHz	Ch21100 / 2535 MHz	Ch21350 / 2560 MHz
LTE7 20 MHz		1	0	24.0	24.4	23.6	23.9	23.9
		1	49	24.0	24.4	23.7	24.0	24.0
		1	99	23.0	23.4	23.2	23.4	23.4
	QPSK	50	0	23.0	23.4	22.7	23.1	23.0
	16QAM	50	24	23.0	23.4	22.7	23.1	23.0
		50	50	22.5	22.9	22.5	22.9	22.8
		100	0	22.5	22.9	22.6	22.9	22.9
		1	0	23.0	23.4	22.7	23.4	23.4
		1	49	23.0	23.4	22.9	23.3	23.4
		1	99	23.0	23.4	22.5	23.1	23.0
		50	0	22.0	22.4	21.7	22.0	22.0
	50	24	22.0	22.4	21.7	22.1	22.1	
	50	50	21.5	21.9	21.5	21.9	21.9	
	100	0	21.5	21.9	21.6	21.9	21.9	

### 5.1.6 LTE 12

SN: 004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch23017 / 699.7 MHz	Ch23095 / 707.5 MHz	Ch23173 / 715.3 MHz
LTE12 1.4 MHz	QPSK	1	0	23.0	23.4	22.5	22.6	22.7
		1	2	23.0	23.4	22.5	22.5	22.7
		1	5	22.5	22.9	22.2	22.4	22.6
		3	0	23.0	23.4	22.5	22.6	22.6
		3	2	23.0	23.4	22.5	22.5	22.7
		3	3	23.0	23.4	22.6	22.5	22.7
		6	0	21.5	21.9	21.2	21.4	21.6
	16QAM	1	0	22.0	22.4	21.5	22.1	22.3
		1	2	22.0	22.4	21.6	22.1	22.3
		1	5	22.0	22.4	21.6	22.0	22.1
		3	0	22.0	22.4	21.5	21.5	21.6
		3	2	22.0	22.4	21.5	21.6	21.7
		3	3	22.0	22.4	21.5	21.6	21.6
		6	0	21.0	21.4	20.5	20.6	20.6

SN: 004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch23025 / 700.5 MHz	Ch23095 / 707.5 MHz	Ch23165 / 714.5 MHz
LTE12 3 MHz	QPSK	1	0	23.0	23.4	22.5	22.5	22.6
		1	7	23.0	23.4	22.6	22.7	23.1
		1	14	22.5	22.9	22.3	22.4	22.7
		8	0	22.0	22.4	21.5	21.5	21.7
		8	3	22.0	22.4	21.6	21.5	21.7
		8	7	22.0	22.4	21.5	21.5	21.7
		15	0	22.0	22.4	21.6	21.5	21.7
	16QAM	1	0	22.0	22.4	21.5	21.8	22.0
		1	7	22.0	22.4	21.7	21.9	22.2
		1	14	22.0	22.4	21.6	21.7	21.9
		8	0	20.5	20.9	20.4	20.4	20.6
		8	3	20.5	20.9	20.3	20.4	20.7
		8	7	20.5	20.9	20.4	20.4	20.7
		15	0	20.5	20.9	20.3	20.5	20.6

SN: 004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch23035 / 701.5 MHz	Ch23095 / 707.5 MHz	Ch23155 / 713.5 MHz
LTE12 5 MHz	QPSK	1	0	22.5	22.9	22.2	22.5	22.6
		1	12	22.5	22.9	22.3	22.5	22.7
		1	24	22.5	22.9	22.3	22.5	22.6
		12	0	21.5	21.9	21.2	21.4	21.5
		12	6	21.5	21.9	21.3	21.5	21.6
		12	13	21.5	21.9	21.2	21.4	21.6
		25	0	21.5	21.9	21.3	21.5	21.7
	16QAM	1	0	22.0	22.4	21.9	21.8	21.6
		1	12	22.0	22.4	21.8	21.7	21.7
		1	24	22.0	22.4	21.7	21.7	21.6
		12	0	20.5	20.9	20.3	20.5	20.6
		12	6	20.5	20.9	20.3	20.5	20.6
		12	13	20.5	20.9	20.2	20.4	20.7
		25	0	20.5	20.9	20.3	20.5	20.6

SN: 004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch23060 / 704 MHz	Ch23095 / 707.5 MHz	Ch23130 / 711 MHz
LTE12 10 MHz	QPSK	1	0	22.5	22.9	22.5	22.4	22.5
		1	24	22.5	22.9	22.4	22.5	22.5
		1	49	22.5	22.9	22.5	22.5	22.6
		25	0	21.5	21.9	21.4	21.5	21.4
		25	12	21.5	21.9	21.4	21.5	21.5
		25	25	21.5	21.9	21.3	21.4	21.4
		50	0	21.5	21.9	21.3	21.4	21.4
	16QAM	1	0	22.0	22.4	21.5	21.6	22.0
		1	24	22.0	22.4	21.5	21.6	21.9
		1	49	22.0	22.4	21.5	21.7	22.2
		25	0	20.5	20.9	20.3	20.4	20.4
		25	12	20.5	20.9	20.3	20.4	20.4
		25	25	20.5	20.9	20.3	20.3	20.4
		50	0	20.5	20.9	20.3	20.4	20.4

### 5.1.7 LTE 17

SN:004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch23755 / 706.5 MHz	Ch23790 / 710 MHz	Ch23825 / 713.5 MHz
LTE17 5 MHz	QPSK	1	0	22.5	22.9	22.8	22.8	22.9
		1	12	22.5	22.9	22.6	22.8	22.9
		1	24	22.5	22.9	22.8	22.9	22.9
		12	0	21.5	21.9	21.8	21.9	21.9
		12	6	21.5	21.9	21.8	21.9	21.9
		12	13	21.5	21.9	21.7	21.9	21.9
	16QAM	25	0	21.5	21.9	21.7	21.9	21.9
		1	0	22.0	22.4	22.3	22.1	21.9
		1	12	22.0	22.4	22.4	22.2	22.3
		1	24	22.0	22.4	22.3	22.1	22.1
		12	0	20.5	20.9	20.7	20.9	20.9
		12	6	20.5	20.9	20.8	20.9	20.9
		12	13	20.5	20.9	20.7	20.9	20.9
		25	0	20.5	20.9	20.7	20.8	20.9

SN:004402742308376						Nominal		
Band / BW	Modulation	RB Allocation	RB Offset	Tuning target (dBm)	Upper limit (dBm)	Ch23780 / 709 MHz	Ch23790 / 710 MHz	Ch23800 / 711 MHz
LTE17 10 MHz	QPSK	1	0	23.0	23.4	22.9	22.9	23.0
		1	24	23.0	23.4	22.9	22.9	22.9
		1	49	23.0	23.4	23.0	23.0	23.0
		25	0	21.5	21.9	21.8	21.8	21.9
		25	12	21.5	21.9	21.9	21.9	21.9
		25	25	21.5	21.9	21.9	21.8	21.9
	16QAM	50	0	21.5	21.9	21.9	21.9	21.8
		1	0	22.0	22.4	21.9	22.2	22.2
		1	24	22.0	22.4	22.1	22.1	22.1
		1	49	22.0	22.4	22.2	22.2	22.4
		25	0	20.5	20.9	20.8	20.8	20.8
		25	12	20.5	20.9	20.8	20.9	20.8
		25	25	20.5	20.9	20.9	20.8	20.8
		50	0	20.5	20.9	20.9	20.9	20.8