

FCC Part 22/24/27 Compliance Test Report

Test Report no.:	FCC_Cellular_RM-1116_03_ant1.docx	Date of Report:	23-Sep-2015
Number of pages:	31	Customer's Contact person:	Tia Melava
Testing laboratory:	TCC Microsoft Tampere Laboratory P.O.Box 403 Visiokatu 3 FIN-33101 TAMPERE, FINLAND Tel. +358 71 800 8000 Fax. +358 71 804 6880	Customer:	Microsoft P.O.Box(86) Joensuunkatu 7E FIN-24101 SALO, FINLAND Tel. +358 (0) 7180 08000 Fax. +358 71 80 44122
FCC listing no.:	94436		
IC recognition no.:	661AK-1		
Tested devices/ accessories:	Phone RM-1116 / Battery BV-T4D / AC charger AC-100E / Headset WH-308		
FCC ID:	PYARM-1116	IC:	661X-RM1116
Supplement reports:	-		
Testing has been carried out in accordance with:	CFR 47, FCC rules Parts 22/24/27, TIA-603-C-2004 and IC standards, RSS-GEN (Issue 4, November 2014), RSS-132 (Issue 3, January 2013), RSS-133 (Issue 6, January 2013), RSS-139 (Issue 2, February 2009), RSS-199 (Issue 2, October 2014), RSS-130 (Issue 1, October 2013). Deviations, modifications or clarifications (if any) to above mentioned documents are written in each section under "Test method and limit".		
Documentation:	The test report must always be reproduced in full; reproduction of an excerpt only is subject to written approval of the testing laboratory. The documentation of the testing performed on the tested devices is archived for 15 years at TCC Microsoft.		
Test Results:	The EUT complies with the requirements in respect of all parameters subject to the test. The test results relate only to devices specified in this document		
Date and signature for the contents:			

Timo Raiskio, System Manager, EMC

1. Summary for FCC Part 22/24/27 Compliance Test Report

Date of receipt	17-Jul-2015
Testing completed	17-Sep-2015
The customer's contact person	Tia Melava
Test Plan referred to	T:\Projects\RM-1116\TestPlan\RS_TestPlan_RM-1116.xlsm
Notes	LTE conducted output power results can be found in chapter 5. Appendix.
Document name	T:\Projects\RM-1116\EMC\FCC_Cellular_RM-1116_03_ant1.docx

1.1. EUT and Accessory Information

The EUT is a mobile phone with following features:
GSM/WCDMA/WLAN
The EUT is tested with maximum rated TX power.

Devices under tests

Product	Type	SN	HW	MV	SW	DUT
Phone	RM-1116	004402742362886	2030	-	01066.00001.15267.14000	400029
Battery	BVT4D	-	LGC V3.0	-	-	400012
AC charger	AC-100E	40904951255803017590675758	0.3	-	-	400013
Headset	WH-308	-	-	-	-	400014

1.2. Summary of Test Results

GSM 850:

Section in CFR 47	Section in RSS-GEN or RSS-132	Name of the test	Result
§2.1046(a), 22.913(a)	4.4	Conducted RF output power	-
§22.913(a)	4.4	Radiated RF output power	PASSED
N/A	5.4	Peak to average power ratio	-
§2.1049(h)	6.6	99 % occupied bandwidth	-
§22.917(a)	4.5	Band edge compliance	-
§22.917(a), §2.1051	4.5	Spurious emissions at antenna terminals	-
§22.917(a), §2.1053	4.5	Spurious radiated emissions	PASSED
§2.1055(a)	4.3	Frequency stability, temperature variation	-
§2.1055(d)	4.3	Frequency stability, voltage variation	-

GSM 1900:

Section in CFR 47	Section in RSS-GEN or RSS-133	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	-
§24.232(b)	6.4	Radiated RF output power	PASSED
N/A	6.4	Peak to average power ratio	-
§2.1049(h)	6.6	99 % occupied bandwidth	-
§24.238(a)	6.5	Band edge compliance	-
§24.238(a), §2.1051	6.5	Spurious emissions at antenna terminals	-
§24.238(a), §2.1053	6.5	Spurious radiated emissions	PASSED
§2.1055(a)	6.3	Frequency stability, temperature variation	-
§2.1055(d)	6.3	Frequency stability, voltage variation	-

WCDMA2:

Section in CFR 47	Section in RSS-GEN or RSS-133	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	-
§24.232(b)	6.4	Radiated RF output power	PASSED
N/A	6.4	Peak to average power ratio	-
§2.1049(h)	6.6	99 % occupied bandwidth	-
§24.238(a)	6.5	Band edge compliance	-
§24.238(a), §2.1051	6.5	Spurious emissions at antenna terminals	-
§24.238(a), §2.1053	6.5	Spurious radiated emissions	PASSED
§2.1055(a)	6.3	Frequency stability, temperature variation	-
§2.1055(d)	6.3	Frequency stability, voltage variation	-

WCDMA4:

Section in CFR 47	Section in RSS-GEN or RSS-139	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	-
§27.50(d)(2)	6.4	Radiated RF output power	PASSED
N/A	6.4	Peak to average power ratio	-
§2.1049(h)	6.6	99 % occupied bandwidth	-
§27.53(g)	6.5	Band edge compliance	-
§27.53(g), §2.1051	6.5	Spurious emissions at antenna terminals	-
§24.238(a), §2.1053	6.5	Spurious radiated emissions	PASSED
§2.1055(a)	6.3	Frequency stability, temperature variation	-
§2.1055(d)	6.3	Frequency stability, voltage variation	-

WCDMA5:

Section in CFR 47	Section in RSS-GEN or RSS-132	Name of the test	Result
§2.1046(a), 22.913(a)	4.4	Conducted RF output power	-
§22.913(a)	4.4	Radiated RF output power	PASSED
N/A	5.4	Peak to average power ratio	-
§2.1049(h)	6.6	99 % occupied bandwidth	-
§22.917(a)	4.5	Band edge compliance	-
§22.917(a), §2.1051	4.5	Spurious emissions at antenna terminals	-
§22.917(a), §2.1053	4.5	Spurious radiated emissions	PASSED
§2.1055(a)	4.3	Frequency stability, temperature variation	-
§2.1055(d)	4.3	Frequency stability, voltage variation	-

LTE2:

Section in CFR 47	Section in RSS-GEN or RSS-133	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	-
§24.232(b)	6.4	Radiated RF output power	PASSED
N/A	6.4	Peak to average power ratio	-
§2.1049(h)	6.6	99 % occupied bandwidth	-
§24.238(a)	6.5	Band edge compliance	-
§24.238(a), §2.1051	6.5	Spurious emissions at antenna terminals	-
§24.238(a), §2.1053	6.5	Spurious radiated emissions	PASSED
§2.1055(a)	6.3	Frequency stability, temperature variation	-
§2.1055(d)	6.3	Frequency stability, voltage variation	-

LTE4:

Section in CFR 47	Section in RSS-GEN or RSS-139	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	-
§27.50(d)(4)	6.4	Radiated RF output power	PASSED
N/A	6.4	Peak to average power ratio	-
§2.1049(h)	6.6	99 % occupied bandwidth	-
§27.53(h)	6.5	Band edge compliance	-
§27.53(h), §2.1051	6.5	Spurious emissions at antenna terminals	-
§27.53(h), §2.1053	6.5	Spurious radiated emissions	PASSED
§2.1055(a)	6.3	Frequency stability, temperature variation	-
§2.1055(d)	6.3	Frequency stability, voltage variation	-

LTE5:

Section in CFR 47	Section in RSS-GEN or RSS-132	Name of the test	Result
§2.1046(a), 22.913(a)	4.4	Conducted RF output power	-
§22.913(a)	4.4	Radiated RF output power	PASSED
N/A	5.4	Peak to average power ratio	-
§2.1049(h)	6.6	99 % occupied bandwidth	-
§22.917(a)	4.5	Band edge compliance	-
§22.917(a), §2.1051	4.5	Spurious emissions at antenna terminals	-
§22.917(a), §2.1053	4.5	Spurious radiated emissions	PASSED
§2.1055(a)	4.3	Frequency stability, temperature variation	-
§2.1055(d)	4.3	Frequency stability, voltage variation	-

LTE7:

Section in CFR 47	Section in RSS-GEN or RSS-199	Name of the test	Result
§2.1046(a)	4.4	Conducted RF output power	-
§27.50(h)(2)	4.4	Radiated RF output power	PASSED
N/A	N/A	Peak to average power ratio	-
§2.1049(h)	6.6	99 % occupied bandwidth	-
§27.53(l)	4.5(b)	Band edge compliance	-
§2.1051	4.5(b)	Spurious emissions at antenna terminals	-
§27.53(l), §2.1053	4.5(b)	Spurious radiated emissions	PASSED
§27.54	4.3	Frequency stability, temperature variation	-
§27.54	4.3	Frequency stability, voltage variation	-

LTE12:

Section in CFR 47	Section in RSS-GEN or RSS-130	Name of the test	Result
§2.1046(a)	4.4	Conducted RF output power	-
§27.50(c)10	4.4	Radiated RF output power	PASSED
N/A	N/A	Peak to average power ratio	-
§2.1049(h)	6.6	99 % occupied bandwidth	-
§27.53(f)	4.6	Band edge compliance	-
§27.53(f)	4.6	Spurious emissions at antenna terminals	-
§27.53(f)	4.6	Spurious radiated emissions	PASSED
§27.54	4.3	Frequency stability, temperature variation	-
§27.54	4.3	Frequency stability, voltage variation	-

LTE17:

Section in CFR 47	Section in RSS-GEN or RSS-130	Name of the test	Result
§2.1046(a)	4.4	Conducted RF output power	-
§27.50(c)(10)	4.4	Radiated RF output power	PASSED
N/A	N/A	Peak to average power ratio	-
§2.1049(h)	6.6	99 % occupied bandwidth	-
§27.53(g)	4.6	Band edge compliance	-
§27.53(g), §2.1051	4.6	Spurious emissions at antenna terminals	-
§27.53(g), §2.1051	4.6	Spurious radiated emissions	PASSED
§2.1055(a)	4.3 (a)	Frequency stability, temperature variation	-
§2.1055(d)	4.3 (a)	Frequency stability, voltage variation	-

PASSED
 FAILED
 NP

The EUT complies with the essential requirements in the standard.
 The EUT does not comply with the essential requirements in the standard.
 The test was not performed by the TCC Microsoft Laboratory.

CONTENTS

1. Summary for FCC Part 22/24/27 Compliance Test Report	2
1.1. EUT and Accessory Information	2
1.2. Summary of Test Results	2
2. Radiated RF output power , Antenna 1 (FCC §22.913(a), §27.50(c)10, §27.50(h)(2), §27.50(d)(4), §27.50(d)(2), §24.232(b), RSS-132 4.4, RSS-133 6.4, RSS-139 6.4, RSS-199 4.4, RSS-130 4.4).....	8
2.2. Test method and limit	8
2.3. GSM 850 test results	10
2.4. GSM 850 E-GPRS (MSC9) test results.....	10
2.5. GSM 1900 test results	10
2.6. GSM 1900 E-GPRS (MSC9) test results.....	10
2.7. WCDMA2 test results	11
2.8. WCDMA4 test results	11
2.9. WCDMA5 test results	11
2.10. LTE2 test results.....	11
2.11. LTE4 test results.....	12
2.12. LTE5 test results.....	13
2.13. LTE7 test results.....	Error! Bookmark not defined.
2.14. LTE12 test results.....	14
2.15. LTE17 test results.....	14
3. Spurious radiated emissions, Antenna 1 (FCC §22.917(a), §27.53(g), §2.1051, §27.53(f), §27.53(l), §2.1053, §27.53(h), §2.1053, §22.917(a), §2.1053, §24.238(a), §2.1053, §2.1053, RSS-132 4.5, RSS-133 6.5, RSS- 139 6.5, RSS-199 4.5(b), RSS-130 4.6).....	16
3.2. Test method and limit	16
3.3. GSM 850 test results	18
3.4. GSM 850 E-GPRS (MSC9) test results.....	18
3.5. GSM 1900 test results	18
3.6. GSM 1900 E-GPRS (MSC9) test results.....	19
3.7. WCDMA2 test results	19
3.8. WCDMA4 test results	20
3.9. WCDMA5 test results	20
3.10. LTE2 test results.....	21
3.11. LTE4 test results.....	21
3.12. LTE5 test results.....	22
3.13. LTE7 test results.....	22
3.14. LTE12 test results.....	23


3.15.	LTE17 test results	23
4.	Test Equipment.....	25
4.1.	Conducted measurements	25
4.2.	Radiated measurements	26

2. Radiated RF output power , Antenna 1

(FCC §22.913(a), §27.50(c)10, §27.50(h)(2), §27.50(d)(4), §27.50(d)(2), §24.232(b), RSS-132 4.4, RSS-133 6.4, RSS-139 6.4, RSS-199 4.4, RSS-130 4.4)

EUT with DUT number	RM-1116, DUT 400029
Accessories with DUT numbers	BV-T4D, DUT 400012
Operation Voltage [V] / [Hz]	Nominal
Results	PASSED
Remarks	-
Temp [°C] / Humidity [%RH] / Air Pressure [kPa]	20 / 49 / 100.6
Date of measurements	17-Sep-2015
Measured by	Timo Raiskio

2.1.1 Test setup



2.2. Test method and limit

The measurement is made according to TIA-603-C-2004 as follows:

The measurement is performed in the Anechoic Chamber with absorbers on the floor and measuring antenna at fixed height using 2-axis EUT position system. The turntable is rotated 360 degrees and this is repeated for both horizontal and vertical receive antenna polarizations.

The EUT is placed on a nonconductive plate at 170 cm height.

The substitution method is used. The measurement results are obtained as described below:

$$P[\text{dBm}] = P_{\text{SUBST TX}} + P_{\text{MEAS}} - P_{\text{SUBST RX}} - L_{\text{SUBST CABLES}} + G_{\text{SUBST TX ANT}}$$

Where $P_{\text{SUBST TX}}$ is signal generator level. P_{MEAS} is measured power level from the EUT. $P_{\text{SUBST RX}}$ is measured power level in substitute measurement. $L_{\text{SUBST CABLE}}$ is the loss of the cable between the signal generator and the substitution antenna and $G_{\text{SUBST TX ANT}}$ is substitution antenna gain.

Limits for radiated RF output power measurements

Frequency range [MHz]	Limit [W]	Limit [dBm]
824 - 849	7 ERP	38.5
1850 - 1910	2 EIRP	33
1710 - 1755	1 EIRP	30

2502.5 - 2567.5	2 EIRP	33
699 - 712	2 ERP	33

2.3. GSM 850 test results

RMS detector

Channel / f _c [MHz]	ERP [dBm]	ERP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
128 / 824.2	25.01	0.317	-7.32	32.33	VERTICAL	PASSED
190 / 836.6	26.89	0.489	-4.74	31.63	HORIZONTAL	PASSED
251 / 848.8	26.87	0.487	-3.53	30.4	HORIZONTAL	PASSED

2.4. GSM 850 E-GPRS (MSC9) test results

RMS detector

Channel / f _c [MHz]	ERP [dBm]	ERP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
128 / 824.2	20.3	0.107	-12.03	32.33	VERTICAL	PASSED
190 / 836.6	22.18	0.165	-9.45	31.63	HORIZONTAL	PASSED
251 / 848.8	25.79	0.379	-5.02	30.81	VERTICAL	PASSED

2.5. GSM 1900 test results

RMS detector

Channel / f _c [MHz]	EIRP [dBm]	EIRP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
512 / 1850.2	23.75	0.237	-19.02	42.77	HORIZONTAL	PASSED
661 / 1880	22.77	0.189	-19.99	42.76	HORIZONTAL	PASSED
810 / 1909.8	22.04	0.16	-20.87	42.91	HORIZONTAL	PASSED

2.6. GSM 1900 E-GPRS (MSC9) test results

RMS detector

Channel / f _c [MHz]	EIRP [dBm]	EIRP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
512 / 1850.2	24.01	0.252	-18.76	42.77	HORIZONTAL	PASSED
661 / 1880	22.81	0.191	-19.95	42.76	HORIZONTAL	PASSED
810 / 1909.8	22.36	0.172	-20.55	42.91	HORIZONTAL	PASSED

2.7. WCDMA2 test results

RMS detector

Channel / f _c [MHz]	EIRP [dBm]	EIRP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
9262 / 1852.4	22.53	0.179	-20.26	42.79	HORIZONTAL	PASSED
9400 / 1880	22.32	0.17	-20.44	42.76	HORIZONTAL	PASSED
9538 / 1907.6	22.02	0.159	-20.83	42.85	HORIZONTAL	PASSED

2.8. WCDMA4 test results

RMS detector

Channel / f _c [MHz]	EIRP [dBm]	EIRP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
1312 / 1712.4	23.18	0.208	-18.62	41.8	HORIZONTAL	PASSED
1412 / 1732.4	23.62	0.23	-18.27	41.89	HORIZONTAL	PASSED
1513 / 1752.6	23.26	0.212	-18.63	41.89	HORIZONTAL	PASSED

2.9. WCDMA5 test results

RMS detector

Channel / f _c [MHz]	ERP [dBm]	ERP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
4132 / 826.4	16.73	0.047	-15.75	32.48	VERTICAL	PASSED
4175 / 835	17.3	0.054	-14.54	31.84	HORIZONTAL	PASSED
4233 / 846.6	16.85	0.048	-13.94	30.79	VERTICAL	PASSED

2.10. LTE2 test results

FDD, CBW 3MHz, QPSK, 1RB mid, RMS detector

Channel / f _c [MHz]	EIRP [dBm]	EIRP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
0 / 1851.5	22.66	0.184	-20.11	42.77	HORIZONTAL	PASSED
18900 / 1880	22.15	0.164	-20.61	42.76	HORIZONTAL	PASSED
18900 / 1908.5	22.32	0.171	-20.56	42.88	HORIZONTAL	PASSED

FDD, CBW 20MHz, QPSK, 1RB mid, RMS detector

Channel / f _c [MHz]	EIRP [dBm]	EIRP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
0 / 1860	22.8	0.191	-20	42.8	HORIZONTAL	PASSED
18900 / 1880	22.34	0.172	-20.42	42.76	HORIZONTAL	PASSED
18900 / 1900	22.34	0.171	-20.49	42.83	HORIZONTAL	PASSED

FDD, CBW 3MHz, 16QAM, 1RB mid, RMS detector

Channel / fc [MHz]	EIRP [dBm]	EIRP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
0 / 1851.5	22.95	0.197	-19.82	42.77	HORIZONTAL	PASSED
18900 / 1880	21.97	0.157	-20.79	42.76	HORIZONTAL	PASSED
18900 / 1908.5	22.66	0.185	-20.22	42.88	HORIZONTAL	PASSED

FDD, CBW 20MHz, 16QAM, 1RB mid, RMS detector

Channel / fc [MHz]	EIRP [dBm]	EIRP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
0 / 1860	22.73	0.187	-20.07	42.8	HORIZONTAL	PASSED
18900 / 1880	22.41	0.174	-20.35	42.76	HORIZONTAL	PASSED
18900 / 1900	22.3	0.17	-20.53	42.83	HORIZONTAL	PASSED

2.11. LTE4 test results

FDD, CBW 3MHz, QPSK, 1RB mid, RMS detector

Channel / fc [MHz]	EIRP [dBm]	EIRP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
0 / 1711.5	23.87	0.244	-17.92	41.79	HORIZONTAL	PASSED
20175 / 1732.5	24.08	0.256	-17.81	41.89	HORIZONTAL	PASSED
20175 / 1753.5	24.13	0.259	-17.75	41.88	HORIZONTAL	PASSED

FDD, CBW 20MHz, QPSK, 1RB mid, RMS detector

Channel / fc [MHz]	EIRP [dBm]	EIRP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
0 / 1720	23.88	0.244	-18.01	41.89	HORIZONTAL	PASSED
20175 / 1732.5	24.46	0.279	-17.43	41.89	HORIZONTAL	PASSED
20175 / 1745	24.16	0.26	-17.74	41.9	HORIZONTAL	PASSED

FDD, CBW 5MHz, 16QAM, 1RB mid, RMS detector

Channel / fc [MHz]	EIRP [dBm]	EIRP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
19975 / 1712.5	23.78	0.239	-18.02	41.8	HORIZONTAL	PASSED
20175 / 1732.5	24.55	0.285	-17.34	41.89	HORIZONTAL	PASSED
20375 / 1752.5	24.17	0.261	-17.72	41.89	HORIZONTAL	PASSED

FDD, CBW 20MHz, 16QAM, 1RB mid, RMS detector

Channel / fc [MHz]	EIRP [dBm]	EIRP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
0 / 1720	23.97	0.25	-17.92	41.89	HORIZONTAL	PASSED
20175 / 1732.5	23.81	0.24	-18.08	41.89	HORIZONTAL	PASSED
20175 / 1745	24.35	0.272	-17.55	41.9	HORIZONTAL	PASSED

2.12. LTE5 test results

FDD, CBW 3MHz, QPSK, 1RB mid, RMS detector

Channel / f _c [MHz]	ERP [dBm]	ERP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
0 / 825.5	16.71	0.047	-15.65	32.36	VERTICAL	PASSED
20525 / 836.5	18.01	0.063	-13.63	31.64	VERTICAL	PASSED
20525 / 847.5	17.28	0.053	-13.5	30.78	VERTICAL	PASSED

FDD, CBW 10MHz, QPSK, 1RB mid, RMS detector

Channel / f _c [MHz]	ERP [dBm]	ERP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
0 / 829	17.49	0.056	-14.73	32.22	VERTICAL	PASSED
20525 / 836.5	18.09	0.064	-13.55	31.64	HORIZONTAL	PASSED
20525 / 844	17.56	0.057	-13.44	31	VERTICAL	PASSED

FDD, CBW 5MHz, 16QAM, 1RB mid, RMS detector

Channel / f _c [MHz]	ERP [dBm]	ERP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
20425 / 826.5	17.41	0.055	-15.06	32.47	VERTICAL	PASSED
20525 / 836.5	17.63	0.058	-14.01	31.64	HORIZONTAL	PASSED
20625 / 846.5	17.27	0.053	-13.52	30.79	VERTICAL	PASSED

FDD, CBW 10MHz, 16QAM, 1RB mid, RMS detector

Channel / f _c [MHz]	ERP [dBm]	ERP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
0 / 829	17.47	0.056	-14.75	32.22	VERTICAL	PASSED
20525 / 836.5	17.99	0.063	-13.65	31.64	VERTICAL	PASSED
20525 / 844	17.27	0.053	-13.18	30.45	HORIZONTAL	PASSED

2.13. LTE12 test results

FDD, CBW 3MHz, QPSK, 1RB mid, RMS detector

Channel / fc [MHz]	ERP [dBm]	ERP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
0 / 700.5	15.4	0.035	-15.06	30.46	VERTICAL	PASSED
23095 / 707.5	15.89	0.039	-14.26	30.15	HORIZONTAL	PASSED
23095 / 714.5	17.51	0.056	-12.99	30.5	VERTICAL	PASSED

FDD, CBW 10MHz, QPSK, 1RB mid, RMS detector

Channel / fc [MHz]	ERP [dBm]	ERP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
0 / 704	15.5	0.035	-15.22	30.72	VERTICAL	PASSED
23095 / 707.5	16.01	0.04	-14.14	30.15	HORIZONTAL	PASSED
23095 / 711	17.11	0.051	-13.52	30.63	VERTICAL	PASSED

FDD, CBW 3MHz, 16QAM, 1RB mid, RMS detector

Channel / fc [MHz]	ERP [dBm]	ERP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
0 / 700.5	15.58	0.036	-14.88	30.46	VERTICAL	PASSED
23095 / 707.5	15.79	0.038	-14.89	30.68	VERTICAL	PASSED
23095 / 714.5	17.55	0.057	-12.95	30.5	VERTICAL	PASSED

FDD, CBW 10MHz, 16QAM, 1RB mid, RMS detector

Channel / fc [MHz]	ERP [dBm]	ERP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
0 / 704	15.9	0.039	-14.03	29.93	HORIZONTAL	PASSED
23095 / 707.5	16.32	0.043	-13.83	30.15	HORIZONTAL	PASSED
23095 / 711	17.27	0.053	-13.03	30.3	HORIZONTAL	PASSED

2.14. LTE17 test results

FDD, CBW 10MHz, QPSK, 1RB mid, RMS detector

Channel / fc [MHz]	ERP [dBm]	ERP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
23780 / 709	18.11	0.065	-12.12	30.23	HORIZONTAL	PASSED
23790 / 710	18.03	0.063	-12.64	30.67	VERTICAL	PASSED
23800 / 711	17.94	0.062	-12.36	30.3	HORIZONTAL	PASSED

FDD, CBW 5MHz, 16QAM, 1RB mid, RMS detector

Channel / fc [MHz]	ERP [dBm]	ERP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
23755 / 706.5	17.27	0.053	-12.82	30.09	HORIZONTAL	PASSED
23790 / 710	17.62	0.058	-13.05	30.67	VERTICAL	PASSED
23825 / 713.5	17.41	0.055	-13.13	30.54	VERTICAL	PASSED

FDD, CBW 10MHz, 16QAM, 1RB mid, RMS detector


Channel / f _c [MHz]	ERP [dBm]	ERP [W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
23780 / 709	17.5	0.056	-12.73	30.23	HORIZONTAL	PASSED
23790 / 710	17.76	0.06	-12.53	30.29	HORIZONTAL	PASSED
23800 / 711	17.81	0.06	-12.82	30.63	VERTICAL	PASSED

3. Spurious radiated emissions, Antenna 1

(FCC §22.917(a), §27.53(g), §2.1051, §27.53(f), §27.53(l), §2.1053, §27.53(h), §2.1053, §22.917(a), §2.1053, §24.238(a), §2.1053, §2.1053, RSS-132 4.5, RSS-133 6.5, RSS-139 6.5, RSS-199 4.5(b), RSS-130 4.6)

EUT with DUT number	RM-1116, DUT 400029
Accessories with DUT numbers	BV-T4D, DUT 400012 ; AC-100E, DUT 400013 ; WH-308, DUT 400014
Operation Voltage [V] / [Hz]	Nominal
Results	PASSED
Remarks	-
Temp [°C] / Humidity [%RH] / Air Pressure [kPa]	20 / 51 / 100.2
Date of measurements	22-Jul-2015
Measured by	Timo Raisio

3.1.1 Test setup



3.2. Test method and limit

The measurement is made according to TIA-603-C-2004 as follows:

The measurement is divided into the Preliminary Measurement and the Final Measurement.

The suspected frequencies are searched for in Preliminary Measurement with absorbers on the floor and measuring antenna at fixed height using 2-axis EUT position system.

The Final Measurement is performed in the Semi-Anechoic Chamber with conducting metal floor, if the Preliminary Measurement results are closer than 20 dB to the permissible value.

The EUT is placed at nonconductive plate at the turntable center.

For each suspected frequency, the turntable is rotated 360 degrees and antenna is scanned from 1 to 4 m. This is repeated for both horizontal and vertical receive antenna polarizations.

The emissions less than 20 dB below the permissible value are reported.

The measurement is made up to 10th harmonic of the EUT highest TX channel.

The substitution method is used.

The measurement results are obtained as described below:

$$P [dBm] = P_{SUBST TX} + G_{SUBST TX ANT} - L_{SUBST CABLE}$$

Where $P_{SUBST TX}$ is signal generator level, which produces the same receiver reading P_{MEAS} in dBm as EUT. $G_{SUBST TX ANT}$ is substitution antenna gain and $L_{SUBST CABLE}$ is the loss of the cable between the signal generator and the substitution antenna.

Limits for spurious radiated emissions measurements

Operation band	Frequency range [MHz]	Limit [dBm]
GSM 850	30 - 8500	-13
GSM 1900	30 - 19100	-13
WCDMA2	30 - 19100	-13
WCDMA4	30 - 17500	-13
WCDMA5	30 - 8500	-13
LTE2	30 - 19100	-13
LTE4	30 - 17500	-13
LTE5	30 - 8500	-13
LTE7	30 - 25700	-13
LTE12	30 - 7200	-13
LTE17	30 - 7200	-13 (RBW = 100 kHz, ERP)

3.3. GSM 850 test results

Channel 190 / 836.6 MHz

Peak detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
1633.868	-59.91	0.00102	-52.91	-7	HORIZONTAL	PASSED
1678.076	-59.16	0.00121	-52.56	-6.6	VERTICAL	PASSED
2509.619	-42.68	0.05395	-42.88	0.2	HORIZONTAL	PASSED
2509.78	-42.72	0.05346	-42.92	0.2	HORIZONTAL	PASSED
3311.944	-60.02	0.001	-60.52	0.5	HORIZONTAL	PASSED
3378.036	-60.09	0.00098	-60.89	0.8	HORIZONTAL	PASSED

3.4. GSM 850 E-GPRS (MSC9) test results

Channel 190 / 836.6 MHz

Peak detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
1673.14	-56	0.00251	-49.3	-6.7	HORIZONTAL	PASSED
2509.7	-49.63	0.01089	-49.83	0.2	HORIZONTAL	PASSED

3.5. GSM 1900 test results

Channel 661 / 1880.0 MHz

Peak detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
7530.782	-49.33	0.01167	-63.83	14.5	VERTICAL	PASSED
7552.625	-48.59	0.01384	-62.79	14.2	HORIZONTAL	PASSED
9259.198	-44.73	0.03365	-64.03	19.3	HORIZONTAL	PASSED
9318.277	-44.86	0.03266	-63.46	18.6	HORIZONTAL	PASSED
9361.804	-45.61	0.02748	-64.11	18.5	VERTICAL	PASSED
9946.212	-44.93	0.03214	-62.93	18	VERTICAL	PASSED

3.6. GSM 1900 E-GPRS (MSC9) test results

Channel 661 / 1880.0 MHz

Peak detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
3759.98	-53.74	0.00423	-58.24	4.5	VERTICAL	PASSED
5642.625	-52.65	0.00543	-60.85	8.2	HORIZONTAL	PASSED

3.7. WCDMA2 test results

Channel 9400 / 1880.0 MHz

FDD mode, Peak detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
1910.04	-35.54	0.27925	-32.34	-3.2	HORIZONTAL	PASSED
1910.176	-33.21	0.47753	-30.11	-3.1	VERTICAL	PASSED
3758.617	-51.97	0.00635	-56.47	4.5	HORIZONTAL	PASSED
3762.345	-51.46	0.00714	-55.96	4.5	HORIZONTAL	PASSED
5643.667	-52.08	0.00619	-60.18	8.1	HORIZONTAL	PASSED
7521.423	-48.95	0.01274	-62.85	13.9	HORIZONTAL	PASSED
7538.537	-48.42	0.01439	-62.72	14.3	VERTICAL	PASSED
9316.894	-43.84	0.0413	-63.14	19.3	VERTICAL	PASSED
9400.22	-44.48	0.03565	-62.98	18.5	VERTICAL	PASSED
9627.074	-46.12	0.02443	-63.72	17.6	VERTICAL	PASSED
11275.451	-44.59	0.03475	-63.39	18.8	HORIZONTAL	PASSED
13157.575	-52.95	0.00507	-64.65	11.7	HORIZONTAL	PASSED
15044.389	-51.08	0.0078	-65.48	14.4	VERTICAL	PASSED
16915.01	-50.45	0.00902	-66.85	16.4	VERTICAL	PASSED

3.8. WCDMA4 test results

Channel 1412 / 1732.4 MHz

FDD mode, Peak detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
1713.417	-41.98	0.06339	-37.38	-4.6	VERTICAL	PASSED
1755.261	-48.03	0.01574	-43.63	-4.4	HORIZONTAL	PASSED
1760.731	-45.09	0.03097	-40.59	-4.5	VERTICAL	PASSED
3463.337	-47.24	0.01888	-51.24	4	HORIZONTAL	PASSED
5194.895	-52.64	0.00545	-60.44	7.8	HORIZONTAL	PASSED
6921.764	-48.28	0.01486	-59.28	11	VERTICAL	PASSED
7530.962	-48.56	0.01393	-63.06	14.5	VERTICAL	PASSED
8653.242	-46.63	0.02173	-63.43	16.8	VERTICAL	PASSED
9269.399	-43.18	0.04808	-62.88	19.7	VERTICAL	PASSED
9327.876	-44.27	0.03741	-62.67	18.4	HORIZONTAL	PASSED
10384.56	-45.44	0.02858	-63.44	18	VERTICAL	PASSED
12132.712	-45.87	0.02588	-64.37	18.5	HORIZONTAL	PASSED
13869	-52.15	0.0061	-64.25	12.1	HORIZONTAL	PASSED
15589.135	-49.86	0.01033	-65.46	15.6	VERTICAL	PASSED
17320.894	-49.14	0.01219	-66.94	17.8	VERTICAL	PASSED

3.9. WCDMA5 test results

Channel 4175 / 835.0 MHz

FDD mode, Peak detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
848.447	-46.36	0.02312	-77.16	30.8	VERTICAL	PASSED
848.482	-48.39	0.01449	-79.19	30.8	VERTICAL	PASSED
1001.423	-62.6	0.00055	-52.4	-10.2	VERTICAL	PASSED
1677.515	-59.51	0.00112	-52.91	-6.6	VERTICAL	PASSED
2498.377	-55.22	0.00301	-55.22	0	HORIZONTAL	PASSED
2513.397	-54.5	0.00355	-55.1	0.6	VERTICAL	PASSED
2519.98	-54.56	0.0035	-55.16	0.6	VERTICAL	PASSED
3334.649	-59.1	0.00123	-59.6	0.5	HORIZONTAL	PASSED
3359.058	-59.03	0.00125	-59.73	0.7	HORIZONTAL	PASSED
4180.952	-57.33	0.00185	-60.93	3.6	HORIZONTAL	PASSED
5015.992	-54.27	0.00374	-60.27	6	VERTICAL	PASSED
5848.587	-53.3	0.00468	-59.3	6	VERTICAL	PASSED
6680.02	-51.09	0.00778	-59.19	8.1	VERTICAL	PASSED
7522.635	-50.66	0.00859	-62.66	12	VERTICAL	PASSED
8348.056	-50.22	0.00951	-63.72	13.5	VERTICAL	PASSED

3.10. LTE2 test results

Channel 18900 / 1880.0 MHz

FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
3760.421	-58.59	0.00138	-63.09	4.5	HORIZONTAL	PASSED
5645.351	-62.64	0.00054	-70.74	8.1	HORIZONTAL	PASSED
7511.603	-59.55	0.00111	-73.65	14.1	HORIZONTAL	PASSED

Channel 18900 / 1880.0 MHz

FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
3760.301	-59.27	0.00118	-63.77	4.5	HORIZONTAL	PASSED
5646.112	-62.66	0.00054	-70.76	8.1	HORIZONTAL	PASSED
7512.645	-59.86	0.00103	-73.96	14.1	HORIZONTAL	PASSED

3.11. LTE4 test results

Channel 20175 / 1732.5 MHz

FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
3465.421	-49.05	0.01245	-53.05	4	HORIZONTAL	PASSED
5198.001	-63.02	0.0005	-70.72	7.7	HORIZONTAL	PASSED
6926.774	-58.74	0.00134	-69.94	11.2	VERTICAL	PASSED
8672.38	-57.22	0.0019	-74.22	17	VERTICAL	PASSED
10390.611	-56.23	0.00238	-74.23	18	VERTICAL	PASSED

Channel 20175 / 1732.5 MHz

FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
3465.381	-49.84	0.01038	-53.84	4	HORIZONTAL	PASSED
5187.5	-63.16	0.00048	-70.96	7.8	HORIZONTAL	PASSED
6929.379	-58.82	0.00131	-69.92	11.1	VERTICAL	PASSED
8653.342	-57.07	0.00196	-73.97	16.9	HORIZONTAL	PASSED
10389.008	-56.57	0.0022	-74.57	18	VERTICAL	PASSED

3.12. LTE5 test results

Channel 20525 / 836.5 MHz

FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
821.976	-60.82	0.00083	-93.02	32.2	HORIZONTAL	PASSED
851.164	-62.6	0.00055	-93	30.4	HORIZONTAL	PASSED
851.868	-62.52	0.00056	-93.02	30.5	HORIZONTAL	PASSED
852.036	-62.5	0.00056	-93	30.5	HORIZONTAL	PASSED
852.207	-62.49	0.00056	-92.99	30.5	HORIZONTAL	PASSED
861.16	-61.59	0.00069	-92.99	31.4	HORIZONTAL	PASSED
1680.595	-78.6	1E-05	-71.9	-6.7	HORIZONTAL	PASSED
2518.418	-73.71	4E-05	-74.31	0.6	HORIZONTAL	PASSED
3354.717	-79.02	1E-05	-79.62	0.6	HORIZONTAL	PASSED

Channel 20525 / 836.5 MHz

FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
853.281	-62.37	0.00058	-93.07	30.7	HORIZONTAL	PASSED
857.016	-61.95	0.00064	-93.05	31.1	HORIZONTAL	PASSED
857.863	-61.85	0.00065	-93.05	31.2	HORIZONTAL	PASSED
858.415	-61.79	0.00066	-92.99	31.2	HORIZONTAL	PASSED
862.731	-61.56	0.0007	-93.06	31.5	HORIZONTAL	PASSED
863.159	-61.55	0.0007	-93.05	31.5	HORIZONTAL	PASSED
1675.545	-78.63	1E-05	-71.93	-6.7	HORIZONTAL	PASSED
2513.688	-73.72	4E-05	-74.22	0.5	HORIZONTAL	PASSED
3355.88	-78.41	1E-05	-79.01	0.6	HORIZONTAL	PASSED

3.13. LTE7 test results

Channel 21100 / 2535.0 MHz

FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
2554.454	-50.4	0.00912	-51.6	1.2	HORIZONTAL	PASSED
5065.371	-63	0.0005	-71.4	8.4	HORIZONTAL	PASSED
7605.661	-57.2	0.00191	-71.2	14	HORIZONTAL	PASSED
10147.355	-56.9	0.00204	-73.3	16.4	HORIZONTAL	PASSED

Channel 21100 / 2535.0 MHz

FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
2554.213	-51.35	0.00733	-52.55	1.2	HORIZONTAL	PASSED
5077.836	-63.04	0.0005	-71.44	8.4	HORIZONTAL	PASSED
7605.541	-57.44	0.0018	-71.44	14	HORIZONTAL	PASSED
10140.261	-56.79	0.00209	-73.29	16.5	HORIZONTAL	PASSED

3.14. LTE12 test results

Channel 23095 / 707.5 MHz

FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
1425	-80.14	1E-05	-71.64	-8.5	HORIZONTAL	PASSED
2123.001	-72.34	6E-05	-68.94	-3.4	HORIZONTAL	PASSED
2839.399	-71.99	6E-05	-74.59	2.6	HORIZONTAL	PASSED

Channel 23095 / 707.5 MHz

FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
1424.92	-79.8	1E-05	-71.2	-8.6	VERTICAL	PASSED
2123.081	-73.56	4E-05	-70.26	-3.3	VERTICAL	PASSED
2839.118	-71.43	7E-05	-74.23	2.8	VERTICAL	PASSED

3.15. LTE17 test results

Channel 23790 / 710 MHz

FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
1429.84	-80.17	1E-05	-71.97	-8.2	HORIZONTAL	PASSED
2130.661	-71.92	6E-05	-68.92	-3	VERTICAL	PASSED
2847.154	-71.71	7E-05	-74.61	2.9	VERTICAL	PASSED

Channel 23790 / 710 MHz

FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarisation	Results
1425.311	-80.27	1E-05	-71.67	-8.6	VERTICAL	PASSED
2130.581	-71.92	6E-05	-68.92	-3	VERTICAL	PASSED
2845.952	-71.61	7E-05	-74.31	2.7	HORIZONTAL	PASSED

4. Test Equipment

4.1. Conducted measurements

Eq. No	Equipment	Type	Manufacturer	Used in
TM38112	Power supply	6632A	Agilent	22/24/27, 15C, 15E
TM38114	Power supply	6632A	Agilent	22/24/27, 15C, 15E
TM210233	Communication Tester	CMU200	R&S	22/24/27
TM30600	Impulse limiter	ESH3-Z2	R&S	15C, 15B
TM26490	LISN 50 µH	ESH3-Z5	R&S	15C, 15B
TM26491	LISN 50 µH	ESH3-Z5	R&S	15C, 15B
TM37610	Spectrum Analyzer	FSU26	R&S	22/24/27, 15C, 15E
TM23007	Oscilloscope	TDS684B	Tektronix	15E
TM22806	Battery	BAT 20/E	Fiskars	15C, 15B
TM22805	UPS	PS 20/1.2	Fiskars	15C, 15B
-	Temperature and humidity logger	175-H2	Testo	15C, 15B
-	Temperature and humidity logger	175-H2	Testo	22/24/27, 15C
-	Air pressure and temperature logger	635-2	Testo	22/24/27, 15C, 15B
-	Air pressure sensor	0638-1835	Testo	22/24/27, 15C, 15B
-	Temperature test chamber	VT 4002	Vötsch	22/24/27
2001	Bluetooth tester	CBT	R&S	15C, 15B
2009	LISN 50 µH	ENV216	R&S	15C, 15B
2010	LISN 50 µH	ENV216	R&S	15C, 15B
2012	Power splitter	11667B	Agilent	22/24/27, 15C
2013	Attenuator	8493C	Agilent	22/24/27, 15C
2014	Attenuator	8493C	Agilent	22/24/27, 15C
2019	Power splitter	ZN2PD-9G-S+	Mini-Circuits	15E
2020	Power splitter	ZN2PD-9G-S+	Mini-Circuits	15E
2021	Communication Tester	CMW500	R&S	22/24/27
2022	Communication Tester	CMU200	R&S	22/24/27
2023	Spectrum Analyzer	ESMI-RF	R&S	15B/15C
2024	Analyzer display unit	ESAI-D	R&S	15B/15C
2026	Signal Generator	SMF 100A	R&S	22/24/27, 15C, 15E, 15B
-	Bluetooth tester	CBT	R&S	15C, 15B
-	Communication Tester	CMU200	R&S	22/24/27, 15B

4.2. Radiated measurements

Eq. No	Equipment	Type	Manufacturer	Used in
-	Antenna	BBHA 9120 D	Schwarzbeck	22/24/27, 15C
TM38845	Receiver	ESIB 26	R&S	22/24/27, 15C, 15E, 15B
-	Antenna	HL562	R&S	22/24/27, 15C, 15E, 15B
-	Turntable	2188	EMCO	22/24/27, 15C, 15E, 15B
-	Turntable controller	2090	EMCO	22/24/27, 15C, 15E, 15B
-	RF system panel	OSP130	R&S	22/24/27, 15C, 15E, 15B
-	Mini mast	2075-2	ETS Lindgren	22/24/27, 15C, 15B
TM38843	Mini mast	2075	Emco	22/24/27, 15C, 15B
TM38842	Antenna mast controller	2090	Emco	22/24/27, 15C, 15B
TM30643	LISN 50 µH	LISN-5-20-2	FCC	22/24/27, 15C, 15B
TM30644	LISN 50 µH	LISN-5-20-2	FCC	22/24/27, 15C, 15B
-	Temperature and humidity logger	175-H2	Testo	22/24/27, 15C, 15B
-	Air pressure and temperature logger	635-2	Testo	22/24/27, 15C, 15B
-	Air pressure sensor	0638-1835	Testo	22/24/27, 15C, 15B
TM37523	Preamplifier	AMF-4D-10M-3G-25-20P	Miteq	22/24/27, 15C, 15B
TM37498	Preamplifier	AMF-5D-020180-26-10P	Miteq	22/24/27, 15C, 15B
TM30599	Semi anechoic chamber	UNKNOWN	TDK	22/24/27, 15C, 15B
TM22638	Power supply	OL63743-901	-	22/24/27, 15C, 15E, 15B
TM38066	High pass filter	WHKX3.0/18G-12SS	Wainwright	22/24/27, 15C, 15E, 15B
2028	High pass filter	WHKX 1.0/15G-12SS	Wainwright	22/24/27, 15C, 15E, 15B
TM37545	Tunable notch filter	800.0/960.0-0.2/40-8SSK	Wainwright	22
TM26512	Tunable notch filter	WRCD1850/1910-0.2/40-10SSK	Wainwright	24
-	Band reject filter	WRCG1877/1883-1870/1890-40/6EE	Wainwright	24
-	Band reject filter	WRCG1729.4/1735.4-1722.4/1742.4-40/6SS	Wainwright	27
TM23892	Controller	G-1000SDX	Yaesu	22/24/27, 15C, 15E
2001	Bluetooth tester	CBT	R&S	15C, 15B
2002	Communication Tester	CMU200	R&S	22/24/27, 15B
6023	Antenna	VUBA 9117	Schwarzbeck	22/24/27
2021	Communication Tester	CMW500	R&S	22/24/27
2025	Antenna	HFH2-Z2	R&S	15C
2026	Signal Generator	SMF 100A	R&S	22/24/27, 15C, 15E, 15B
2052	Antenna	BBHA 9120 D	Schwarzbeck	22/24/27, 15C, 15B, 15E
-	Antenna	QSH18S20	Q-Par	22/24/27, 15C, 15B, 15E
-	Antenna	QSH20S20	Q-Par	22/24/27, 15C, 15B, 15E
-	Antenna	QSH20S20	Q-Par	22/24/27, 15C, 15B, 15E
-	Bluetooth tester	CBT	R&S	15C, 15B

5. Appendix

5.1. Conducted LTE RF output power values measured by the customer

5.1.1 Tolerance

Tolerance [dB]	
Low	-0.5
High	0.4

5.1.2 LTE 2

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch18607 / 1850.7 MHz	Ch18900 / 1880 MHz	Ch19193 / 1909.3 MHz	Ch18607 / 1850.7 MHz	Ch18900 / 1880 MHz	Ch19193 / 1909.3 MHz
LTE2 1.4 MHz	QPSK 16QAM	1	2	22.1	22.1	22.2			
		1	2	21.2	21.7	21.6			

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch18615 / 1851.5 MHz	Ch18900 / 1880 MHz	Ch19185 / 1908.5 MHz	Ch18615 / 1851.5 MHz	Ch18900 / 1880 MHz	Ch19185 / 1908.5 MHz
LTE2 3 MHz	QPSK 16QAM	1	7	22.4	22.3	22.4	22.5	22.4	22.3
		1	7	21.6	21.5	21.8	21.7	21.5	21.4

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch18625 / 1852.5 MHz	Ch18900 / 1880 MHz	Ch19175 / 1907.5 MHz	Ch18625 / 1852.5 MHz	Ch18900 / 1880 MHz	Ch19175 / 1907.5 MHz
LTE2 5 MHz	QPSK 16QAM	1	12	22.3	22.1	22.0	22.2	22.1	22.1
		1	12	21.7	21.4	21.2	21.3	21.3	21.3

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch18650 / 1855 MHz	Ch18900 / 1880 MHz	Ch19150 / 1905 MHz	Ch18650 / 1855 MHz	Ch18900 / 1880 MHz	Ch19150 / 1905 MHz
LTE2 10 MHz	QPSK 16QAM	1	24	22.3	22.2	22.2	22.5	22.2	22.2
		1	24	21.4	21.3	21.7	21.8	21.7	21.4

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch18675 / 1857.5 MHz	Ch18900 / 1880 MHz	Ch19125 / 1902.5 MHz	Ch18675 / 1857.5 MHz	Ch18900 / 1880 MHz	Ch19125 / 1902.5 MHz
LTE2 15 MHz	QPSK 16QAM	1	36	22.0	22.2	22.2	22.1	22.2	22.1
		1	36	21.4	21.4	21.2	21.2	21.6	21.5

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch18700 / 1860 MHz	Ch18900 / 1880 MHz	Ch19100 / 1900 MHz	Ch18700 / 1860 MHz	Ch18900 / 1880 MHz	Ch19100 / 1900 MHz
LTE2 20 MHz	QPSK 16QAM	1	49	22.1	22.3	22.1	22.0	22.1	22.2
		1	49	21.4	21.7	21.3	21.2	21.1	21.3

5.1.3 LTE 4

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch19957 / 1710.7 MHz	Ch20175 / 1732.5 MHz	Ch20393 / 1754.3 MHz	Ch19957 / 1710.7 MHz	Ch20175 / 1732.5 MHz	Ch20393 / 1754.3 MHz
LTE4 1.4 MHz	QPSK 16QAM	1	2	22.7	22.6	22.6			
		1	2	22.1	22.1	21.8			
SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch19965 / 1711.5 MHz	Ch20175 / 1732.5 MHz	Ch20385 / 1753.5 MHz	Ch19965 / 1711.5 MHz	Ch20175 / 1732.5 MHz	Ch20385 / 1753.5 MHz
LTE4 3 MHz	QPSK 16QAM	1	7	22.7	22.8	22.9	22.8	22.8	22.7
		1	7	21.8	21.8	21.8	22.0	22.1	22.3
SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch19975 / 1712.5 MHz	Ch20175 / 1732.5 MHz	Ch20375 / 1752.5 MHz	Ch19975 / 1712.5 MHz	Ch20175 / 1732.5 MHz	Ch20375 / 1752.5 MHz
LTE4 5 MHz	QPSK 16QAM	1	12	22.5	22.5	22.6	22.7	22.6	22.7
		1	12	22.3	22.2	21.9	22.0	22.0	22.1
SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch20000 / 1715 MHz	Ch20175 / 1732.5 MHz	Ch20350 / 1750 MHz	Ch20000 / 1715 MHz	Ch20175 / 1732.5 MHz	Ch20350 / 1750 MHz
LTE4 10 MHz	QPSK 16QAM	1	24	22.7	22.7	22.5	22.8	22.6	22.8
		1	24	22.0	22.0	22.3	22.0	21.8	21.6
SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch20025 / 1717.5 MHz	Ch20175 / 1732.5 MHz	Ch20325 / 1747.5 MHz	Ch20025 / 1717.5 MHz	Ch20175 / 1732.5 MHz	Ch20325 / 1747.5 MHz
LTE4 15 MHz	QPSK 16QAM	1	36	22.4	22.4	22.4	22.4	22.5	22.3
		1	36	21.6	21.5	21.5	21.4	21.6	21.8
SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch20050 / 1720 MHz	Ch20175 / 1732.5 MHz	Ch20300 / 1745 MHz	Ch20050 / 1720 MHz	Ch20175 / 1732.5 MHz	Ch20300 / 1745 MHz
LTE4 20 MHz	QPSK 16QAM	1	49	22.4	22.4	22.5	22.4	22.5	22.4
		1	49	21.6	21.9	21.8	22.0	21.7	21.7

5.1.4 LTE 5

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch20407 / 824.7 MHz	Ch20525 / 836.5 MHz	Ch20643 / 848.3 MHz	Ch20407 / 824.7 MHz	Ch20525 / 836.5 MHz	Ch20643 / 848.3 MHz
LTE5 1.4 MHz	QPSK	1	2	22.7	22.8	22.9			
	16QAM	1	2	21.8	22.1	22.2			

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch20415 / 825.5 MHz	Ch20525 / 836.5 MHz	Ch20635 / 847.5 MHz	Ch20415 / 825.5 MHz	Ch20525 / 836.5 MHz	Ch20635 / 847.5 MHz
LTE5 3 MHz	QPSK	1	7	22.8	22.8	23.0			
	16QAM	1	7	22.1	21.9	21.8			

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch20425 / 826.5 MHz	Ch20525 / 836.5 MHz	Ch20625 / 846.5 MHz	Ch20425 / 826.5 MHz	Ch20525 / 836.5 MHz	Ch20625 / 846.5 MHz
LTE5 5 MHz	QPSK	1	12	22.6	22.6	22.7			
	16QAM	1	12	21.6	21.9	22.4			

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch20450 / 829 MHz	Ch20525 / 836.5 MHz	Ch20600 / 844 MHz	Ch20450 / 829 MHz	Ch20525 / 836.5 MHz	Ch20600 / 844 MHz
LTE5 10 MHz	QPSK	1	24	22.6	22.7	22.7			
	16QAM	1	24	22.2	22.3	21.8			

5.1.5 LTE 7

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch20775 / 2502.5 MHz	Ch21100 / 2535 MHz	Ch21425 / 2567.5 MHz	Ch20775 / 2502.5 MHz	Ch21100 / 2535 MHz	Ch21425 / 2567.5 MHz
LTE7 5 MHz	QPSK	1	12	23.5	23.5	23.8			
	16QAM	1	12	23.3	23.0	23.1			

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch20800 / 2505 MHz	Ch21100 / 2535 MHz	Ch21400 / 2565 MHz	Ch20800 / 2505 MHz	Ch21100 / 2535 MHz	Ch21400 / 2565 MHz
LTE7 10 MHz	QPSK	1	24	23.7	23.7	23.9			
	16QAM	1	24	23.2	23.1	23.0			

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch20825 / 2507.5 MHz	Ch21100 / 2535 MHz	Ch21375 / 2562.5 MHz	Ch20825 / 2507.5 MHz	Ch21100 / 2535 MHz	Ch21375 / 2562.5 MHz
LTE7 15 MHz	QPSK	1	36	23.6	23.7	23.7			
	16QAM	1	36	23.1	23.0	23.0			

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch20850 / 2510 MHz	Ch21100 / 2535 MHz	Ch21350 / 2560 MHz	Ch20850 / 2510 MHz	Ch21100 / 2535 MHz	Ch21350 / 2560 MHz
LTE7 20 MHz	QPSK	1	49	23.5	23.5	23.6			
	16QAM	1	49	23.0	23.0	23.0			

5.1.6 LTE 12

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch23017 / 699.7 MHz	Ch23095 / 707.5 MHz	Ch23173 / 715.3 MHz	Ch23017 / 699.7 MHz	Ch23095 / 707.5 MHz	Ch23173 / 715.3 MHz
LTE12 1.4 MHz	QPSK	1	2	22.6	22.6	22.8			
	16QAM	1	2	22.2	21.9	22.0			

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch23025 / 700.5 MHz	Ch23095 / 707.5 MHz	Ch23165 / 714.5 MHz	Ch23025 / 700.5 MHz	Ch23095 / 707.5 MHz	Ch23165 / 714.5 MHz
LTE12 3 MHz	QPSK	1	7	22.9	22.9	23.0			
	16QAM	1	7	22.2	22.4	22.0			
		15	0						

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch23035 / 701.5 MHz	Ch23095 / 707.5 MHz	Ch23155 / 713.5 MHz	Ch23035 / 701.5 MHz	Ch23095 / 707.5 MHz	Ch23155 / 713.5 MHz
LTE12 5 MHz	QPSK	1	12	22.6	22.7	22.6			
	16QAM	1	12	21.6	21.7	21.8			

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch23060 / 704 MHz	Ch23095 / 707.5 MHz	Ch23130 / 711 MHz	Ch23060 / 704 MHz	Ch23095 / 707.5 MHz	Ch23130 / 711 MHz
LTE12 10 MHz	QPSK	1	24	22.8	22.6	22.6			
	16QAM	1	24	22.2	22.2	22.1			

5.1.7 LTE 17

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch23755 / 706.5 MHz	Ch23790 / 710 MHz	Ch23825 / 713.5 MHz	Ch23755 / 706.5 MHz	Ch23790 / 710 MHz	Ch23825 / 713.5 MHz
LTE17 5 MHz	QPSK	1	12	22.7	22.9	22.6			
	16QAM	1	12	22.0	22.3	22.2			

SN: 004402742362886				Nominal			A-MPR active		
Band / BW	Modulation	RB Allocation	RB Offset	Ch23780 / 709 MHz	Ch23790 / 710 MHz	Ch23800 / 711 MHz	Ch23780 / 709 MHz	Ch23790 / 710 MHz	Ch23800 / 711 MHz
LTE17 10 MHz	QPSK	1	24	22.7	22.9	22.7			
	16QAM	1	24	22.0	21.7	21.6			