

## Software Configuration Control Test Report: 2.4 GHz WLAN

|   |  |                                   |  |
|---|--|-----------------------------------|--|
| <b>Test Report no.:</b>                                 | FCCWLAN_RM-1128_22   | <b>Date of Report:</b>            | 09-Sep-2016  |
| <b>Number of pages:</b>                                 | 12   | <b>Customer's Contact person:</b> | Tero Huhtala   |
| <b>Testing laboratory:</b>                              | TCC Microsoft Beijing Laboratory<br>Beijing Economic and Technological Development Area<br>No.5 Donghuan Zhonglu<br>Beijing<br>PRC China 100176<br>Tel. +86 10 8711 8888<br>Fax. +86 10 8711 4550  | <b>Customer:</b>                  | Microsoft<br>P.O. Box 403<br>Visiokatu 4<br>FIN-33720 TAMPERE, FINLAND<br>Tel. +358 (0) 7180 46800<br>Fax. +358 (0) 7180 46880 |
| <b>FCC listing no.:</b>                                 | 975940   |                                   |  |
| <b>IC recognition no.:</b>                              | 661AH-1  |                                   |  |
| <b>Tested devices/ accessories:</b>                     | <b>Phone RM-1128 / Cover CC-3097 / Battery Samsung BL-T5A / AC-Charger AC-18U / Headset WH-108</b>   |                                   |  |
| <b>FCC ID:</b>  | PYARM-1128   | <b>IC:</b>                        | 661X-RM1128  |
| <b>Supplement reports:</b>                              | -  |                                   |  |
| <b>Testing has been carried out in accordance with:</b> | <b>KDB 594280 D01 v02: Guidance on Software or Network Configuration of Non-SDR Devices to Ensure Compliance.</b>  |                                   |  |
| <b>Documentation:</b>                                   | The test report must always be reproduced in full; reproduction of an excerpt only is subject to written approval of the testing laboratory. The documentation of the testing performed on the tested devices is archived for 15 years at TCC Microsoft. |                                   |  |
| <b>Test Results:</b>                                    | <b>The EUT complies with the requirements in respect of all parameters subject to the test.</b><br>The test results relate only to devices specified in this document  |                                   |  |
| <b>Date and signature for the contents:</b>             |  |                                   |  |
|   | <b>Gao Sherina, System Manager, EMC</b>  |                                   |  |

## 1. Summary

|                               |   |
|-------------------------------|---|
| Date of receipt               | 15-Jun-2015   |
| Testing completed             | 26-Aug-2015   |
| The customer's contact person | Tero Huhtala  |
| Test Plan referred to         | T:\Projects\RM-1128\TestPlan\RS_testplan_RM-1128.xlsm |
| Notes                         | -   |
| Document name                 | FCCWLAN_RM-1128_22.docx                               |

### 1.1. EUT and Accessory Information

The EUT is a mobile phone with a 2.4 GHz WLAN transceiver. The WLAN operates on channels 1-11 in the USA and its territories and on channels 1-13 everywhere else. Channels 12-13 are activated only, when the phone detects a non-US cellular network. The detection is based on the network's MCC/MNC code.

Devices under tests

| Product    | Type           | SN                          | HW          | MV | SW                      | DUT    |
|------------|----------------|-----------------------------|-------------|----|-------------------------|--------|
| Phone      | RM-1128        | 004402742351913             | 1510        | -  | 01065.00000.15265.37000 | 500110 |
| Cover      | CC-3097        | -                           | -           | -  | -                       | 500128 |
| Battery    | Samsung BL-T5A | 5241525213V10205754;0670778 | PWB Ver.1.1 | -  | -                       | 500117 |
| AC-Charger | AC-18U         | 4818715115100100661;0675735 | -           | -  | -                       | 500124 |
| Headset    | WH-108         | -                           | -           | -  | -                       | 500103 |

### 1.2. Summary of Test Results

| Name of the test                 | Result |
|----------------------------------|--------|
| First time power-up compliance   | PASSED |
| New connection establishment     | PASSED |
| Supplemental information control | PASSED |
| Geo-location information recheck | PASSED |

PASSED

FAILED

NP

The EUT complies with the essential requirements in the standard.

The EUT does not comply with the essential requirements in the standard.

The test was not performed by the TCC Microsoft Laboratory.


## CONTENTS

|  |           |
|--|-----------|
| <b>1. Summary .....</b>                          | <b>2</b>  |
| 1.1. EUT and Accessory Information .....         | 2         |
| 1.2. Summary of Test Results .....               | 2         |
| <b>2. First time power-up .....</b>              | <b>4</b>  |
| 2.1. Test Setup .....                            | 4         |
| 2.2. Test method .....                           | 4         |
| 2.3. Compliance criteria .....                   | 5         |
| 2.4. Screenshots .....                           | 5         |
| <b>3. New connection establishment .....</b>     | <b>6</b>  |
| 3.1. Test Setup .....                            | 6         |
| 3.2. Test method .....                           | 6         |
| 3.3. Compliance criteria .....                   | 7         |
| 3.4. Screenshots .....                           | 7         |
| <b>4. Supplemental information control .....</b> | <b>9</b>  |
| 4.1. Test Setup .....                            | 9         |
| 4.2. Test method .....                           | 9         |
| 4.3. Compliance criteria .....                   | 10        |
| 4.4. Screenshots .....                           | 10        |
| <b>5. Geo-location information recheck.....</b>  | <b>11</b> |
| 5.1. Test Setup .....                            | 11        |
| 5.2. Test method .....                           | 11        |
| 5.3. Compliance criteria .....                   | 12        |
| 5.4. Screenshots .....                           | 12        |

## 2. First time power-up

|  |   |
|--|---|
| <b>EUT with DUT number</b>                             | RM-1128, DUT 500110   |
| <b>Accessories with DUT numbers</b>                    | CC-3097, DUT 500128; Samsung BL-T5A, DUT 500117; AC-18U, DUT 500124; WH-108, DUT 500103 |
| <b>Operation Voltage [V] / [Hz]</b>                    | Nominal   |
| <b>Results</b>   | PASSED  |
| <b>Remarks</b>   | Test system RF Cond 2   |
| <b>Temp [°C] / Humidity [%RH] / Air Pressure [kPa]</b> | 24 / 55 / 100.8   |
| <b>Date of measurements</b>                            | 26-Aug-2015   |
| <b>Measured by</b>                                     | Jia Dongsheng   |

### 2.1. Test Setup



### 2.2. Test method

The equipment was set as follows:

The cellular test set was connected to the cellular antenna port of the EUT. The 2.4 GHz antenna port of the EUT was connected to a splitter.

The cellular test set was switched off to simulate situation, that there is no cellular network present.

The access point was switched off to simulate situation, that there is no access points present.

The spectrum analyzer was set to measure frequency range 2.4 – 2.5 GHz.

The EUT was switched on and the WLAN functionality activated.

It was verified, if the EUT transmitted on channels 12 or 13.

## 2.3. Compliance criteria


KDB 594280 D01 v02, section 4. b. i. states:

*“Device must, by default, operate in a mode that is compliant with the U.S. requirements.”*

| Compliance criteria                              | Result |
|--|--------|
| The EUT must not transmit on channels 12 and 13. | PASSED |

## 2.4. Screenshots


First time power-up



### 3. New connection establishment

|  |   |
|--|---|
| <b>EUT with DUT number</b>                             | RM-1128, DUT 500110   |
| <b>Accessories with DUT numbers</b>                    | CC-3097, DUT 500128; Samsung BL-T5A, DUT 500117; AC-18U, DUT 500124; WH-108, DUT 500103 |
| <b>Operation Voltage [V] / [Hz]</b>                    | Nominal   |
| <b>Results</b>   | PASSED  |
| <b>Remarks</b>   | Test system RF Cond 2   |
| <b>Temp [°C] / Humidity [%RH] / Air Pressure [kPa]</b> | 24 / 55 / 100.8   |
| <b>Date of measurements</b>                            | 26-Aug-2015   |
| <b>Measured by</b>                                     | Jia Dongsheng   |

#### 3.1. Test Setup



#### 3.2. Test method

The equipment was set as follows:

The cellular test set was connected to the cellular antenna port of the EUT. The 2.4 GHz antenna port of the EUT was connected to a splitter.

The access point was set on channel 13.

The spectrum analyzer was set to measure frequency range 2.4 – 2.5 GHz.

The cellular test set was switched off to simulate situation, that there is no cellular network present.

The EUT was switched on and the WLAN functionality activated.

The EUT was set to connect to the access point.

It was verified, if the EUT transmitted on channel 13.

The test was repeated with the access point set on channels 12 and 11.

### 3.3. Compliance criteria


KDB 594280 D01 v02, section 4. b. i. states:

*"Device must recheck the geo-location information... ...when connection are established."*


| Compliance criteria   | Result |
|---|--------|
| The EUT must not transmit on channels 12 and 13 in presence of an US MCC/MNC. | PASSED |

### 3.4. Screenshots

New connection establishment on ch 12 and 13



New connection establishment on ch 11




Date: 26.AUG.2015 07:18:57



## 4. Supplemental information control

|  |   |
|--|---|
| <b>EUT with DUT number</b>                             | RM-1128, DUT 500110   |
| <b>Accessories with DUT numbers</b>                    | CC-3097, DUT 500128; Samsung BL-T5A, DUT 500117; AC-18U, DUT 500124; WH-108, DUT 500103 |
| <b>Operation Voltage [V] / [Hz]</b>                    | Nominal   |
| <b>Results</b>   | PASSED  |
| <b>Remarks</b>   | Test system RF Cond 2   |
| <b>Temp [°C] / Humidity [%RH] / Air Pressure [kPa]</b> | 24 / 55 / 100.8   |
| <b>Date of measurements</b>                            | 26-Aug-2015   |
| <b>Measured by</b>                                     | Jia Dongsheng   |

### 4.1. Test Setup



### 4.2. Test method

The equipment was set as follows:

The cellular test set was connected to the cellular antenna port of the EUT. The 2.4 GHz antenna port of the EUT was connected to a splitter.

The access point was set on channel 12.

The spectrum analyzer was set to measure frequency range 2.4 – 2.5 GHz.

The cellular test set was switched off to simulate situation, that there is no cellular network present.

The EUT was switched on and set to connect to the access point.

It was verified, if the EUT transmitted on channel 12 (blue curve).

The cellular test set was switched on GSM 1800 band, with Mobile Country Code set to Finland (244), and paired with the cellular transceiver of the EUT.

It was verified again, if the EUT transmitted on channel 12 (black curve).

### 4.3. Compliance criteria

KDB 594280 D01 v02, section 4. b. i. states:


*“Device must use supplemental information such as geo-location data to determine that it is operating outside the U.S., if necessary, to change its power. Such supplemental data must be derived from one or more of the following:*

- *Global Navigation Satellite System (GNSS) sensors in the device, or*
- *Mobile Country Code (MCC) and Mobile Network code (MNC) received from a CMRS8 carrier and received directly by a receiver on the device, or*
- *Other suitable geo-location data based on IP addresses. “*

| Compliance criteria  | Result |
|--|--------|
| The EUT shall not transmit on channels 12 and 13, when an US MCC/MNC is present. | PASSED |

### 4.4. Screenshots

Supplemental information control




Date: 26.AUG.2015 09:07:31

## 5. Geo-location information recheck

|  |   |
|--|---|
| <b>EUT with DUT number</b>                             | RM-1128, DUT 500110   |
| <b>Accessories with DUT numbers</b>                    | CC-3097, DUT 500128; Samsung BL-T5A, DUT 500117; AC-18U, DUT 500124; WH-108, DUT 500103 |
| <b>Operation Voltage [V] / [Hz]</b>                    | Nominal   |
| <b>Results</b>   | PASSED  |
| <b>Remarks</b>   | Test system RF Cond 2   |
| <b>Temp [°C] / Humidity [%RH] / Air Pressure [kPa]</b> | 24 / 55 / 100.8   |
| <b>Date of measurements</b>                            | 26-Aug-2015   |
| <b>Measured by</b>                                     | Jia Dongsheng   |

### 5.1. Test Setup



### 5.2. Test method

The equipment was set as follows:

The cellular test set was connected to the cellular antenna port of the EUT. The 2.4 GHz antenna port of the EUT was connected to a splitter.

The cellular test set was switched on GSM 1800 band, with Mobile Country Code set to Finland (244) and paired with the cellular transceiver of the EUT.

The access point was set on channel 12.

The EUT was switched on and set to connect to the access point on channel 12.

The spectrum analyzer was set to measure frequency 2.467 GHz (channel 12) in zero-span mode.

It was verified, that EUT transmitted on channel 12.

The RF output of the cellular test set was switched off to simulate situation, that there is no cellular network present.

It was verified, if the EUT stopped transmitting on channel 12 in one hour.

### 5.3. Compliance criteria

KDB 594280 D01 v02, section 4. b. i. states:

*"Device must recheck the geo-location information at least once every hour, when the device is switched on and connection are established or changed."*

| Compliance criteria   | Result |
|---|--------|
| The EUT shall stop transmitting on channels 12 and 13 in one hour after losing the MCC/MNC of a non-US network. | PASSED |

### 5.4. Screenshots

