

Device	Test	RSS-210 (Issue 8, December 2010)	RSS-247 (Issue1, May 2015)
Bluetooth	Conducted RF output power	A8.4 (2)	5.4 (2)
	Band edge	A8.5	5.5
	Conducted spurious RF emissions	A8.5	5.5
	Radiated spurious emissions	A8.5	5.5
	20 dB bandwidth	A8.1 (a)	5.1 (1)
	Carrier frequency separation	A8.1 (b)	5.1 (2)
	Number of hopping frequencies	A8.1 (d)	5.1 (4)
	Time of occupancy	A8.1 (d)	5.1 (4)
BT LE 2.4 GHz WLAN	Conducted RF output power	A8.4 (4)	6.4 (4)
	Band edge	A8.5	5.5
	Conducted spurious RF emissions	A8.5	5.5
	Radiated spurious emissions	A8.5	5.5
	6 dB bandwidth	A8.2 (a)	5.2 (1)
	Power spectral density	A8.2 (b)	5.2 (2)
RLAN	Conducted RF output power	A9.2	6.2
	Band edge	A9.2	6.2
	Radiated spurious emissions	A9.2	6.2
	6 dB bandwidth	A9.2	6.2.4 (1)
	26 dB bandwidth	A9.2	6.6 (RSS-Gen)
	Power spectral density	A9.2	6.2
	Dynamic frequency selection	A9.2	6.3