

Tested By: Hong, Report No.: 05209411


Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO LN	OFF 60dB

Final Measurement: x QP / + AV

Transducer No.	Start	Stop	Name
21	9k	30M	EW0698

Meas Time: 1 s
 Subranges: 16
 Acc Margin: 20dB





Report No.: 05209411
TX Mode
(Baby Unit)

Tested By: Hong, Report No.: 05209411

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl No.: N/A

Tested By: Hong, Report No.: 05209411


Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO LN	OFF 60dB

Final Measurement: x QP / + AV

Transducer No.	Start	Stop	Name
21	9k	30M	EW0698

Meas Time: 1 s
 Subranges: 16
 Acc Margin: 20dB



Report No.: 05209411
TX Mode
(Parent Unit)

Tested By:Hong, Report No.:05209411

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results