Summer Infant, Inc. Monitor Warranty Policy

Summer Infant, Inc. will repair or replace (at our option) your unit free of charge for 12 months from the date of purchase if the unit is defective in workmanship or materials. To claim your repair/replacement, the product must be returned to Summer Infant along with a copy of the original purchase receipt. In the absence of the purchase receipt, the warranty will be 12 months from the date of manufacture. This warranty does not apply to normal wear or damage from misuse, abuse, improper storage and handling, installation, accident, unauthorized repair or alteration. Please contact our Customer Service Department by phone at 1-800-268-6237 or via e-mail at summerinfant.com/consumer-care/contact-us for details.



© 2014 Summer Infant, Inc.
Colors and styles may vary. Please retain information for future reference.

MADE IN CHINA. 5/14

Summer Infant, Inc. 1275 Park East Drive Woonsocket, RI 02895 USA 1-800-268-6237

29240

Please read the following instructions and warnings carefully.

Keep this instruction manual

Tools required for wall mount: Screwdriver and drill (not included)

For technical support see back page.


For adult use only.

for future reference.

⚠ WARNING:

Adult assembly required. Keep small parts away from children when assembling.







INSTRUCTION MANUAL

TOUCHSCREEN VIDEO MONITOR

MARNING:

STRANGULATION HAZARD - Children have STRANGLED in cords. Keep this cord out of reach of children (more than 3 feet (0.9 m) away from the crib). Use enclosed Security Clips to help secure cord away from baby's reach. Never use extension cords with AC Adapters. Only use the AC Adapters provided.

⚠WARNING:

THIS PRODUCT CANNOT REPLACE RESPONSIBLE ADULT SUPERVISION.

- STRANGULATION HAZARD Children have STRANGLED in cords. Keep this cord out of reach of children (more than 3 feet (0.9 m) away from the crib). Use enclosed Security Clips to help secure cord away from baby's reach. Never use extension cords with AC Adapters, Only use the AC Adapters provided.
- When an AC Adapter is plugged into an electrical outlet, do not touch the exposed end.
- Test monitor before first use, periodically, and when changing location of the Camera.
- Do not use monitor near water (such as bathtub, sink, etc.).
- Keep monitor away from heat sources (such as stoves, radiators, etc.).
- Make sure there is proper ventilation around all monitor components. Do not place on sofas, cushions, beds, etc. which may block ventilation.
- This product is not a toy. Do not allow children to play with it.
- This product contains small parts. Adult assembly required.
 Exercise care when unpacking and assembling the product.

A BATTERY WARNING:

- Use only the original rechargeable battery provided. Please contact Summer Infant, Inc. for replacement battery. Contact information can be found on page 12 of these instructions.
- Clean battery and product contacts prior to battery installation.
- · Do not short-circuit supply terminals.
- · Only the recommended battery or equivalent are to be used, volts and size.
- Remove battery when product is stored for long periods of time or when battery is exhausted.
- Dispose of exhausted battery properly.
- Keep all batteries away from children.

If you experience a problem that is not noted in this manual, please do not return the product to the store. Our Consumer Relations Team may have a simple solution to your problem. Please contact us at 1-800-268-6237 or email us at summerinfant.com/consumer-care/contact-us.

FCC Information

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

CAÚTION: Changes or modifications not expressly approved by Summer Infant may void

the users authority to operate this equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiver
- Increase the separation between the equipment and the receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help CAUTION: 1. To comply with FCC RF exposure compliance requirements, a separation distance of at least 20 cm must be maintained between the antenna of this device and all persons. 2. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

IC Warning:

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device

must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence.

L'exploitation est autorisée aux deux conditions suivantes:

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.


Under Industry Canada regulations, this radio transmitter may only operate using an antenna of a type and maximum (or lesser) gain approved for the transmitter by Industry Canada. To reduce potential radio interference to other users, the antenna type and its gain should be so chosen that the equivalent isotropically radiated power (e.i.r.p.) is not more than that necessary for successful communication.

Conformément à la réglementation d'Industrie Canada, le présent émetteur radio peut fonctionner avec une antenne d'un type et d'un gain maximal (ou inférieur) approuvé pour l'émetteur par Industrie Canada.

Dans le but de réduire les risques de brouillage radioélectrique à l'intention des autres utilisateurs,

il faut choisir le type d'antenne et son gain de sorte que la puissance isotrope rayonnée équivalente (p.i.r.e.) ne dépasse pas l'intensité nécessaire à l'établissement d'une communication satisfaisante.

	notes:
10	




camera setup (wall mount option):

⚠ WARNING:

STRANGULATION HAZARD - Children have STRANGLED in cords. Keep this cord out of reach of children (more than 3 feet (0.9 m) away from the crib). Use enclosed Security Clips to help secure cord away from baby's reach. Never use extension cords with AC Adapters. Only use the AC Adapters provided.

Determine a location to mount the camera to the wall that will provide the best view of your baby in the crib. NEVER place camera or cords within **3 feet** of the crib.







Be sure to test reception and camera positioning.


Pre-drill a hole in the wall using 3/16", 4.8mm, drill bit. (drill bit and drill not included)


Tighten screw until only 1/4" (6.2mm) of the screw is exposed.





Secure the cord to the wall using the **6 security clips** included to keep cord away from baby's reach.





IMPORTANT SAFETY INSTRUCTIONS



- 1) Read Instructions All the safety and operating instructions should be read before the product is operated.
- 2) Retain Instructions The safety and operating instructions should be retained for future reference.
- 3) Heed Warnings All warnings on the product and in the operating instructions should be adhered to.
- 4) Follow Instructions All operating and use instructions should be followed.
- 5) Cleaning Unplug this product from the wall outlet before cleaning. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning.
- 6) Attachments Do not use attachments not recommended by the product manufacturer as they may cause hazards.
- 7) Water and Moisture Do not use this product near water for example, near a bath tub, wash bowl, kitchen sink, or laundry tub; in a wet basement; or near a swimming pool; and the like.
- 8) Accessories Do not place this product on an unstable cart, stand, tripod, bracket, or table. The product may fall, causing serious injury to a child or adult, and serious damage to the product. Use only with a cart, stand, tripod, bracket, or table recommended by the manufacturer, or sold with the product. Any mounting of the product should follow the manufacturer's instructions, and should use a mounting accessory recommended by the manufacturer.
- 9) Ventilation Slots and openings in the cabinet are provided for ventilation and to ensure reliable operation of the product and to protect it from overheating, and these openings must not be blocked or covered. The openings should never be blocked by placing the product on a bed, sofa, rug, or other similar surfaces. This product should not be placed in a built-in installation such as a bookcase or rack unless proper ventilation is provided or the manufacturer's instructions have been adhered to.
- 10) Power Sources This product should be operated only from the type of power source indicated on the marking label. If you are not sure of the type of power supply to your home, consult your product dealer or local power company. For products intended to operate from battery power, or other sources, refer to the operating instructions.
- 11) Power-Cord Protection Power-supply cords should be routed so that they are not likely to be walked on or pinched by items placed upon or against them, paying particular attention to cords at plugs, convenience receptacles, and the point where they exit from the product.
- 12) Power Lines An outside antenna system should not be located in the vicinity of overhead power lines or other electric light or power circuits, or where it can fall into such power lines or circuits. When installing an outside antenna system, extreme care should be taken to keep from touching such power lines or circuits as contact with them might be fatal.
- 13) Overloading Do not overload wall outlets, extension cords, or integral convenience receptacles as this can result in a risk of fire or electric shock.
- 14) Object and Liquid Entry Never push objects of any kind into this product through openings as they may touch dangerous voltage points or short-out parts that could result in a fire or electric shock. Never spill liquid of any kind on the product.
- 15) Servicing Do not attempt to service this product yourself as opening or removing covers may expose you to dangerous voltage or other hazards. Refer all servicing to qualified service personnel.
- 16) Damage Requiring Service Unplug this product from the wall outlet and refer servicing to qualified service personnel under the following conditions:
 - a) When the power-supply cord or plug is damaged,
 - b) If liquid has been spilled, or objects have fallen into the product,
 - c) If the product has been exposed to rain or water,
 - d) If the product does not operate normally by following the operating instructions. Adjusting only those controls that are covered by the operating instructions as an improper adjustment of other controls may result in damage and will often require extensive work by a qualified technician to restore the product to its normal operation,
 - e) If the product has been dropped or damaged in any way, and
 - f) When the product exhibits a distinct change in performance this indicated a need for service.
- 17) Replacement Parts When replacement parts are required, be sure the service technician has used replacement parts specified by the manufacturer or have the same characteristics as the original part. Unauthorized substitutions may result in fire, electric shock, or other hazards.
- 18) Safety Check Upon completion of any service or repairs to this product, ask the service technician to perform safety checks to determine that the product is in proper operating condition.
- 19) Wall or Ceiling Mounting The product should be mounted to a wall or ceiling only as recommended by the manufacturer.
- 20) Heat The product should be situated away from heat sources such as radiators, heat registers, stoves, or other products including amplifiers) that produce heat.

troubleshooting:

No picture or sound

- Make sure the camera and handheld monitor unit are paired (see page 6)
- Make sure the camera and handheld monitor unit are turned on
- Make sure the AC adapters are plugged in
- Make sure the outlets are working

Sound but no picture

- Press the Quick View/Video On-Off Button once to turn on video mode
- Check to make sure nothing is blocking the camera
- Test reception by moving the handheld unit and/or camera to different locations
- Make sure the camera and handheld monitor unit are paired (see page 6)

Picture but no sound

- Power the handheld completely off, remove and re-insert the battery, then turn handheld back on.
- Turn up the volume using Volume Control
- Make sure the camera and handheld monitor unit are paired (see page 6)

Picture not clear

- Position the handheld unit closer to the camera
- Move the handheld unit away from other electronic devices, cordless phones, etc.
- Adjust the brightness using the Brightness Control
- Test reception by moving the handheld unit and/or camera to different locations

Squealing sound coming from speaker on Handheld Unit

- Move the handheld unit and camera further away from each other
- Turn the volume down using Volume Control
- Power the handheld completely off, remove and re-insert the battery, then turn handheld back on.

additional cameras and replacement parts:

This product accepts up to 4 cameras. If you want to order an additional camera or if you a replacement part, you can contact our Consumer Relations Team by phone at: **1-800-268-6237** or via email at: **www.summerinfant.com/consumer-care/contact-us**

- Extra Camera: #29310
- Rechargeable Lithium ION 3.7V: #02800-10
- Camera AC Adapter: #02000-05
- Handheld AC Adapter: #28450-13

camera setup (table top):



Determine a location for the camera that will provide the best view of your baby in the crib. Place the camera on a flat surface, such as a dresser, bureau or shelf. NEVER place camera or cords within **3 feet** of the crib.







For camera wall-mount option, refer to pg 4.

setup & use

To use plugged in:

Step 1: Place the monitor in the room from which you want to monitor your baby (ie., bedroom or living room). Plug the monitor AC adapter into the AC adapter jack and other end into standard electrical outlet

 $\textbf{Step 2:} \ Press \ and \ hold \ "POWER" \ button \ for \ 4-seconds \ until \ the \ Summer \ logo \ or \ video \ appears \ on \ screen.$

- Step 3: For audio and no video, press the VIDEO ON/OFF button top of the unit.
- Step 4: To turn the monitor off completely, press and hold the "POWERO" button for 4 seconds.

To use in battery mode:

- **Step 1:** Before using the monitor in battery mode, charge the battery for 4-5 hours.
- **Step 2:** To charge the battery, plug the monitor adapter into the monitor AC adapter jack. Plug the other end into a standard electrical outlet.
- **Step 3:** After initial 4-5 hour charge, to achieve optimal battery life, charge the battery overnight and use in battery-mode during daytime monitoring, for up to 6 hours of continuous use.

setup & use (continued):

When battery is low, the Power-On LED will illuminate amber and the unit will emit a beeping sound indicating that the battery needs to be charged. The unit will also emit a beeping sound when no signal.

To remove battery door:

Press down on grooves and push in the direction of the arrow located on the battery door.

Pairina Monitor and Camera:

The monitor and camera are paired at the factory for privacy reasons. If the monitor and camera are not pairing for any reason, follow steps to pair or to add an additional camera:

Step 1: Move the monitor to the same area as the camera and make sure both are plugged in.

Step 2: Press 🛍 button to turn on the menu, then press the 🗅 to enter Camera Menu.

Step 4: The next available camera will automatically be selected (**11, 2, 3, 4**).

Step 5: Press (**(a)**) "SELECT "and pairing animation between receiver and camera will begin.

Step 6: Within 20 seconds press the CODE button on back of camera. Once paired, the live video will appear on screen.

If this is unsuccessful, you should repeat steps above making sure the camera and monitor are close enough to each other for pairing.

Niew Camera:

Note: this option is only available when more than one camera is in use.

Step 1: Press 🝙 button to turn on the menu, then press the 🗅 to enter Camera Menu.

Step 2: Press the

arrow to highlight View Cam # ■ , press () SELECT to enter the View Cam Menu.

Step 3: Use the **a** and **b** buttons to select the camera you want to view.

Press () SELECT to confirm the selection.

- Delete Camera:

Step 1: Press 🖒 button to turn on the menu, then press the 🖸 to enter Camera Menu.

Step 3: Press the arrow to select the camera you want to delete (1, 2, 3, 4). The camera will highlight orange.

Step 4: Press () SELECT to confirm this is the camera to be deleted and camera icon will become grayed out.

Scan Camera:

Step 1: To scan all cameras in use for 8-second intervals, press the D button once.

Step 2: Use the

and

arrows to navigate to the SCAN CAM

contains and option and press (

option SCAN CAM

option and option.

Step 3: The monitor will automatically scan through all cameras in use every 8 seconds. To stop AUTO SCAN mode, press () SELECT at any time.

monitor features:

- 3.5" Touchscreen: The first of its kind, the touch-screen controls are easy to use with an intuitive interface that allows users to simply touch the video and remotely control the camera to pan and scan, use two-way communication and video brightness and more all at the touch of a finger! A rechargeable battery is included for portability with a range up to 600-ft in-home.
- **Pan/scan:** Remotely control the camera to keep the whole room in view. Press the left, right, up and down arrow icons to move the camera.
- **Multi-Level Zoom:** Multi-level zoom enables increasing levels of a zoomed-in image on screen. This provides parents with much closer views on screen than one-level zoom, with the option to view from 1 to 3 times closer. Press the \oplus icon on screen to zoom.
- Two-way communication: Calm baby with the sound of your voice or use as a convenient way to remind each other of something needed from the nursery. Press and hold the Talk button on the top of the monitor to activate this feature. By speaking into the handheld monitor your voice is projected through the camera, so you can give comfort and reassurance, or gentle reminders, from another room.
- Automatic night vision: Rest assured knowing you can see your baby day and night, including overnight, with automatic night vision. Infrared LEDs automatically adjust to the level of light in the room and transmit a clear black and white image in low-light and darkened room conditions.
- Video on/off button: This button turns the video on and off. Audio and sound lights continue to function normally. It is ideal for a quick view of baby in the middle of the night.
- Adjustable volume & brightness: Volume adjustments allow higher volume settings to hear every little sound, while lower volume settings monitor the louder sounds and cries from baby. Brightness can be adjusted, as well, based on the level of light in the room. Press the Brightness icon, then using the left and right arrows to adjust the brightness for lighter or darker video. Press the Brightness icon again to exit the menu.
- **Sound lights:** The video monitor lets you not only hear your baby but with sound activated lights, parents can "see" when sound is coming from baby's room. The lights are displayed on a color bar above the video screen, and change color, from green to amber to red. as the sound level increases.