

Intertek Testing Services


RF VOLTAGE

EUT: HTKWLAN01
 Manuf: High-Tek Harness Enterprise Co., Ltd.
 Op Cond: LISN-L
 Operator: Jerry
 Test Spec: FCC P15 Class B
 Comment: EMI RCV:825788/015
 120V 60Hz 25'C 60%RH Tx at low channel
 Date: 18. Feb 03 16:11

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP / + AV
 Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: HTKWLAN01
Manuf: High-Tek Harness Enterprise Co., Ltd.
Op Cond: LISN-N
Operator: Jerry
Test Spec: FCC P15 Class B
Comment: EMI RCV:825788/015
120V 60Hz 25'C 60%RH Tx at low channel
Date: 18. Feb 03 15:52

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: HTKWLAN01
Manuf: High-Tek Harness Enterprise Co., Ltd.
Op Cond: LISN-L
Operator: Jerry
Test Spec: FCC P15 Class B
Comment: EMI RCV:825788/015
120V 60Hz 25'C 60%RH Tx at middle channel
Date: 18. Feb 03 16:04

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: HTKWLAN01
Manuf: High-Tek Harness Enterprise Co., Ltd.
Op Cond: LISN-N
Operator: Jerry
Test Spec: FCC P15 Class B
Comment: EMI RCV:825788/015
120V 60Hz 25'C 60%RH Tx at middle channel
Date: 18. Feb 03 15:58

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP / + AV
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: HTKWLAN01
Manuf: High-Tek Harness Enterprise Co., Ltd.
Op Cond: LISN-L
Operator: Jerry
Test Spec: FCC P15 Class B
Comment: EMI RCV:825788/015
120V 60Hz 25'C 60%RH Tx at high channel
Date: 18. Feb 03 16:17

Scan Settings (1 Range)
|----- Frequencies -----| |----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp
150k 30M 8k 9k PK 20ms AUTO LN OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services
RF VOLTAGE

EUT: HTKWLAN01
Manuf: High-Tek Harness Enterprise Co., Ltd.
Op Cond: LISN-N
Operator: Jerry
Test Spec: FCC P15 Class B
Comment: EMI RCV:825788/015
120V 60Hz 25'C 60%RH Tx at high channel
Date: 18. Feb 03 16:23

Scan Settings (1 Range)
|----- Frequencies -----| |----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp
150k 30M 8k 9k PK 20ms AUTO LN OFF

Final Measurement: x QP / + AV
Meas Time: 1 s

