



Radiated Spurious Emission



LTE Band 2

LTE Band 2 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-43.32	-13	-30.32	-62.15	-49.89	1.67	8.24	H
	5548	-39.92	-13	-26.92	-63.86	-46.99	2.65	9.72	H
	7403	-52.80	-13	-39.80	-78.58	-61.95	2.46	11.61	H
									H
	3700	-47.81	-13	-34.81	-67.61	-54.38	1.67	8.24	V
	5548	-37.14	-13	-24.14	-62.18	-44.21	2.65	9.72	V
	7403	-50.73	-13	-37.73	-78.25	-59.88	2.46	11.61	V
									V
Middle	3756	-42.54	-13	-29.54	-61.55	-49.16	1.68	8.31	H
	5639	-38.13	-13	-25.13	-62.03	-45.18	2.71	9.76	H
	7515	-50.40	-13	-37.40	-76.91	-59.78	2.42	11.81	H
									H
	3756	-46.31	-13	-33.31	-66.29	-52.93	1.68	8.31	V
	5639	-36.76	-13	-23.76	-61.68	-43.81	2.71	9.76	V
	7515	-48.94	-13	-35.94	-79.91	-58.32	2.42	11.81	V
									V
Highest	3819	-44.61	-13	-31.61	-64.96	-49.14	1.70	8.38	H
	5726	-36.33	-13	-23.33	-60.78	-41.22	2.76	9.79	H
	7634	-51.13	-13	-38.13	-78.11	-58.47	2.39	11.88	H
									H
	3819	-48.24	-13	-35.24	-69.15	-52.77	1.70	8.38	V
	5726	-34.80	-13	-21.80	-60.31	-39.69	2.76	9.79	V
	7634	-49.64	-13	-36.64	-78.28	-56.98	2.39	11.88	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-43.28	-13	-30.28	-62.11	-49.85	1.67	8.24	H
	5548	-39.76	-13	-26.76	-63.89	-46.83	2.65	9.72	H
	7403	-52.84	-13	-39.84	-78.62	-61.99	2.46	11.61	H
									H
	3700	-47.67	-13	-34.67	-67.47	-54.24	1.67	8.24	V
	5548	-36.10	-13	-23.10	-61.14	-43.17	2.65	9.72	V
	7403	-50.30	-13	-37.30	-77.82	-59.45	2.46	11.61	V
									V
Middle	3756	-41.88	-13	-28.88	-61.4	-48.5	1.68	8.31	H
	5639	-36.25	-13	-23.25	-61.33	-43.3	2.71	9.76	H
	7514	-50.22	-13	-37.22	-76.94	-59.6	2.42	11.81	H
									H
	3756	-45.88	-13	-32.88	-66.2	-52.5	1.68	8.31	V
	5639	-34.25	-13	-21.25	-60.48	-41.3	2.71	9.76	V
	7514	-47.72	-13	-34.72	-76.55	-57.1	2.42	11.81	V
									V
Highest	3812	-43.03	-13	-30.03	-62.42	-47.55	1.70	8.37	H
	5723	-37.74	-13	-24.74	-62.25	-42.63	2.75	9.79	H
	7683	-52.23	-13	-39.23	-79.23	-59.62	2.37	11.91	H
									H
	3812	-49.33	-13	-36.33	-70.14	-53.85	1.70	8.37	V
	5723	-35.87	-13	-22.87	-61.36	-40.76	2.75	9.79	V
	7683	-50.89	-13	-37.89	-79.24	-58.28	2.37	11.91	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-43.53	-13	-30.53	-62.7	-50.1	1.67	8.24	H
	5548	-39.53	-13	-26.53	-64.49	-46.6	2.65	9.72	H
	7400	-51.76	-13	-38.76	-78.54	-60.9	2.46	11.60	H
									H
	3700	-47.63	-13	-34.63	-68.21	-54.2	1.67	8.24	V
	5548	-36.03	-13	-23.03	-62.25	-43.1	2.65	9.72	V
	7400	-49.76	-13	-36.76	-78.4	-58.9	2.46	11.60	V
									V
Middle	3756	-42.48	-13	-29.48	-62.07	-49.1	1.68	8.31	H
	5632	-37.05	-13	-24.05	-62.07	-44.1	2.70	9.75	H
	7510	-50.02	-13	-37.02	-77.13	-59.4	2.43	11.81	H
									H
	3756	-45.28	-13	-32.28	-65.58	-51.9	1.68	8.31	V
	5632	-34.85	-13	-21.85	-60.72	-41.9	2.70	9.75	V
	7510	-47.22	-13	-34.22	-76.17	-56.6	2.43	11.81	V
									V
Highest	3812	-41.28	-13	-28.28	-62.22	-45.8	1.70	8.37	H
	5716	-35.31	-13	-22.31	-60.45	-40.2	2.75	9.79	H
	7620	-50.07	-13	-37.07	-77.97	-57.4	2.39	11.87	H
									H
	3812	-47.68	-13	-34.68	-68.47	-52.2	1.70	8.37	V
	5716	-35.51	-13	-22.51	-61.3	-40.4	2.75	9.79	V
	7620	-47.97	-13	-34.97	-77.3	-55.3	2.39	11.87	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-41.63	-13	-28.63	-60.87	-48.2	1.67	8.24	H
	5548	-38.73	-13	-25.73	-63.75	-45.8	2.65	9.72	H
	7400	-52.46	-13	-39.46	-78.72	-61.6	2.46	11.60	H
									H
	3700	-46.23	-13	-33.23	-66.63	-52.8	1.67	8.24	V
	5548	-35.73	-13	-22.73	-61.98	-42.8	2.65	9.72	V
	7400	-50.16	-13	-37.16	-78.58	-59.3	2.46	11.60	V
									V
Middle	3749	-42.38	-13	-29.38	-61.83	-49	1.68	8.30	H
	5625	-36.45	-13	-23.45	-61.43	-43.5	2.70	9.75	H
	7500	-50.23	-13	-37.23	-76.82	-59.6	2.43	11.80	H
									H
	3749	-46.68	-13	-33.68	-67.07	-53.3	1.68	8.30	V
	5625	-34.75	-13	-21.75	-60.62	-41.8	2.70	9.75	V
	7501	-48.13	-13	-35.13	-76.77	-57.5	2.43	11.80	V
									V
Highest	3798	-40.69	-13	-27.69	-61.49	-45.2	1.70	8.36	H
	5702	-39.31	-13	-26.31	-64.19	-44.2	2.74	9.78	H
	7600	-50.29	-13	-37.29	-78.11	-57.6	2.40	11.86	H
									H
	3798	-45.79	-13	-32.79	-67.13	-50.3	1.70	8.36	V
	5702	-38.01	-13	-25.01	-64.08	-42.9	2.74	9.78	V
	7600	-48.49	-13	-35.49	-78.07	-55.8	2.40	11.86	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-43.73	-13	-30.73	-63.02	-50.3	1.67	8.24	H
	5555	-38.83	-13	-25.83	-63.96	-45.9	2.66	9.72	H
	7400	-51.76	-13	-38.76	-78.36	-60.9	2.46	11.60	H
									H
	3700	-47.93	-13	-34.93	-68.09	-54.5	1.67	8.24	V
	5555	-35.73	-13	-22.73	-61.77	-42.8	2.66	9.72	V
	7400	-50.16	-13	-37.16	-78.4	-59.3	2.46	11.60	V
									V
Middle	3749	-41.48	-13	-28.48	-60.9	-48.1	1.68	8.30	H
	5618	-37.75	-13	-24.75	-62.66	-44.8	2.69	9.75	H
	7490	-50.15	-13	-37.15	-77.31	-59.5	2.43	11.78	H
									H
	3749	-45.58	-13	-32.58	-66.21	-52.2	1.68	8.30	V
	5618	-35.25	-13	-22.25	-61.14	-42.3	2.69	9.75	V
	7490	-48.75	-13	-35.75	-77.17	-58.1	2.43	11.78	V
									V
Highest	3791	-44.40	-13	-31.40	-64.79	-48.9	1.70	8.35	H
	5688	-42.31	-13	-29.31	-67.4	-47.2	2.73	9.78	H
	7580	-50.51	-13	-37.51	-77.84	-57.8	2.40	11.85	H
									H
	3791	-48.30	-13	-35.30	-69.22	-52.8	1.70	8.35	V
	5688	-40.91	-13	-27.91	-66.85	-45.8	2.73	9.78	V
	7580	-48.81	-13	-35.81	-77.78	-56.1	2.40	11.85	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-43.43	-13	-30.43	-62.47	-50	1.67	8.24	H
	5555	-39.13	-13	-26.13	-63.83	-46.2	2.66	9.72	H
	7400	-52.26	-13	-39.26	-78.8	-61.4	2.46	11.60	H
									H
	3700	-47.13	-13	-34.13	-67.5	-53.7	1.67	8.24	V
	5555	-35.53	-13	-22.53	-61.64	-42.6	2.66	9.72	V
	7400	-49.46	-13	-36.46	-78	-58.6	2.46	11.60	V
									V
Middle	3742	-42.99	-13	-29.99	-62.58	-49.6	1.68	8.29	H
	5611	-40.74	-13	-27.74	-65.57	-47.8	2.69	9.74	H
	7480	-50.58	-13	-37.58	-77.6	-59.9	2.44	11.76	H
									H
	3742	-46.79	-13	-33.79	-66.83	-53.4	1.68	8.29	V
	5611	-38.04	-13	-25.04	-63.73	-45.1	2.69	9.74	V
	7480	-48.78	-13	-35.78	-77.33	-58.1	2.44	11.76	V
									V
Highest	3784	-44.40	-13	-31.40	-64.82	-48.9	1.69	8.34	H
	5674	-39.21	-13	-26.21	-63.99	-44.1	2.73	9.77	H
	7560	-50.22	-13	-37.22	-77.61	-57.5	2.41	11.84	H
									H
	3784	-49.10	-13	-36.10	-70.08	-53.6	1.69	8.34	V
	5674	-36.31	-13	-23.31	-62.47	-41.2	2.73	9.77	V
	7560	-48.62	-13	-35.62	-77.55	-55.9	2.41	11.84	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25

LTE Band 25 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3826	-43.28	-13	-30.28	-64.18	-49.96	1.71	8.39	H
	5744	-38.40	-13	-25.40	-63.28	-45.43	2.77	9.80	H
	7655	-51.08	-13	-38.08	-78.73	-60.59	2.38	11.89	H
									H
									H
	3826	-47.20	-13	-34.20	-68.56	-53.88	1.71	8.39	V
	5744	-36.69	-13	-23.69	-62.55	-43.72	2.77	9.80	V
	7655	-49.44	-13	-36.44	-78.58	-58.95	2.38	11.89	V
									V
									V

LTE Band 25 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3826	-45.64	-13	-32.64	-66.61	-52.32	1.71	8.39	H
	5737	-37.58	-13	-24.58	-62.52	-44.61	2.76	9.79	H
	7655	-50.96	-13	-37.96	-78.6	-60.47	2.38	11.89	H
									H
									H
	3826	-47.85	-13	-34.85	-69.28	-54.53	1.71	8.39	V
	5737	-36.62	-13	-23.62	-62.2	-43.65	2.76	9.79	V
	7655	-49.22	-13	-36.22	-78.46	-58.73	2.38	11.89	V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3819	-44.42	-13	-31.42	-65.41	-51.1	1.70	8.38	H
	5730	-37.29	-13	-24.29	-62.34	-44.32	2.76	9.79	H
	7641	-50.78	-13	-37.78	-78.41	-60.28	2.38	11.88	H
									H
									H
	3819	-48.57	-13	-35.57	-69.99	-55.25	1.70	8.38	V
	5730	-36.10	-13	-23.10	-61.86	-43.13	2.76	9.79	V
	7641	-48.90	-13	-35.90	-78.17	-58.4	2.38	11.88	V
									V
									V

LTE Band 25 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3812	-49.15	-13	-36.15	-70.01	-55.82	1.70	8.37	H
	5716	-41.05	-13	-28.05	-66	-48.09	2.75	9.79	H
	7620	-51.39	-13	-38.39	-78.98	-60.87	2.39	11.87	H
									H
									H
	3812	-53.33	-13	-40.33	-74.62	-60	1.70	8.37	V
	5716	-39.73	-13	-26.73	-65.46	-46.77	2.75	9.79	V
	7620	-49.43	-13	-36.43	-78.67	-58.91	2.39	11.87	V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3798	-39.00	-13	-26.00	-59.88	-45.66	1.70	8.36	H
	5702	-40.20	-13	-27.20	-65.12	-47.24	2.74	9.78	H
	7599	-50.22	-13	-37.22	-77.83	-59.68	2.40	11.86	H
									H
									H
	3798	-44.63	-13	-31.63	-65.91	-51.29	1.70	8.36	V
	5702	-36.40	-13	-23.40	-62.18	-43.44	2.74	9.78	V
	7599	-48.43	-13	-35.43	-77.74	-57.89	2.40	11.86	V
									V
									V

LTE Band 25 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3791	-41.83	-13	-28.83	-62.16	-48.48	1.70	8.35	H
	5688	-43.17	-13	-30.17	-67.99	-50.21	2.73	9.78	H
	7585	-50.01	-13	-37.01	-77.62	-59.46	2.40	11.85	H
									H
									H
	3791	-47.23	-13	-34.23	-68.27	-53.88	1.70	8.35	V
	5688	-40.17	-13	-27.17	-66.11	-47.21	2.73	9.78	V
	7585	-48.27	-13	-35.27	-77.44	-57.72	2.40	11.85	V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4

LTE Band 4 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-47.23	-13	-34.23	-65.15	-53.3	1.58	7.65	H
	5128	-48.51	-13	-35.51	-71.9	-55.8	2.41	9.70	H
	6840	-50.43	-13	-37.43	-76.54	-58.4	2.64	10.61	H
									H
	3420	-45.13	-13	-32.13	-64	-51.2	1.58	7.65	V
	5128	-45.21	-13	-32.21	-69.69	-52.5	2.41	9.70	V
	6840	-49.53	-13	-36.53	-77	-57.5	2.64	10.61	V
									V
Middle	3464	-50.05	-13	-37.05	-67.72	-56.3	1.59	7.84	H
	5195	-54.25	-13	-41.25	-77.35	-61.5	2.45	9.70	H
	6927	-50.70	-13	-37.70	-77.15	-58.8	2.61	10.71	H
									H
	3464	-51.35	-13	-38.35	-70.16	-57.6	1.59	7.84	V
	5196	-52.05	-13	-39.05	-76.6	-59.3	2.45	9.70	V
	6927	-50.00	-13	-37.00	-77.19	-58.1	2.61	10.71	V
									V
Highest	3507	-45.40	-13	-32.40	-63.34	-51.8	1.61	8.01	H
	5261	-50.59	-13	-37.59	-74.7	-57.8	2.49	9.70	H
	7014	-50.96	-13	-37.96	-77.17	-59.2	2.59	10.83	H
									H
	3507	-44.80	-13	-31.80	-63.6	-51.2	1.61	8.01	V
	5261	-47.99	-13	-34.99	-72.95	-55.2	2.49	9.70	V
	7014	-50.36	-13	-37.36	-77.55	-58.6	2.59	10.83	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-49.13	-13	-36.13	-66.9	-55.2	1.58	7.65	H
	5128	-51.61	-13	-38.61	-74.79	-58.9	2.41	9.70	H
	6840	-51.03	-13	-38.03	-77.18	-59	2.64	10.61	H
									H
	3420	-48.63	-13	-35.63	-67.54	-54.7	1.58	7.65	V
	5128	-49.81	-13	-36.81	-74.3	-57.1	2.41	9.70	V
	6840	-50.33	-13	-37.33	-77.52	-58.3	2.64	10.61	V
									V
Middle	3462	-46.86	-13	-33.86	-64.28	-53.1	1.59	7.83	H
	5193	-53.05	-13	-40.05	-76.71	-60.3	2.45	9.70	H
	6924	-50.41	-13	-37.41	-76.55	-58.5	2.62	10.71	H
									H
	3462	-51.26	-13	-38.26	-70.13	-57.5	1.59	7.83	V
	5193	-52.35	-13	-39.35	-76.56	-59.6	2.45	9.70	V
	6924	-49.01	-13	-36.01	-76.41	-57.1	2.62	10.71	V
									V
Highest	3504	-46.90	-13	-33.90	-64.84	-53.3	1.61	8.00	H
	5254	-50.98	-13	-37.98	-75.26	-58.2	2.48	9.70	H
	7008	-51.37	-13	-38.37	-77.53	-59.6	2.59	10.82	H
									H
	3504	-44.10	-13	-31.10	-63.18	-50.5	1.61	8.00	V
	5254	-50.48	-13	-37.48	-75.44	-57.7	2.48	9.70	V
	7008	-50.37	-13	-37.37	-77.37	-58.6	2.59	10.82	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-48.43	-13	-35.43	-66.01	-54.5	1.58	7.65	H
	5128	-50.91	-13	-37.91	-74.36	-58.2	2.41	9.70	H
	6840	-50.93	-13	-37.93	-77.55	-58.9	2.64	10.61	H
									H
	3420	-49.43	-13	-36.43	-68.19	-55.5	1.58	7.65	V
	5128	-50.71	-13	-37.71	-75.16	-58	2.41	9.70	V
	6840	-50.13	-13	-37.13	-77.51	-58.1	2.64	10.61	V
									V
Middle	3462	-47.26	-13	-34.26	-64.89	-53.5	1.59	7.83	H
	5190	-53.45	-13	-40.45	-76.88	-60.7	2.45	9.70	H
	6920	-50.11	-13	-37.11	-76.19	-58.2	2.62	10.70	H
									H
	3462	-51.46	-13	-38.46	-70.36	-57.7	1.59	7.83	V
	5190	-51.55	-13	-38.55	-76.24	-58.8	2.45	9.70	V
	6920	-49.41	-13	-36.41	-76.74	-57.5	2.62	10.70	V
									V
Highest	3497	-47.32	-13	-34.32	-64.83	-53.7	1.60	7.99	H
	5247	-50.68	-13	-37.68	-74.74	-57.9	2.48	9.70	H
	7004	-49.48	-13	-36.48	-75.88	-57.7	2.59	10.81	H
									H
	3497	-44.52	-13	-31.52	-63.78	-50.9	1.60	7.99	V
	5247	-49.58	-13	-36.58	-74.39	-56.8	2.48	9.70	V
	7004	-48.08	-13	-35.08	-75.99	-56.3	2.59	10.81	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-49.37	-13	-36.37	-67.14	-55.44	1.58	7.65	H
	5128	-50.85	-13	-37.85	-74.47	-58.14	2.41	9.70	H
	6843	-50.73	-13	-37.73	-77.19	-58.7	2.64	10.61	H
									H
	3420	-48.25	-13	-35.25	-67.35	-54.32	1.58	7.65	V
	5128	-50.42	-13	-37.42	-75.03	-57.71	2.41	9.70	V
	6843	-49.95	-13	-36.95	-77.6	-57.92	2.64	10.61	V
									V
Middle	3455	-49.13	-13	-36.13	-66.92	-55.34	1.59	7.80	H
	5184	-52.41	-13	-39.41	-75.92	-59.67	2.44	9.70	H
	6913	-50.29	-13	-37.29	-76.8	-58.37	2.62	10.70	H
									H
	3455	-51.42	-13	-38.42	-70.46	-57.63	1.59	7.80	V
	5184	-51.94	-13	-38.94	-76.58	-59.2	2.44	9.70	V
	6913	-49.13	-13	-36.13	-76.66	-57.21	2.62	10.70	V
									V
Highest	3490	-45.75	-13	-32.75	-63.3	-52.1	1.60	7.96	H
	5233	-50.57	-13	-37.57	-74.57	-57.8	2.47	9.70	H
	6983	-48.72	-13	-35.72	-75.02	-56.9	2.60	10.78	H
									H
	3490	-44.85	-13	-31.85	-64.03	-51.2	1.60	7.96	V
	5233	-48.27	-13	-35.27	-73.28	-55.5	2.47	9.70	V
	6983	-48.32	-13	-35.32	-75.72	-56.5	2.60	10.78	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-48.23	-13	-35.23	-65.94	-54.3	1.58	7.65	H
	5135	-50.41	-13	-37.41	-74.12	-57.7	2.41	9.70	H
	6840	-50.93	-13	-37.93	-77.54	-58.9	2.64	10.61	H
									H
	3420	-49.73	-13	-36.73	-68.78	-55.8	1.58	7.65	V
	5135	-50.21	-13	-37.21	-74.73	-57.5	2.41	9.70	V
	6840	-49.93	-13	-36.93	-77.48	-57.9	2.64	10.61	V
									V
Middle	3448	-50.62	-13	-37.62	-68.45	-56.8	1.59	7.77	H
	5177	-51.24	-13	-38.24	-75.23	-58.5	2.44	9.70	H
	6900	-50.54	-13	-37.54	-76.85	-58.6	2.62	10.68	H
									H
	3448	-52.32	-13	-39.32	-71.35	-58.5	1.59	7.77	V
	5177	-50.34	-13	-37.34	-75.02	-57.6	2.44	9.70	V
	6900	-49.44	-13	-36.44	-77.09	-57.5	2.62	10.68	V
									V
Highest	3483	-45.07	-13	-32.07	-62.82	-51.4	1.60	7.93	H
	5219	-50.26	-13	-37.26	-74.12	-57.5	2.46	9.70	H
	6962	-48.45	-13	-35.45	-74.81	-56.6	2.60	10.75	H
									H
	3483	-43.77	-13	-30.77	-62.85	-50.1	1.60	7.93	V
	5219	-49.36	-13	-36.36	-73.95	-56.6	2.46	9.70	V
	6962	-48.05	-13	-35.05	-75.27	-56.2	2.60	10.75	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-47.83	-13	-34.83	-65.7	-53.9	1.58	7.65	H
	5135	-50.91	-13	-37.91	-74.4	-58.2	2.41	9.70	H
	6840	-51.23	-13	-38.23	-77.45	-59.2	2.64	10.61	H
									H
	3420	-49.03	-13	-36.03	-68.06	-55.1	1.58	7.65	V
	5135	-49.91	-13	-36.91	-74.36	-57.2	2.41	9.70	V
	6840	-49.83	-13	-36.83	-77.29	-57.8	2.64	10.61	V
									V
Middle	3448	-50.92	-13	-37.92	-68.53	-57.1	1.59	7.77	H
	5170	-52.83	-13	-39.83	-76.24	-60.1	2.43	9.70	H
	6890	-50.86	-13	-37.86	-77.21	-58.9	2.63	10.67	H
									H
	3448	-51.52	-13	-38.52	-70.24	-57.7	1.59	7.77	V
	5170	-50.53	-13	-37.53	-75.2	-57.8	2.43	9.70	V
	6890	-50.06	-13	-37.06	-77.07	-58.1	2.63	10.67	V
									V
Highest	3469	-45.93	-13	-32.93	-63.69	-52.2	1.59	7.86	H
	5205	-52.36	-13	-39.36	-75.67	-59.6	2.46	9.70	H
	6940	-49.58	-13	-36.58	-75.63	-57.7	2.61	10.73	H
									H
	3469	-49.83	-13	-36.83	-68.76	-56.1	1.59	7.86	V
	5205	-51.66	-13	-38.66	-76.18	-58.9	2.46	9.70	V
	6940	-48.48	-13	-35.48	-75.87	-56.6	2.61	10.73	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5

LTE Band 5 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-59.94	-13	-46.94	-71.28	-61.7	0.98	4.89	H
	2473	-57.71	-13	-44.71	-73.97	-59.6	1.28	5.32	H
	3296	-60.89	-13	-47.89	-78.33	-64.3	1.54	7.10	H
									H
	1648	-57.34	-13	-44.34	-69.32	-59.1	0.98	4.89	V
	2473	-56.21	-13	-43.21	-74.01	-58.1	1.28	5.32	V
	3296	-59.09	-13	-46.09	-78.22	-62.5	1.54	7.10	V
									V
Middle	1672	-60.52	-13	-47.52	-71.88	-62.2	0.99	4.82	H
	2509	-57.24	-13	-44.24	-74.14	-59.2	1.29	5.41	H
	3346	-59.68	-13	-46.68	-77.11	-63.3	1.56	7.32	H
									H
	1672	-57.52	-13	-44.52	-69.47	-59.2	0.99	4.82	V
	2509	-56.64	-13	-43.64	-74.84	-58.6	1.29	5.41	V
	3346	-58.98	-13	-45.98	-77.86	-62.6	1.56	7.32	V
									V
Highest	1696	-59.50	-13	-46.50	-71.24	-61.1	1.00	4.75	H
	2545	-58.22	-13	-45.22	-75.09	-60.2	1.30	5.44	H
	3391	-58.70	-13	-45.70	-76.38	-62.5	1.57	7.52	H
									H
	1696	-57.20	-13	-44.20	-69.75	-58.8	1.00	4.75	V
	2545	-57.12	-13	-44.12	-75.64	-59.1	1.30	5.44	V
	3391	-57.80	-13	-44.80	-77.01	-61.6	1.57	7.52	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 3MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-58.64	-13	-45.64	-69.93	-60.4	0.98	4.89	H
	2473	-58.31	-13	-45.31	-74.6	-60.2	1.28	5.32	H
	3296	-61.09	-13	-48.09	-78.27	-64.5	1.54	7.10	H
									H
	1648	-60.34	-13	-47.34	-71.98	-62.1	0.98	4.89	V
	2472	-58.12	-13	-45.12	-76.03	-60	1.28	5.32	V
	3296	-59.39	-13	-46.39	-78.27	-62.8	1.54	7.10	V
									V
Middle	1669	-58.81	-13	-45.81	-70.25	-60.5	0.99	4.83	H
	2506	-57.54	-13	-44.54	-74.28	-59.5	1.29	5.40	H
	3340	-61.01	-13	-48.01	-78.63	-64.6	1.55	7.30	H
									H
	1669	-60.41	-13	-47.41	-72.35	-62.1	0.99	4.83	V
	2506	-56.64	-13	-43.64	-74.85	-58.6	1.29	5.40	V
	3340	-59.41	-13	-46.41	-78.54	-63	1.55	7.30	V
									V
Highest	1693	-57.49	-13	-44.49	-69.27	-59.1	1.00	4.76	H
	2538	-58.32	-13	-45.32	-75.19	-60.3	1.30	5.43	H
	3384	-59.63	-13	-46.63	-77.68	-63.4	1.57	7.49	H
									H
	1693	-61.19	-13	-48.19	-73.52	-62.8	1.00	4.76	V
	2538	-56.12	-13	-43.12	-74.85	-58.1	1.30	5.43	V
	3384	-57.53	-13	-44.53	-76.69	-61.3	1.57	7.49	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-58.84	-13	-45.84	-70.05	-60.6	0.98	4.89	H
	2473	-58.21	-13	-45.21	-74.62	-60.1	1.28	5.32	H
	3296	-60.49	-13	-47.49	-78.19	-63.9	1.54	7.10	H
									H
	1648	-59.74	-13	-46.74	-71.78	-61.5	0.98	4.89	V
	2472	-58.32	-13	-45.32	-75.93	-60.2	1.28	5.32	V
	3296	-59.09	-13	-46.09	-78.19	-62.5	1.54	7.10	V
									V
Middle	1668	-55.51	-13	-42.51	-66.83	-57.2	0.99	4.83	H
	2504	-55.94	-13	-42.94	-72.74	-57.9	1.29	5.40	H
	3336	-59.82	-13	-46.82	-77.4	-63.4	1.55	7.28	H
									H
	1668	-58.11	-13	-45.11	-70.26	-59.8	0.99	4.83	V
	2504	-55.94	-13	-42.94	-74.04	-57.9	1.29	5.40	V
	3336	-56.52	-13	-43.52	-75.69	-60.1	1.55	7.28	V
									V
Highest	1687	-56.17	-13	-43.17	-67.76	-57.8	1.00	4.78	H
	2533	-58.12	-13	-45.12	-74.61	-60.1	1.30	5.43	H
	3376	-60.36	-13	-47.36	-78.33	-64.1	1.57	7.45	H
									H
	1687	-59.87	-13	-46.87	-72.22	-61.5	1.00	4.78	V
	2533	-56.52	-13	-43.52	-74.89	-58.5	1.30	5.43	V
	3376	-59.16	-13	-46.16	-78.3	-62.9	1.57	7.45	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-55.44	-13	-42.44	-66.77	-57.2	0.98	4.89	H
	2472	-56.42	-13	-43.42	-72.91	-58.3	1.28	5.32	H
	3296	-59.69	-13	-46.69	-77.28	-63.1	1.54	7.10	H
									H
	1648	-57.34	-13	-44.34	-69.44	-59.1	0.98	4.89	V
	2472	-56.82	-13	-43.82	-75.17	-58.7	1.28	5.32	V
	3296	-57.09	-13	-44.09	-76.16	-60.5	1.54	7.10	V
									V
Middle	1663	-58.52	-13	-45.52	-69.85	-60.23	0.98	4.84	H
	2497	-47.26	-13	-34.26	-63.94	-49.21	1.29	5.39	H
	3325	-60.91	-13	-47.91	-78.46	-64.44	1.55	7.23	H
									H
	1663	-54.04	-13	-41.04	-66.16	-55.75	0.98	4.84	V
	2497	-48.59	-13	-35.59	-66.51	-50.54	1.29	5.39	V
	3325	-59.36	-13	-46.36	-78.45	-62.89	1.55	7.23	V
									V
Highest	1680	-56.75	-13	-43.75	-68.23	-58.4	0.99	4.80	H
	2520	-56.53	-13	-43.53	-73.46	-58.5	1.30	5.42	H
	3356	-59.94	-13	-46.94	-77.69	-63.6	1.56	7.37	H
									H
	1680	-59.75	-13	-46.75	-71.89	-61.4	0.99	4.80	V
	2520	-55.93	-13	-42.93	-74.31	-57.9	1.30	5.42	V
	3356	-58.84	-13	-45.84	-77.81	-62.5	1.56	7.37	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13

LTE Band 13 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1552	-58.81	-13	-45.81	-69.34	-60.88	0.94	5.15	H
	2328	-60.56	-13	-47.56	-75.32	-62.06	1.24	4.88	H
	3104	-59.15	-13	-46.15	-76.52	-61.78	1.48	6.26	H
									H
	1552	-62.50	-13.00	-49.50	-73.98	-64.57	0.94	5.15	V
	2328	-58.74	-13	-45.74	-75.52	-60.24	1.24	4.88	V
	3104	-57.37	-13	-44.37	-76.28	-60.00	1.48	6.26	V
									V
Middle	1560	-57.97	-42.15	-15.82	-68.56	-60.01	0.94	5.13	H
	2336	-60.42	-13	-47.42	-75.21	-61.94	1.24	4.91	H
	3120	-58.75	-13	-45.75	-76.10	-61.44	1.49	6.33	H
									H
	1560	-62.28	-42.15	-20.13	-73.85	-64.32	0.94	5.13	V
	2344	-58.51	-13	-45.51	-75.35	-60.05	1.24	4.93	V
	3120	-57.58	-13	-44.58	-76.49	-60.27	1.49	6.33	V
									V
Highest	1568	-60.59	-42.15	-18.44	-71.22	-62.61	0.94	5.11	H
	2352	-60.37	-13	-47.37	-75.18	-61.93	1.24	4.96	H
	3136	-58.94	-13	-45.94	-76.26	-61.70	1.49	6.40	H
									H
	1568	-62.57	-42.15	-20.42	-74.02	-64.59	0.94	5.11	V
	2352	-58.29	-13	-45.29	-75.08	-59.85	1.24	4.96	V
	3136	-57.23	-13	-44.23	-76.23	-59.99	1.49	6.40	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1560	-59.65	-42.15	-17.50	-70.25	-61.69	0.94	5.13	H
	2344	-60.46	-13	-47.46	-75.34	-62	1.24	4.93	H
	3120	-58.81	-13	-45.81	-76.15	-61.5	1.49	6.33	H
									H
	1560	-62.41	-42.15	-20.26	-73.79	-64.45	0.94	5.13	V
	2344	-58.22	-13	-45.22	-75.19	-59.76	1.24	4.93	V
	3120	-57.21	-13	-44.21	-76.25	-59.9	1.49	6.33	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



IC LTE Band 13 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1552	-56.66	-13.00	-43.66	-69.34	-60.88	0.94	5.15	H
	2328	-58.41	-13.00	-45.41	-75.32	-62.06	1.24	4.88	H
	3104	-57.00	-13.00	-44.00	-76.52	-61.78	1.48	6.26	H
									H
	1552	-60.35	-13.00	-47.35	-73.98	-64.57	0.94	5.15	V
	2328	-56.59	-13.00	-43.59	-75.52	-60.24	1.24	4.88	V
	3104	-55.22	-13.00	-42.22	-76.28	-60.00	1.48	6.26	V
									V
Middle	1560	-55.82	-40	-15.82	-68.56	-60.01	0.94	5.13	H
	2336	-58.27	-13	-45.27	-75.21	-61.94	1.24	4.91	H
	3120	-56.60	-13	-43.60	-76.10	-61.44	1.49	6.33	H
									H
	1560	-60.13	-40	-20.13	-73.85	-64.32	0.94	5.13	V
	2344	-56.36	-13	-43.36	-75.35	-60.05	1.24	4.93	V
	3120	-55.43	-13	-42.43	-76.49	-60.27	1.49	6.33	V
									V
Highest	1568	-58.44	-40	-18.44	-71.22	-62.61	0.94	5.11	H
	2352	-58.22	-13	-45.22	-75.18	-61.93	1.24	4.96	H
	3136	-56.79	-13	-43.79	-76.26	-61.70	1.49	6.40	H
									H
	1568	-60.42	-40	-20.42	-74.02	-64.59	0.94	5.11	V
	2352	-56.14	-13	-43.14	-75.08	-59.85	1.24	4.96	V
	3136	-55.08	-13	-42.08	-76.23	-59.99	1.49	6.40	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



IC LTE Band 13 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1560	-57.50	-40	-17.50	-70.25	-61.69	0.94	5.13	H
	2344	-58.31	-13	-45.31	-75.34	-62.00	1.24	4.93	H
	3120	-56.66	-13	-43.66	-76.15	-61.50	1.49	6.33	H
									H
	1560	-60.26	-40	-20.26	-73.79	-64.45	0.94	5.13	V
	2344	-56.07	-13	-43.07	-75.19	-59.76	1.24	4.93	V
	3120	-55.06	-13	-42.06	-76.25	-59.90	1.49	6.33	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 17

LTE Band 17 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1408	-63.18	-13	-50.18	-72.78	-64.89	0.87	4.73	H
	2112	-59.59	-13	-46.59	-74.72	-60.51	1.17	4.24	H
	2816	-58.13	-13	-45.13	-75.57	-60.24	1.39	5.65	H
									H
	1408	-62.87	-13	-49.87	-72.78	-64.58	0.87	4.73	V
	2112	-59.42	-13	-46.42	-74.72	-60.34	1.17	4.24	V
	2816	-58.26	-13	-45.26	-75.57	-60.37	1.39	5.65	V
									V
Middle	1416	-58.56	-13	-45.56	-68.26	-60.31	0.87	4.78	H
	2120	-61.77	-13	-48.77	-75.16	-62.71	1.17	4.26	H
	2832	-59.41	-13	-46.41	-75.57	-61.53	1.39	5.67	H
									H
	1416	-62.80	-13	-49.80	-72.75	-64.55	0.87	4.78	V
	2120	-59.69	-13	-46.69	-75.07	-60.63	1.17	4.26	V
	3536	-58.24	-13	-45.24	-75.76	-62.52	1.62	8.04	V
									V
Highest	1424	-63.93	-13	-50.93	-73.90	-65.73	0.88	4.83	H
	2136	-61.94	-13	-48.94	-75.28	-62.92	1.18	4.31	H
	2848	-59.31	-13	-46.31	-75.51	-61.44	1.40	5.68	H
									H
	1424	-63.66	-13	-50.66	-73.84	-65.46	0.88	4.83	V
	2136	-59.79	-13	-46.79	-75.27	-60.77	1.18	4.31	V
	2848	-58.22	-13	-45.22	-75.64	-60.35	1.40	5.68	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 17 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1408	-60.91	-13	-47.91	-70.75	-62.62	0.87	4.73	H
	2112	-61.42	-13	-48.42	-74.93	-62.34	1.17	4.24	H
	2816	-59.51	-13	-46.51	-75.63	-61.62	1.39	5.65	H
									H
	1408	-63.60	-13	-50.60	-73.21	-65.31	0.87	4.73	V
	2112	-59.91	-13	-46.91	-75.06	-60.83	1.17	4.24	V
	2816	-58.01	-13	-45.01	-75.53	-60.12	1.39	5.65	V
									V
Middle	1408	-62.27	-13	-49.27	-71.83	-63.98	0.87	4.73	H
	2120	-61.65	-13	-48.65	-74.95	-62.59	1.17	4.26	H
	2824	-59.52	-13	-46.52	-75.65	-61.64	1.39	5.66	H
									H
	1408	-63.55	-13	-50.55	-73.36	-65.26	0.87	4.73	V
	2120	-59.88	-13	-46.88	-74.96	-60.82	1.17	4.26	V
	2824	-58.27	-13	-45.27	-75.50	-60.39	1.39	5.66	V
									V
Highest	1416	-61.82	-13	-48.82	-72.08	-63.57	0.87	4.78	H
	2120	-61.85	-13	-48.85	-75.23	-62.79	1.17	4.26	H
	2824	-59.54	-13	-46.54	-75.67	-61.66	1.39	5.66	H
									H
	1416	-63.80	-13	-50.80	-73.75	-65.55	0.87	4.78	V
	2120	-59.55	-13	-46.55	-74.80	-60.49	1.17	4.26	V
	2824	-58.29	-13	-45.29	-75.61	-60.41	1.39	5.66	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



IC LTE Band 17 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1416	-61.82	-13	-48.82	-72.08	-63.57	0.87	4.78	H
	2120	-61.85	-13	-48.85	-75.23	-62.79	1.17	4.26	H
	2824	-59.54	-13	-46.54	-75.67	-61.66	1.39	5.66	H
									H
	1416	-63.80	-13	-50.80	-73.75	-65.55	0.87	4.78	V
	2120	-59.55	-13	-46.55	-74.80	-60.49	1.17	4.26	V
	2824	-58.29	-13	-45.29	-75.61	-60.41	1.39	5.66	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

IC LTE Band 17 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1416	-61.82	-13	-48.82	-72.08	-63.57	0.87	4.78	H
	2120	-61.85	-13	-48.85	-75.23	-62.79	1.17	4.26	H
	2824	-59.54	-13	-46.54	-75.67	-61.66	1.39	5.66	H
									H
	1416	-63.80	-13	-50.80	-73.75	-65.55	0.87	4.78	V
	2120	-59.55	-13	-46.55	-74.80	-60.49	1.17	4.26	V
	2824	-58.29	-13	-45.29	-75.61	-60.41	1.39	5.66	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.