


A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-53.82	-13	Pass	401
0.15	30	0.01	Peak	0.43	-53.3	-13	Pass	2985
30	500	0.1	Peak	373.973	-42.97	-13	Pass	4700
500	1000	0.1	Peak	824.165	32.31	-13	N/A	5000
1000	10000	1	Peak	9633.546	-22.39	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.1	-13	Pass	401
0.15	30	0.01	Peak	0.3	-53.02	-13	Pass	2985
30	500	0.1	Peak	468.393	-43.59	-13	Pass	4700
500	1000	0.1	Peak	836.567	32.37	-13	N/A	5000
1000	10000	1	Peak	7046.738	-22	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.69	-13	Pass	401
0.15	30	0.01	Peak	0.22	-53.72	-13	Pass	2985
30	500	0.1	Peak	382.475	-43.75	-13	Pass	4700
500	1000	0.1	Peak	848.77	32.31	-13	N/A	5000
1000	10000	1	Peak	8845.958	-22.22	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-54.76	-13	Pass	401
0.15	30	0.01	Peak	0.3	-53.59	-13	Pass	2985
30	1000	0.1	Peak	903.372	-42.25	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.13	-13	N/A	2000
3000	20000	1	Peak	18844.934	-14.41	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-55.56	-13	Pass	401
0.15	30	0.01	Peak	0.21	-53.51	-13	Pass	2985
30	1000	0.1	Peak	858.612	-43.21	-13	Pass	9699
1000	3000	1	Peak	1880.44	29.19	-13	N/A	2000
3000	20000	1	Peak	18850.935	-15.16	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.43	-13	Pass	401
0.15	30	0.01	Peak	0.17	-53.09	-13	Pass	2985
30	1000	0.1	Peak	881.343	-42.04	-13	Pass	9699
1000	3000	1	Peak	1909.455	28.78	-13	N/A	2000
3000	20000	1	Peak	18838.933	-14.73	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.5	-13	Pass	401
0.15	30	0.01	Peak	0.27	-54	-13	Pass	2985
30	500	0.1	Peak	484.197	-43.77	-13	Pass	4700
500	1000	0.1	Peak	824.165	28.22	-13	N/A	5000
1000	10000	1	Peak	7002.733	-22.14	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-55.97	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.97	-13	Pass	2985
30	500	0.1	Peak	480.396	-42.93	-13	Pass	4700
500	1000	0.1	Peak	836.567	27.87	-13	N/A	5000
1000	10000	1	Peak	9660.58	-21.68	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.7	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.81	-13	Pass	2985
30	500	0.1	Peak	468.793	-43.68	-13	Pass	4700
500	1000	0.1	Peak	848.77	28.09	-13	N/A	5000
1000	10000	1	Peak	7693.817	-22.52	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.79	-13	Pass	401
0.15	30	0.01	Peak	0.24	-53.75	-13	Pass	2985
30	1000	0.1	Peak	710.683	-43.09	-13	Pass	9699
1000	3000	1	Peak	1850.425	27.48	-13	N/A	2000
3000	20000	1	Peak	18850.935	-14.3	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.42	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.26	-13	Pass	2985
30	1000	0.1	Peak	793.693	-43.14	-13	Pass	9699
1000	3000	1	Peak	1879.44	27.47	-13	N/A	2000
3000	20000	1	Peak	18832.933	-14.77	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.43	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.56	-13	Pass	2985
30	1000	0.1	Peak	732.386	-42.86	-13	Pass	9699
1000	3000	1	Peak	1909.455	27.2	-13	N/A	2000
3000	20000	1	Peak	18949.947	-14.4	-13	Pass	17000



5. CDMA


5.1. CDMA BC0_L Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.35	-13	Pass	401
0.15	30	0.01	Peak	0.2	-54.29	-13	Pass	2985
30	500	0.1	Peak	480.796	-44.22	-13	Pass	4700
500	1000	0.1	Peak	824.665	23.13	-13	N/A	5000
1000	10000	1	Peak	7190.756	-22.93	-13	Pass	9000




5.2. CDMA BC0_M Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.08	-13	Pass	2985
30	500	0.1	Peak	497.399	-43.79	-13	Pass	4700
500	1000	0.1	Peak	836.867	24.41	-13	N/A	5000
1000	10000	1	Peak	7190.756	-23	-13	Pass	9000



5.3. CDMA BC0_H Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.69	-13	Pass	401
0.15	30	0.01	Peak	0.21	-54.32	-13	Pass	2985
30	500	0.1	Peak	409.781	-43.94	-13	Pass	4700
500	1000	0.1	Peak	847.97	23.19	-13	N/A	5000
1000	10000	1	Peak	7430.785	-22.85	-13	Pass	9000



6. EVDO


6.1. EVDO BC0_LSpurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.91	-13	Pass	401
0.15	30	0.01	Peak	0.24	-54.49	-13	Pass	2985
30	500	0.1	Peak	359.87	-43.94	-13	Pass	4700
500	1000	0.1	Peak	824.365	24.01	-13	N/A	5000
1000	10000	1	Peak	7511.795	-23.25	-13	Pass	9000




6.2. EVDO BC0_M Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.26	-13	Pass	401
0.15	30	0.01	Peak	0.33	-54.3	-13	Pass	2985
30	500	0.1	Peak	357.67	-43.78	-13	Pass	4700
500	1000	0.1	Peak	836.167	23.74	-13	N/A	5000
1000	10000	1	Peak	7190.756	-23.44	-13	Pass	9000



6.3. EVDO BC0_H Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.59	-13	Pass	401
0.15	30	0.01	Peak	0.24	-54.34	-13	Pass	2985
30	500	0.1	Peak	425.784	-43.68	-13	Pass	4700
500	1000	0.1	Peak	847.97	23.9	-13	N/A	5000
1000	10000	1	Peak	3393.292	-22.94	-13	Pass	9000



7. WCDMA_Band2


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.21	-13	Pass	401
0.15	30	0.01	Peak	0.28	-62.97	-13	Pass	2985
30	1000	0.1	Peak	425.748	-52.78	-13	Pass	9699
1000	3000	1	Peak	1853.427	22.17	-13	N/A	2000
3000	20000	1	Peak	19783.649	-23.36	-13	Pass	17000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.3	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.68	-13	Pass	2985
30	1000	0.1	Peak	874.233	-52.78	-13	Pass	9699
1000	3000	1	Peak	1878.439	21.74	-13	N/A	2000
3000	20000	1	Peak	19810.693	-23.12	-13	Pass	17000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.38	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.37	-13	Pass	2985
30	1000	0.1	Peak	891.456	-52.82	-13	Pass	9699
1000	3000	1	Peak	1906.453	21.7	-13	N/A	2000
3000	20000	1	Peak	19789.659	-22.16	-13	Pass	17000



8. WCDMA_Band5


8.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.06	-13	Pass	401
0.15	30	0.01	Peak	0.9	-64.48	-13	Pass	2985
30	500	0.1	Peak	494.599	-53.89	-13	Pass	4700
500	1000	0.1	Peak	825.465	17.89	-13	N/A	5000
1000	10000	1	Peak	8777.949	-32.26	-13	Pass	9000




8.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.02	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.91	-13	Pass	2985
30	500	0.1	Peak	483.296	-53.84	-13	Pass	4700
500	1000	0.1	Peak	835.567	17.88	-13	N/A	5000
1000	10000	1	Peak	6965.728	-32.46	-13	Pass	9000



8.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.19	-13	Pass	401
0.15	30	0.01	Peak	0.18	-62.59	-13	Pass	2985
30	500	0.1	Peak	497.199	-53.48	-13	Pass	4700
500	1000	0.1	Peak	847.169	18.16	-13	N/A	5000
1000	10000	1	Peak	8006.855	-32.51	-13	Pass	9000



9. LTE_Band2


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-68.1	-13	Pass	401
0.15	30	0.01	Peak	0.27	-63.43	-13	Pass	2985
30	1000	0.1	Peak	844.699	-52.69	-13	Pass	9699
1000	1840	1	Peak	1661.788	-41.8	-13	Pass	840
1840	1920	1	Peak	1850.2	26.57	60	Pass	401
1920	3000	1	Peak	2959.963	-38.09	-13	Pass	1080
3000	12000	1	Peak	11973.968	-32.26	-13	Pass	9000
12000	20000	1	Peak	19831.979	-23.69	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.59	-13	Pass	401
0.15	30	0.01	Peak	1.64	-65.07	-13	Pass	2985
30	1000	0.1	Peak	899.767	-53.13	-13	Pass	9699
1000	1840	1	Peak	1831.99	-33.89	-13	Pass	840
1840	1920	1	Peak	1850.2	26.83	60	Pass	401
1920	3000	1	Peak	2859.87	-37.95	-13	Pass	1080
3000	12000	1	Peak	11040.982	-32.33	-13	Pass	9000
12000	20000	1	Peak	19788.974	-23.22	-13	Pass	8000




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.07	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.83	-13	Pass	2985
30	1000	0.1	Peak	843.099	-53.27	-13	Pass	9699
1000	1840	1	Peak	1587.7	-41.94	-13	Pass	840
1840	1920	1	Peak	1879.6	25.64	60	Pass	401
1920	3000	1	Peak	2882.892	-38.1	-13	Pass	1080
3000	12000	1	Peak	11732.669	-32.44	-13	Pass	9000
12000	20000	1	Peak	19826.978	-24.11	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.91	-13	Pass	401
0.15	30	0.01	Peak	0.81	-64.06	-13	Pass	2985
30	1000	0.1	Peak	833.398	-53.52	-13	Pass	9699
1000	1840	1	Peak	1824.982	-41.87	-13	Pass	840
1840	1920	1	Peak	1879.6	25.82	60	Pass	401
1920	3000	1	Peak	2875.885	-37.96	-13	Pass	1080
3000	12000	1	Peak	10958.972	-32.42	-13	Pass	9000
12000	20000	1	Peak	19810.976	-24.01	-13	Pass	8000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.34	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.21	-13	Pass	2985
30	1000	0.1	Peak	914.687	-52.32	-13	Pass	9699
1000	1840	1	Peak	1543.647	-40.86	-13	Pass	840
1840	1920	1	Peak	1908.8	25.54	60	Pass	401
1920	3000	1	Peak	2798.814	-38.26	-13	Pass	1080
3000	12000	1	Peak	7694.573	-32.21	-13	Pass	9000
12000	20000	1	Peak	19786.973	-23.49	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.02	-13	Pass	401
0.15	30	0.01	Peak	0.29	-63.67	-13	Pass	2985
30	1000	0.1	Peak	367.141	-53.4	-13	Pass	9699
1000	1840	1	Peak	1792.944	-41.11	-13	Pass	840
1840	1920	1	Peak	1908.8	25.46	60	Pass	401
1920	3000	1	Peak	2833.846	-37.26	-13	Pass	1080
3000	12000	1	Peak	11621.532	-32.03	-13	Pass	9000
12000	20000	1	Peak	19797.975	-23.37	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.83	-13	Pass	401
0.15	30	0.01	Peak	0.71	-65.2	-13	Pass	2985
30	1000	0.1	Peak	981.776	-53.01	-13	Pass	9699
1000	1840	1	Peak	1792.944	-41.5	-13	Pass	840
1840	1920	1	Peak	1850.2	26.59	60	Pass	401
1920	3000	1	Peak	2843.855	-37.8	-13	Pass	1080
3000	12000	1	Peak	11450.32	-32.21	-13	Pass	9000
12000	20000	1	Peak	19806.976	-23.94	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-68.62	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.16	-13	Pass	2985
30	1000	0.1	Peak	806.795	-53.92	-13	Pass	9699
1000	1840	1	Peak	1814.97	-41.4	-13	Pass	840
1840	1920	1	Peak	1850.2	26.73	60	Pass	401
1920	3000	1	Peak	2943.948	-38.1	-13	Pass	1080
3000	12000	1	Peak	11868.838	-32.43	-13	Pass	9000
12000	20000	1	Peak	19791.974	-23.9	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.8	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64	-13	Pass	2985
30	1000	0.1	Peak	985.381	-52.78	-13	Pass	9699
1000	1840	1	Peak	1369.44	-41	-13	Pass	840
1840	1920	1	Peak	1878.8	25.74	60	Pass	401
1920	3000	1	Peak	2806.821	-38.05	-13	Pass	1080
3000	12000	1	Peak	11506.389	-32.24	-13	Pass	9000
12000	20000	1	Peak	19802.975	-23.85	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.47	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.91	-13	Pass	2985
30	1000	0.1	Peak	911.683	-53.39	-13	Pass	9699
1000	1840	1	Peak	1123.147	-41.3	-13	Pass	840
1840	1920	1	Peak	1878.8	25.86	60	Pass	401
1920	3000	1	Peak	2790.806	-37.88	-13	Pass	1080
3000	12000	1	Peak	11762.706	-32.06	-13	Pass	9000
12000	20000	1	Peak	19792.974	-23.19	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.023	-67.37	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.6	-13	Pass	2985
30	1000	0.1	Peak	476.254	-52.8	-13	Pass	9699
1000	1840	1	Peak	1800.954	-41.66	-13	Pass	840
1840	1920	1	Peak	1907.2	25.73	60	Pass	401
1920	3000	1	Peak	2871.881	-37.7	-13	Pass	1080
3000	12000	1	Peak	10852.959	-32.46	-13	Pass	9000
12000	20000	1	Peak	19795.974	-23.84	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.1	-13	Pass	401
0.15	30	0.01	Peak	0.25	-65.03	-13	Pass	2985
30	1000	0.1	Peak	877.437	-53.44	-13	Pass	9699
1000	1840	1	Peak	1779.928	-41.61	-13	Pass	840
1840	1920	1	Peak	1907.2	25.79	60	Pass	401
1920	3000	1	Peak	2963.967	-37.81	-13	Pass	1080
3000	12000	1	Peak	10981.974	-32.16	-13	Pass	9000
12000	20000	1	Peak	19802.975	-23.33	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.43	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.11	-13	Pass	2985
30	1000	0.1	Peak	805.095	-53.53	-13	Pass	9699
1000	1840	1	Peak	1583.695	-41.4	-13	Pass	840
1840	1920	1	Peak	1850.4	26.5	60	Pass	401
1920	3000	1	Peak	2798.814	-37.93	-13	Pass	1080
3000	12000	1	Peak	11775.722	-32.08	-13	Pass	9000
12000	20000	1	Peak	19817.977	-24.24	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.97	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.23	-13	Pass	2985
30	1000	0.1	Peak	864.02	-53.16	-13	Pass	9699
1000	1840	1	Peak	1840	-39.61	-13	Pass	840
1840	1920	1	Peak	1850.4	26.57	60	Pass	401
1920	3000	1	Peak	2991.993	-38.27	-13	Pass	1080
3000	12000	1	Peak	11940.927	-31.75	-13	Pass	9000
12000	20000	1	Peak	19796.975	-23.61	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.34	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.22	-13	Pass	2985
30	1000	0.1	Peak	861.216	-52.94	-13	Pass	9699
1000	1840	1	Peak	1705.84	-41.5	-13	Pass	840
1840	1920	1	Peak	1877.8	25.76	60	Pass	401
1920	3000	1	Peak	2914.921	-37.4	-13	Pass	1080
3000	12000	1	Peak	11078.986	-31.98	-13	Pass	9000
12000	20000	1	Peak	19800.975	-23.82	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.24	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.68	-13	Pass	2985
30	1000	0.1	Peak	959.146	-53.4	-13	Pass	9699
1000	1840	1	Peak	1190.226	-41.91	-13	Pass	840
1840	1920	1	Peak	1877.8	25.91	60	Pass	401
1920	3000	1	Peak	2867.878	-37.47	-13	Pass	1080
3000	12000	1	Peak	11744.684	-30.6	-13	Pass	9000
12000	20000	1	Peak	19799.975	-23.93	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.9	-13	Pass	2985
30	1000	0.1	Peak	917.29	-53.55	-13	Pass	9699
1000	1840	1	Peak	1731.871	-41.67	-13	Pass	840
1840	1920	1	Peak	1905.4	25.71	60	Pass	401
1920	3000	1	Peak	2917.924	-37.86	-13	Pass	1080
3000	12000	1	Peak	11334.176	-32.03	-13	Pass	9000
12000	20000	1	Peak	19798.975	-22.98	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.64	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.34	-13	Pass	2985
30	1000	0.1	Peak	498.757	-53.13	-13	Pass	9699
1000	1840	1	Peak	1826.985	-41.64	-13	Pass	840
1840	1920	1	Peak	1905.4	25.55	60	Pass	401
1920	3000	1	Peak	2859.87	-38.11	-13	Pass	1080
3000	12000	1	Peak	11428.292	-31.68	-13	Pass	9000
12000	20000	1	Peak	19798.975	-23.89	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.02	-67.62	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.23	-13	Pass	2985
30	1000	0.1	Peak	864.52	-53.31	-13	Pass	9699
1000	1840	1	Peak	1832.992	-33.16	-13	Pass	840
1840	1920	1	Peak	1850.6	26.43	60	Pass	401
1920	3000	1	Peak	2786.803	-38.2	-13	Pass	1080
3000	12000	1	Peak	11508.392	-31.63	-13	Pass	9000
12000	20000	1	Peak	19799.975	-23.84	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.6	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.01	-13	Pass	2985
30	1000	0.1	Peak	863.519	-53.05	-13	Pass	9699
1000	1840	1	Peak	1832.992	-33.86	-13	Pass	840
1840	1920	1	Peak	1850.6	26.37	60	Pass	401
1920	3000	1	Peak	2923.93	-37.6	-13	Pass	1080
3000	12000	1	Peak	11094.988	-32.6	-13	Pass	9000
12000	20000	1	Peak	19799.975	-23.75	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.94	-13	Pass	401
0.15	30	0.01	Peak	0.3	-65.46	-13	Pass	2985
30	1000	0.1	Peak	471.654	-53.3	-13	Pass	9699
1000	1840	1	Peak	1701.836	-41.96	-13	Pass	840
1840	1920	1	Peak	1875.6	25.74	60	Pass	401
1920	3000	1	Peak	2844.856	-37.95	-13	Pass	1080
3000	12000	1	Peak	11593.497	-32.33	-13	Pass	9000
12000	20000	1	Peak	19784.973	-23.17	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.2	-13	Pass	401
0.15	30	0.01	Peak	0.46	-65.33	-13	Pass	2985
30	1000	0.1	Peak	863.619	-52.79	-13	Pass	9699
1000	1840	1	Peak	1762.908	-41.29	-13	Pass	840
1840	1920	1	Peak	1875.6	26.01	60	Pass	401
1920	3000	1	Peak	2916.923	-38.25	-13	Pass	1080
3000	12000	1	Peak	11910.89	-32.58	-13	Pass	9000
12000	20000	1	Peak	19803.975	-23.27	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.23	-13	Pass	401
0.15	30	0.01	Peak	0.59	-64.42	-13	Pass	2985
30	1000	0.1	Peak	452.952	-53.56	-13	Pass	9699
1000	1840	1	Peak	1792.944	-41.66	-13	Pass	840
1840	1920	1	Peak	1900.6	25.99	60	Pass	401
1920	3000	1	Peak	2848.86	-37.3	-13	Pass	1080
3000	12000	1	Peak	11925.908	-32.45	-13	Pass	9000
12000	20000	1	Peak	19806.976	-22.68	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.36	-13	Pass	401
0.15	30	0.01	Peak	0.32	-65.7	-13	Pass	2985
30	1000	0.1	Peak	863.018	-51.88	-13	Pass	9699
1000	1840	1	Peak	1475.566	-41.7	-13	Pass	840
1840	1920	1	Peak	1900.6	26.23	60	Pass	401
1920	3000	1	Peak	2912.919	-38.17	-13	Pass	1080
3000	12000	1	Peak	11406.265	-32.3	-13	Pass	9000
12000	20000	1	Peak	19817.977	-22.96	-13	Pass	8000




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.08	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.64	-13	Pass	2985
30	1000	0.1	Peak	712.383	-53.24	-13	Pass	9699
1000	1840	1	Peak	1836.996	-23.04	-13	Pass	840
1840	1920	1	Peak	1850.8	26.64	60	Pass	401
1920	3000	1	Peak	2846.858	-37.39	-13	Pass	1080
3000	12000	1	Peak	10119.869	-32.08	-13	Pass	9000
12000	20000	1	Peak	19791.974	-23.41	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.44	-13	Pass	401
0.15	30	0.01	Peak	0.41	-65.51	-13	Pass	2985
30	1000	0.1	Peak	977.871	-53.55	-13	Pass	9699
1000	1840	1	Peak	1836.996	-23.9	-13	Pass	840
1840	1920	1	Peak	1850.8	26.53	60	Pass	401
1920	3000	1	Peak	2914.921	-37.85	-13	Pass	1080
3000	12000	1	Peak	11091.988	-32.18	-13	Pass	9000
12000	20000	1	Peak	19789.974	-23.4	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.72	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.8	-13	Pass	2985
30	1000	0.1	Peak	888.452	-52.9	-13	Pass	9699
1000	1840	1	Peak	1815.971	-40.59	-13	Pass	840
1840	1920	1	Peak	1873.4	25.93	60	Pass	401
1920	3000	1	Peak	2912.919	-38.05	-13	Pass	1080
3000	12000	1	Peak	11733.67	-32.44	-13	Pass	9000
12000	20000	1	Peak	19824.978	-24.27	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.91	-13	Pass	401
0.15	30	0.01	Peak	0.27	-63.48	-13	Pass	2985
30	1000	0.1	Peak	721.684	-53.41	-13	Pass	9699
1000	1840	1	Peak	1558.665	-41.64	-13	Pass	840
1840	1920	1	Peak	1873.4	25.94	60	Pass	401
1920	3000	1	Peak	2778.795	-37.89	-13	Pass	1080
3000	12000	1	Peak	11556.451	-31.34	-13	Pass	9000
12000	20000	1	Peak	19816.977	-23.36	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.42	-13	Pass	401
0.15	30	0.01	Peak	0.29	-64.97	-13	Pass	2985
30	1000	0.1	Peak	892.758	-52.82	-13	Pass	9699
1000	1840	1	Peak	1801.955	-40.54	-13	Pass	840
1840	1920	1	Peak	1895.8	25.9	60	Pass	401
1920	3000	1	Peak	2883.892	-37.82	-13	Pass	1080
3000	12000	1	Peak	11744.684	-32.11	-13	Pass	9000
12000	20000	1	Peak	19796.975	-23.62	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-68.13	-13	Pass	401
0.15	30	0.01	Peak	3.231	-62.69	-13	Pass	2985
30	1000	0.1	Peak	839.099	-52.69	-13	Pass	9699
1000	1840	1	Peak	1297.354	-41.23	-13	Pass	840
1840	1920	1	Peak	1895.8	25.74	60	Pass	401
1920	3000	1	Peak	2975.978	-37.77	-13	Pass	1080
3000	12000	1	Peak	11901.879	-31.6	-13	Pass	9000
12000	20000	1	Peak	19799.975	-23.35	-13	Pass	8000




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-66.67	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.44	-13	Pass	2985
30	1000	0.1	Peak	620.472	-52.25	-13	Pass	9699
1000	1840	1	Peak	1832.992	-24.73	-13	Pass	840
1840	1920	1	Peak	1851	26.42	60	Pass	401
1920	3000	1	Peak	2809.824	-37.93	-13	Pass	1080
3000	12000	1	Peak	11446.315	-31.71	-13	Pass	9000
12000	20000	1	Peak	19812.977	-22.13	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.65	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.14	-13	Pass	2985
30	1000	0.1	Peak	963.251	-52.89	-13	Pass	9699
1000	1840	1	Peak	1833.993	-24.06	-13	Pass	840
1840	1920	1	Peak	1851.2	26.5	60	Pass	401
1920	3000	1	Peak	2843.855	-37.64	-13	Pass	1080
3000	12000	1	Peak	11984.981	-32.69	-13	Pass	9000
12000	20000	1	Peak	19800.975	-23.85	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.025	-66.46	-13	Pass	401
0.15	30	0.01	Peak	0.28	-64.83	-13	Pass	2985
30	1000	0.1	Peak	484.355	-53.63	-13	Pass	9699
1000	1840	1	Peak	1834.994	-40.27	-13	Pass	840
1840	1920	1	Peak	1871	26	60	Pass	401
1920	3000	1	Peak	2852.864	-37.28	-13	Pass	1080
3000	12000	1	Peak	11745.685	-31.8	-13	Pass	9000
12000	20000	1	Peak	19800.975	-22.93	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.19	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.77	-13	Pass	2985
30	1000	0.1	Peak	906.977	-53.05	-13	Pass	9699
1000	1840	1	Peak	1834.994	-41.34	-13	Pass	840
1840	1920	1	Peak	1871	25.94	60	Pass	401
1920	3000	1	Peak	2802.817	-37.96	-13	Pass	1080
3000	12000	1	Peak	7993.61	-31.66	-13	Pass	9000
12000	20000	1	Peak	19828.979	-23.47	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.54	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.44	-13	Pass	2985
30	1000	0.1	Peak	900.768	-53.26	-13	Pass	9699
1000	1840	1	Peak	1838.999	-33.09	-13	Pass	840
1840	1920	1	Peak	1890.8	25.84	60	Pass	401
1920	3000	1	Peak	2949.954	-37.7	-13	Pass	1080
3000	12000	1	Peak	11033.981	-32.31	-13	Pass	9000
12000	20000	1	Peak	19810.976	-23.52	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.61	-13	Pass	401
0.15	30	0.01	Peak	0.24	-65.31	-13	Pass	2985
30	1000	0.1	Peak	454.352	-52.68	-13	Pass	9699
1000	1840	1	Peak	1837.998	-32.1	-13	Pass	840
1840	1920	1	Peak	1891	26.25	60	Pass	401
1920	3000	1	Peak	1920	-34.31	-13	Pass	1080
3000	12000	1	Peak	10326.894	-32.5	-13	Pass	9000
12000	20000	1	Peak	19821.978	-23.3	-13	Pass	8000



10. LTE_Band4


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-13	Pass	2985
30	1000	0.1	RMS	846.9	-63.76	-13	Pass	9699
1000	1700	1	RMS	1700	-52.63	-13	Pass	700
1700	1765	1	RMS	1710.238	22.76	60	Pass	401
1765	3000	1	RMS	2847.877	-49.39	-13	Pass	1235
3000	12000	1	RMS	3420.051	-39.78	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.63	-13	Pass	8000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.38	-13	Pass	2985
30	1000	0.1	RMS	843.399	-63.82	-13	Pass	9699
1000	1700	1	RMS	1700	-52.75	-13	Pass	700
1700	1765	1	RMS	1710.238	21.79	60	Pass	401
1765	3000	1	RMS	2855.883	-49.39	-13	Pass	1235
3000	12000	1	RMS	3420.051	-40.89	-13	Pass	9000
12000	20000	1	RMS	19801.975	-34.6	-13	Pass	8000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.35	-72.29	-13	Pass	2985
30	1000	0.1	RMS	896.363	-63.77	-13	Pass	9699
1000	1700	1	RMS	1700	-53.28	-13	Pass	700
1700	1765	1	RMS	1732.013	22.58	60	Pass	401
1765	3000	1	RMS	2849.878	-49.33	-13	Pass	1235
3000	12000	1	RMS	3464.057	-38.22	-13	Pass	9000
12000	20000	1	RMS	19801.975	-34.6	-13	Pass	8000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	Pass	2985
30	1000	0.1	RMS	886.75	-63.84	-13	Pass	9699
1000	1700	1	RMS	1700	-53.37	-13	Pass	700
1700	1765	1	RMS	1732.013	22.14	60	Pass	401
1765	3000	1	RMS	2847.877	-49.46	-13	Pass	1235
3000	12000	1	RMS	3464.057	-38.71	-13	Pass	9000
12000	20000	1	RMS	19796.975	-34.7	-13	Pass	8000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2985
30	1000	0.1	RMS	851.002	-63.77	-13	Pass	9699
1000	1700	1	RMS	1700	-53.49	-13	Pass	700
1700	1765	1	RMS	1753.788	22.85	60	Pass	401
1765	3000	1	RMS	2849.878	-49.42	-13	Pass	1235
3000	12000	1	RMS	3508.062	-43.59	-13	Pass	9000
12000	20000	1	RMS	19794.974	-34.63	-13	Pass	8000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	Pass	2985
30	1000	0.1	RMS	871.63	-63.86	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.54	-13	Pass	700
1700	1765	1	RMS	1753.788	22.06	60	Pass	401
1765	3000	1	RMS	2846.876	-49.36	-13	Pass	1235
3000	12000	1	RMS	11760.704	-43.98	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.56	-13	Pass	8000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.93	-13	Pass	2985
30	1000	0.1	RMS	970.261	-63.71	-13	Pass	9699
1000	1700	1	RMS	1700	-52.56	-13	Pass	700
1700	1765	1	RMS	1710.238	22.39	60	Pass	401
1765	3000	1	RMS	2850.879	-49.37	-13	Pass	1235
3000	12000	1	RMS	3420.051	-40.24	-13	Pass	9000
12000	20000	1	RMS	19794.974	-34.72	-13	Pass	8000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	1000	0.1	RMS	893.859	-63.48	-13	Pass	9699
1000	1700	1	RMS	1700	-53.01	-13	Pass	700
1700	1765	1	RMS	1710.238	21.53	60	Pass	401
1765	3000	1	RMS	2847.877	-49.33	-13	Pass	1235
3000	12000	1	RMS	3420.051	-41.18	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.72	-13	Pass	8000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.87	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.47	-13	Pass	2985
30	1000	0.1	RMS	911.182	-63.67	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.31	-13	Pass	700
1700	1765	1	RMS	1731.2	22.89	60	Pass	401
1765	3000	1	RMS	2841.872	-49.41	-13	Pass	1235
3000	12000	1	RMS	3462.056	-39.49	-13	Pass	9000
12000	20000	1	RMS	19801.975	-34.7	-13	Pass	8000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.21	-13	Pass	401
0.15	30	0.01	RMS	0.31	-71.52	-13	Pass	2985
30	1000	0.1	RMS	975.568	-63.7	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.36	-13	Pass	700
1700	1765	1	RMS	1731.2	22.47	60	Pass	401
1765	3000	1	RMS	2850.879	-49.3	-13	Pass	1235
3000	12000	1	RMS	3462.056	-39.88	-13	Pass	9000
12000	20000	1	RMS	19802.975	-34.62	-13	Pass	8000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.4	-71.36	-13	Pass	2985
30	1000	0.1	RMS	828.197	-63.81	-13	Pass	9699
1000	1700	1	RMS	1700	-53.41	-13	Pass	700
1700	1765	1	RMS	1752.325	22.47	60	Pass	401
1765	3000	1	RMS	2846.876	-49.31	-13	Pass	1235
3000	12000	1	RMS	3504.062	-43.99	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.5	-13	Pass	8000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.97	-13	Pass	401
0.15	30	0.01	RMS	0.47	-71.9	-13	Pass	2985
30	1000	0.1	RMS	992.09	-63.85	-13	Pass	9699
1000	1700	1	RMS	1504.721	-53.54	-13	Pass	700
1700	1765	1	RMS	1752.325	21.58	60	Pass	401
1765	3000	1	RMS	2850.879	-49.36	-13	Pass	1235
3000	12000	1	RMS	11767.713	-43.96	-13	Pass	9000
12000	20000	1	RMS	19801.975	-34.62	-13	Pass	8000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.96	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.79	-13	Pass	2985
30	1000	0.1	RMS	875.535	-63.7	-13	Pass	9699
1000	1700	1	RMS	1700	-52.31	-13	Pass	700
1700	1765	1	RMS	1710.4	22.4	60	Pass	401
1765	3000	1	RMS	2849.878	-49.29	-13	Pass	1235
3000	12000	1	RMS	3421.051	-39.91	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.45	-13	Pass	8000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.5	-13	Pass	2985
30	1000	0.1	RMS	997.597	-63.72	-13	Pass	9699
1000	1700	1	RMS	1700	-52.85	-13	Pass	700
1700	1765	1	RMS	1710.4	21.33	60	Pass	401
1765	3000	1	RMS	2845.875	-49.28	-13	Pass	1235
3000	12000	1	RMS	3421.051	-40.84	-13	Pass	9000
12000	20000	1	RMS	19794.974	-34.57	-13	Pass	8000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.94	-13	Pass	2985
30	1000	0.1	RMS	845.8	-63.54	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.35	-13	Pass	700
1700	1765	1	RMS	1730.388	22.75	60	Pass	401
1765	3000	1	RMS	2850.879	-49.38	-13	Pass	1235
3000	12000	1	RMS	3461.056	-39.15	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.68	-13	Pass	8000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.43	-71.56	-13	Pass	2985
30	1000	0.1	RMS	892.958	-63.87	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.46	-13	Pass	700
1700	1765	1	RMS	1730.388	21.89	60	Pass	401
1765	3000	1	RMS	2847.877	-49.28	-13	Pass	1235
3000	12000	1	RMS	3461.056	-39.77	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.63	-13	Pass	8000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-70.86	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.21	-13	Pass	2985
30	1000	0.1	RMS	865.021	-63.95	-13	Pass	9699
1000	1700	1	RMS	1700	-53.4	-13	Pass	700
1700	1765	1	RMS	1750.375	22.55	60	Pass	401
1765	3000	1	RMS	2949.959	-49.31	-13	Pass	1235
3000	12000	1	RMS	3501.061	-43.32	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.56	-13	Pass	8000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2985
30	1000	0.1	RMS	858.913	-63.93	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.54	-13	Pass	700
1700	1765	1	RMS	1750.213	21.35	60	Pass	401
1765	3000	1	RMS	2846.876	-49.33	-13	Pass	1235
3000	12000	1	RMS	7566.557	-43.44	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.57	-13	Pass	8000




10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.29	-13	Pass	2985
30	1000	0.1	RMS	973.064	-63.95	-13	Pass	9699
1000	1700	1	RMS	1700	-52.25	-13	Pass	700
1700	1765	1	RMS	1710.563	22.47	60	Pass	401
1765	3000	1	RMS	2850.879	-49.38	-13	Pass	1235
3000	12000	1	RMS	3421.051	-39.12	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.61	-13	Pass	8000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2985
30	1000	0.1	RMS	485.156	-63.94	-13	Pass	9699
1000	1700	1	RMS	1700	-52.45	-13	Pass	700
1700	1765	1	RMS	1710.725	21.46	60	Pass	401
1765	3000	1	RMS	2848.878	-49.41	-13	Pass	1235
3000	12000	1	RMS	3421.051	-39.72	-13	Pass	9000
12000	20000	1	RMS	19796.975	-34.65	-13	Pass	8000




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-71.31	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.81	-13	Pass	2985
30	1000	0.1	RMS	855.008	-63.84	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.39	-13	Pass	700
1700	1765	1	RMS	1728.113	22.71	60	Pass	401
1765	3000	1	RMS	2847.877	-49.36	-13	Pass	1235
3000	12000	1	RMS	3456.056	-38.49	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.63	-13	Pass	8000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.15	-13	Pass	2985
30	1000	0.1	RMS	845.6	-63.74	-13	Pass	9699
1000	1700	1	RMS	1700	-53.25	-13	Pass	700
1700	1765	1	RMS	1728.113	22.18	60	Pass	401
1765	3000	1	RMS	2852.881	-49.38	-13	Pass	1235
3000	12000	1	RMS	3456.056	-38.75	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.65	-13	Pass	8000




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.12	-13	Pass	2985
30	1000	0.1	RMS	878.239	-63.85	-13	Pass	9699
1000	1700	1	RMS	1686.981	-53.47	-13	Pass	700
1700	1765	1	RMS	1745.663	22.9	60	Pass	401
1765	3000	1	RMS	2849.878	-49.36	-13	Pass	1235
3000	12000	1	RMS	3491.06	-41.3	-13	Pass	9000
12000	20000	1	RMS	19794.974	-34.63	-13	Pass	8000




**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2985
30	1000	0.1	RMS	855.008	-63.84	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.48	-13	Pass	700
1700	1765	1	RMS	1745.663	21.68	60	Pass	401
1765	3000	1	RMS	2952.962	-49.45	-13	Pass	1235
3000	12000	1	RMS	3491.06	-42.23	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.66	-13	Pass	8000




10.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.05	-13	Pass	2985
30	1000	0.1	RMS	878.439	-63.94	-13	Pass	9699
1000	1700	1	RMS	1697.997	-46.42	-13	Pass	700
1700	1765	1	RMS	1710.888	22.46	60	Pass	401
1765	3000	1	RMS	2843.874	-49.35	-13	Pass	1235
3000	12000	1	RMS	3422.052	-39.91	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.52	-13	Pass	8000




**10.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	Pass	2985
30	1000	0.1	RMS	844.999	-63.85	-13	Pass	9699
1000	1700	1	RMS	1696.996	-47.99	-13	Pass	700
1700	1765	1	RMS	1710.888	21.64	60	Pass	401
1765	3000	1	RMS	2852.881	-49.33	-13	Pass	1235
3000	12000	1	RMS	3422.052	-40.77	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.59	-13	Pass	8000




**10.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.08	-13	Pass	401
0.15	30	0.01	RMS	0.55	-71.26	-13	Pass	2985
30	1000	0.1	RMS	869.427	-63.73	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.45	-13	Pass	700
1700	1765	1	RMS	1725.838	22.51	60	Pass	401
1765	3000	1	RMS	2847.877	-49.44	-13	Pass	1235
3000	12000	1	RMS	3452.055	-39.41	-13	Pass	9000
12000	20000	1	RMS	19797.975	-34.66	-13	Pass	8000




**10.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.98	-13	Pass	2985
30	1000	0.1	RMS	883.445	-63.87	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.67	-13	Pass	700
1700	1765	1	RMS	1725.838	22.21	60	Pass	401
1765	3000	1	RMS	2850.879	-49.36	-13	Pass	1235
3000	12000	1	RMS	3452.055	-39.84	-13	Pass	9000
12000	20000	1	RMS	19802.975	-34.48	-13	Pass	8000




**10.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.26	-13	Pass	2985
30	1000	0.1	RMS	911.382	-63.71	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.32	-13	Pass	700
1700	1765	1	RMS	1740.788	22.97	60	Pass	401
1765	3000	1	RMS	1767.002	-38.96	-13	Pass	1235
3000	12000	1	RMS	3482.059	-40.65	-13	Pass	9000
12000	20000	1	RMS	19802.975	-34.58	-13	Pass	8000




**10.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.15	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.95	-13	Pass	2985
30	1000	0.1	RMS	832.198	-63.85	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.3	-13	Pass	700
1700	1765	1	RMS	1740.788	21.72	60	Pass	401
1765	3000	1	RMS	1767.002	-41.39	-13	Pass	1235
3000	12000	1	RMS	3482.059	-41.63	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.6	-13	Pass	8000




10.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	Pass	2985
30	1000	0.1	RMS	475.454	-63.76	-13	Pass	9699
1000	1700	1	RMS	1692.99	-40.86	-13	Pass	700
1700	1765	1	RMS	1711.05	22.6	60	Pass	401
1765	3000	1	RMS	2849.878	-49.38	-13	Pass	1235
3000	12000	1	RMS	3422.052	-38.99	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.54	-13	Pass	8000




**10.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2985
30	1000	0.1	RMS	982.877	-63.87	-13	Pass	9699
1000	1700	1	RMS	1692.99	-50.09	-13	Pass	700
1700	1765	1	RMS	1711.05	21.83	60	Pass	401
1765	3000	1	RMS	2848.878	-49.19	-13	Pass	1235
3000	12000	1	RMS	3422.052	-39.53	-13	Pass	9000
12000	20000	1	RMS	19805.976	-34.64	-13	Pass	8000




10.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.55	-13	Pass	2985
30	1000	0.1	RMS	894.76	-63.77	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.3	-13	Pass	700
1700	1765	1	RMS	1723.563	23.09	60	Pass	401
1765	3000	1	RMS	2855.883	-49.35	-13	Pass	1235
3000	12000	1	RMS	3447.055	-37.83	-13	Pass	9000
12000	20000	1	RMS	19802.975	-34.6	-13	Pass	8000




**10.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.5	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.97	-13	Pass	2985
30	1000	0.1	RMS	868.025	-63.72	-13	Pass	9699
1000	1700	1	RMS	1700	-53.27	-13	Pass	700
1700	1765	1	RMS	1723.563	21.93	60	Pass	401
1765	3000	1	RMS	2849.878	-49.33	-13	Pass	1235
3000	12000	1	RMS	3447.055	-39.09	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.53	-13	Pass	8000




10.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.89	-13	Pass	2985
30	1000	0.1	RMS	876.737	-63.73	-13	Pass	9699
1000	1700	1	RMS	1700	-48.81	-13	Pass	700
1700	1765	1	RMS	1736.075	22.82	60	Pass	401
1765	3000	1	RMS	1772.006	-34.69	-13	Pass	1235
3000	12000	1	RMS	3472.058	-39.15	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.55	-13	Pass	8000



**10.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-71.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	Pass	2985
30	1000	0.1	RMS	888.352	-63.95	-13	Pass	9699
1000	1700	1	RMS	1700	-49.63	-13	Pass	700
1700	1765	1	RMS	1736.075	22.23	60	Pass	401
1765	3000	1	RMS	1772.006	-34.96	-13	Pass	1235
3000	12000	1	RMS	3472.058	-39.69	-13	Pass	9000
12000	20000	1	RMS	19802.975	-34.55	-13	Pass	8000



11. LTE_Band5


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.74	-13	Pass	401
0.15	30	0.01	Peak	0.88	-65.33	-13	Pass	2985
30	814	0.1	Peak	734.09	-53.91	-13	Pass	7840
814	860	0.1	Peak	824.222	25.26	60	Pass	460
860	1000	0.1	Peak	954.467	-54.29	-13	Pass	1400
1000	3000	1	Peak	1648.324	-36.16	-13	Pass	2000
3000	10000	1	Peak	4121.16	-31.3	-13	Pass	7000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.1	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.81	-13	Pass	2985
30	814	0.1	Peak	795.598	-53.3	-13	Pass	7840
814	860	0.1	Peak	824.222	25.27	60	Pass	460
860	1000	0.1	Peak	977.384	-53.91	-13	Pass	1400
1000	3000	1	Peak	1648.324	-36.77	-13	Pass	2000
3000	10000	1	Peak	4121.16	-31.34	-13	Pass	7000




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.76	-13	Pass	401
0.15	30	0.01	Peak	4.601	-64.53	-13	Pass	2985
30	814	0.1	Peak	450.154	-53.98	-13	Pass	7840
814	860	0.1	Peak	836.048	24.55	60	Pass	460
860	1000	0.1	Peak	889.221	-53.31	-13	Pass	1400
1000	3000	1	Peak	1672.336	-37.57	-13	Pass	2000
3000	10000	1	Peak	4180.169	-31.88	-13	Pass	7000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-67.84	-13	Pass	401
0.15	30	0.01	Peak	2.591	-65.05	-13	Pass	2985
30	814	0.1	Peak	389.046	-53.29	-13	Pass	7840
814	860	0.1	Peak	836.048	24.73	60	Pass	460
860	1000	0.1	Peak	923.545	-53.98	-13	Pass	1400
1000	3000	1	Peak	2910.955	-37.57	-13	Pass	2000
3000	10000	1	Peak	4180.169	-31.36	-13	Pass	7000




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-68.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.63	-13	Pass	2985
30	814	0.1	Peak	776.695	-53.69	-13	Pass	7840
814	860	0.1	Peak	847.773	24.58	60	Pass	460
860	1000	0.1	Peak	994.296	-53.75	-13	Pass	1400
1000	3000	1	Peak	2929.965	-38.02	-13	Pass	2000
3000	10000	1	Peak	4239.177	-31.76	-13	Pass	7000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.81	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.56	-13	Pass	2985
30	814	0.1	Peak	500.46	-53.52	-13	Pass	7840
814	860	0.1	Peak	847.874	24.34	60	Pass	460
860	1000	0.1	Peak	952.966	-53.59	-13	Pass	1400
1000	3000	1	Peak	2969.985	-38.36	-13	Pass	2000
3000	10000	1	Peak	4239.177	-31.29	-13	Pass	7000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.17	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.13	-13	Pass	2985
30	814	0.1	Peak	732.19	-53.06	-13	Pass	7840
814	860	0.1	Peak	824.222	24.47	60	Pass	460
860	1000	0.1	Peak	932.352	-52.56	-13	Pass	1400
1000	3000	1	Peak	1648.324	-35.76	-13	Pass	2000
3000	10000	1	Peak	4121.16	-31.23	-13	Pass	7000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.5	-13	Pass	401
0.15	30	0.01	Peak	15.725	-65.95	-13	Pass	2985
30	814	0.1	Peak	729.589	-53.24	-13	Pass	7840
814	860	0.1	Peak	824.222	24.56	60	Pass	460
860	1000	0.1	Peak	873.71	-54.08	-13	Pass	1400
1000	3000	1	Peak	1648.324	-37.01	-13	Pass	2000
3000	10000	1	Peak	4121.16	-31.6	-13	Pass	7000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.52	-13	Pass	401
0.15	30	0.01	Peak	0.35	-65.79	-13	Pass	2985
30	814	0.1	Peak	487.958	-52.56	-13	Pass	7840
814	860	0.1	Peak	835.246	24.43	60	Pass	460
860	1000	0.1	Peak	894.124	-54.31	-13	Pass	1400
1000	3000	1	Peak	2875.938	-37.89	-13	Pass	2000
3000	10000	1	Peak	4176.168	-31.54	-13	Pass	7000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.92	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.34	-13	Pass	2985
30	814	0.1	Peak	366.543	-53.34	-13	Pass	7840
814	860	0.1	Peak	835.246	25.58	60	Pass	460
860	1000	0.1	Peak	892.723	-53.62	-13	Pass	1400
1000	3000	1	Peak	1670.335	-37.91	-13	Pass	2000
3000	10000	1	Peak	4176.168	-31.41	-13	Pass	7000




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.07	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.29	-13	Pass	2985
30	814	0.1	Peak	727.989	-53.1	-13	Pass	7840
814	860	0.1	Peak	846.17	25.09	60	Pass	460
860	1000	0.1	Peak	865.504	-53.35	-13	Pass	1400
1000	3000	1	Peak	2920.96	-38.03	-13	Pass	2000
3000	10000	1	Peak	3385.055	-31.29	-13	Pass	7000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.39	-13	Pass	401
0.15	30	0.01	Peak	0.55	-64.56	-13	Pass	2985
30	814	0.1	Peak	739.29	-52.92	-13	Pass	7840
814	860	0.1	Peak	846.17	25.15	60	Pass	460
860	1000	0.1	Peak	892.523	-53.15	-13	Pass	1400
1000	3000	1	Peak	2883.942	-37.54	-13	Pass	2000
3000	10000	1	Peak	4231.176	-31.22	-13	Pass	7000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.31	-13	Pass	401
0.15	30	0.01	Peak	0.61	-64.71	-13	Pass	2985
30	814	0.1	Peak	455.254	-53.47	-13	Pass	7840
814	860	0.1	Peak	824.423	24.76	60	Pass	460
860	1000	0.1	Peak	999.9	-53.44	-13	Pass	1400
1000	3000	1	Peak	1648.324	-36.02	-13	Pass	2000
3000	10000	1	Peak	4121.16	-30.58	-13	Pass	7000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.42	-13	Pass	401
0.15	30	0.01	Peak	1.04	-65.71	-13	Pass	2985
30	814	0.1	Peak	474.957	-53.41	-13	Pass	7840
814	860	0.1	Peak	824.423	24.68	60	Pass	460
860	1000	0.1	Peak	887.32	-53.94	-13	Pass	1400
1000	3000	1	Peak	1648.324	-36.07	-13	Pass	2000
3000	10000	1	Peak	4121.16	-31.8	-13	Pass	7000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-64.89	-13	Pass	401
0.15	30	0.01	Peak	0.58	-64.89	-13	Pass	2985
30	814	0.1	Peak	728.389	-53.45	-13	Pass	7840
814	860	0.1	Peak	834.344	24.33	60	Pass	460
860	1000	0.1	Peak	887.119	-53.78	-13	Pass	1400
1000	3000	1	Peak	2726.863	-38.14	-13	Pass	2000
3000	10000	1	Peak	4172.167	-31.94	-13	Pass	7000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.85	-13	Pass	401
0.15	30	0.01	Peak	0.53	-64.8	-13	Pass	2985
30	814	0.1	Peak	370.243	-54.04	-13	Pass	7840
814	860	0.1	Peak	834.344	25.13	60	Pass	460
860	1000	0.1	Peak	922.445	-53.83	-13	Pass	1400
1000	3000	1	Peak	2943.972	-38.33	-13	Pass	2000
3000	10000	1	Peak	4172.167	-31.57	-13	Pass	7000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.33	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.73	-13	Pass	2985
30	814	0.1	Peak	692.785	-53.75	-13	Pass	7840
814	860	0.1	Peak	844.266	24.57	60	Pass	460
860	1000	0.1	Peak	962.173	-53.64	-13	Pass	1400
1000	3000	1	Peak	2941.971	-37.85	-13	Pass	2000
3000	10000	1	Peak	4221.174	-31.68	-13	Pass	7000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.49	-13	Pass	401
0.15	30	0.01	Peak	1.671	-64.73	-13	Pass	2985
30	814	0.1	Peak	753.592	-53.59	-13	Pass	7840
814	860	0.1	Peak	844.366	24.52	60	Pass	460
860	1000	0.1	Peak	974.682	-53.81	-13	Pass	1400
1000	3000	1	Peak	2832.916	-37.53	-13	Pass	2000
3000	10000	1	Peak	4222.175	-31.09	-13	Pass	7000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.5	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.5	-13	Pass	2985
30	814	0.1	Peak	805.399	-53.67	-13	Pass	7840
814	860	0.1	Peak	824.623	25.14	60	Pass	460
860	1000	0.1	Peak	986.69	-54.03	-13	Pass	1400
1000	3000	1	Peak	1649.325	-35.59	-13	Pass	2000
3000	10000	1	Peak	4123.16	-31.12	-13	Pass	7000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.69	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.37	-13	Pass	2985
30	814	0.1	Peak	742.391	-53.73	-13	Pass	7840
814	860	0.1	Peak	824.623	24.55	60	Pass	460
860	1000	0.1	Peak	879.614	-52.82	-13	Pass	1400
1000	3000	1	Peak	1649.325	-36.39	-13	Pass	2000
3000	10000	1	Peak	4122.16	-31.71	-13	Pass	7000




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.38	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.87	-13	Pass	2985
30	814	0.1	Peak	701.086	-53.91	-13	Pass	7840
814	860	0.1	Peak	832.039	24.62	60	Pass	460
860	1000	0.1	Peak	874.911	-53	-13	Pass	1400
1000	3000	1	Peak	2830.915	-37.8	-13	Pass	2000
3000	10000	1	Peak	4160.166	-31.69	-13	Pass	7000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.15	-13	Pass	401
0.15	30	0.01	Peak	0.74	-64.28	-13	Pass	2985
30	814	0.1	Peak	727.289	-53.42	-13	Pass	7840
814	860	0.1	Peak	832.139	25.28	60	Pass	460
860	1000	0.1	Peak	984.389	-53.4	-13	Pass	1400
1000	3000	1	Peak	2981.991	-38.42	-13	Pass	2000
3000	10000	1	Peak	4160.166	-31	-13	Pass	7000




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.95	-13	Pass	401
0.15	30	0.01	Peak	0.74	-65.19	-13	Pass	2985
30	814	0.1	Peak	353.441	-53.91	-13	Pass	7840
814	860	0.1	Peak	839.656	24.89	60	Pass	460
860	1000	0.1	Peak	884.618	-53.77	-13	Pass	1400
1000	3000	1	Peak	1679.34	-35.64	-13	Pass	2000
3000	10000	1	Peak	4198.171	-31.27	-13	Pass	7000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.03	-13	Pass	401
0.15	30	0.01	Peak	0.2	-62.41	-13	Pass	2985
30	814	0.1	Peak	535.164	-53.18	-13	Pass	7840
814	860	0.1	Peak	839.556	24.69	60	Pass	460
860	1000	0.1	Peak	891.422	-53.98	-13	Pass	1400
1000	3000	1	Peak	1679.34	-36.19	-13	Pass	2000
3000	10000	1	Peak	4198.171	-31.1	-13	Pass	7000



12. LTE_Band7


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.82	-25	Pass	2985
30	1000	0.1	RMS	850.902	-63.99	-25	Pass	9699
1000	2490	1	RMS	2490	-50.63	-25	Pass	1490
2490	2580	1	RMS	2500.35	21.68	60	Pass	401
2580	3000	1	RMS	2841.623	-49.18	-25	Pass	420
3000	12000	1	RMS	11758.701	-43.95	-25	Pass	9000
12000	26500	1	RMS	25900.905	-29.04	-25	Pass	14500




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.35	-25	Pass	401
0.15	30	0.01	RMS	13.574	-70.17	-25	Pass	2985
30	1000	0.1	RMS	999.9	-62.6	-25	Pass	9699
1000	2490	1	RMS	2490	-50.93	-25	Pass	1490
2490	2580	1	RMS	2500.35	20.64	60	Pass	401
2580	3000	1	RMS	2849.642	-49.21	-25	Pass	420
3000	12000	1	RMS	11756.699	-43.79	-25	Pass	9000
12000	26500	1	RMS	25901.905	-29.15	-25	Pass	14500




**12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.29	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.75	-25	Pass	2985
30	1000	0.1	RMS	982.777	-63.85	-25	Pass	9699
1000	2490	1	RMS	2485.997	-51.43	-25	Pass	1490
2490	2580	1	RMS	2532.75	22.01	60	Pass	401
2580	3000	1	RMS	2846.635	-49.23	-25	Pass	420
3000	12000	1	RMS	11744.684	-43.72	-25	Pass	9000
12000	26500	1	RMS	25907.906	-29.13	-25	Pass	14500




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.39	-25	Pass	401
0.15	30	0.01	RMS	9.003	-70.24	-25	Pass	2985
30	1000	0.1	RMS	936.516	-63.68	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.34	-25	Pass	1490
2490	2580	1	RMS	2532.75	21.47	60	Pass	401
2580	3000	1	RMS	2853.652	-49.06	-25	Pass	420
3000	12000	1	RMS	11768.714	-43.81	-25	Pass	9000
12000	26500	1	RMS	25892.904	-29.07	-25	Pass	14500




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.73	-25	Pass	401
0.15	30	0.01	RMS	24.788	-71.24	-25	Pass	2985
30	1000	0.1	RMS	983.478	-62.11	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.4	-25	Pass	1490
2490	2580	1	RMS	2565.375	21.86	60	Pass	401
2580	3000	1	RMS	2851.647	-49.16	-25	Pass	420
3000	12000	1	RMS	7479.547	-41.3	-25	Pass	9000
12000	26500	1	RMS	25895.904	-29.1	-25	Pass	14500




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-25	Pass	401
0.15	30	0.01	RMS	14.535	-70.04	-25	Pass	2985
30	1000	0.1	RMS	892.357	-61.71	-25	Pass	9699
1000	2490	1	RMS	2480.994	-51.38	-25	Pass	1490
2490	2580	1	RMS	2565.375	20.88	60	Pass	401
2580	3000	1	RMS	2848.64	-49.17	-25	Pass	420
3000	12000	1	RMS	11769.715	-43.74	-25	Pass	9000
12000	26500	1	RMS	25899.905	-28.99	-25	Pass	14500




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-25	Pass	2985
30	1000	0.1	RMS	850.702	-61.83	-25	Pass	9699
1000	2490	1	RMS	2482.995	-48.22	-25	Pass	1490
2490	2580	1	RMS	2500.575	21.91	60	Pass	401
2580	3000	1	RMS	2850.644	-49.1	-25	Pass	420
3000	12000	1	RMS	11768.714	-43.74	-25	Pass	9000
12000	26500	1	RMS	25898.905	-29.15	-25	Pass	14500




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-25	Pass	2985
30	1000	0.1	RMS	996.195	-61.99	-25	Pass	9699
1000	2490	1	RMS	2482.995	-49.3	-25	Pass	1490
2490	2580	1	RMS	2500.575	20.91	60	Pass	401
2580	3000	1	RMS	2849.642	-49.17	-25	Pass	420
3000	12000	1	RMS	11751.693	-43.78	-25	Pass	9000
12000	26500	1	RMS	25895.904	-29.15	-25	Pass	14500




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.34	-25	Pass	401
0.15	30	0.01	RMS	0.79	-69.72	-25	Pass	2985
30	1000	0.1	RMS	837.699	-63.75	-25	Pass	9699
1000	2490	1	RMS	2490	-51.38	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.24	60	Pass	401
2580	3000	1	RMS	2849.642	-49.15	-25	Pass	420
3000	12000	1	RMS	11752.694	-43.75	-25	Pass	9000
12000	26500	1	RMS	25901.905	-29.17	-25	Pass	14500




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71	-25	Pass	2985
30	1000	0.1	RMS	870.228	-63.9	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.21	-25	Pass	1490
2490	2580	1	RMS	2530.725	21.48	60	Pass	401
2580	3000	1	RMS	2845.632	-49.25	-25	Pass	420
3000	12000	1	RMS	11773.72	-44	-25	Pass	9000
12000	26500	1	RMS	25879.902	-29.1	-25	Pass	14500




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.33	-72.13	-25	Pass	2985
30	1000	0.1	RMS	859.013	-63.83	-25	Pass	9699
1000	2490	1	RMS	2479.993	-51.66	-25	Pass	1490
2490	2580	1	RMS	2560.65	22.13	60	Pass	401
2580	3000	1	RMS	2852.649	-49.18	-25	Pass	420
3000	12000	1	RMS	11756.699	-43.72	-25	Pass	9000
12000	26500	1	RMS	25901.905	-29.13	-25	Pass	14500




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.3	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.98	-25	Pass	2985
30	1000	0.1	RMS	876.837	-63.48	-25	Pass	9699
1000	2490	1	RMS	2490	-51.31	-25	Pass	1490
2490	2580	1	RMS	2560.65	21.64	60	Pass	401
2580	3000	1	RMS	2847.637	-49.33	-25	Pass	420
3000	12000	1	RMS	11753.695	-43.94	-25	Pass	9000
12000	26500	1	RMS	25898.905	-29.11	-25	Pass	14500




12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.57	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-25	Pass	2985
30	1000	0.1	RMS	881.943	-63.73	-25	Pass	9699
1000	2490	1	RMS	2487.999	-34.19	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.91	60	Pass	401
2580	3000	1	RMS	2849.642	-49.21	-25	Pass	420
3000	12000	1	RMS	11761.705	-43.94	-25	Pass	9000
12000	26500	1	RMS	25900.905	-29.11	-25	Pass	14500




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-25	Pass	2985
30	1000	0.1	RMS	894.36	-63.82	-25	Pass	9699
1000	2490	1	RMS	2487.999	-35.18	-25	Pass	1490
2490	2580	1	RMS	2500.8	20.8	60	Pass	401
2580	3000	1	RMS	2945.871	-49.32	-25	Pass	420
3000	12000	1	RMS	7460.545	-42.49	-25	Pass	9000
12000	26500	1	RMS	25899.905	-29.16	-25	Pass	14500




12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.68	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.43	-25	Pass	2985
30	1000	0.1	RMS	896.863	-63.94	-25	Pass	9699
1000	2490	1	RMS	2490	-51.46	-25	Pass	1490
2490	2580	1	RMS	2528.25	22.18	60	Pass	401
2580	3000	1	RMS	2846.635	-49.33	-25	Pass	420
3000	12000	1	RMS	11772.719	-43.95	-25	Pass	9000
12000	26500	1	RMS	25902.905	-29.21	-25	Pass	14500




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.13	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.84	-25	Pass	2985
30	1000	0.1	RMS	874.634	-63.66	-25	Pass	9699
1000	2490	1	RMS	2490	-51.39	-25	Pass	1490
2490	2580	1	RMS	2528.25	21.41	60	Pass	401
2580	3000	1	RMS	2852.649	-49.27	-25	Pass	420
3000	12000	1	RMS	11760.704	-43.94	-25	Pass	9000
12000	26500	1	RMS	25900.905	-29.14	-25	Pass	14500




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-25	Pass	2985
30	1000	0.1	RMS	966.956	-63.72	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.6	-25	Pass	1490
2490	2580	1	RMS	2555.925	22.14	60	Pass	401
2580	3000	1	RMS	2582.005	-44.63	-25	Pass	420
3000	12000	1	RMS	11770.716	-43.99	-25	Pass	9000
12000	26500	1	RMS	25901.905	-29.21	-25	Pass	14500




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.82	-25	Pass	401
0.15	30	0.01	RMS	0.4	-71.42	-25	Pass	2985
30	1000	0.1	RMS	998.298	-63.99	-25	Pass	9699
1000	2490	1	RMS	2483.996	-51.64	-25	Pass	1490
2490	2580	1	RMS	2555.925	20.97	60	Pass	401
2580	3000	1	RMS	2583.007	-41.54	-25	Pass	420
3000	12000	1	RMS	11767.713	-44.02	-25	Pass	9000
12000	26500	1	RMS	25901.905	-29.24	-25	Pass	14500




12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.73	-25	Pass	2985
30	1000	0.1	RMS	906.977	-63.86	-25	Pass	9699
1000	2490	1	RMS	2482.995	-37.48	-25	Pass	1490
2490	2580	1	RMS	2501.025	21.2	60	Pass	401
2580	3000	1	RMS	2849.642	-49.26	-25	Pass	420
3000	12000	1	RMS	11761.705	-43.97	-25	Pass	9000
12000	26500	1	RMS	25888.903	-29.13	-25	Pass	14500




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.28	-25	Pass	2985
30	1000	0.1	RMS	850.602	-63.74	-25	Pass	9699
1000	2490	1	RMS	2482.995	-38.91	-25	Pass	1490
2490	2580	1	RMS	2501.025	20.43	60	Pass	401
2580	3000	1	RMS	2849.642	-49.25	-25	Pass	420
3000	12000	1	RMS	11748.689	-44.01	-25	Pass	9000
12000	26500	1	RMS	25885.903	-29.15	-25	Pass	14500




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.01	-25	Pass	401
0.15	30	0.01	RMS	0.27	-71.58	-25	Pass	2985
30	1000	0.1	RMS	885.048	-63.79	-25	Pass	9699
1000	2490	1	RMS	2490	-48.33	-25	Pass	1490
2490	2580	1	RMS	2526.225	21.56	60	Pass	401
2580	3000	1	RMS	2851.647	-49.37	-25	Pass	420
3000	12000	1	RMS	11746.686	-43.87	-25	Pass	9000
12000	26500	1	RMS	25887.903	-29.21	-25	Pass	14500




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.99	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.68	-25	Pass	2985
30	1000	0.1	RMS	875.134	-63.92	-25	Pass	9699
1000	2490	1	RMS	2490	-49.02	-25	Pass	1490
2490	2580	1	RMS	2526	20.86	60	Pass	401
2580	3000	1	RMS	2850.644	-49.32	-25	Pass	420
3000	12000	1	RMS	11757.7	-43.98	-25	Pass	9000
12000	26500	1	RMS	25886.903	-29.24	-25	Pass	14500




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.65	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.83	-25	Pass	2985
30	1000	0.1	RMS	996.295	-64	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.53	-25	Pass	1490
2490	2580	1	RMS	2551.2	22.05	60	Pass	401
2580	3000	1	RMS	2587.017	-44.26	-25	Pass	420
3000	12000	1	RMS	7450.543	-42.72	-25	Pass	9000
12000	26500	1	RMS	25901.905	-29.15	-25	Pass	14500



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.18	-25	Pass	401
0.15	30	0.01	RMS	0.27	-71.15	-25	Pass	2985
30	1000	0.1	RMS	864.52	-63.92	-25	Pass	9699
1000	2490	1	RMS	2484.997	-51.62	-25	Pass	1490
2490	2580	1	RMS	2551.2	21.35	60	Pass	401
2580	3000	1	RMS	2587.017	-44.72	-25	Pass	420
3000	12000	1	RMS	11756.699	-43.93	-25	Pass	9000
12000	26500	1	RMS	25898.905	-29.15	-25	Pass	14500



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.96	-13	Pass	2985
30	695	0.1	RMS	694.2	-63.94	-13	Pass	6650
695	725	0.1	RMS	704.3	18.86	60	Pass	401
725	1000	0.1	RMS	767.716	-63.93	-13	Pass	2750
1000	3000	1	RMS	2816.908	-45.57	-13	Pass	2000
3000	10000	1	RMS	3522.075	-44.48	-13	Pass	7000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.78	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.29	-13	Pass	2985
30	695	0.1	RMS	477.767	-64.45	-13	Pass	6650
695	725	0.1	RMS	704.375	17.32	60	Pass	401
725	1000	0.1	RMS	896.262	-63.97	-13	Pass	2750
1000	3000	1	RMS	2816.908	-46.54	-13	Pass	2000
3000	10000	1	RMS	8003.715	-44.72	-13	Pass	7000




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.65	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.34	-13	Pass	2985
30	695	0.1	RMS	641.292	-64.4	-13	Pass	6650
695	725	0.1	RMS	707.825	19.14	60	Pass	401
725	1000	0.1	RMS	878.756	-64.12	-13	Pass	2750
1000	3000	1	RMS	2830.915	-45.88	-13	Pass	2000
3000	10000	1	RMS	3539.077	-43.61	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	Pass	2985
30	695	0.1	RMS	482.668	-64.46	-13	Pass	6650
695	725	0.1	RMS	707.825	18.46	60	Pass	401
725	1000	0.1	RMS	860.949	-63.95	-13	Pass	2750
1000	3000	1	RMS	2830.915	-46.37	-13	Pass	2000
3000	10000	1	RMS	3539.077	-44.48	-13	Pass	7000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	Pass	2985
30	695	0.1	RMS	692.2	-63.38	-13	Pass	6650
695	725	0.1	RMS	711.35	19.33	60	Pass	401
725	1000	0.1	RMS	858.549	-63.88	-13	Pass	2750
1000	3000	1	RMS	2844.922	-45.04	-13	Pass	2000
3000	10000	1	RMS	3557.08	-41.7	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.81	-13	Pass	401
0.15	30	0.01	RMS	0.34	-72.18	-13	Pass	2985
30	695	0.1	RMS	692.1	-63.15	-13	Pass	6650
695	725	0.1	RMS	711.35	18.63	60	Pass	401
725	1000	0.1	RMS	996.599	-63.78	-13	Pass	2750
1000	3000	1	RMS	2844.922	-46.22	-13	Pass	2000
3000	10000	1	RMS	8005.715	-44.77	-13	Pass	7000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.08	-13	Pass	401
0.15	30	0.01	RMS	0.52	-72.05	-13	Pass	2985
30	695	0.1	RMS	694.3	-63.82	-13	Pass	6650
695	725	0.1	RMS	704.6	19.97	60	Pass	401
725	1000	0.1	RMS	900.764	-63.9	-13	Pass	2750
1000	3000	1	RMS	2817.909	-45.21	-13	Pass	2000
3000	10000	1	RMS	3523.075	-40.3	-13	Pass	7000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.39	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.64	-13	Pass	2985
30	695	0.1	RMS	474.167	-64.53	-13	Pass	6650
695	725	0.1	RMS	704.6	18.85	60	Pass	401
725	1000	0.1	RMS	882.957	-63.79	-13	Pass	2750
1000	3000	1	RMS	2817.909	-46.23	-13	Pass	2000
3000	10000	1	RMS	3523.075	-44.47	-13	Pass	7000




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.83	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.37	-13	Pass	2985
30	695	0.1	RMS	465.666	-64.35	-13	Pass	6650
695	725	0.1	RMS	705.575	19.36	60	Pass	401
725	1000	0.1	RMS	985.795	-64.06	-13	Pass	2750
1000	3000	1	RMS	2821.911	-45.74	-13	Pass	2000
3000	10000	1	RMS	3528.075	-43.41	-13	Pass	7000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	695	0.1	RMS	694.9	-63.78	-13	Pass	6650
695	725	0.1	RMS	705.575	19.46	60	Pass	401
725	1000	0.1	RMS	898.863	-63.98	-13	Pass	2750
1000	3000	1	RMS	2821.911	-45.47	-13	Pass	2000
3000	10000	1	RMS	3528.075	-39.88	-13	Pass	7000




13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.11	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.66	-13	Pass	2985
30	695	0.1	RMS	694.6	-64.25	-13	Pass	6650
695	725	0.1	RMS	706.625	19.1	60	Pass	401
725	1000	0.1	RMS	892.161	-43.01	-13	Pass	2750
1000	3000	1	RMS	2825.913	-45.5	-13	Pass	2000
3000	10000	1	RMS	3533.076	-42.53	-13	Pass	7000



**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.8	-13	Pass	2985
30	695	0.1	RMS	473.767	-64.39	-13	Pass	6650
695	725	0.1	RMS	706.625	17.87	60	Pass	401
725	1000	0.1	RMS	880.757	-63.7	-13	Pass	2750
1000	3000	1	RMS	2825.913	-46.41	-13	Pass	2000
3000	10000	1	RMS	7556.651	-42.89	-13	Pass	7000



14. LTE_Band41


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:40265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.8	-25	Pass	691
0.15	30	0.01	RMS	0.16	-70.73	-25	Pass	2985
30	1000	0.1	RMS	902.69	-60.53	-25	Pass	9700
1000	2485	1	RMS	2483.999	-49.89	-25	Pass	1485
2485	2700	1	RMS	2555.42	17.64	60	Pass	691
2700	3000	1	RMS	2859.565	-47.63	-25	Pass	691
3000	12000	1	RMS	11769.974	-39.15	-25	Pass	9000
12000	28000	1	RMS	27849.991	-30.09	-25	Pass	16000




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:40265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.49	-25	Pass	691
0.15	30	0.01	RMS	0.3	-71.27	-25	Pass	2985
30	1000	0.1	RMS	959.496	-60.65	-25	Pass	9700
1000	2485	1	RMS	2475.994	-49.87	-25	Pass	1485
2485	2700	1	RMS	2555.42	17.06	60	Pass	691
2700	3000	1	RMS	2858.261	-47.66	-25	Pass	691
3000	12000	1	RMS	11750.972	-39.18	-25	Pass	9000
12000	28000	1	RMS	27799.987	-30.06	-25	Pass	16000




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.27	-25	Pass	691
0.15	30	0.01	RMS	24.728	-72.17	-25	Pass	2985
30	1000	0.1	RMS	951.495	-60.5	-25	Pass	9700
1000	2485	1	RMS	2476.995	-49.89	-25	Pass	1485
2485	2700	1	RMS	2602.783	17.64	60	Pass	691
2700	3000	1	RMS	2858.696	-47.66	-25	Pass	691
3000	12000	1	RMS	11772.975	-39.14	-25	Pass	9000
12000	28000	1	RMS	27816.989	-30.11	-25	Pass	16000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.39	-25	Pass	691
0.15	30	0.01	RMS	25.559	-71.98	-25	Pass	2985
30	1000	0.1	RMS	943.394	-60.52	-25	Pass	9700
1000	2485	1	RMS	2467.989	-49.89	-25	Pass	1485
2485	2700	1	RMS	2602.783	16.89	60	Pass	691
2700	3000	1	RMS	2853.478	-47.68	-25	Pass	691
3000	12000	1	RMS	11758.973	-39.15	-25	Pass	9000
12000	28000	1	RMS	27809.988	-30.1	-25	Pass	16000




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.5	-25	Pass	691
0.15	30	0.01	RMS	22.688	-71.93	-25	Pass	2985
30	1000	0.1	RMS	925.692	-60.58	-25	Pass	9700
1000	2485	1	RMS	2481.998	-49.87	-25	Pass	1485
2485	2700	1	RMS	2650.457	17.88	60	Pass	691
2700	3000	1	RMS	2856.957	-47.67	-25	Pass	691
3000	12000	1	RMS	11763.974	-39.17	-25	Pass	9000
12000	28000	1	RMS	27814.988	-30.11	-25	Pass	16000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.44	-25	Pass	691
0.15	30	0.01	RMS	25.408	-71.85	-25	Pass	2985
30	1000	0.1	RMS	930.893	-60.61	-25	Pass	9700
1000	2485	1	RMS	2466.988	-49.9	-25	Pass	1485
2485	2700	1	RMS	2650.457	16.96	60	Pass	691
2700	3000	1	RMS	2857.391	-47.67	-25	Pass	691
3000	12000	1	RMS	11749.972	-39.18	-25	Pass	9000
12000	28000	1	RMS	27816.989	-30.12	-25	Pass	16000




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:40290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.49	-25	Pass	691
0.15	30	0.01	RMS	26.099	-71.3	-25	Pass	2985
30	1000	0.1	RMS	906.99	-60.54	-25	Pass	9700
1000	2485	1	RMS	2481.998	-49.92	-25	Pass	1485
2485	2700	1	RMS	2555.42	17.66	60	Pass	691
2700	3000	1	RMS	2857.826	-47.68	-25	Pass	691
3000	12000	1	RMS	11756.973	-39.16	-25	Pass	9000
12000	28000	1	RMS	27829.989	-30.13	-25	Pass	16000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.25	-25	Pass	691
0.15	30	0.01	RMS	23.258	-71.91	-25	Pass	2985
30	1000	0.1	RMS	943.194	-60.53	-25	Pass	9700
1000	2485	1	RMS	2472.992	-49.91	-25	Pass	1485
2485	2700	1	RMS	2555.42	16.4	60	Pass	691
2700	3000	1	RMS	2954.783	-47.69	-25	Pass	691
3000	12000	1	RMS	11755.973	-39.14	-25	Pass	9000
12000	28000	1	RMS	27813.988	-30.11	-25	Pass	16000




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.45	-25	Pass	691
0.15	30	0.01	RMS	25.549	-71.37	-25	Pass	2985
30	1000	0.1	RMS	935.193	-60.52	-25	Pass	9700
1000	2485	1	RMS	2482.999	-49.93	-25	Pass	1485
2485	2700	1	RMS	2600.601	17.92	60	Pass	691
2700	3000	1	RMS	2957.826	-47.68	-25	Pass	691
3000	12000	1	RMS	11762.974	-39.22	-25	Pass	9000
12000	28000	1	RMS	27836.99	-30.13	-25	Pass	16000




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.35	-25	Pass	691
0.15	30	0.01	RMS	28.74	-72.01	-25	Pass	2985
30	1000	0.1	RMS	924.892	-60.57	-25	Pass	9700
1000	2485	1	RMS	2478.996	-49.89	-25	Pass	1485
2485	2700	1	RMS	2600.601	17.46	60	Pass	691
2700	3000	1	RMS	2855.652	-47.68	-25	Pass	691
3000	12000	1	RMS	11752.973	-39.16	-25	Pass	9000
12000	28000	1	RMS	27810.988	-30.12	-25	Pass	16000




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.35	-25	Pass	691
0.15	30	0.01	RMS	0.29	-71.36	-25	Pass	2985
30	1000	0.1	RMS	961.096	-60.58	-25	Pass	9700
1000	2485	1	RMS	2480.997	-49.9	-25	Pass	1485
2485	2700	1	RMS	2645.783	17.94	60	Pass	691
2700	3000	1	RMS	2855.652	-47.68	-25	Pass	691
3000	12000	1	RMS	11758.973	-39.17	-25	Pass	9000
12000	28000	1	RMS	27814.988	-30.14	-25	Pass	16000




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.28	-25	Pass	691
0.15	30	0.01	RMS	24.878	-71.42	-25	Pass	2985
30	1000	0.1	RMS	918.992	-60.59	-25	Pass	9700
1000	2485	1	RMS	2479.997	-49.91	-25	Pass	1485
2485	2700	1	RMS	2645.783	17.35	60	Pass	691
2700	3000	1	RMS	2851.739	-47.68	-25	Pass	691
3000	12000	1	RMS	11774.975	-39.18	-25	Pass	9000
12000	28000	1	RMS	27806.988	-30.11	-25	Pass	16000




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:40315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.69	-25	Pass	691
0.15	30	0.01	RMS	25.198	-71.38	-25	Pass	2985
30	1000	0.1	RMS	985.398	-60.52	-25	Pass	9700
1000	2485	1	RMS	2472.992	-49.91	-25	Pass	1485
2485	2700	1	RMS	2555.732	17.77	60	Pass	691
2700	3000	1	RMS	2858.696	-47.66	-25	Pass	691
3000	12000	1	RMS	11776.975	-39.16	-25	Pass	9000
12000	28000	1	RMS	27823.989	-30.12	-25	Pass	16000




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:40315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.26	-25	Pass	691
0.15	30	0.01	RMS	23.468	-71.16	-25	Pass	2985
30	1000	0.1	RMS	905.39	-60.58	-25	Pass	9700
1000	2485	1	RMS	2466.988	-49.91	-25	Pass	1485
2485	2700	1	RMS	2555.732	16.53	60	Pass	691
2700	3000	1	RMS	2857.826	-47.68	-25	Pass	691
3000	12000	1	RMS	11761.974	-39.19	-25	Pass	9000
12000	28000	1	RMS	27811.988	-30.11	-25	Pass	16000




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40740, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.42	-25	Pass	691
0.15	30	0.01	RMS	28.459	-71.15	-25	Pass	2985
30	1000	0.1	RMS	917.091	-60.47	-25	Pass	9700
1000	2485	1	RMS	2478.996	-49.91	-25	Pass	1485
2485	2700	1	RMS	2598.42	17.79	60	Pass	691
2700	3000	1	RMS	2855.217	-47.67	-25	Pass	691
3000	12000	1	RMS	11752.973	-39.11	-25	Pass	9000
12000	28000	1	RMS	27812.988	-30.11	-25	Pass	16000




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40740, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.66	-25	Pass	691
0.15	30	0.01	RMS	28.419	-71.46	-25	Pass	2985
30	1000	0.1	RMS	929.793	-60.56	-25	Pass	9700
1000	2485	1	RMS	2478.996	-49.89	-25	Pass	1485
2485	2700	1	RMS	2598.42	17.43	60	Pass	691
2700	3000	1	RMS	2850.87	-47.67	-25	Pass	691
3000	12000	1	RMS	11760.973	-39.15	-25	Pass	9000
12000	28000	1	RMS	27847.99	-30.13	-25	Pass	16000




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.34	-25	Pass	691
0.15	30	0.01	RMS	28.96	-71.57	-25	Pass	2985
30	1000	0.1	RMS	975.197	-60.39	-25	Pass	9700
1000	2485	1	RMS	2475.994	-49.89	-25	Pass	1485
2485	2700	1	RMS	2640.797	17.94	60	Pass	691
2700	3000	1	RMS	2854.783	-47.66	-25	Pass	691
3000	12000	1	RMS	11779.976	-39.18	-25	Pass	9000
12000	28000	1	RMS	27810.988	-30.1	-25	Pass	16000




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.42	-25	Pass	691
0.15	30	0.01	RMS	0.29	-70.83	-25	Pass	2985
30	1000	0.1	RMS	945.994	-60.51	-25	Pass	9700
1000	2485	1	RMS	2482.999	-49.91	-25	Pass	1485
2485	2700	1	RMS	2640.797	17.09	60	Pass	691
2700	3000	1	RMS	2857.391	-47.64	-25	Pass	691
3000	12000	1	RMS	11757.973	-39.18	-25	Pass	9000
12000	28000	1	RMS	27813.988	-30.11	-25	Pass	16000




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.32	-25	Pass	691
0.15	30	0.01	RMS	26.199	-71.63	-25	Pass	2985
30	1000	0.1	RMS	929.793	-60.47	-25	Pass	9700
1000	2485	1	RMS	2485	-49.91	-25	Pass	1485
2485	2700	1	RMS	2556.043	17.6	60	Pass	691
2700	3000	1	RMS	2855.652	-47.65	-25	Pass	691
3000	12000	1	RMS	11765.974	-39.18	-25	Pass	9000
12000	28000	1	RMS	27800.988	-30.1	-25	Pass	16000




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.39	-25	Pass	691
0.15	30	0.01	RMS	0.19	-71.52	-25	Pass	2985
30	1000	0.1	RMS	894.689	-60.54	-25	Pass	9700
1000	2485	1	RMS	2482.999	-49.89	-25	Pass	1485
2485	2700	1	RMS	2556.043	17.22	60	Pass	691
2700	3000	1	RMS	2850.87	-47.66	-25	Pass	691
3000	12000	1	RMS	11760.973	-39.18	-25	Pass	9000
12000	28000	1	RMS	27833.99	-30.13	-25	Pass	16000




14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40740, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.55	-25	Pass	691
0.15	30	0.01	RMS	28.369	-71.64	-25	Pass	2985
30	1000	0.1	RMS	922.792	-60.61	-25	Pass	9700
1000	2485	1	RMS	2479.997	-49.91	-25	Pass	1485
2485	2700	1	RMS	2595.928	17.56	60	Pass	691
2700	3000	1	RMS	2954.348	-47.68	-25	Pass	691
3000	12000	1	RMS	11766.974	-39.16	-25	Pass	9000
12000	28000	1	RMS	27842.99	-30.13	-25	Pass	16000




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40740, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.25	-25	Pass	691
0.15	30	0.01	RMS	28.67	-71.21	-25	Pass	2985
30	1000	0.1	RMS	910.391	-60.37	-25	Pass	9700
1000	2485	1	RMS	2480.997	-49.91	-25	Pass	1485
2485	2700	1	RMS	2596.239	16.49	60	Pass	691
2700	3000	1	RMS	2850	-47.69	-25	Pass	691
3000	12000	1	RMS	11752.973	-39.17	-25	Pass	9000
12000	28000	1	RMS	27814.988	-30.13	-25	Pass	16000



14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.55	-25	Pass	691
0.15	30	0.01	RMS	23.108	-71.7	-25	Pass	2985
30	1000	0.1	RMS	910.591	-60.67	-25	Pass	9700
1000	2485	1	RMS	2483.999	-49.93	-25	Pass	1485
2485	2700	1	RMS	2636.123	18.27	60	Pass	691
2700	3000	1	RMS	2853.913	-47.66	-25	Pass	691
3000	12000	1	RMS	11765.974	-39.15	-25	Pass	9000
12000	28000	1	RMS	27807.988	-30.11	-25	Pass	16000



**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.51	-25	Pass	691
0.15	30	0.01	RMS	23.738	-71.2	-25	Pass	2985
30	1000	0.1	RMS	896.989	-60.42	-25	Pass	9700
1000	2485	1	RMS	2470.991	-49.93	-25	Pass	1485
2485	2700	1	RMS	2636.123	17.43	60	Pass	691
2700	3000	1	RMS	2854.783	-47.67	-25	Pass	691
3000	12000	1	RMS	11763.974	-39.19	-25	Pass	9000
12000	28000	1	RMS	27817.989	-30.08	-25	Pass	16000

