


INTERTEK TESTING SERVICES


Report No.: HK12061673-1
Sample No.: 1/1



802.11b (DSSS, 11Mbps)

Lower bandedge
 = 105.0 – 41.1
 = 63.9 dBuV/m @3m
 < 74dBuV/m @3m
 (Peak spurious limit)

Lower bandedge
 = 85.0 – 41.1
 = 43.9 dBuV/m @3m
 < 54dBuV/m @3m
 (Average spurious limit)



802.11b (DSSS, 11Mbps)


Upper bandedge
 = 108.0 – 55.2
 = 52.8 dBuV/m @3m
 < 74dBuV/m @3m
 (Peak spurious limit)

Upper bandedge
 = 88.1 – 55.2
 = 32.9 dBuV/m @3m
 < 54dBuV/m @3m
 (Average spurious limit)

Bandwidth / Bandedge Plot – Pursuant to FCC Part 15 Section 15. 249 Requirement (Pass/Fail)

INTERTEK TESTING SERVICES


Report No.: HK12061673-1
Sample No.: 1/1



802.11g (OFDM, 54Mbps)

Lower bandedge
= 101.0 – 35.3
= 65.7 dBμV/m @3m
< 74dBuV/m @3m
(Peak spurious limit)

Lower bandedge
= 63.3 – 35.3
= 28.0 dBμV/m @3m
< 54dBuV/m @3m
(Average spurious limit)



802.11g (OFDM, 54Mbps)


Upper bandedge
= 104.0 – 33.4
= 70.6 dBμV/m @3m
< 74dBuV/m @3m
(Peak spurious limit)

Upper bandedge
= 65.3 – 33.4
= 31.9 dBμV/m @3m
< 54dBuV/m @3m
(Average spurious limit)

Bandwidth / Bandedge Plot – Pursuant to FCC Part 15 Section 15. 249 Requirement (Pass/Fail)

INTERTEK TESTING SERVICES


Report No.: HK12061673-1
Sample No.: 1/1



802.11n (OFDM, 65Mbps, 20MHz)

Lower bandedge
= 97.6 – 35.0
= 62.6 dBμV/m @3m
< 74dBuV/m @3m
(Peak spurious limit)

Lower bandedge
= 65.0 – 35.0
= 30.0 dBμV/m @3m
< 54dBuV/m @3m
(Average spurious limit)



802.11n (OFDM, 65Mbps, 20MHz)

Upper bandedge
= 102.0 – 38.0
= 64.0 dBμV/m @3m
< 74dBuV/m @3m
(Peak spurious limit)

Upper bandedge
= 70.0 – 38.0
= 32.0 dBμV/m @3m
< 54dBuV/m @3m
(Average spurious limit)

Bandwidth / Bandedge Plot – Pursuant to FCC Part 15 Section 15. 249 Requirement (Pass/Fail)