

RE : EE290 product label specifications
BY : KST
DATE : 1-October-2015
REV : 0

Doc history

Rev 0: 1-10-2015, KST. Initial release.

Label dimension:

46mm x 9.9mm
Tolerance \pm 0.1mm

Label material:


Consist of base + laminate protection against wear.

Base : PP film, Pantone Cool gray 1, thickness 80 μ m, backing with glue.

Laminate : PET film, clear, thickness 25 μ m, backing with glue.

RoHS complaint

Bar code area:



Code 39 + human readable text (printed below the bar code).

Bar code height = 3mm.

Standard Code 39

Data: 1 Alphanumeric character, followed by 10 hexadecimal characters.

The alpha, characters is a 'B'.

The 10 hexadecimal characters form the serial number and this starts with 0002300000 and is incremented with 1 for each label. No double serial number may exist.

Since it is a hexadecimal number, the numbers go from

0002300000

0002300001

...

0002300009

000230000A

000230000B

...

000230000F

0002300010

0002300011

...

0002300019
000230001A
...
000230001F
0002300020
...

Size of barcode area:

The size of the barcode area (without the human readable part) is 3x38mm)




Text font:

As per design

Colors:

Pantone Black.

Label dimensions:



Label location

Back side of the EE-290.

