

# ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

## INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

OF **Product Name:** Cradle **Brand Name:** Opticon **CRD-3301B** Model No.: Model Difference: N/A FCC ID: Q2QCRD3301B **Report No.:** E2/2016/A0048-01 **Issue Date:** Jul. 21, 2017 FCC Rule Part: §15.247, Cat: DSS **Prepared for: Opticon Sensors Europe B.V.** Opaallaan 35, 2132 XV Hoofddorp, The **Netherlands Prepared by:** SGS Taiwan Ltd. **Electronics & Communication Laboratory** No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333



Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

When stated the results stated Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



## VERIFICATION OF COMPLIANCE

Applicant:	Opticon Sensors Europe B.V. Opaallaan 35, 2132 XV Hoofddorp, The Netherlands
Product Name:	Cradle
Brand Name:	Opticon
Model No.:	CRD-3301B
Model Difference:	N/A
FCC ID:	Q2QCRD3301B
Report Number:	E2/2016/A0048-01
Date of test:	Jul.06, 2017 (Radiated), Jul. 12, 2017 (Conducted)
Date of EUT Received:	Jun. 05, 2017

### We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits. The test results of this report relate only to the tested sample identified in this report.

Test By:	Jerry Lu	Date:	Jul. 21, 2017	
	Jerry Lu / Sr. Engineer			
Prepared By:	Allen Isai	Date:	Jul. 21, 2017	
 Approved By: 	Allen Tsai / Sr. Engineer Jim Chang	Date:	Jul. 21, 2017	

Jim Chang / Asst. Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



# **Revision History**

Report Number	Revision	Description	Issue Date
E2/2016/A0048-01	Rev.00	Initial creation of document	Jul. 21, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the printed event of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-tervent is unavity and definders may be proceeding the tervent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



## **Table of Contents**

1	GENERAL INFORMATION	5
2	SYSTEM TEST CONFIGURATION	7
3	UMMARY OF TEST RESULTS	3
4	DESCRIPTION OF TEST MODES	4
5	MEASUREMENT UNCERTAINTY	6
6	CONDUCTED EMISSION TEST	7
7	PEAK OUTPUT POWER MEASUREMENT	11
8	20dB BANDWIDTH MEASUREMENT	13
9	CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	16
10	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	23
11	FREQUENCY SEPARATION	56
12	NUMBER OF HOPPING FREQUENCY	58
13	TIME OF OCCUPANCY (DWELL TIME)	60
14	ANTENNA REQUIREMENT	68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advitud and offenders may be prosecuted to the fulle extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



#### **GENERAL INFORMATION** 1

#### **1.1 Product description**

General:

Product Name:	Cradle		
Brand Name:	Opticon		
Model No.:	CRD-3301B		
Model Difference:	N/A		
Software version:	NAEV0003, NBEV0005		
Hardware version:	ES		
	6Vdc from AC/DC adapter		
Power Supply:	Adapter: Model No.: SFP0602000P-PSE/Ver.2, Supplier: TechtuiCo, Ltd.		

#### Bluetooth\_BR+EDR:

Bluetooth Version:	BT4.0 dual mode
Channel number:	79 channels
Modulation type:	GFSK + π/4DQPSK + 8DPSK
Transmit Power:	2.04 dBm
Frequency Range:	2.402GHz – 2.480GHz
Dwell Time:	<= 0.4s
Antenna Designation:	PIFA Antenna, Peak Gain: 3dBi

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the printed event of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-tervent is unavity and definders may be proceeding the tervent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



#### 1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC Public Notice DA 00-705 Measurement Guidelines

ANSI C63.10:2013

**Note:** All test items have been performed and record as per the above standards.

#### 1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333 (TAF code 0513)

FCC Registration Numbers are: 735305

#### **1.4 Special Accessories**

There is no special accessory used while test was conducted.

#### **1.5 Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



#### SYSTEM TEST CONFIGURATION 2

### 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

#### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

#### 2.3 Test Procedure

#### 2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plan. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

#### 2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated

emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

#### 2.4 Measurement Results Explanation Example

#### For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level. Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation example with cable loss 1dB and splitter 0dB splitter. Offset = RF cable loss + Attenuator(dB) = 3.9 + 10 = 13.9(dB)

When stated the results stated Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



### 2.5 Configuration of Tested System

### Fig. 2-1 Conducted Emission Configuration





Fig 2-2 Radiated Emission Configuration



#### Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1	Bluetooth Test Software	N/A	N/A	N/A	N/A	N/A
2	Bluetooth Tester	R&S	СВТ	101140	Shielded	Unshielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-parament is underful and effection prove to the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



#### UMMARY OF TEST RESULTS 3

FCC Rules	Description Of Test	Result
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b)(1)	Peak Output Power	Compliant
§15.247(a)(1)	20dB & 99% Bandwidth	Compliant
§15.247(d)	Conducted Band Edge and Spurious Emission	Compliant
§15.247(d)	Radiated Band Edge and Spurious Emission	Compliant
§15.247(a)(1)	Frequency Separation	Compliant
§15.247(a)(1)(iii)	Number of hopping frequency	Compliant
§15.247(a)(1)(iii)	Time of Occupancy	Compliant
§15.203 §15.247(b)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the printed event of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-tervent is unavity and definders may be proceeding the tervent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



#### **DESCRIPTION OF TEST MODES** 4

#### 4.1 Operated in 2400 ~ 2483.5MHz Band

79 channels are provided for Bluetooth

СН	FREQUENCY	СН	FREQUENCY	СН	FREQUENCY	СН	FREQUENCY
0	2402 MHz	20	2422 MHz	40	2442 MHz	70	2462 MHz
1	2403 MHz	21	2423 MHz	41	2443 MHz	71	2463 MHz
2	2404 MHz	22	2424 MHz	42	2444 MHz	72	2464 MHz
3	2405 MHz	23	2425 MHz	43	2445 MHz	73	2465 MHz
4	2406 MHz	24	2426 MHz	44	2446 MHz	74	2466 MHz
5	2407 MHz	25	2427 MHz	45	2447 MHz	75	2467 MHz
6	2408 MHz	26	2428 MHz	46	2448 MHz	76	2468 MHz
7	2409 MHz	27	2429 MHz	47	2449 MHz	77	2469 MHz
8	2410 MHz	28	2430 MHz	48	2450 MHz	78	2470 MHz
9	2411 MHz	29	2431 MHz	49	2451 MHz	79	2471 MHz
10	2412 MHz	30	2432 MHz	50	2452 MHz	70	2472 MHz
11	2413 MHz	31	2433 MHz	51	2453 MHz	71	2473 MHz
12	2414 MHz	32	2434 MHz	52	2454 MHz	72	2474 MHz
13	2415 MHz	33	2435 MHz	53	2455 MHz	73	2475 MHz
14	2416 MHz	34	2436 MHz	54	2456 MHz	74	2476 MHz
15	2417 MHz	35	2437 MHz	55	2457 MHz	75	2477 MHz
16	2418 MHz	36	2438 MHz	56	2458 MHz	76	2478 MHz
17	2419 MHz	37	2439 MHz	57	2459 MHz	77	2479 MHz
18	2420 MHz	38	2440 MHz	58	2460 MHz	78	2480 MHz
19	2421 MHz	39	2441 MHz	59	2461 MHz		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the printed event of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-tervent is unavity and definders may be proceeding the tervent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



### 4.2 The Worst Test Modes and Channel Details

- The EUT has been tested under operating condition. 1
- Test program used to control the EUT for staying in continuous transmitting and receiving 2 mode is programmed.
- Investigation has been done on all the possible configurations for searching the worst 3 case.

#### **RADIATED EMISSION TEST:**

	RADIATED EMISSION TEST (BELOW 1 GHz)					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	PACKET TYPE		
Bluetooth	0 to 78	0,39,78	GFSK	DH5		
	RADIATED EMISSION TEST (ABOVE 1 GHz)					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	PACKET TYPE		
Bluetooth	0 to 78	0,39,78	GFSK	DH5		

#### Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for Bluetooth BR+EDR Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

#### ANTENNA PORT CONDUCTED MEASUREMENT:

CONDUCTED TEST					
		Peak Output Pov	ver, 20dB Band Wid	th	
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	PACKET TYPE	
	0 to 78	0,39,78	GFSK	DH5	
Bluetooth	0 to 78	0,39,78	π/4-DQPSK	DH5	
	0 to 78	0,39,78	8-DQPK	DH5	
		Bai	nd Edge		
Bluetooth	0 to 78	0,78	GFSK	DH5	
		Frequen	cy Separation		
Bluetooth	0 to 78	0,1,2	GFSK	DH5	
		Number of h	opping frequency		
Bluetooth	0 to 78	0 to 78	GFSK	DH5	
Time of Occupancy (Dwell time)					
Bluetooth	0 to 78	0,39,78	GFSK	DH1/DH3/DH5	
Bluetooth	0 to 78	39	π/4-DQPSK	DH1/DH3/DH5	
Bluetooth	0 to 78	39	8-DPSK	DH1/DH3/DH5	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### 5 MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 0.84 dB
20dB Bandwidth	+/- 51.33 Hz
100 KHz Bandwidth Of Frequency Band Edges	+/- 0.84 dB
Frequency Separation	+/- 51.33 Hz
Number of hopping frequency	+/- 51.33 Hz
Time of Occupancy	+/- 51.33 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
-	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the

95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the printed event of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-tervent is unavity and definders may be proceeding the tervent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



## CONDUCTED EMISSION TEST

#### 6.1 Standard Applicable

Frequency within 150 kHz to 30MHz shall not exceed the limit table as below.

Frequency range	Limits dB(uV)				
MHz	Quasi-peak	Average			
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			

Note

1. The lower limit shall apply at the transition frequencies

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

#### 6.2 Measurement Equipment Used

	Conducted Emission Test Site									
EQUIPMENT	MFR MODEL SE		SERIAL	LAST	CAL DUE.					
TYPE		NUMBER	NUMBER	CAL.						
<b>EMI Test Receiver</b>	R&S	ESCI 7	100950	12/12/2016	12/11/2017					
Coaxial Cables	N/A	N30N30-1042-150cm	N/A	08/30/2016	08/29/2017					
LISN	Schwarzbeck	NSLK 8127	8127-648	06/18/2017	06/17/2018					
Test Software	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.					

#### 6.3 EUT Setup


- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

mise of all of the control of the jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



## 6.4 Test SET-UP (Block Diagram of Configuration)



#### 6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plan.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all frequency measured were complete.

#### 6.6 Measurement Result

Note: Refer to next page for measurement data and plots.


Note2: The \* reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



## AC POWER LINE CONDUCTED EMISSION TEST DATA



	MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1	0.1820	22.31	19.64	41.95	64.39	-22.44	peak	
2	0.2780	22.13	19.77	41.90	60.88	-18.98	peak	
3 *	0.3260	22.53	19.84	42.37	59.55	-17.18	peak	-
4	0.8180	17.78	19.95	37.73	56.00	-18.27	peak	7
5	0.9140	16.10	19.90	36.00	56.00	-20.00	peak	-
6	2.0340	11.56	20.55	32.11	56.00	-23.89	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days unity. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com



Temperature: 24 °C Site : Conduction Room Phase: N AC 120V/60Hz Humidity: 70 % Limit: FCC Class B Conduction(QP) Power: Mode: Note:



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1	*	0.2060	31.53	19.50	51.03	63.37	-12.34	peak	
2		0.4740	16.49	19.95	36.44	56.44	-20.00	peak	
3		0.8180	20.30	19.81	40.11	56.00	-15.89	peak	
4		0.9140	18.59	19.76	38.35	56.00	-17.65	peak	
5		5.6060	10.70	19.96	30.66	60.00	-29.34	peak	
6		9.8540	11.72	19.94	31.66	60.00	-28.34	peak	
			and the second se						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-parament is underful and effection prove to the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



#### PEAK OUTPUT POWER MEASUREMENT 7


#### 7.1 Standard Applicable

For frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 hopping channels, The Limit: 1Watt. For all other frequency hopping systems in the 2400 -2483.5MHz band: The Limit: 0.125 Watts. The power limit for 1Mbps is 1watt, and 2Mbps, 3Mbps and AFH mode are 0.125 watts.

#### 7.2 Measurement Equipment Used

	Conducted Emission Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.					
TYPE		NUMBER	NUMBER	CAL.						
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018					
Power Meter	Anritsu	ML2496A	1326001	06/23/2017	06/22/2018					
Power Sensor	Anritsu	MA2411B	1315048	06/23/2017	06/22/2018					
Power Sensor	Anritsu	MA2411B	1315049	06/23/2017	06/22/2018					
Coaxial Cable 30cm	WOKEN	00100A1F1A195C	RF01	12/12/2016	12/11/2017					
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017					
Splitter	RF-LAMBAD	RFLT2W1G18G	RF35	12/12/2016	12/11/2017					
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017					
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018					

#### 7.3 Test Set-up:



#### 7.4 Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter or spectrum. (Max Hold, Detector = Peak, RBW >=20dB bandwidth)
- 4. Record the max. reading.
- 5. Repeat above procedures until all default test channel is completed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Since States the resolution in the states of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



#### 7.5 Measurement Result

1M BR mode (Peak):						R mode (Av	verage):		
СН	Freq. (MHz)	Peak Output Power (dBm)	Output Power (mW)	Limit (mW)	СН	Freq. (MHz)	Max. Output include tune up tolerance Power (dBm)	Output Power (mW)	Limit (mW)
0	2402	-2.60	0.550	125	0	2402	-7.04	0.198	125
39	2441	0.55	1.135	125	39	2441	-3.30	0.468	125
78	2480	2.04	1.600	125	78	2480	-1.84	0.655	125
2M ED	R mode (I	Peak):			2M EE	)R mode (A	verage):		
СН	Freq. (MHz)	Peak Output Power (dBm)	Output Power (mW)	Limit (mW)	СН	Freq. (MHz)	Max. Avg.Output include tune up tolerance Power (dBm)	Output Power (mW)	Limit (mW)
0	2402	-3.68	0.429	125	0	2402	-10.27	0.094	125
39	2441	-0.61	0.869	125	39	2441	-6.88	0.205	125
78	2480	0.84	1.213	125	78	2480	-5.36	0.291	125
3M ED	R mode (I	Peak):			3M EE	)R mode (A	verage):		
СН	Freq. (MHz)	Peak Output Power (dBm)	Output Power (mW)	Limit (mW)	СН	Freq. (MHz)	Max. Avg.Output include tune up tolerance Power (dBm)	Output Power (mW)	Limit (mW)
0	2402	-3.37	0.460	125	0	2402	-10.38	0.092	125
39	2441	-0.16	0.964	125	39	2441	-6.71	0.213	125
78	2480	1.31	1.352	125	78	2480	-5.34	0.292	125
	*Noto: Max Output include tune un telerance Dewer								

\*Note: Max. Output include tune up tolerance Power measured by using average detector.

NOTE: cable loss as 13.9dB that offsets in the spectrum

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the printed event of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-tervent is unavity and definders may be proceeding the tervent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



## 8 20DB BANDWIDTH MEASUREMENT


#### 8.1 Standard Applicable

For frequency hopping systems operating in the 2400MHz-2483.5 MHz no limit for 20dB bandwidth.

#### 8.2 Measurement Equipment Used

Conducted Emission Test Site									
EQUIPMENT	MFR MODEL SERIAL		-	CAL DUE.					
TYPE		NUMBER	NUMBER	CAL.					
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018				
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017				
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017				

#### 8.3 Test Set-up



#### 8.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- Set the spectrum analyzer as RBW=10 kHz (1 % of 20 dB Bandwidth.), VBW = 30 kHz, Span= 3MHz, Sweep=auto, Detector = Peak, and Max hold for 20dB Bandwidth test.
- 5. Mark the peak frequency and -20dB (upper and lower) frequency
- 6. Repeat above procedures until all test default channel is completed

NOTE: For the plot of bandwidth measurement, the marker of the 20dB BW is arrow-mark

#### 8.5 Measurement Result

GFSK			π/4-DQPSK			8-DPS	SK 🛛	
СН	20 dB BW	2/3 BW	СН	20 dB BW	2/3 BW	СН	20 dB BW	2/3 BW
•	(MHz)	(MHz)	•	(MHz)	(MHz)	•	(MHz)	(MHz)
Low	0.9234	0.62	Low	1.236	0.82	Low	1.256	0.84
Mid	0.9222	0.61	Mid	1.237	0.82	Mid	1.253	0.84
High	0.923	0.62	High	1.236	0.82	High	1.253	0.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 20dB Band Width Test Data CH-Low (GFSK mode)



#### 20dB Band Width Test Data CH-Mid (GFSK mode)



## 20dB Band Width Test Data CH-High (GFSK mode)





#### 20dB Band Width Test Data CH-Low (π/4-DQPSK mode)



#### 20dB Band Width Test Data CH-Mid (π/4-DQPSK mode)





20dB Band Width Test Data CH-High ( $\pi$ /4-DQPSK mode)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sgs.com



#### 20dB Band Width Test Data CH-Low (8-DPSK mode)



20dB Band Width Test Data CH-Mid (8-DPSK mode)



20dB Width Test Data CH-High (8-DPSK mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report fere only to the sample(s) tested and stort is sample(s) are related to 90 days only. 防非方 式说明,此報告結果僅對測試之樣品負責,同時此提品僅保留的人影。本報告未變年公司書面許可,不可許份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



## 9 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT


#### 9.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

#### 9.2 Measurement Equipment Used

Conducted Emission Test Site									
EQUIPMENT MFR		MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018				
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017				
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017				

#### 9.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

時非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可能份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and

jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### 9.4 Measurement Procedure

#### **Conducted Band Edge:**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = operating frequency.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Sweep = auto
- 6. Mark Peak, 2.3999GHz and 2.4836GHz and record the max. level.
- 7. Repeat above procedures until all frequency measured were complete.

### **Conducted Spurious Emission:**

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Set RBW = 100 kHz & VBW = 300 kHz, Detector =Peak, Sweep = Auto
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

#### FS = RA + AF + CL - AG

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

#### 9.5 Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

- 1. Cable loss as 5.1dB that offsets in the spectrum
- 2. The occurrence of the spike on the conducted emission is the signal of the fundamental emission.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另右說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



## Band Edges Test Data CH-Low (Hopping mode)

Agreen Spectrum Analyzer   Swept SA		SENSEINT	ALION AUT	- 1	56 PM JUL 12, 2017	000
enter Freq 2.365000000	GHZ PNO: Fast G	100 C	Avg Type: Log-Pw	r TR	DET P. NINNER	Frequency
Ref Offset 13.9 dB dB/div Ref 20.00 dBm			M	kr3 2.39 -58	0 00 GHz 1.92 dBm	Auto Tur
10 10				20103	CHARABAREAN	Center Fri 2.365000000 GR
				ywn	TUTTO	Start Fre 2.310000000 Gi
(† 1997) († 1998) – President Stansberger, sold skrifter F	interior and and	an terres distriction and the second second	nan tanan ana ang tang tang tang tang ta	- P		Stop Fr 2,42000000 G
art 2.31000 GHz es BW 100 kHz	#VBV	V 300 kHz		1.000 ms	42000 GHz (1001 pts)	CF St 11.000000 M Auto M
N 1 1 2.39	9 12 GHz 9 90 GHz 0 00 GHz	-1,91 dBm -59.07 dBm -58.92 dBm	FUNCTION . PUNCTION WID	TE PUNC	TION VALUE	Freq Offs
		-				


Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Chiefs ある diversion かいたい and the states of the states and the states and st pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





## Band Edges Test Data CH-Low (Non-Hopping mode)

## Band Edges Test Data CH-High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Chiefs ある diversion かいたい and the states of the states and the states and st pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



## **Conducted Spurious Emission Measurement Result** Ch Low 30MHz – 3GHz




## Ch Low 3GHz – 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days unity. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






## Ch Mid 30MHz – 3GHz

Agitem Spectrum Analyzes / Swept 54			0 0 0
Center Freq 1.515000000	GHZ PNO: Fast C Trig: Free Run IFGainLow EAtten: 20 dB	Augraphic 6124/20 PMArt 12, 202 Avg Type: Log-Pwr TRACE 1214 Let	Frequency
Ref Offset 13.9 dB 10 dBrday Ref 20.00 dBm		Mkr1 2.441 6 GH: -0.75 dBm	
190 (10) 10()		***	Center Freq 1.515000000 GHz
100 ()		-20.75 #	Start Freq 30.000000 MHz
50 0 60 0 70 0	والمراجع والمتحر والمسترد والمستوا وسن	and the second	Stop Freq 3.00000000 GHz
Start 30 MHz #Res BW 100 kHz	#VBW 300 kHz	Stop 3.000 GHz Sweep 9.667 ms (1001 pts PUNCTION FUNCTION WILLS	
	.441 6 GHz -0.75 dBm		Freq Offset 0 Hz
		STATUS	

## Ch Mid 3GHz – 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Chiefs ある diversion かいたい and the states of the states and the states and st pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



## Ch High 30MHz – 3GHz

Agitem Spectrum Analyzes   Swept Sh			10 0 0			
enter Freq 1.5150000	PNO: Fast Trig: Free Run	Aug Type: Log-Pwr TRACE D2014	Frequency			
IFGain:Low         #Atten: 20 dB         Mkr1 2.480 3 GHz           Ref Offset 13.9 dB         Mkr1 2.480 3 GHz         1.20 dBm						
500 1910 0 00			Center Fre 1.515000000 GH			
20 0		- 18 30 kBm	Start Fre 30.000000 MH			
60 0 50 0 70 0	ويستحد اللاز فيانسون وسيون المعرور في	a many sheet and a start of the	Stop Fre 3.00000000 GH			
itart 30 MHz Res BW 100 kHz	#VBW 300 kHz	Stop 3.000 GHz Sweep 9.667 ms (1001 pts)	CF Ste 297.000000 MH Auto Mit			
1 N 1 f 2 3 4 4 5 6 7 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2.480.3 GHz 1.20 dBm		Freq Offse 0 H			
8 9 10 11 11						

## Ch High 3GHz – 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-parament is underful and effection prove to the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



## **10 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT**

#### **10.1 Standard Applicable**

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

#### Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level ( $dB\mu V/m$ ) = 20 log Emission level ( $dB\mu V/m$ )

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### **10.2 Measurement Equipment Used**

966 Chamber							
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.		
EMI Test Receiver	R&S	ESU 40	100363	04/18/2017	04/17/2018		
Loop Antenna	ETS-Lindgren	6502	00143303	12/23/2016	12/22/2017		
Broadband An- tenna	TESEQ	CBL 6112D	35240	11/03/2016	11/02/2017		
Horn Antenna	ETS-Lindgren	3117	00143272	12/15/2016	12/16/2017		
Horn Antenna	Schwarzbeck	BBHA9170	185	07/24/2016	07/23/2017		
Pre Amplifier	EMC Instru- ments	EMC330	980096	12/12/2016	12/11/2017		
Pre Amplifier	EMC Instru- ments	EMC0011830	980199	12/12/2016	12/11/2017		
Pre Amplifier	R&S	SCU-18	10204	12/12/2016	12/11/2017		
Pre Amplifier	R&S	SCU-26	100780	12/12/2016	12/11/2017		
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/12/2016	12/11/2017		
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/12/2016	12/11/2017		
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/12/2016	12/11/2017		
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/12/2016	12/11/2017		
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/12/2016	12/11/2017		
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/12/2016	12/11/2017		
Attenuator	WOKEN	218FS-10	RF27	12/12/2016	12/11/2017		
Site NSA	SGS	966 Chamber C	SAC-C	03/02/2017	03/01/2018		
Site VSWR	SGS	966 Chamber C	SAC-C	03/02/2017	03/01/2018		
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2017	05/03/2018		
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.		
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.		
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.		
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.		


NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the printed event of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-tervent is unavity and definders may be proceeding the tervent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




#### 10.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



#### (B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



## **10.4 Measurement Procedure**

#### **Radiated Emission**

- 1. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 0.8m for frequency> 1GHz above ground plan.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. Use the follow spectrum analyzer setting:
  - (1) Span = wide enough to fully capture the emission being measured
  - (2) RBW = 1 MHz for  $f \ge 1$  GHz, 100 kHz for f < 1 GHz, VBW  $\ge$  RBW, Sweep = auto, Detector function = peak, Trace = max hold
  - (3) For average measurement: use duty cycle correction factor method per 15.35(c)

Duty Cycle = On time/100 milliseconds

On time = N1\*L1=N2\*L2+...+N(n-1)\*LN(n-1)+N(n)\*L(n)

Where N1 is number of type 1 pulses, L1 is length of type 1 pulses, etc.

Average Emission Level = Peak Emission Level + 20\*log (duty Cycle)

- 6. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 7. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 8. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 9. Repeat above procedures until all frequency of the interest measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Since State were readed on the state of th tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



#### **10.5 Field Strength Calculation**

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

#### FS = RA + AF + CL - AG

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

The limit of the emission level is expressed in dBuV/m, which converts 20\*log(uV/m)

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

#### Note :

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency.

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

### 10.6 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

#### **10.7 Measurement Result**

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Since State were readed on the state of th tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




#### Radiated Band Edge Measurement Result: (Hopping Mode)

Fund Oper	ation Mo lamental ation Bar Pol. :	Frequency	BT BR Ho 2402 MH BE CH Lo E2	z Te w Te	est Date emp. / Hi est Engir easurem	umi. : neer :	enna Pol. :	2017/7/6 22.7deg_ Ashton Vertical	
99 88									
77									
Level [(dBuV/m)]									RSE AV
44	tam Manana M Manana Manana M	and many that when	mapphinenterenter	www.www.www.www.www.www.www.www.www.	mutuhutuh	mmundurose	mmuha	how fundamental	)
33 - 22 -									
11	1								
2310			2335		2360 ency [MHz]		2385		2410
	Freq.	Note	Detector Mode	Spectun Reading Le		Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dBµV		dB	dBµV/m	dBµV/m	dB
	390.00	E	Peak	43.34		0.92	44.26	74	-29.74
2	390.00	E	Average	32.23		0.92	33.15	54	-20.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the printed event of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-tervent is unavity and definders may be proceeding the tervent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Fundamental Frequency :2402 MHzTemp. / Humi. :22.7deg_C/57RHOperation Band :BE CH LowTest Engineer :AshtonEUT Pol. :E2Measurement Antenna Pol. :Horizontal	Operation Band :	BE CH Low	Test Engineer :	
------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------	-----------	-----------------	--



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiefs ある diversion かいたい and the states of the states and the states and st pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiefs ある diversion かいたい and the states of the states and the states and st pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Operation Mode:	BT EDR Hopping	Test Date :	2017/7/6
Fundamental Frequency:	2402 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band:	BE CH Low	Test Engineer :	Ashton
EUT Pol.:	E2	Measurement Antenna Pol. :	Vertical




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### Report No.: E2/2016/A0048-01 Page 33 of 74

Operation Mode :BT EDR HFundamental Frequency :2402 MHzOperation Band :BE CH LoEUT Pol. :E2	Temp. / Humi. :	2017/7/6 22.7deg_C/57RH Ashton Horizontal
---------------------------------------------------------------------------------------------	-----------------	----------------------------------------------------




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### Report No.: E2/2016/A0048-01 Page 34 of 74

Operation Mode :	BT EDR Hopping	Test Date :	2017/7/6
Fundamental Frequency :	2480 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	BE CH High	Test Engineer :	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




#### Report No.: E2/2016/A0048-01 Page 35 of 74


Operation Mode :	BT EDR Hopping	Test Date :	2017/7/6
Fundamental Frequency :	2480 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	BE CH High	Test Engineer :	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

# Radiated Emission – Band Edge (Non-Hopping Mode):






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Since States the resolution in the states of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



**Operation Mode :** BT BR Test Date : 2017/7/6 Fundamental Frequency : 2402 MHz Temp. / Humi. : 22.7 deg\_C/57RH **Operation Band : BE CH Low Test Engineer :** Ashton EUT Pol. : Measurement Antenna Pol. : E2 Horizontal




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






**Operation Mode :** BT BR Test Date : 2017/7/6 Fundamental Frequency : 2480 MHz Temp. / Humi. : 22.7deg C/57RH **Operation Band : BE CH High Test Engineer :** Ashton EUT Pol. : Measurement Antenna Pol. : Vertical E2




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






**Operation Mode :** BT BR Test Date : 2017/7/6 Fundamental Frequency : 2480 MHz Temp. / Humi. : 22.7deg\_C/57RH **Operation Band : BE CH High Test Engineer :** Ashton EUT Pol. : Measurement Antenna Pol. : E2 Horizontal




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



	Operation Band :	BE CH Low	Test Engineer :	
--	------------------	-----------	-----------------	--




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





**Operation Mode : BT EDR** Test Date : 2017/7/6 Fundamental Frequency : 2402 MHz Temp. / Humi. : 22.7 deg\_C/57RH **Operation Band : BE CH Low Test Engineer :** Ashton EUT Pol. : Measurement Antenna Pol. : E2 Horizontal




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

mine of all of the control of the jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



#### Report No.: E2/2016/A0048-01 Page 42 of 74

**Operation Mode : BT EDR** Test Date : 2017/7/6 Fundamental Frequency : 2480 MHz Temp. / Humi. : 22.7deg C/57RH **Operation Band : BE CH High Test Engineer :** Ashton EUT Pol. : Measurement Antenna Pol. : Vertical E2




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### Report No.: E2/2016/A0048-01 Page 43 of 74

**Operation Mode : BT EDR** Test Date : 2017/7/6 Fundamental Frequency : 2480 MHz Temp. / Humi. : 22.7deg\_C/57RH **Operation Band : Test Engineer : BE CH High** Ashton EUT Pol. : Measurement Antenna Pol. : E2 Horizontal



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



### **Radiated Spurious Emission Measurement Result:**

#### For Frequency form 30MHz to 1000MHz


Operation Mode : Fundamental Frequency : Operation Band : EUT Pol. :		BT BRTest Date :2402 MHzTemp. / Humi. :Tx CH LowTest Engineer :E2Measurement Antenna Pol. :		:	2017/7/6 22.7deg_C/57RH Ashton Vertical		
00							
90 -							
30 -							
70 -							
50 -						RSE	
50						IIJL	
10	2						
30	×	3 4 X ¥	5	6 ×			
0			*				
0							
4							
0	272.5	- 1 <sup>1</sup> - 1 - 1	515 Frequency [MHz]	7	57.5		

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
88.20	S	Peak	54.02	-19.77	34.25	43.5	-9.25
258.92	S	Peak	48.36	-13.79	34.56	46	-11.44
324.88	S	Peak	41.02	-11.95	29.07	46	-16.93
389.87	S	Peak	38.12	-10.03	28.09	46	-17.91
519.85	S	Peak	34.66	-7.33	27.33	46	-18.67
666.32	S	Peak	36.47	-5.25	31.21	46	-14.79



#### Report No.: E2/2016/A0048-01 Page 45 of 74

**Operation Mode :** Test Date : 2017/7/6 BT BR Fundamental Frequency : 2402 MHz Temp. / Humi. : 22.7deg\_C/57RH **Operation Band :** Tx CH Low Test Engineer: Ashton EUT Pol. : E2 Measurement Antenna Pol. : Horizontal 100




Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
32.91	S	Peak	34.16	-8.75	25.41	40	-14.59
140.58	S	Peak	41.72	-16.17	25.55	43.5	-17.95
259.89	S	Peak	44.91	-13.64	31.26	46	-14.74
291.90	S	Peak	44.04	-13.26	30.78	46	-15.22
333.61	S	Peak	39.53	-11.88	27.65	46	-18.35
389.87	S	Peak	40.79	-10.03	30.76	46	-15.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-participate of this document is under under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



#### Report No.: E2/2016/A0048-01 Page 46 of 74

**Operation Mode :** Test Date : 2017/7/6 BT BR Fundamental Frequency : 2441 MHz Temp. / Humi. : 22.7deg\_C/57RH **Operation Band :** Tx CH Mid Test Engineer: Ashton EUT Pol. : E2 Measurement Antenna Pol. : Vertical




Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
53.28	S	Peak	53.75	-20.53	33.22	40	-6.78
93.05	S	Peak	49.91	-18.95	30.95	43.5	-12.55
117.30	S	Peak	39.28	-16.00	23.28	43.5	-20.22
259.89	S	Peak	44.55	-13.64	30.91	46	-15.09
291.90	S	Peak	40.68	-13.26	27.42	46	-18.58
356.89	S	Peak	39.23	-11.27	27.96	46	-18.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-participate of this document is under under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



#### Report No.: E2/2016/A0048-01 Page 47 of 74

**Operation Mode :** Test Date : 2017/7/6 BT BR Fundamental Frequency : 2441 MHz Temp. / Humi. : 22.7deg\_C/57RH **Operation Band :** Tx CH Mid Test Engineer: Ashton EUT Pol. : E2 Measurement Antenna Pol. : Horizontal




Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
32.91	S	Peak	34.40	-8.75	25.65	40	-14.35
91.11	S	Peak	43.06	-19.29	23.77	43.5	-19.73
141.55	S	Peak	40.97	-16.25	24.71	43.5	-18.79
259.89	S	Peak	43.76	-13.64	30.12	46	-15.88
291.90	S	Peak	40.18	-13.26	26.93	46	-19.07
356.89	S	Peak	39.50	-11.27	28.23	46	-17.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-participate of this document is under under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




#### Report No.: E2/2016/A0048-01 Page 48 of 74



	11010	D 0100101	opoolann	1 40101	7 10 10 10		margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
54.25	S	Peak	54.12	-20.91	33.20	40	-6.80	
93.05	S	Peak	49.89	-18.95	30.94	43.5	-12.56	
259.89	S	Peak	44.97	-13.64	31.33	46	-14.67	
291.90	S	Peak	41.80	-13.26	28.54	46	-17.46	
357.86	S	Peak	38.32	-11.29	27.02	46	-18.98	
467.47	S	Peak	34.59	-7.73	26.86	46	-19.14	



#### Report No.: E2/2016/A0048-01 Page 49 of 74



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
138.64	S	Peak	42.82	-15.97	26.85	43.5	-16.65
259.89	S	Peak	43.93	-13.64	30.28	46	-15.72
291.90	S	Peak	43.27	-13.26	30.02	46	-15.98
356.89	S	Peak	39.81	-11.27	28.54	46	-17.46
389.87	S	Peak	39.30	-10.03	29.27	46	-16.73
497.54	S	Peak	33.84	-7.72	26.12	46	-19.88



### **Radiated Spurious Emission Measurement Result:**

#### For Frequency above 1 GHz

	Operation I Fundamen Operation I EUT Pol. :	tal Frequen	BT BR 2402 M Tx CH E2	/Hz Temp Low Test E	Date : . / Humi. : Engineer : urement Anter	na Pol. :	2017/7/6 22.7deg_C/ Ashton Vertical	′57RH
100	-							
90								
80	]							
								RSE PK
70								
60								
Level [(dBuV/m)] 5								RSE AV
vel [(dB	-	1						
의 40	-	×						
30	-	2						
30	-							
20								
10	-							
	.000	Į,	7375		750 cy [MHz]	2012	25	26500
	Freq.	Note	Detector	Spectum		Actual	Limit	Margin
	<b>.</b>		Mode	Reading Le		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
	4804.00	Н	Peak	34.59	7.66	42.25	74	-31.75
	4804.00	Н	Average	23.98	7.66	31.64	54	-22.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at an the printed event of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-tervents is underdare may be prosecuted to the fulle event of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



#### Report No.: E2/2016/A0048-01 Page 51 of 74


Operation Band :       Tx CH Low       Test Engineer :       Ashton         EUT Pol. :       E2       Measurement Antenna Pol. :       Horizontal	Operation Mode :	BT BR	Test Date:	2017/7/6
	Fundamental Frequency :	2402 MHz	Temp. / Humi. :	22.7deg_C/57RH
	Operation Band :	Tx CH Low	Test Engineer:	Ashton
	EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal





#### Report No.: E2/2016/A0048-01 Page 52 of 74

Operation Mode:	BT BR	Test Date:	2017/7/6
Fundamental Frequency:	2441 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band:	Tx CH Mid	Test Engineer:	Ashton
EUT Pol.:	E2	Measurement Antenna Pol. :	Vertical




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### Report No.: E2/2016/A0048-01 Page 53 of 74

Operation Mode :	BT BR	Test Date :	2017/7/6
Fundamental Frequency : Operation Band :	2441 MHz Tx CH Mid	Temp. / Humi. : Test Engineer :	22.7deg_C/57RH Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### Report No.: E2/2016/A0048-01 Page 54 of 74

Operation Mode : Fundamental Frequency : Operation Band :	BT BR 2480 MHz Tx CH High	Test Date : Temp. / Humi. : Test Engineer :	2017/7/6 22.7deg_C/57RH Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical
100 ]			



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



4960.00

Н

#### Report No.: E2/2016/A0048-01 Page 55 of 74

F C	Operation N Jundament Operation E SUT Pol. :	al Frequenc	BT BR y : 2480 M Tx CH E2	1Hz Temp High Test	Date : b. / Humi. : Engineer : surement Anter	nna Pol. :	2017/7/6 22.7deg_C Ashton Horizontal	/57RH
100 -								
90 -								
80 -								RSE PK
70 -								
60								
Level [(dBuV/m)] 05								RSE AV
		1 *						
40 -		2						
30 -								
20 -								
10								
0 <del>-</del> 100			7375	12	750	2012	r .	26500
100				Frequen	cy [MHz]			
	Freq.	Note	Detector Mode	Spectum Reading Le		Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
	4960.00	Н	Peak	34.13	7.69	41.82	74	-32.18

23.87

Average

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at an the printed event of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-tervents is underdare may be prosecuted to the fulle event of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

7.69

31.56

54

-22.44



# **11 FREQUENCY SEPARATION**


# **11.1 Standard Applicable**

Frequency hopping systems shall have hopping channel carrier frequencies separated by minimum of 25 kHz or the 2/3\*20dB bandwidth of the hopping channel, whichever is greater.

### **11.2 Measurement Equipment Used**

Conducted Emission Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018			
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017			
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017			

### 11.3 Test Set-up



# **11.4 Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = middle of hopping channel.
- 5. Set the spectrum analyzer as RBW, VBW=100 kHz, Adjust Span to 5MHz, Sweep = auto.
- 6. Max hold. Mark 3 Peaks of hopping channel and record the 3 peaks frequency.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WuKungRoad.New TaibeilingUstrict.NewTaibeiCityTaiwan24803/新 tt 市 元 股 區 新 tt 產 業 图 區 五 工 路 134 號

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



### **11.5 Measurement Result**

Channel separation (MHz)	Limit	Result
1	>=25 kHz or 2/3 times 20dB bandwidth	PASS

# **Frequency Separation Test Data**





# 12 NUMBER OF HOPPING FREQUENCY


# **12.1 Standard Applicable**

Frequency hopping systems operating in the 2400MHz-2483.5 MHz bands shall use at least 15 hopping frequencies.

### **12.2 Measurement Equipment Used**

Conducted Emission Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018			
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017			
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017			

### 12.3 Test Set-up



# 12.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set spectrum analyzer Start=2400MHz, Stop = 2483.5MHz, Sweep = auto.
- 5. Set the spectrum analyzer as RBW=430 kHz, VBW=1.5MHz., Detector = Peak
- 6. Max hold, view and count how many channel in the band.

# **12.5 Measurement Result**

# **Tabular Data of Total Channel Number**


	Channel Number	Limit	
2.4 GHz – 2.441GHz	40		
2.441 GHz – 2.4835GHz	39	>15	
2.4GHz ~2.4835GHz	(40+39) = 79		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




# **Channel Number**



2.4GHz - 2.441GHz

# 2.441 GHz - 2.4835GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### TIME OF OCCUPANCY (DWELL TIME) 13


# **13.1 Standard Applicable**

Frequency hopping systems operating in the 2400MHz-2483.5MHz. The average time of occupancy on any frequency shall not greater than 0.4 s within period of 0.4 seconds multiplied by the number of hopping channel employed.

# **13.2 Measurement Equipment Used**

Conducted Emission Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018			
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017			
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017			

### 13.3 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



# **13.4 Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = operating frequency.
- 5. Set the spectrum analyzer as RBW, VBW=1MHz, 3MHz, Span = 0Hz , Detector = Peak, Adjust Sweep = 2~8ms.

6. Repeat above procedures until all frequency of the interest measured were complete.

Formula Deduced: time occupancy of one time slot X Hopping rate / total slot in one channel / total channel that hops X period of working channels.

Where, standard hopping rate is 1600 hops/s, slot in one channel for DH1, DH3, and DH5 is 2, 4, and 6, respectively.

DH1 consists of single time slot of the uplink, and one slot of the downlink Total Slot: 2 DH3 consists of three time slot of the uplink, and one slot of the downlink. Total Slot: 4 DH5 consists of five time slot of the uplink, and one slot of the downlink. Total Slot: 6

In AFH mode, hopping rate is 800 hop/s with 6 slots in 20 hopping channels with channel hopping rate (800 / 6 / 20) in Occupancy Time Limit (0.4 \* 20 ) (S), Hop Over Occupancy Time comes to  $(800 / 6 / 20)^{*}(0.4 * 20) = 53.33$ 

Note: the result of the complete test default channel at 1Mbps is recorded on the test report, 2Mbps, and 3Mbps only records the measurement result at middle channel that reveals no much deviation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# **13.5 Tabular Result of the Measurement**

### GFSK (1Mbps)

Channel	PACKET TYPE	Measurement Result (ms)	Limit (ms)
	DH1	120.96	400ms
0	DH3	256.32	400ms
	DH5	299.41	400ms
39	DH1	119.68	400ms
	DH3	254.24	400ms
	DH5	299.41	400ms
78	DH1	119.68	400ms
	DH3	256.32	400ms
	DH5	299.41	400ms

### π/4 DQPSK (2Mbps)

Channel	PACKET TYPE	Measurement Result (ms)	Limit (ms)	
	DH1	123.84	400ms	
39	DH3	256.32	400ms	
	DH5	299.41	400ms	

### 8-DPSK (3Mbps)

Channel	PACKET TYPE	Measurement Result (ms)	Limit (ms)	
	DH1	123.84	400ms	
39	DH3	256.32	400ms	
	DH5	299.41	400ms	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at an the printed event of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-tervents is underdare may be prosecuted to the fulle event of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



### A period time = 0.4 (s) \* 79 = 31.6 (s)

### GFSK (1Mbps):

CH Low	DH1 time slot =	0.378 *	(1600/2/79) *	31.6 =	120.96 (ms)
	DH3 time slot =	1.602 *	(1600/4/79) *	31.6 =	256.32 (ms)
	DH5 time slot =	2.807 *	(1600/6/79) *	31.6 =	299.41 (ms)
CH Mid	DH1 time slot =	0.374 *	(1600/2/79) *	31.6 =	119.68 (ms)
	DH3 time slot =	1.589 *	(1600/4/79) *	31.6 =	254.24 (ms)
	DH5 time slot =	2.807 *	(1600/6/79) *	31.6 =	299.41 (ms)
CH High	DH1 time slot =	0.374 *	(1600/2/79) *	31.6 =	119.68 (ms)
	DH3 time slot $=$	1.602 *	(1600/4/79) *	31.6 =	256.32 (ms)
	DH5 time slot =	2.807 *	(1600/6/79) *	31.6 =	299.41 (ms)

#### π/4 -DQPSK (2Mbps):

CH Mid	2DH1 time slot=	0.387 *	k	(1600/2/79) *	31.6 =	123.84	(ms)
	2DH3 time slot=	1.602 *	ł	(1600/4/79) *	31.6 =	256.32	(ms)
	2DH5 time slot=	2.807 *	k	(1600/6/79) *	31.6 =	299.41	(ms)

#### 8-DPSK (3Mbps):

CH Mid	3DH1 time slot=	0.387	*	(1600/2/79) *	31.6 =	123.84	(ms)
	3DH3 time slot=	1.602	*	(1600/4/79) *	31.6 =	256.32	(ms)
	3DH5 time slot=	2.807	*	(1600/6/79) *	31.6 =	299.41	(ms)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at an the printed event of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-tervents is underdare may be prosecuted to the fulle event of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



GFSK (1Mbps) for AFH Mode								
Hopping Channel Number	Limit (ms)							
20	DH5	149.71	400ms					
	π/4 DQPSK (2Mbps) for Mode							
Hopping Channel PACKET TYPE		Measurement Result (ms)	Limit (ms)					
20	DH5	149.71	400ms					
8-DPSK (3Mbps) for AFH Mode								
Hopping Channel Number	PACKET TYPE	Measurement Result (ms)	Limit (ms)					
20	DH5	149.71	400ms					

### GFSK (1Mbps):

DH5 time sl =	2.807	(ms)	*	(800/6/20)*8 =	149.71	(ms)
π/4 -DQPSK (2Mbps						
2DH5 time :=	2.807	(ms)	*	(800/6/20)*8 =	149.71	(ms)
8-DPSK (3Mbps):						
3DH5 time :=	2.807	(ms)	*	(800/6/20)*8 =	149.71	(ms)

### **13.6 Measurement Result**

Note: Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at an the printed event of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-tervents is underdare may be prosecuted to the fulle event of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




# **CH-Low DH1**

# CH-Mid DH1




# **CH-Low DH3**

# CH-Mid DH3



# **CH-Low DH5**

# **CH-Mid DH5**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Content set and the results shown in this test report feirer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format docu-ments, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司


f (886-2) 2298-0488

www.tw.sas.com



# CH-High DH1

# CH-Mid 2DH1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Content set and the results shown in this test report feirer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format docu-ments, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

> SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

```
www.tw.sas.com
```




# CH-Mid 3DH1

anter Fr	eq 2.441000000 GHz PNO IFGai	: Fast ++	Trig: Pree Run #Atten: 20 dB	Aug Type: Log-Pwr	01:32:56 PM Jul 12, 2017 TRACE 2 2 4 0 T IPE WARNEY LET P N H M H F	Frequency
dB/div	Ref Offset 13.9 dB Ref 20.00 dBm			Δ	Mkr1 387.2 µs 7.93 dB	Auto Tun
	٦ ×2	14	2		لسبيد	Center Fre 2.441000000 GH
10 10 10						Start Fre 2.441000000 GH
(0 (0 (0	water and the second	ţv,	nterationstantistation.	handstand	uper hiltonia	Stop Fre 2.44100000 GP
enter 2.4 IS BW 1.		#VBW	3.0 MHz	Sweep 4.	Span 0 Hz 400 ms (1001 pts)	CF Ste 1,000000 Mi Auto Mi
	t (Δ) 387, t 1,219	2 µs (Δ) I ms	7.93 dB -9.93 dBm			Freq Offs
5 6 7 8						
			~			
5				57ATUS-		

# CH-Mid 3DH3

Agreen Spectrum Analyzes   Swept Sh						0 0 0
enter Freg 2.44100000	00 GHz	Trig: Free Run		ALIGN AUTO	61.34/24 PM Jul 12, 2017 TRACE 2 2 4 TIME 2 14	Frequency
Ref Offset 13.9 dB	IFGain:Low	#Atten: 20 dB		Δ	Mkr1 1.602 ms 0.15 dB	Auto Tun
uñ	162	يعتبهم				Center Fre 2.441000000 GH
						Start Fre 2.441000000 GH
Contraction provided of		minsur	todaybe	acythysickapp	landa might berk	Stop Fri 2.441000000 Gi
enter 2.441000000 GHz es BW 1.0 MHz		3.0 MHz	T BICTION		Span 0 Hz 3.13 ms (1001 pts)	CF St. 1.000000 M Auto M
$\begin{array}{c c} \Delta 2 & 1 & t & (\Delta) \\ 2 & F & 1 & t \\ 3 \\ 4 \\ 5 \\ 5 \end{array}$	1.602 ms (Δ) 2.561 ms	0.15 dB -2,68 dBm	POILTRA	Punc nur marre	- Policitola valos	Freq Offs
6 7 8 9						
		~		STATUS		

# CH-Mid 3DH5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format docu-ments, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole respon-sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to the fullest extent of the low: the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



# **14 ANTENNA REQUIREMENT**

### 14.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device. If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

### **14.2 Antenna Connected Construction**

An embedded-in antenna design is used.

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo and antenna spec. for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

mine of all of the control of the jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law