



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-白灰-5500-H

Date:2008/12/13

Time:下午 03:13

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5500

Polarization : H Plane

Max gain(dBi):-7.09

Min gain(dBi):-28.36

Avg gain(dBi):-11.83



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-白灰-5600-E

Date:2008/12/13

Time:下午 03:10

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5600

Polarization : E Plane

Max gain(dBi):-2.71

Min gain(dBi):-22.47

Avg gain(dBi):-8.20



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-白灰-5600-H

Date:2008/12/13

Time:下午 03:11

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5600

Polarization : H Plane

Max gain(dBi):-6.59

Min gain(dBi):-28.68

Avg gain(dBi):-11.51



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-白灰-5700-E

Date:2008/12/13

Time:下午 03:08

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5700

Polarization : E Plane

Max gain(dBi):-2.33

Min gain(dBi):-21.27

Avg gain(dBi):-7.70



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-白灰-5700-H

Date:2008/12/13

Time:下午 03:06

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5700

Polarization : H Plane

Max gain(dBi):-6.30

Min gain(dBi):-25.39

Avg gain(dBi):-11.80



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-2400-E

Date:2008/12/13

Time:下午 12:38

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2400

Polarization : E Plane

Max gain(dBi):-0.68

Min gain(dBi):-21.04

Avg gain(dBi):-6.36



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-2400-H

Date:2008/12/13

Time:下午 12:36

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2400

Polarization : H Plane

Max gain(dBi):-4.80

Min gain(dBi):-31.03

Avg gain(dBi):-9.44



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-2450-E

Date:2008/12/13

Time:下午 12:32

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2450

Polarization : E Plane

Max gain(dBi):0.31

Min gain(dBi):-22.30

Avg gain(dBi):-6.51



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-2450-H

Date:2008/12/13

Time:下午 12:34

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2450

Polarization : H Plane

Max gain(dBi):-4.55

Min gain(dBi):-34.20

Avg gain(dBi):-9.21



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-2500-E

Date:2008/12/13

Time:下午 12:31

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2500

Polarization : E Plane

Max gain(dBi):-0.15

Min gain(dBi):-33.94

Avg gain(dBi):-6.42



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-2500-H

Date:2008/12/13

Time:下午 12:29

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2500

Polarization : H Plane

Max gain(dBi):-3.51

Min gain(dBi):-59.77

Avg gain(dBi):-8.17



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-5180-E

Date:2008/12/13

Time:下午 01:43

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5180

Polarization : E Plane

Max gain(dBi):-7.32

Min gain(dBi):-42.23

Avg gain(dBi):-13.21



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-5180-H

Date:2008/12/13

Time:下午 01:45

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5180

Polarization : H Plane

Max gain(dBi):-2.07

Min gain(dBi):-15.96

Avg gain(dBi):-7.14



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-5260-E

Date:2008/12/13

Time:下午 01:42

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5260

Polarization : E Plane

Max gain(dBi):-7.52

Min gain(dBi):-36.81

Avg gain(dBi):-13.18



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-5260-H

Date:2008/12/13

Time:下午 01:40

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5260

Polarization : H Plane

Max gain(dBi):-2.48

Min gain(dBi):-22.18

Avg gain(dBi):-7.53



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-5320-E

Date:2008/12/13

Time:下午 01:37

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5320

Polarization : E Plane

Max gain(dBi):-7.55

Min gain(dBi):-39.60

Avg gain(dBi):-13.01



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-5320-H

Date:2008/12/13

Time:下午 01:38

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5320

Polarization : H Plane

Max gain(dBi):-2.25

Min gain(dBi):-27.90

Avg gain(dBi):-7.55



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-5500-E

Date:2008/12/13

Time:下午 01:35

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5500

Polarization : E Plane

Max gain(dBi):-7.38

Min gain(dBi):-42.87

Avg gain(dBi):-12.86



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-5500-H

Date:2008/12/13

Time:下午 01:34

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5500

Polarization : H Plane

Max gain(dBi):-3.49

Min gain(dBi):-31.33

Avg gain(dBi):-8.13



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-5600-E

Date:2008/12/13

Time:下午 01:30

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5600

Polarization : E Plane

Max gain(dBi):-5.59

Min gain(dBi):-46.40

Avg gain(dBi):-10.88



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-5600-H

Date:2008/12/13

Time:下午 01:32

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5600

Polarization : H Plane

Max gain(dBi):-3.04

Min gain(dBi):-18.97

Avg gain(dBi):-7.18



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-5700-E

Date:2008/12/13

Time:下午 01:28

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5700

Polarization : E Plane

Max gain(dBi):-5.88

Min gain(dBi):-31.27

Avg gain(dBi):-11.09



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-灰-5700-H

Date:2008/12/13

Time:下午 01:26

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5700

Polarization : H Plane

Max gain(dBi):-2.42

Min gain(dBi):-17.16

Avg gain(dBi):-6.72



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-2400-E

Date:2008/12/13

Time:上午 11:05

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2400

Polarization : E Plane

Max gain(dBi):-1.91

Min gain(dBi):-30.14

Avg gain(dBi):-7.13



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-2400-H

Date:2008/12/13

Time:上午 11:07

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2400

Polarization : H Plane

Max gain(dBi):-3.05

Min gain(dBi):-44.77

Avg gain(dBi):-6.23



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-2450-E

Date:2008/12/13

Time:上午 11:11

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2450

Polarization : E Plane

Max gain(dBi):0.46

Min gain(dBi):-24.94

Avg gain(dBi):-4.90



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-2450-H

Date:2008/12/13

Time:上午 11:09

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2450

Polarization : H Plane

Max gain(dBi):-0.66

Min gain(dBi):-18.99

Avg gain(dBi):-4.95



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-2500-E

Date:2008/12/13

Time:上午 11:04

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2500

Polarization : E Plane

Max gain(dBi):-0.11

Min gain(dBi):-27.81

Avg gain(dBi):-4.80



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-2500-H

Date:2008/12/13

Time:上午 10:55

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2500

Polarization : H Plane

Max gain(dBi):-0.26

Min gain(dBi):-19.49

Avg gain(dBi):-4.05



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-5180-E

Date:2008/12/13

Time:下午 01:51

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5180

Polarization : E Plane

Max gain(dBi):-1.20

Min gain(dBi):-24.72

Avg gain(dBi):-7.45



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-5180-H

Date:2008/12/13

Time:下午 01:49

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5180

Polarization : H Plane

Max gain(dBi):-7.72

Min gain(dBi):-32.27

Avg gain(dBi):-12.54



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-5260-E

Date:2008/12/13

Time:下午 01:53

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5260

Polarization : E Plane

Max gain(dBi):-1.16

Min gain(dBi):-35.00

Avg gain(dBi):-8.24



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-5260-H

Date:2008/12/13

Time:下午 01:54

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5260

Polarization : H Plane

Max gain(dBi):-8.87

Min gain(dBi):-33.09

Avg gain(dBi):-13.06



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-5320-E

Date:2008/12/13

Time:下午 01:58

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5320

Polarization : E Plane

Max gain(dBi):-1.94

Min gain(dBi):-40.44

Avg gain(dBi):-9.06



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-5320-H

Date:2008/12/13

Time:下午 01:56

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5320

Polarization : H Plane

Max gain(dBi):-8.71

Min gain(dBi):-35.70

Avg gain(dBi):-13.04



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-5500-E

Date:2008/12/13

Time:下午 01:59

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5500

Polarization : E Plane

Max gain(dBi):-2.71

Min gain(dBi):-21.09

Avg gain(dBi):-9.15



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-5500-H

Date:2008/12/13

Time:下午 02:10

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5500

Polarization : H Plane

Max gain(dBi):-8.07

Min gain(dBi):-37.52

Avg gain(dBi):-11.44



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-5600-E

Date:2008/12/13

Time:下午 02:13

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5600

Polarization : E Plane

Max gain(dBi):-2.60

Min gain(dBi):-20.85

Avg gain(dBi):-8.70



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-5600-H

Date:2008/12/13

Time:下午 02:11

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5600

Polarization : H Plane

Max gain(dBi):-7.28

Min gain(dBi):-27.15

Avg gain(dBi):-10.73



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-5700-E

Date:2008/12/13

Time:下午 02:15

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5700

Polarization : E Plane

Max gain(dBi):-2.82

Min gain(dBi):-41.41

Avg gain(dBi):-9.19



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑-5700-H

Date:2008/12/13

Time:下午 02:16

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5700

Polarization : H Plane

Max gain(dBi):-6.83

Min gain(dBi):-28.76

Avg gain(dBi):-10.72



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-2400-E

Date:2008/12/13

Time:上午 11:16

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2400

Polarization : E Plane

Max gain(dBi):-1.66

Min gain(dBi):-33.74

Avg gain(dBi):-5.65