



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-2400-H

Date:2008/12/13

Time:上午 11:17

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2400

Polarization : H Plane

Max gain(dBi):-4.19

Min gain(dBi):-26.92

Avg gain(dBi):-9.19



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-2450-E

Date:2008/12/13

Time:上午 11:24

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2450

Polarization : E Plane

Max gain(dBi):-1.74

Min gain(dBi):-28.72

Avg gain(dBi):-6.27



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-2450-H

Date:2008/12/13

Time:上午 11:19

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2450

Polarization : H Plane

Max gain(dBi):-3.61

Min gain(dBi):-19.43

Avg gain(dBi):-8.26



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-2500-E

Date:2008/12/13

Time:上午 11:26

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2500

Polarization : E Plane

Max gain(dBi):-1.29

Min gain(dBi):-31.96

Avg gain(dBi):-5.96



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-2500-H

Date:2008/12/13

Time:上午 11:30

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2500

Polarization : H Plane

Max gain(dBi):-3.44

Min gain(dBi):-41.23

Avg gain(dBi):-8.03



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-5180-E

Date:2008/12/13

Time:下午 02:37

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5180

Polarization : E Plane

Max gain(dBi):-2.13

Min gain(dBi):-34.54

Avg gain(dBi):-8.42



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-5180-H

Date:2008/12/13

Time:下午 02:38

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5180

Polarization : H Plane

Max gain(dBi):-5.48

Min gain(dBi):-38.41

Avg gain(dBi):-12.33



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-5260-E

Date:2008/12/13

Time:下午 02:35

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5260

Polarization : E Plane

Max gain(dBi):-2.46

Min gain(dBi):-32.47

Avg gain(dBi):-8.58



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-5260-H

Date:2008/12/13

Time:下午 02:33

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5260

Polarization : H Plane

Max gain(dBi):-6.25

Min gain(dBi):-38.20

Avg gain(dBi):-12.82



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-5320-E

Date:2008/12/13

Time:下午 02:30

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5320

Polarization : E Plane

Max gain(dBi):-3.07

Min gain(dBi):-34.40

Avg gain(dBi):-9.25



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-5320-H

Date:2008/12/13

Time:下午 02:32

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5320

Polarization : H Plane

Max gain(dBi):-6.66

Min gain(dBi):-38.49

Avg gain(dBi):-13.28



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-5500-E

Date:2008/12/13

Time:下午 02:28

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5500

Polarization : E Plane

Max gain(dBi):-3.74

Min gain(dBi):-32.15

Avg gain(dBi):-8.73



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-5500-H

Date:2008/12/13

Time:下午 02:27

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5500

Polarization : H Plane

Max gain(dBi):-5.93

Min gain(dBi):-40.44

Avg gain(dBi):-12.39



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-5600-E

Date:2008/12/13

Time:下午 02:24

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5600

Polarization : E Plane

Max gain(dBi):-3.37

Min gain(dBi):-34.89

Avg gain(dBi):-8.84



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-5600-H

Date:2008/12/13

Time:下午 02:25

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5600

Polarization : H Plane

Max gain(dBi):-6.11

Min gain(dBi):-40.15

Avg gain(dBi):-12.65



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-5700-E

Date:2008/12/13

Time:下午 02:22

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5700

Polarization : E Plane

Max gain(dBi):-1.68

Min gain(dBi):-41.48

Avg gain(dBi):-7.73



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-黑灰-5700-H

Date:2008/12/13

Time:下午 02:20

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5700

Polarization : H Plane

Max gain(dBi):-6.13

Min gain(dBi):-38.10

Avg gain(dBi):-11.97



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-2400-E

Date:2008/12/13

Time:下午 12:42

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2400

Polarization : E Plane

Max gain(dBi):-14.48

Min gain(dBi):-51.91

Avg gain(dBi):-19.47



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-2400-H

Date:2008/12/13

Time:下午 12:43

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2400

Polarization : H Plane

Max gain(dBi):-15.21

Min gain(dBi):-24.06

Avg gain(dBi):-17.47



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-2450-E

Date:2008/12/13

Time:下午 12:54

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2450

Polarization : E Plane

Max gain(dBi):-14.89

Min gain(dBi):-34.21

Avg gain(dBi):-20.10



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-2450-H

Date:2008/12/13

Time:下午 12:53

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2450

Polarization : H Plane

Max gain(dBi):-15.89

Min gain(dBi):-25.29

Avg gain(dBi):-19.26

CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-2500-E

Date:2008/12/13

Time:下午 12:56

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2500

Polarization : E Plane

Max gain(dBi):-16.42

Min gain(dBi):-50.73

Avg gain(dBi):-21.16



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-2500-H

Date:2008/12/13

Time:下午 12:57

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2500

Polarization : H Plane

Max gain(dBi):-16.69

Min gain(dBi):-27.88

Avg gain(dBi):-20.79



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-5180-E

Date:2008/12/13

Time:下午 01:04

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5180

Polarization : E Plane

Max gain(dBi):-2.39

Min gain(dBi):-26.13

Avg gain(dBi):-8.29



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-5180-H

Date:2008/12/13

Time:下午 01:01

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5180

Polarization : H Plane

Max gain(dBi):-7.24

Min gain(dBi):-30.30

Avg gain(dBi):-11.64



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-5260-E

Date:2008/12/13

Time:下午 01:06

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5260

Polarization : E Plane

Max gain(dBi):-2.32

Min gain(dBi):-40.22

Avg gain(dBi):-8.42



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-5260-H

Date:2008/12/13

Time:下午 01:08

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5260

Polarization : H Plane

Max gain(dBi):-8.19

Min gain(dBi):-30.81

Avg gain(dBi):-13.31



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-5320-E

Date:2008/12/13

Time:下午 01:11

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5320

Polarization : E Plane

Max gain(dBi):-2.94

Min gain(dBi):-46.03

Avg gain(dBi):-8.93



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-5320-H

Date:2008/12/13

Time:下午 01:09

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5320

Polarization : H Plane

Max gain(dBi):-9.05

Min gain(dBi):-43.22

Avg gain(dBi):-14.69



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-5500-E

Date:2008/12/13

Time:下午 01:13

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5500

Polarization : E Plane

Max gain(dBi):-3.14

Min gain(dBi):-28.46

Avg gain(dBi):-8.36



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-5500-H

Date:2008/12/13

Time:下午 01:14

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5500

Polarization : H Plane

Max gain(dBi):-8.95

Min gain(dBi):-33.33

Avg gain(dBi):-14.66



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-5600-E

Date:2008/12/13

Time:下午 01:18

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5600

Polarization : E Plane

Max gain(dBi):-3.97

Min gain(dBi):-31.02

Avg gain(dBi):-8.21



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-5600-H

Date:2008/12/13

Time:下午 01:16

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5600

Polarization : H Plane

Max gain(dBi):-9.55

Min gain(dBi):-39.38

Avg gain(dBi):-15.05



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-5600-H

Date:2008/12/13

Time:下午 01:16

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5600

Polarization : H Plane

Max gain(dBi):-9.55

Min gain(dBi):-39.38

Avg gain(dBi):-15.05



CCS WUGU Antenna Pattern


Job No.:971213-仁寶-藍-5700-H

Date:2008/12/13

Time:下午 01:21

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 5700

Polarization : H Plane

Max gain(dBi):-7.88

Min gain(dBi):-36.79

Avg gain(dBi):-13.24