




Channel 52:




Channel 60:




Channel 64:




Channel 100:



Channel 120:




Channel 140:




Product : Tablet PC MC-C5 / MC-F5
 Test Item : Peak Excursion
 Test Site : No.3 OATS
 Test Mode : Mode 2: Transmitter (802.11n-20BW 13Mbps)

Channel No.	Frequency (MHz)	Measurement Level (dB)	Required Limit (dB)	Result
36	5180	10.82	<13	Pass
44	5220	10.06	<13	Pass
48	5240	9.16	<13	Pass
52	5260	9.23	<13	Pass
60	5300	11.60	<13	Pass
64	5320	10.96	<13	Pass
100	5500	11.10	<13	Pass
120	5600	9.75	<13	Pass
140	5700	12.28	<13	Pass


Channel 36:




Channel 52:




Channel 60:




Channel 64:




Channel 100:



Channel 120:




Channel 140:




Product : Tablet PC MC-C5 / MC-F5
 Test Item : Peak Excursion
 Test Site : No.3 OATS
 Test Mode : Mode 3: Transmitter (802.11n-40BW 27Mbps)

Channel No.	Frequency (MHz)	Measurement Level (dB)	Required Limit (dB)	Result
38	5190	10.95	<13	Pass
46	5230	10.41	<13	Pass
54	5270	10.85	<13	Pass
62	5310	11.86	<13	Pass
102	5510	12.44	<13	Pass
118	5590	11.22	<13	Pass
134	5670	11.04	<13	Pass


Channel 38:




Channel 46:




Channel 54:




Channel 62:



Channel 102:



Channel 118:



Channel 134:

