

APPENDIX REPORT

Project No.	SHT2104027102EW	Radio Specification	Bluetooth EDR
Test sample No.	YPHT21040271011	Model No.	GP700Y
Start test date	2021-05-24	Finish date	2021-05-24
Temperature	25.1°C	Humidity	40%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zhe

Appendix clause	Test item	Result
A	Peak Output Power	PASS
B	20 dB Bandwidth	PASS
C	99% Occupied Bandwidth	PASS
D	Carrier Frequencies Separation	PASS
E	Hopping Channel Number	PASS
F	Dwell Time	PASS
G	Duty Cycle Correction Factor (DCCF)	PASS
H	Band edge and Spurious Emissions(coducted)	PASS


Appendix A: Peak Output Power

Modulation type	Channel	Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
GFSK	00	5.06	5.05	≤ 30.00	Pass
	39	3.55	3.54		
	78	4.78	4.76		
π/4DQPSK	00	5.10	4.52	≤ 21.00	Pass
	39	3.51	3.04		
	78	4.76	4.29		
8DPSK	00	5.32	4.70	≤ 21.00	Pass
	39	3.75	3.23		
	78	5.00	4.45		

Modulation Type:


GFSK

CH00




Date: 24 MAY 2021 09:23:55

CH39



Date: 24 MAY 2021 09:19:40

CH78




Date: 24 MAY 2021 09:26:04


Modulation Type:

$\pi/4$ DQPSK


CH00



CH39




CH78




Modulation Type:

8DPSK


CH00



CH39



CH78




Appendix B : 20 dB Bandwidth

Modulation type	Channel	20 dB Bandwidth (kHz)	Limit (kHz)	Result
GFSK	00	925.00	-	Pass
	39	925.00		
	78	925.00		
$\pi/4$ DQPSK	00	1315.00	-	Pass
	39	1325.00		
	78	1317.50		
8DPSK	00	1305.00	-	Pass
	39	1307.50		
	78	1305.00		


Modulation Type: GFSK

CH00




Date: 24 MAY 2021 09:23:26

CH39



Date: 24 MAY 2021 09:20:44


CH78



Date: 24 MAY 2021 09:26:05


Modulation Type: **$\pi/4$ DQPSK**

CH00




Date: 24 MAY 2021 09:41:38

CH39



Date: 24 MAY 2021 09:37:47


CH78




Date: 24 MAY 2021 09:34:52

Modulation Type: 8DPSK


CH00



CH39



CH78




Appendix C: 99% Occupied Bandwidth

Modulation type	Channel	99% Occupied Bandwidth (MHz)	Limit (MHz)	Result
GFSK	00	0.91	-	Pass
	39	0.91		
	78	0.91		
$\pi/4$ DQPSK	00	1.18	-	Pass
	39	1.19		
	78	1.18		
8DPSK	00	1.18	-	Pass
	39	1.18		
	78	1.18		


Modulation Type: GFSK

CH00




Date: 24 MAY 2021 09:23:40

CH39



Date: 24 MAY 2021 09:20:58


CH78




Date: 24 MAY 2021 09:26:19

Modulation Type: **π /4DQPSK**


CH00



CH39



CH78




Modulation Type: 8DPSK

CH00




Date: 24 MAY 2021 10:45:50

CH39



Date: 24 MAY 2021 10:20:07

CH78



Date: 24 MAY 2021 10:24:50

Appendix D: Carrier Frequencies Separation




Modulation type	Channel	Carrier Frequencies Separation (MHz)	Limit (kHz) *	Result
GFSK	39	1.00	≥925.00	Pass
$\pi/4$ DQPSK	39	1.00	≥883.33	Pass
8DPSK	39	1.00	≥871.67	Pass

Note:

*: GFSK limit = The maximum 20 dB Bandwidth for GFSK modulation on the appendix B.

$\pi/4$ DQPSK limit = $2/3$ * The maximum 20 dB Bandwidth for $\pi/4$ DQPSK modulation on the appendix B.


8DPSK limit = $2/3$ * The maximum 20 dB Bandwidth for 8DPSK modulation on the appendix B

<p style="text-align: center;">GFSK</p>	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB = RBW 30 kHz Att 30 dB SWI 140 μs (~7.0 ms) = VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep M1[1] -0.25 dBm 2.44105780 GHz D1[1] -0.15 dB 1.00024 MHz 2.44 GHz 1001 pts 300.0 kHz/ 2.443 GHz Date: 24.MAY.2021 09:30:10</p>
<p style="text-align: center;">$\pi/4$DQPSK</p>	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB = RBW 30 kHz Att 30 dB SWI 140 μs (~7.0 ms) = VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep M1[1] 2.27 dBm 2.44105200 GHz D1[1] 1.14 dB 996.00 kHz 2.44 GHz 1001 pts 300.0 kHz/ 2.443 GHz Date: 24.MAY.2021 09:45:07</p>
<p style="text-align: center;">8DPSK</p>	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB = RBW 30 kHz Att 30 dB SWI 140 μs (~7.0 ms) = VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep M1[1] -6.79 dBm 2.44129184 GHz D1[1] -0.17 dB 1.00290 MHz 2.44 GHz 1001 pts 300.0 kHz/ 2.443 GHz Date: 24.MAY.2021 10:44:32</p>

Appendix E: Hopping Channel Number


Modulation type	Channel number	Limit	Result
GFSK	79	≥15.00	Pass
π/4DQPSK	79		
8DPSK	79		

GFSK




Date: 24 MAY 2021 09:31:52

$\pi/4$ DQPSK



Date: 24 MAY 2021 09:49:08

8DPSK




Date: 24 MAY 2021 10:11:16

Appendix F: Dwell Time


Modulation type	Packet	Burst Width [ms]	Total Hops[hop*ch]	Dwell time (Second)	Limit (Second)	Result
GFSK	DH1	0.38	312	0.12	≤ 0.40	Pass
	DH3	1.64	157	0.26		
	DH5	2.89	103	0.30		
π/4DQPSK	2DH1	0.39	318	0.12	≤ 0.40	Pass
	2DH3	1.64	165	0.27		
	2DH5	2.89	107	0.31		
8DPSK	3DH1	0.39	318	0.12	≤ 0.40	Pass
	3DH3	1.64	159	0.26		
	3DH5	2.89	114	0.33		

Modulation Type: GFSK	
DH1 Burst width	<p>Ref Level 20.00 dBm Att 30 dB SWT 10 ms VBW 3 MHz</p> <p>M1[1] -19.48 dBm -1.25 μs D1[1] 22.07 dB 381.25 μs</p> <p>CF 2.441 GHz 8001 pts 1.0 ms/</p> <p>Date: 24 MAY 2021 09:53:05</p>
DH1 Burst number	<p>Ref Level 20.00 dBm Att 30 dB SWT 31.6 s VBW 3 MHz</p> <p>CF 2.441 GHz 30001 pts 3.16 s/</p> <p>Date: 24 MAY 2021 09:54:15</p>
DH3 Burst width	<p>Ref Level 20.00 dBm Att 30 dB SWT 10 ms VBW 3 MHz</p> <p>M1[1] -0.56 dBm -1.25 μs D1[1] 3.02 dB 1.63625 ms</p> <p>CF 2.441 GHz 8001 pts 1.0 ms/</p> <p>Date: 24 MAY 2021 09:59:00</p>


DH3
Burst number



DH5
Burst width




DH5
Burst number




Modulation Type: $\pi/4$ DQPSK


2DH1
Burst width




2DH1
Burst number




2DH3
Burst width




2DH3
Burst number



2DH5
Burst width




2DH5
Burst number




Modulation Type: 8DPSK


3DH1
Burst width




3DH1
Burst number




3DH3
Burst width




3DH3
Burst number



3DH5
Burst width



3DH5
Burst number





Appendix G: Duty Cycle Correction Factor (DCCF)**DCCF Calculate Formula**

$$\text{DCCF} = 20 * \text{Log}(\text{duty cycle}) = 20 * \text{Log}(T_{\text{on time}} / T_{\text{period}})$$

Modulation type	Test Frequency (MHz)	T _{on time} for single burst [ms]	T _{period} [ms]	Burst Quantity	DCCF [dB]
GFSK	2441	2.87	100	2	-24.82
$\pi/4$ DQPSK	2441	2.88	100	3	-21.27
8DPSK	2441	2.88	100	1	-30.81



GFSK



Ton time for single burst

Burst Quantity



$\pi/4$ DQPSK



Ton time for single burst

Burst Quantity




8DPSK




Ton time for single burst

Burst Quantity

Appendix H: Band edge and Spurious Emissions (conducted)

Test Item:	Band edge	Modulation type:	GFSK
<p>CH00 No hopping mode</p>	 <p>Date: 24 MAY 2021 09:04:15</p>		
<p>CH00 Hopping mode</p>	 <p>Date: 24 MAY 2021 09:02:11</p>		
<p>CH78 No hopping mode</p>	 <p>Date: 24 MAY 2021 09:26:54</p>		


CH78
Hopping mode




Date: 24 MAY 2021 09:02:01

Test Item:	Band edge	Modulation type:	π/4DQPSK
-------------------	------------------	-------------------------	--------------------------------


CH00
No hopping mode




CH00
Hopping mode






CH78
No hopping mode




CH78
Hopping mode






Date: 24 MAY 2021 09:50:24




Test Item:	Band edge	Modulation type:	8DPSK																																										
<p>CH00 No hopping mode</p>	 <table border="1" data-bbox="683 638 1337 728"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.402105 GHz</td> <td>3.14 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-52.64 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-63.36 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.96 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399965 GHz</td> <td>-53.34 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 24 MAY 2021 10:47:69</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.402105 GHz	3.14 dBm			M2	1		2.4 GHz	-52.64 dBm			M3	1		2.39 GHz	-63.36 dBm			M4	1		2.31 GHz	-63.96 dBm			M5	1		2.399965 GHz	-53.34 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.402105 GHz	3.14 dBm																																									
M2	1		2.4 GHz	-52.64 dBm																																									
M3	1		2.39 GHz	-63.36 dBm																																									
M4	1		2.31 GHz	-63.96 dBm																																									
M5	1		2.399965 GHz	-53.34 dBm																																									
<p>CH00 Hopping mode</p>	 <table border="1" data-bbox="683 1193 1337 1283"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.403054 GHz</td> <td>2.00 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-60.09 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-64.16 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.89 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.39968 GHz</td> <td>-59.75 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 24 MAY 2021 10:41:26</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.403054 GHz	2.00 dBm			M2	1		2.4 GHz	-60.09 dBm			M3	1		2.39 GHz	-64.16 dBm			M4	1		2.31 GHz	-63.89 dBm			M5	1		2.39968 GHz	-59.75 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.403054 GHz	2.00 dBm																																									
M2	1		2.4 GHz	-60.09 dBm																																									
M3	1		2.39 GHz	-64.16 dBm																																									
M4	1		2.31 GHz	-63.89 dBm																																									
M5	1		2.39968 GHz	-59.75 dBm																																									
<p>CH78 No hopping mode</p>	 <table border="1" data-bbox="683 1742 1337 1832"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.480143 GHz</td> <td>3.22 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-60.19 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-64.32 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.48361 GHz</td> <td>-59.90 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 24 MAY 2021 10:26:02</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.480143 GHz	3.22 dBm			M2	1		2.4835 GHz	-60.19 dBm			M3	1		2.5 GHz	-64.32 dBm			M4	1		2.48361 GHz	-59.90 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.480143 GHz	3.22 dBm																																									
M2	1		2.4835 GHz	-60.19 dBm																																									
M3	1		2.5 GHz	-64.32 dBm																																									
M4	1		2.48361 GHz	-59.90 dBm																																									

CH78
Hoppig mode




Date: 24 MAY 2021 10:42:28


Test Item:	Spurious Emission	Modulation type:	GFSK
<p>CH00 Reference level</p>			
<p>CH00 30MHz~1000MHz</p>			
<p>CH00 1GHz~26GHz</p>			

<p>CH39 Reference level</p>	 <p>Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att -30 dB SWF 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 MI[1] 3.62 dBm 2.441500 GHz</p> <p>CF 2.441 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <p>Date: 24 MAY 2021 09:21:55</p>
<p>CH39 30MHz~1000MHz</p>	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att -30 dB SWF 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 MI[1] -60.61 dBm 537.4390 MHz</p> <p>MI -16.270 dBm</p> <p>30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz</p> <p>Date: 24 MAY 2021 09:22:17</p>
<p>CH39 1GHz~26GHz</p>	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att -30 dB SWF 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 MI[1] -43.48 dBm 1.783333 GHz</p> <p>MI -16.270 dBm</p> <p>1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz</p> <p>Date: 24 MAY 2021 09:22:39</p>


CH78
Reference level






CH78
30MHz~1000MHz









CH78
1GHz~26GHz



Test Item:	Spurious Emission	Modulation type:	$\pi/4$ DQPSK
<p>CH00 Reference level</p>	 <p>Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SW1 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 MI[1] 3.57 dBm 2.4018500 GHz CF 2.402 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 24 MAY 2021 09:43:45</p>		
<p>CH00 30MHz~1000MHz</p>	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SW1 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 MI[1] -60.41 dBm 553.4110 MHz MI -18.620 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 24 MAY 2021 09:43:07</p>		
<p>CH00 1GHz~26GHz</p>	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SW1 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 MI[1] -53.01 dBm 25.959167 GHz MI -18.620 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 24 MAY 2021 09:43:59</p>		


<p>CH39 Reference level</p>	<p>Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att -30 dB SWF 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] 2.17 dBm 2.4408500 GHz</p> <p>CF 2.441 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <p>Date: 24 MAY 2021 09:39:55</p>
<p>CH39 30MHz~1000MHz</p>	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att -30 dB SWF 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.49 dBm 538.6030 MHz</p> <p>M1 -17.620 dBm</p> <p>30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz</p> <p>Date: 24 MAY 2021 09:40:17</p>
<p>CH39 1GHz~26GHz</p>	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att -30 dB SWF 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -45.66 dBm 1.765833 GHz</p> <p>M1 -17.620 dBm</p> <p>1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz</p> <p>Date: 24 MAY 2021 09:40:39</p>

<p>CH78 Reference level</p>	 <p>Date: 24 MAY 2021 09:36:04</p>
<p>CH78 30MHz~1000MHz</p>	 <p>Date: 24 MAY 2021 09:36:23</p>
<p>CH78 1GHz~26GHz</p>	 <p>Date: 24 MAY 2021 09:36:48</p>


Test Item:	Spurious Emission	Modulation type:	8DPSK
<p>CH00 Reference level</p>	 <p>Date: 24 MAY 2021 10:17:45</p>		
<p>CH00 30MHz~1000MHz</p>	 <p>Date: 24 MAY 2021 10:18:06</p>		
<p>CH00 1GHz~26GHz</p>	 <p>Date: 24 MAY 2021 10:18:28</p>		

<p>CH39 Reference level</p>	<p>Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att -30 dB SWF 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 MI[1] 2.24 dBm 2.441500 GHz CF 2.441 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 24 MAY 2021 10:22:27</p>
<p>CH39 30MHz~1000MHz</p>	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att -30 dB SWF 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 MI[1] -60.68 dBm 568.4450 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 24 MAY 2021 10:22:59</p>
<p>CH39 1GHz~26GHz</p>	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att -30 dB SWF 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 MI[1] -52.16 dBm 25.940000 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 24 MAY 2021 10:23:21</p>


CH78
Reference level



CH78
30MHz~1000MHz



CH78
1GHz~26GHz



-----End of Report-----