



EX3DV4- SN:3759

December 15, 2015

10303-AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	X	4.83	65.41	17.67	4.96	50.0	± 9.6 %
		Y	4.81	65.01	17.43		50.0	
		Z	4.85	64.96	17.29		50.0	
10304-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	4.64	65.25	17.14	4.17	50.0	± 9.6 %
		Y	4.61	64.89	16.93		50.0	
		Z	4.63	64.72	16.71		50.0	
10305-AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	4.31	67.17	19.07	6.02	35.0	± 9.6 %
		Y	4.26	66.48	18.68		35.0	
		Z	4.34	66.61	18.67		35.0	
10306-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	X	4.62	66.23	18.75	6.02	35.0	± 9.6 %
		Y	4.59	65.71	18.43		35.0	
		Z	4.66	65.81	18.40		35.0	
10307-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	X	4.51	66.33	18.69	6.02	35.0	± 9.6 %
		Y	4.48	65.81	18.37		35.0	
		Z	4.55	65.90	18.34		35.0	
10308-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	X	4.49	66.54	18.83	6.02	35.0	± 9.6 %
		Y	4.45	65.98	18.49		35.0	
		Z	4.53	66.08	18.46		35.0	
10309-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	X	4.65	66.37	18.87	6.02	35.0	± 9.6 %
		Y	4.62	65.85	18.54		35.0	
		Z	4.70	65.95	18.52		35.0	
10310-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	X	4.57	66.29	18.73	6.02	35.0	± 9.6 %
		Y	4.54	65.76	18.41		35.0	
		Z	4.61	65.86	18.38		35.0	
10311-AAA	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	2.87	67.40	15.40	0.00	150.0	± 9.6 %
		Y	2.85	67.08	15.21		150.0	
		Z	2.67	65.55	14.15		150.0	
10313-AAA	IDEN 1:3	X	3.13	71.14	15.52	6.99	70.0	± 9.6 %
		Y	2.78	69.65	14.97		70.0	
		Z	2.53	67.94	14.30		70.0	
10314-AAA	IDEN 1:6	X	3.80	75.24	20.00	10.00	30.0	± 9.6 %
		Y	3.42	73.31	19.25		30.0	
		Z	2.87	69.72	17.77		30.0	
10315-AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	X	1.10	62.64	14.06	0.17	150.0	± 9.6 %
		Y	1.10	62.30	13.81		150.0	
		Z	1.09	61.30	12.66		150.0	
10316-AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	X	4.50	66.39	15.94	0.17	150.0	± 9.6 %
		Y	4.52	66.28	15.86		150.0	
		Z	4.49	65.92	15.47		150.0	
10317-AAB	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	X	4.50	66.39	15.94	0.17	150.0	± 9.6 %
		Y	4.52	66.28	15.86		150.0	
		Z	4.49	65.92	15.47		150.0	
10400-AAC	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	4.60	66.74	15.99	0.00	150.0	± 9.6 %
		Y	4.62	66.64	15.92		150.0	
		Z	4.59	66.25	15.52		150.0	
10401-AAC	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	X	5.29	66.86	16.15	0.00	150.0	± 9.6 %
		Y	5.33	66.84	16.12		150.0	
		Z	5.30	66.53	15.78		150.0	



EX3DV4- SN:3759

December 15, 2015

10402-AAC	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	5.58	67.25	16.22	0.00	150.0	± 9.6 %
		Y	5.60	67.21	16.18		150.0	
		Z	5.57	66.91	15.85		150.0	
10403-AAB	CDMA2000 (1xEV-DO, Rev. 0)	X	1.14	65.37	11.96	0.00	115.0	± 9.6 %
		Y	1.16	65.27	12.04		115.0	
		Z	1.04	63.04	10.62		115.0	
10404-AAB	CDMA2000 (1xEV-DO, Rev. A)	X	1.14	65.37	11.96	0.00	115.0	± 9.6 %
		Y	1.16	65.27	12.04		115.0	
		Z	1.04	63.04	10.62		115.0	
10406-AAB	CDMA2000, RC3, SQ32, SCH0, Full Rate	X	1.01	68.43	14.20	0.00	150.0	± 9.6 %
		Y	0.98	67.59	13.94		150.0	
		Z	0.79	63.25	11.26		150.0	
10410-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	0.62	60.00	3.34	2.23	80.0	± 9.6 %
		Y	0.65	60.00	3.66		80.0	
		Z	0.66	60.00	3.76		80.0	
10415-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	1.04	62.12	13.69	0.00	150.0	± 9.6 %
		Y	1.04	61.86	13.49		150.0	
		Z	1.04	60.94	12.37		150.0	
10416-AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	X	4.47	66.45	15.94	0.00	150.0	± 9.6 %
		Y	4.49	66.36	15.88		150.0	
		Z	4.46	65.97	15.47		150.0	
10417-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	X	4.47	66.45	15.94	0.00	150.0	± 9.6 %
		Y	4.49	66.36	15.88		150.0	
		Z	4.46	65.97	15.47		150.0	
10418-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)	X	4.46	66.61	15.97	0.00	150.0	± 9.6 %
		Y	4.48	66.52	15.90		150.0	
		Z	4.44	66.10	15.48		150.0	
10419-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)	X	4.47	66.56	15.96	0.00	150.0	± 9.6 %
		Y	4.50	66.47	15.90		150.0	
		Z	4.47	66.07	15.49		150.0	
10422-AAA	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	4.59	66.57	15.99	0.00	150.0	± 9.6 %
		Y	4.61	66.48	15.93		150.0	
		Z	4.58	66.10	15.53		150.0	
10423-AAA	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	X	4.73	66.84	16.09	0.00	150.0	± 9.6 %
		Y	4.76	66.76	16.03		150.0	
		Z	4.72	66.37	15.63		150.0	
10424-AAA	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	X	4.65	66.79	16.06	0.00	150.0	± 9.6 %
		Y	4.68	66.71	16.00		150.0	
		Z	4.65	66.31	15.60		150.0	
10425-AAA	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	X	5.26	67.07	16.26	0.00	150.0	± 9.6 %
		Y	5.29	67.01	16.21		150.0	
		Z	5.25	66.68	15.86		150.0	
10426-AAA	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	X	5.27	67.12	16.28	0.00	150.0	± 9.6 %
		Y	5.30	67.07	16.24		150.0	
		Z	5.26	66.72	15.87		150.0	



EX3DV4- SN:3759

December 15, 2015

10427-AAA	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5.27	67.05	16.24	0.00	150.0	± 9.6 %
		Y	5.30	67.02	16.21		150.0	
		Z	5.27	66.69	15.85		150.0	
10430-AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.06	70.16	17.49	0.00	150.0	± 9.6 %
		Y	4.13	70.30	17.63		150.0	
		Z	3.86	68.53	16.46		150.0	
10431-AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	4.09	66.87	15.81	0.00	150.0	± 9.6 %
		Y	4.11	66.75	15.75		150.0	
		Z	4.06	66.20	15.25		150.0	
10432-AAA	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	4.41	66.81	15.97	0.00	150.0	± 9.6 %
		Y	4.44	66.71	15.91		150.0	
		Z	4.40	66.26	15.46		150.0	
10433-AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	4.67	66.82	16.08	0.00	150.0	± 9.6 %
		Y	4.70	66.74	16.02		150.0	
		Z	4.66	66.34	15.61		150.0	
10434-AAA	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.09	70.81	17.31	0.00	150.0	± 9.6 %
		Y	4.18	70.98	17.49		150.0	
		Z	3.83	68.88	16.19		150.0	
10435-AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	0.63	60.00	3.33	2.23	80.0	± 9.6 %
		Y	0.66	60.00	3.64		80.0	
		Z	0.66	60.00	3.74		80.0	
10447-AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.33	66.60	14.85	0.00	150.0	± 9.6 %
		Y	3.36	66.47	14.82		150.0	
		Z	3.28	65.67	14.19		150.0	
10448-AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	3.95	66.66	15.67	0.00	150.0	± 9.6 %
		Y	3.97	66.53	15.61		150.0	
		Z	3.92	65.97	15.10		150.0	
10449-AAA	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	4.24	66.63	15.86	0.00	150.0	± 9.6 %
		Y	4.26	66.53	15.80		150.0	
		Z	4.22	66.06	15.34		150.0	
10450-AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	4.45	66.59	15.92	0.00	150.0	± 9.6 %
		Y	4.47	66.50	15.87		150.0	
		Z	4.44	66.09	15.44		150.0	
10451-AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	X	3.17	66.56	14.31	0.00	150.0	± 9.6 %
		Y	3.20	66.46	14.32		150.0	
		Z	3.11	65.57	13.66		150.0	
10456-AAA	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	X	6.18	67.76	16.51	0.00	150.0	± 9.6 %
		Y	6.19	67.69	16.45		150.0	
		Z	6.16	67.41	16.15		150.0	
10457-AAA	UMTS-FDD (DC-HSDPA)	X	3.79	65.16	15.63	0.00	150.0	± 9.6 %
		Y	3.80	65.06	15.57		150.0	
		Z	3.79	64.70	15.14		150.0	
10458-AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	X	2.97	65.81	13.58	0.00	150.0	± 9.6 %
		Y	3.01	65.76	13.63		150.0	
		Z	2.95	65.01	13.06		150.0	
10459-AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	4.12	64.70	14.93	0.00	150.0	± 9.6 %
		Y	4.20	64.77	14.99		150.0	
		Z	4.18	64.43	14.64		150.0	



EX3DV4- SN:3759

December 15, 2015

10460-AAA	UMTS-FDD (WCDMA, AMR)	X	0.82	64.67	13.94	0.00	150.0	± 9.6 %
		Y	0.81	64.07	13.58		150.0	
		Z	0.77	61.95	11.76		150.0	
10461-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.91	71.09	16.29	3.29	80.0	± 9.6 %
		Y	2.20	72.57	17.00		80.0	
		Z	1.30	64.50	13.04		80.0	
10462-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.90	60.38	8.38	3.23	80.0	± 9.6 %
		Y	1.07	61.55	9.07		80.0	
		Z	0.93	60.00	8.06		80.0	
10463-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.87	60.00	7.65	3.23	80.0	± 9.6 %
		Y	0.92	60.00	7.77		80.0	
		Z	0.94	60.00	7.59		80.0	
10464-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.64	69.13	14.99	3.23	80.0	± 9.6 %
		Y	1.90	70.59	15.71		80.0	
		Z	1.18	63.52	12.14		80.0	
10465-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.86	60.03	8.13	3.23	80.0	± 9.6 %
		Y	1.02	61.09	8.78		80.0	
		Z	0.93	60.00	8.00		80.0	
10466-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.87	60.00	7.60	3.23	80.0	± 9.6 %
		Y	0.92	60.00	7.73		80.0	
		Z	0.94	60.00	7.54		80.0	
10467-AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.68	69.49	15.17	3.23	80.0	± 9.6 %
		Y	1.95	71.00	15.91		80.0	
		Z	1.18	63.65	12.24		80.0	
10468-AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.87	60.13	8.20	3.23	80.0	± 9.6 %
		Y	1.03	61.21	8.86		80.0	
		Z	0.93	60.00	8.02		80.0	
10469-AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.87	60.00	7.60	3.23	80.0	± 9.6 %
		Y	0.92	60.00	7.73		80.0	
		Z	0.94	60.00	7.54		80.0	
10470-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.67	69.48	15.16	3.23	80.0	± 9.6 %
		Y	1.94	70.98	15.90		80.0	
		Z	1.18	63.64	12.22		80.0	
10471-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.87	60.10	8.18	3.23	80.0	± 9.6 %
		Y	1.03	61.18	8.83		80.0	
		Z	0.93	60.00	8.01		80.0	
10472-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.87	60.00	7.58	3.23	80.0	± 9.6 %
		Y	0.92	60.00	7.71		80.0	
		Z	0.94	60.00	7.53		80.0	
10473-AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.67	69.46	15.15	3.23	80.0	± 9.6 %
		Y	1.94	70.96	15.89		80.0	
		Z	1.18	63.63	12.22		80.0	
10474-AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.86	60.09	8.17	3.23	80.0	± 9.6 %
		Y	1.02	61.16	8.82		80.0	
		Z	0.92	60.00	8.01		80.0	
10475-AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.87	60.00	7.58	3.23	80.0	± 9.6 %
		Y	0.92	60.00	7.71		80.0	
		Z	0.94	60.00	7.53		80.0	



EX3DV4- SN:3759

December 15, 2015

10477-AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.86	60.00	8.10	3.23	80.0	± 9.6 %
		Y	1.01	61.06	8.75		80.0	
		Z	0.92	60.00	7.99		80.0	
10478-AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.87	60.00	7.57	3.23	80.0	± 9.6 %
		Y	0.92	60.00	7.70		80.0	
		Z	0.94	60.00	7.52		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	0.93	60.00	5.57	1.99	80.0	± 9.6 %
		Y	0.93	60.00	5.97		80.0	
		Z	0.96	60.00	5.99		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.38	60.00	4.60	1.99	80.0	± 9.6 %
		Y	1.32	60.00	4.95		80.0	
		Z	1.33	60.00	4.96		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.58	60.00	4.29	1.99	80.0	± 9.6 %
		Y	1.45	60.00	4.66		80.0	
		Z	1.44	60.00	4.69		80.0	
10482-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.47	62.98	11.19	1.99	80.0	± 9.6 %
		Y	1.44	62.58	11.11		80.0	
		Z	1.31	60.81	10.04		80.0	
10483-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.79	62.43	10.42	1.99	80.0	± 9.6 %
		Y	2.00	63.49	11.19		80.0	
		Z	1.74	61.48	10.00		80.0	
10484-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.79	62.18	10.30	1.99	80.0	± 9.6 %
		Y	1.99	63.18	11.05		80.0	
		Z	1.75	61.34	9.95		80.0	
10485-AAA	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.00	66.30	13.96	1.99	80.0	± 9.6 %
		Y	1.86	65.13	13.47		80.0	
		Z	1.63	62.63	11.97		80.0	
10486-AAA	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.11	64.05	12.42	1.99	80.0	± 9.6 %
		Y	2.06	63.57	12.27		80.0	
		Z	1.91	61.99	11.29		80.0	
10487-AAA	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.14	63.89	12.34	1.99	80.0	± 9.6 %
		Y	2.10	63.45	12.21		80.0	
		Z	1.95	61.96	11.27		80.0	
10488-AAA	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.62	68.05	15.82	1.99	80.0	± 9.6 %
		Y	2.43	66.67	15.17		80.0	
		Z	2.17	64.32	13.73		80.0	
10489-AAA	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.81	66.22	15.08	1.99	80.0	± 9.6 %
		Y	2.70	65.38	14.68		80.0	
		Z	2.53	63.81	13.63		80.0	
10490-AAA	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.91	66.22	15.11	1.99	80.0	± 9.6 %
		Y	2.80	65.42	14.73		80.0	
		Z	2.63	63.92	13.73		80.0	
10491-AAA	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.03	67.82	16.03	1.99	80.0	± 9.6 %
		Y	2.86	66.69	15.47		80.0	
		Z	2.63	64.82	14.28		80.0	
10492-AAA	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.27	66.32	15.62	1.99	80.0	± 9.6 %
		Y	3.17	65.59	15.25		80.0	
		Z	3.02	64.36	14.38		80.0	



EX3DV4- SN:3759

December 15, 2015

10493-AAA	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.34	66.28	15.62	1.99	80.0	± 9.6 %
		Y	3.24	65.58	15.26		80.0	
		Z	3.10	64.40	14.43		80.0	
10494-AAA	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.17	68.70	16.27	1.99	80.0	± 9.6 %
		Y	2.96	67.45	15.66		80.0	
		Z	2.67	65.29	14.35		80.0	
10495-AAA	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.29	66.58	15.79	1.99	80.0	± 9.6 %
		Y	3.17	65.82	15.40		80.0	
		Z	3.02	64.53	14.49		80.0	
10496-AAA	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.39	66.48	15.80	1.99	80.0	± 9.6 %
		Y	3.28	65.77	15.43		80.0	
		Z	3.14	64.56	14.58		80.0	
10497-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.07	60.00	8.48	1.99	80.0	± 9.6 %
		Y	1.08	60.00	8.65		80.0	
		Z	1.14	60.00	8.60		80.0	
10498-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.26	60.00	7.53	1.99	80.0	± 9.6 %
		Y	1.27	60.00	7.73		80.0	
		Z	1.32	60.00	7.76		80.0	
10499-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.28	60.00	7.40	1.99	80.0	± 9.6 %
		Y	1.29	60.00	7.61		80.0	
		Z	1.34	60.00	7.65		80.0	
10500-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.25	67.04	14.75	1.99	80.0	± 9.6 %
		Y	2.09	65.75	14.17		80.0	
		Z	1.85	63.31	12.70		80.0	
10501-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.43	65.13	13.55	1.99	80.0	± 9.6 %
		Y	2.34	64.45	13.28		80.0	
		Z	2.16	62.80	12.24		80.0	
10502-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.47	65.05	13.46	1.99	80.0	± 9.6 %
		Y	2.39	64.41	13.21		80.0	
		Z	2.22	62.82	12.21		80.0	
10503-AAA	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.59	67.90	15.74	1.99	80.0	± 9.6 %
		Y	2.40	66.53	15.09		80.0	
		Z	2.16	64.23	13.67		80.0	
10504-AAA	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.80	66.14	15.02	1.99	80.0	± 9.6 %
		Y	2.69	65.30	14.62		80.0	
		Z	2.52	63.75	13.59		80.0	
10505-AAA	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.90	66.14	15.06	1.99	80.0	± 9.6 %
		Y	2.79	65.34	14.67		80.0	
		Z	2.62	63.86	13.68		80.0	
10506-AAA	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.15	68.59	16.20	1.99	80.0	± 9.6 %
		Y	2.94	67.34	15.60		80.0	
		Z	2.66	65.22	14.31		80.0	
10507-AAA	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.28	66.52	15.75	1.99	80.0	± 9.6 %
		Y	3.16	65.77	15.36		80.0	
		Z	3.01	64.48	14.46		80.0	



EX3DV4- SN:3759

December 15, 2015

10508-AAA	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.38	66.42	15.76	1.99	80.0	± 9.6 %
		Y	3.27	65.71	15.39		80.0	
		Z	3.13	64.52	14.54		80.0	
10509-AAA	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.63	68.28	16.20	1.99	80.0	± 9.6 %
		Y	3.45	67.32	15.71		80.0	
		Z	3.19	65.62	14.65		80.0	
10510-AAA	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.80	66.68	16.05	1.99	80.0	± 9.6 %
		Y	3.70	66.05	15.70		80.0	
		Z	3.56	65.01	14.95		80.0	
10511-AAA	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.88	66.56	16.05	1.99	80.0	± 9.6 %
		Y	3.78	65.96	15.72		80.0	
		Z	3.65	64.98	15.00		80.0	
10512-AAA	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.63	69.08	16.35	1.99	80.0	± 9.6 %
		Y	3.41	67.94	15.80		80.0	
		Z	3.09	65.92	14.59		80.0	
10513-AAA	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.67	66.77	16.06	1.99	80.0	± 9.6 %
		Y	3.56	66.09	15.70		80.0	
		Z	3.42	64.97	14.89		80.0	
10514-AAA	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.73	66.53	16.03	1.99	80.0	± 9.6 %
		Y	3.63	65.90	15.68		80.0	
		Z	3.50	64.87	14.93		80.0	
10515-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	X	1.00	62.20	13.68	0.00	150.0	± 9.6 %
		Y	1.00	61.93	13.47		150.0	
		Z	1.00	60.95	12.30		150.0	
10516-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	X	0.51	64.20	13.70	0.00	150.0	± 9.6 %
		Y	0.50	63.42	13.21		150.0	
		Z	0.49	61.05	10.99		150.0	
10517-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	X	0.82	63.08	13.75	0.00	150.0	± 9.6 %
		Y	0.82	62.66	13.45		150.0	
		Z	0.81	61.20	11.94		150.0	
10518-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	4.45	66.53	15.92	0.00	150.0	± 9.6 %
		Y	4.48	66.43	15.86		150.0	
		Z	4.45	66.03	15.44		150.0	
10519-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	X	4.62	66.72	16.02	0.00	150.0	± 9.6 %
		Y	4.64	66.64	15.97		150.0	
		Z	4.61	66.24	15.56		150.0	
10520-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	X	4.47	66.65	15.93	0.00	150.0	± 9.6 %
		Y	4.49	66.57	15.88		150.0	
		Z	4.46	66.15	15.45		150.0	
10521-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	4.40	66.63	15.91	0.00	150.0	± 9.6 %
		Y	4.43	66.54	15.85		150.0	
		Z	4.39	66.11	15.42		150.0	
10522-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	X	4.46	66.75	16.01	0.00	150.0	± 9.6 %
		Y	4.49	66.66	15.95		150.0	
		Z	4.45	66.23	15.52		150.0	



EX3DV4- SN:3759

December 15, 2015

10523-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	X	4.36	66.66	15.88	0.00	150.0	± 9.6 %
		Y	4.38	66.56	15.82		150.0	
		Z	4.34	66.11	15.37		150.0	
10524-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	X	4.40	66.67	15.98	0.00	150.0	± 9.6 %
		Y	4.43	66.58	15.91		150.0	
		Z	4.39	66.14	15.48		150.0	
10525-AAA	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	X	4.41	65.76	15.59	0.00	150.0	± 9.6 %
		Y	4.43	65.66	15.52		150.0	
		Z	4.39	65.22	15.08		150.0	
10526-AAA	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	X	4.55	66.07	15.71	0.00	150.0	± 9.6 %
		Y	4.57	65.97	15.65		150.0	
		Z	4.53	65.52	15.21		150.0	
10527-AAA	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	X	4.48	66.02	15.65	0.00	150.0	± 9.6 %
		Y	4.50	65.92	15.58		150.0	
		Z	4.45	65.46	15.13		150.0	
10528-AAA	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	X	4.49	66.04	15.68	0.00	150.0	± 9.6 %
		Y	4.51	65.94	15.61		150.0	
		Z	4.46	65.48	15.17		150.0	
10529-AAA	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	X	4.49	66.04	15.68	0.00	150.0	± 9.6 %
		Y	4.51	65.94	15.61		150.0	
		Z	4.46	65.48	15.17		150.0	
10531-AAA	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	X	4.46	66.08	15.67	0.00	150.0	± 9.6 %
		Y	4.49	65.99	15.60		150.0	
		Z	4.44	65.52	15.15		150.0	
10532-AAA	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	X	4.34	65.94	15.59	0.00	150.0	± 9.6 %
		Y	4.36	65.84	15.53		150.0	
		Z	4.31	65.36	15.07		150.0	
10533-AAA	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	X	4.50	66.10	15.68	0.00	150.0	± 9.6 %
		Y	4.52	66.00	15.61		150.0	
		Z	4.47	65.53	15.16		150.0	
10534-AAA	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	X	5.05	66.17	15.79	0.00	150.0	± 9.6 %
		Y	5.07	66.11	15.74		150.0	
		Z	5.03	65.74	15.36		150.0	
10535-AAA	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	X	5.10	66.32	15.86	0.00	150.0	± 9.6 %
		Y	5.12	66.26	15.81		150.0	
		Z	5.08	65.88	15.42		150.0	
10536-AAA	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	X	4.98	66.28	15.82	0.00	150.0	± 9.6 %
		Y	5.00	66.21	15.76		150.0	
		Z	4.95	65.81	15.36		150.0	
10537-AAA	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	X	5.03	66.25	15.81	0.00	150.0	± 9.6 %
		Y	5.06	66.18	15.76		150.0	
		Z	5.01	65.80	15.37		150.0	
10538-AAA	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	X	5.11	66.26	15.85	0.00	150.0	± 9.6 %
		Y	5.14	66.20	15.80		150.0	
		Z	5.10	65.83	15.42		150.0	
10540-AAA	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	X	5.04	66.23	15.85	0.00	150.0	± 9.6 %
		Y	5.07	66.17	15.81		150.0	
		Z	5.02	65.80	15.42		150.0	



EX3DV4- SN:3759

December 15, 2015

10541-AAA	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	X	5.03	66.15	15.80	0.00	150.0	± 9.6 %
		Y	5.05	66.09	15.75		150.0	
		Z	5.01	65.72	15.37		150.0	
10542-AAA	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	X	5.18	66.25	15.87	0.00	150.0	± 9.6 %
		Y	5.21	66.19	15.82		150.0	
		Z	5.17	65.84	15.45		150.0	
10543-AAA	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	X	5.25	66.27	15.90	0.00	150.0	± 9.6 %
		Y	5.27	66.21	15.86		150.0	
		Z	5.24	65.87	15.49		150.0	
10544-AAA	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	X	5.38	66.31	15.81	0.00	150.0	± 9.6 %
		Y	5.40	66.26	15.77		150.0	
		Z	5.36	65.93	15.42		150.0	
10545-AAA	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc duty cycle)	X	5.54	66.68	15.96	0.00	150.0	± 9.6 %
		Y	5.57	66.62	15.91		150.0	
		Z	5.51	66.26	15.54		150.0	
10546-AAA	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	X	5.42	66.45	15.85	0.00	150.0	± 9.6 %
		Y	5.44	66.40	15.81		150.0	
		Z	5.40	66.07	15.45		150.0	
10547-AAA	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	X	5.49	66.51	15.88	0.00	150.0	± 9.6 %
		Y	5.51	66.46	15.83		150.0	
		Z	5.47	66.13	15.48		150.0	
10548-AAA	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc duty cycle)	X	5.64	67.15	16.17	0.00	150.0	± 9.6 %
		Y	5.67	67.11	16.13		150.0	
		Z	5.60	66.69	15.74		150.0	
10550-AAA	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	X	5.45	66.53	15.90	0.00	150.0	± 9.6 %
		Y	5.47	66.46	15.85		150.0	
		Z	5.43	66.12	15.49		150.0	
10551-AAA	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	X	5.44	66.48	15.84	0.00	150.0	± 9.6 %
		Y	5.47	66.45	15.81		150.0	
		Z	5.42	66.11	15.45		150.0	
10552-AAA	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	X	5.39	66.40	15.80	0.00	150.0	± 9.6 %
		Y	5.41	66.34	15.76		150.0	
		Z	5.37	66.01	15.40		150.0	
10553-AAA	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	X	5.46	66.40	15.83	0.00	150.0	± 9.6 %
		Y	5.48	66.35	15.79		150.0	
		Z	5.44	66.03	15.45		150.0	
10554-AAA	IEEE 1602.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	X	5.79	66.67	15.91	0.00	150.0	± 9.6 %
		Y	5.81	66.63	15.87		150.0	
		Z	5.77	66.33	15.54		150.0	
10555-AAA	IEEE 1602.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	X	5.89	66.92	16.02	0.00	150.0	± 9.6 %
		Y	5.92	66.87	15.98		150.0	
		Z	5.87	66.56	15.64		150.0	
10556-AAA	IEEE 1602.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	X	5.92	66.98	16.04	0.00	150.0	± 9.6 %
		Y	5.94	66.93	16.00		150.0	
		Z	5.89	66.61	15.66		150.0	
10557-AAA	IEEE 1602.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	X	5.88	66.88	16.01	0.00	150.0	± 9.6 %
		Y	5.91	66.84	15.97		150.0	
		Z	5.86	66.53	15.64		150.0	



EX3DV4- SN:3759

December 15, 2015

10558-AAA	IEEE 1602.11ac WiFi (160MHz, MCS4, 99pc duty cycle)	X	5.92	67.01	16.09	0.00	150.0	± 9.6 %
		Y	5.94	66.97	16.05		150.0	
		Z	5.89	66.65	15.72		150.0	
10560-AAA	IEEE 1602.11ac WiFi (160MHz, MCS6, 99pc duty cycle)	X	5.92	66.90	16.07	0.00	150.0	± 9.6 %
		Y	5.95	66.85	16.03		150.0	
		Z	5.90	66.56	15.71		150.0	
10561-AAA	IEEE 1602.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	X	5.85	66.86	16.09	0.00	150.0	± 9.6 %
		Y	5.87	66.81	16.04		150.0	
		Z	5.83	66.50	15.71		150.0	
10562-AAA	IEEE 1602.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	X	5.93	67.11	16.21	0.00	150.0	± 9.6 %
		Y	5.95	67.07	16.17		150.0	
		Z	5.90	66.75	15.84		150.0	
10563-AAA	IEEE 1602.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	X	6.00	66.99	16.12	0.00	150.0	± 9.6 %
		Y	6.04	66.98	16.09		150.0	
		Z	5.99	66.67	15.77		150.0	
10564-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	X	4.78	66.62	16.09	0.46	150.0	± 9.6 %
		Y	4.80	66.52	16.02		150.0	
		Z	4.78	66.19	15.67		150.0	
10565-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	X	4.98	67.02	16.40	0.46	150.0	± 9.6 %
		Y	5.01	66.95	16.35		150.0	
		Z	4.98	66.60	15.98		150.0	
10566-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	X	4.82	66.84	16.20	0.46	150.0	± 9.6 %
		Y	4.84	66.76	16.14		150.0	
		Z	4.82	66.41	15.77		150.0	
10567-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	X	4.84	67.20	16.54	0.46	150.0	± 9.6 %
		Y	4.87	67.14	16.50		150.0	
		Z	4.84	66.72	16.08		150.0	
10568-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	X	4.73	66.62	15.97	0.46	150.0	± 9.6 %
		Y	4.75	66.50	15.88		150.0	
		Z	4.73	66.19	15.54		150.0	
10569-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	X	4.81	67.32	16.61	0.46	150.0	± 9.6 %
		Y	4.84	67.26	16.57		150.0	
		Z	4.79	66.80	16.12		150.0	
10570-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	X	4.84	67.19	16.56	0.46	150.0	± 9.6 %
		Y	4.87	67.11	16.51		150.0	
		Z	4.83	66.70	16.09		150.0	
10571-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	X	1.16	62.99	14.24	0.46	130.0	± 9.6 %
		Y	1.15	62.55	13.93		130.0	
		Z	1.15	61.55	12.82		130.0	
10572-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	X	1.16	63.35	14.48	0.46	130.0	± 9.6 %
		Y	1.15	62.88	14.15		130.0	
		Z	1.14	61.77	12.96		130.0	
10573-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	X	0.85	68.68	15.95	0.46	130.0	± 9.6 %
		Y	0.77	66.76	14.97		130.0	
		Z	0.68	63.07	12.31		130.0	
10574-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	X	1.12	66.29	16.04	0.46	130.0	± 9.6 %
		Y	1.09	65.47	15.55		130.0	
		Z	1.03	63.16	13.62		130.0	



EX3DV4-- SN:3759

December 15, 2015

10575-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	X	4.55	66.33	16.05	0.46	130.0	± 9.6 %
		Y	4.57	66.21	15.97		130.0	
		Z	4.55	65.88	15.60		130.0	
10576-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	X	4.58	66.49	16.12	0.46	130.0	± 9.6 %
		Y	4.59	66.38	16.04		130.0	
		Z	4.57	66.02	15.66		130.0	
10577-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	X	4.75	66.75	16.28	0.46	130.0	± 9.6 %
		Y	4.78	66.65	16.21		130.0	
		Z	4.75	66.29	15.83		130.0	
10578-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	X	4.65	66.86	16.36	0.46	130.0	± 9.6 %
		Y	4.67	66.77	16.30		130.0	
		Z	4.64	66.37	15.88		130.0	
10579-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	X	4.42	66.14	15.67	0.46	130.0	± 9.6 %
		Y	4.43	66.01	15.57		130.0	
		Z	4.42	65.70	15.22		130.0	
10580-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	X	4.46	66.20	15.70	0.46	130.0	± 9.6 %
		Y	4.48	66.06	15.60		130.0	
		Z	4.46	65.76	15.26		130.0	
10581-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	X	4.55	66.89	16.30	0.46	130.0	± 9.6 %
		Y	4.57	66.78	16.22		130.0	
		Z	4.53	66.35	15.79		130.0	
10582-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	X	4.35	65.92	15.46	0.46	130.0	± 9.6 %
		Y	4.37	65.77	15.35		130.0	
		Z	4.36	65.49	15.03		130.0	
10583-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	X	4.55	66.33	16.05	0.46	130.0	± 9.6 %
		Y	4.57	66.21	15.97		130.0	
		Z	4.55	65.88	15.60		130.0	
10584-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	X	4.58	66.49	16.12	0.46	130.0	± 9.6 %
		Y	4.59	66.38	16.04		130.0	
		Z	4.57	66.02	15.66		130.0	
10585-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	X	4.75	66.75	16.28	0.46	130.0	± 9.6 %
		Y	4.78	66.65	16.21		130.0	
		Z	4.75	66.29	15.83		130.0	
10586-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	X	4.65	66.86	16.36	0.46	130.0	± 9.6 %
		Y	4.67	66.77	16.30		130.0	
		Z	4.64	66.37	15.88		130.0	
10587-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	X	4.42	66.14	15.67	0.46	130.0	± 9.6 %
		Y	4.43	66.01	15.57		130.0	
		Z	4.42	65.70	15.22		130.0	
10588-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	X	4.46	66.20	15.70	0.46	130.0	± 9.6 %
		Y	4.48	66.06	15.60		130.0	
		Z	4.46	65.76	15.26		130.0	
10589-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	X	4.55	66.89	16.30	0.46	130.0	± 9.6 %
		Y	4.57	66.78	16.22		130.0	
		Z	4.53	66.35	15.79		130.0	
10590-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	X	4.35	65.92	15.46	0.46	130.0	± 9.6 %
		Y	4.37	65.77	15.35		130.0	
		Z	4.36	65.49	15.03		130.0	



EX3DV4- SN:3759

December 15, 2015

10591-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	X	4.71	66.42	16.17	0.46	130.0	± 9.6 %
		Y	4.73	66.32	16.10		130.0	
		Z	4.71	66.00	15.74		130.0	
10592-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc duty cycle)	X	4.84	66.72	16.30	0.46	130.0	± 9.6 %
		Y	4.86	66.62	16.23		130.0	
		Z	4.84	66.29	15.86		130.0	
10593-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)	X	4.76	66.60	16.16	0.46	130.0	± 9.6 %
		Y	4.78	66.50	16.09		130.0	
		Z	4.76	66.17	15.73		130.0	
10594-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)	X	4.81	66.77	16.32	0.46	130.0	± 9.6 %
		Y	4.83	66.67	16.25		130.0	
		Z	4.81	66.32	15.87		130.0	
10595-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)	X	4.77	66.73	16.22	0.46	130.0	± 9.6 %
		Y	4.80	66.62	16.15		130.0	
		Z	4.77	66.28	15.77		130.0	
10596-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)	X	4.71	66.70	16.21	0.46	130.0	± 9.6 %
		Y	4.73	66.59	16.13		130.0	
		Z	4.71	66.24	15.75		130.0	
10597-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)	X	4.66	66.59	16.08	0.46	130.0	± 9.6 %
		Y	4.68	66.47	16.00		130.0	
		Z	4.66	66.13	15.63		130.0	
10598-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)	X	4.64	66.78	16.32	0.46	130.0	± 9.6 %
		Y	4.66	66.69	16.26		130.0	
		Z	4.64	66.30	15.85		130.0	
10599-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)	X	5.37	66.91	16.41	0.46	130.0	± 9.6 %
		Y	5.39	66.83	16.35		130.0	
		Z	5.36	66.54	16.02		130.0	
10600-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)	X	5.46	67.23	16.55	0.46	130.0	± 9.6 %
		Y	5.49	67.15	16.47		130.0	
		Z	5.45	66.83	16.13		130.0	
10601-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)	X	5.37	67.05	16.47	0.46	130.0	± 9.6 %
		Y	5.40	66.97	16.40		130.0	
		Z	5.37	66.67	16.07		130.0	
10602-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)	X	5.50	67.21	16.47	0.46	130.0	± 9.6 %
		Y	5.52	67.12	16.40		130.0	
		Z	5.49	66.81	16.07		130.0	
10603-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc duty cycle)	X	5.57	67.47	16.74	0.46	130.0	± 9.6 %
		Y	5.58	67.36	16.65		130.0	
		Z	5.55	67.04	16.31		130.0	
10604-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc duty cycle)	X	5.44	67.13	16.55	0.46	130.0	± 9.6 %
		Y	5.46	67.02	16.47		130.0	
		Z	5.43	66.72	16.13		130.0	
10605-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc duty cycle)	X	5.47	67.19	16.58	0.46	130.0	± 9.6 %
		Y	5.49	67.10	16.50		130.0	
		Z	5.47	66.80	16.17		130.0	
10606-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc duty cycle)	X	5.23	66.56	16.12	0.46	130.0	± 9.6 %
		Y	5.25	66.46	16.03		130.0	
		Z	5.24	66.22	15.74		130.0	