Radio-3

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_a_5180MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10360.000	57.70	68.22	-10.52	62.22	-4.52	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_a_5180MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10360.000	50.43	68.22	-17.79	54.95	-4.52	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_a_5220MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10440.000	53.02	68.22	-15.20	57.50	-4.48	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_a_5220MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10440.000	47.57	68.22	-20.65	52.05	-4.48	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_a_5240MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10480.000	52.61	68.22	-15.61	56.95	-4.34	Peak
2	20960.000	46.53	74.00	-27.47	43.68	2.85	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_a_5240MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10480.000	48.88	68.22	-19.34	53.22	-4.34	Peak
2	20960.000	50.24	74.00	-23.76	47.39	2.85	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_a_5745MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11490.000	52.89	74.00	-21.11	54.99	-2.10	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_a_5745MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11490.000	52.38	74.00	-21.62	54.48	-2.10	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_a_5785MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11570.000	43.86	54.00	-10.14	45.71	-1.85	Average
2	11570.000	56.60	74.00	-17.40	58.45	-1.85	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_a_5785MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11570.000	47.17	54.00	-6.83	49.02	-1.85	Average
2	11570.000	55.68	74.00	-18.32	57.53	-1.85	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_a_5825MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11650.000	47.50	54.00	-6.50	49.42	-1.92	Average
2	11650.000	58.18	74.00	-15.82	60.10	-1.92	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_a_5825MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11650.000	46.55	54.00	-7.45	48.47	-1.92	Average
2	11650.000	57.23	74.00	-16.77	59.15	-1.92	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_ac20_5180MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10360.000	60.08	68.22	-8.14	64.60	-4.52	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_ac20_5180MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10360.000	51.61	68.22	-16.61	56.13	-4.52	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_ac20_5220MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10440.000	53.37	68.22	-14.85	57.85	-4.48	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_ac20_5220MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10440.000	48.98	68.22	-19.24	53.46	-4.48	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_ac20_5240MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10480.000	52.18	68.22	-16.04	56.52	-4.34	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_ac20_5240MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10480.000	50.83	68.22	-17.39	55.17	-4.34	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_ac20_5745MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11490.000	52.74	74.00	-21.26	54.84	-2.10	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_ac20_5745MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11490.000	52.56	74.00	-21.44	54.66	-2.10	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_ac20_5785MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11570.000	43.06	54.00	-10.94	44.91	-1.85	Average
2	11570.000	55.01	74.00	-18.99	56.86	-1.85	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_ac20_5785MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11570.000	44.58	54.00	-9.42	46.43	-1.85	Average
2	11570.000	56.76	74.00	-17.24	58.61	-1.85	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_ac20_5825MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11650.000	44.50	54.00	-9.50	46.42	-1.92	Average
2	11650.000	57.46	74.00	-16.54	59.38	-1.92	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_ac20_5825MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11650.000	45.93	54.00	-8.07	47.85	-1.92	Average
2	11650.000	59.62	74.00	-14.38	61.54	-1.92	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_ac40_5190MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10380.000	51.59	68.22	-16.63	56.08	-4.49	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_ac40_5190MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10380.000	48.49	68.22	-19.73	52.98	-4.49	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_ac40_5230MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10460.000	50.96	68.22	-17.26	55.40	-4.44	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_ac40_5230MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10460.000	47.08	68.22	-21.14	51.52	-4.44	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_ac40_5755MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11510.000	50.68	74.00	-23.32	52.68	-2.00	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_ac40_5755MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11510.000	49.15	74.00	-24.85	51.15	-2.00	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_ac40_5795MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11590.000	52.05	74.00	-21.95	53.96	-1.91	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_ac40_5795MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11590.000	51.74	74.00	-22.26	53.65	-1.91	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_ac80_5210MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10420.000	43.11	68.22	-25.11	47.58	-4.47	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_ac80_5210MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10420.000	41.72	68.22	-26.50	46.19	-4.47	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_ac80_5775MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11550.000	51.12	74.00	-22.88	52.91	-1.79	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_ac80_5775MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11550.000	49.57	74.00	-24.43	51.36	-1.79	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_ac80_5775MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	106.630	28.68	43.50	-14.82	55.86	-27.18	QP
2	137.670	26.48	43.50	-17.02	50.96	-24.48	QP
3	187.140	29.07	43.50	-14.43	55.04	-25.97	QP
4	385.020	20.56	46.00	-25.44	41.01	-20.45	QP
5	679.900	26.12	46.00	-19.88	40.48	-14.36	QP
6	818.610	26.07	46.00	-19.93	38.29	-12.22	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_ac80_5775MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	37.760	34.09	40.00	-5.91	58.37	-24.28	QP
2	187.140	27.46	43.50	-16.04	53.43	-25.97	QP
3	300.630	17.95	46.00	-28.05	40.87	-22.92	QP
4	452.920	22.09	46.00	-23.91	40.74	-18.65	QP
5	641.100	23.37	46.00	-22.63	38.22	-14.85	QP
6	760.410	26.24	46.00	-19.76	39.06	-12.82	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.

Co-location

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_b_2437MHz_ax20_5220MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	50.82	74.00	-23.18	64.68	-13.86	Peak
2	7311.000	52.81	74.00	-21.19	59.55	-6.74	Peak
3	10440.000	62.69	68.22	-5.53	67.17	-4.48	Peak
4	12185.000	52.05	54.00	-1.95	52.93	-0.88	Average
5	12185.000	57.24	74.00	-16.76	58.12	-0.88	Peak
6	15660.000	47.75	54.00	-6.25	48.36	-0.61	Average
7	15660.000	59.41	74.00	-14.59	60.02	-0.61	Peak
8	20880.000	53.20	54.00	-0.80	50.29	2.91	Average
9	20880.000	61.08	74.00	-12.92	58.17	2.91	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_b_2437MHz_ax20_5220MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	49.48	74.00	-24.52	63.34	-13.86	Peak
2	7311.000	50.38	74.00	-23.62	57.12	-6.74	Peak
3	10440.000	58.09	68.22	-10.13	62.57	-4.48	Peak
4	12185.000	52.71	74.00	-21.29	53.59	-0.88	Peak
5	15660.000	43.54	54.00	-10.46	44.15	-0.61	Average
6	15660.000	55.49	74.00	-18.51	56.10	-0.61	Peak
7	20880.000	48.43	74.00	-25.57	45.52	2.91	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,HORIZONTAL
Mode :TX_b_2437MHz_ax20_5220MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	43.580	18.78	40.00	-21.22	42.31	-23.53	QP
2	133.790	26.67	43.50	-16.83	51.36	-24.69	QP
3	240.490	27.88	46.00	-18.12	52.82	-24.94	QP
4	328.760	26.97	46.00	-19.03	48.87	-21.90	QP
5	648.860	25.38	46.00	-20.62	40.11	-14.73	QP
6	839.950	31.91	46.00	-14.09	43.86	-11.95	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.

Site :HY-CB03
Condition :3m ,VERTICAL
Mode :TX_b_2437MHz_ax20_5220MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	39.700	31.33	40.00	-8.67	55.29	-23.96	QP
2	142.520	26.91	43.50	-16.59	50.90	-23.99	QP
3	236.610	27.89	46.00	-18.11	53.04	-25.15	QP
4	425.760	22.97	46.00	-23.03	42.66	-19.69	QP
5	517.910	23.25	46.00	-22.75	40.72	-17.47	QP
6	843.830	29.66	46.00	-16.34	41.53	-11.87	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.

6. Band Edge

6.1. Test Setup

RF Conducted Measurement:



RF Radiated Measurement:



6.2. Limits

The provisions of Section 15.205 of this part apply to intentional radiators operating under this section. Radiated emissions which fall in the restricted bands, as defined in Section 15.205, must also comply with the radiated emission limits specified in Section 15.209:

FCC Part 15 Subpart C Paragraph 15.209 Limits		
Frequency MHz	μV/m @3m	dBμV/m@3m
30-88	100	40
88-216	150	43.5
216-960	200	46
Above 960	500	54

Remarks : 1. RF Voltage (dBμV) = 20 log RF Voltage (μV)

2. In the Above Table, the tighter limit applies at the band edges.

3. Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.

- For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- For transmitters operating in the 5.725-5.85 GHz band:
  All emissions shall be limited to a level of −27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.
- For transmitters operating within the 5.925-7.125 GHz band: Any emissions outside of the 5.925-7.125 GHz band must not exceed an e.i.r.p. of −27 dBm/MHz.

Based on ANSI C63.10-2013 Section 12.7.3 d) provides the conversion formula between field strength and EIRP, if distance is 3m, -27dBm is equivalent to 68.22dBuV/m.

6.3. Test Procedure

The EUT is placed on a turn table which is 1.5 meter above ground. The turn table can rotate 360 degrees to determine the position of the maximum emission level. The EUT was positioned such that the distance from antenna to the EUT was 3 meters.
The antenna can move up and down between 1 meter and 4 meters to find out the maximum emission level.
Both horizontal and vertical polarization of the antenna are set on measurement. In order to find the maximum emission, all of the interface cables must be manipulated according to ANSI C63.10:2013 on radiated measurement.
The bandwidth below 1 GHz setting on the field strength meter is 120 kHz, above 1 GHz are 1 MHz.
The EUT was setup to ANSI C63.10, 2013; tested to UNII test procedure of FCC KDB-789033 for compliance to FCC 47CFR Subpart E requirements.

RBW and VBW Parameter setting:
According to KDB 789033 section II.G.5 Procedure for Unwanted Maximum Emissions Measurements above 1000 MHz.
RBW = 1 MHz.
VBW ≥ 3 MHz.

According to KDB 789033 section II.G.6 Procedures for Average Unwanted Emissions Measurements above 1000 MHz.
RBW = 1 MHz.
VBW = 10 Hz, when duty cycle ≥ 98 %
VBW ≥ 1/T, when duty cycle < 98 %
(T refers to the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.)

Radio-2

5 GHz band	Duty Cycle (%)	T (ms)	1/T (Hz)	VBW (Hz)
802.11a	91.43	1.4400	694	1000
802.11ax-20 MHz	95.04	5.4600	183	200
802.11ax-40 MHz	95.54	5.4600	183	200
802.11ax-80 MHz	93.79	5.4400	184	200

Note: Duty Cycle Refer to Section 8.

Radio-3

5 GHz band	Duty Cycle (%)	T (ms)	1/T (Hz)	VBW (Hz)
802.11a	96.44	4.0600	246	300
802.11ac-20 MHz	96.19	3.7900	264	300
802.11ac-40 MHz	92.35	1.8700	535	1000
802.11ac-80 MHz	84.92	0.9120	1096	2000

Note: Duty Cycle Refer to Section 8.

6.4. Test Result of Band Edge

Radio-2

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5180MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	50.71	54.00	-3.29	34.99	15.72	Average
2	5176.100	106.94	------	------	91.11	15.83	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5180MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.700	62.87	74.00	-11.13	47.16	15.71	Peak
2	5176.700	117.55	------	------	101.72	15.83	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5180MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.100	53.17	54.00	-0.83	37.47	15.70	Average
2	5178.800	109.05	------	------	93.21	15.84	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5180MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5148.800	63.81	74.00	-10.19	48.11	15.70	Peak
2	5179.100	118.88	------	------	103.04	15.84	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5220MHz_B1
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.100	45.05	54.00	-8.95	29.35	15.70	Average
2	5218.400	108.64	------	------	92.73	15.91	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5220MHz_B1
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5147.600	57.41	74.00	-16.59	41.71	15.70	Peak
2	5223.200	118.97	------	------	103.07	15.90	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5220MHz_B1
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5146.700	47.04	54.00	-6.96	31.33	15.71	Average
2	5216.900	111.20	------	------	95.28	15.92	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5220MHz_B1
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5145.800	59.56	74.00	-14.44	43.85	15.71	Peak
2	5216.600	120.74	------	------	104.83	15.91	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5220MHz_B2
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5218.200	108.66	------	------	92.75	15.91	Average
2	5411.400	43.34	54.00	-10.66	27.37	15.97	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5220MHz_B2
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5223.000	119.07	------	------	103.17	15.90	Peak
2	5452.200	55.65	74.00	-18.35	39.48	16.17	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5220MHz_B2
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5216.400	111.30	------	------	95.39	15.91	Average
2	5376.000	46.27	54.00	-7.73	30.39	15.88	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5220MHz_B2
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5216.700	121.17	------	------	105.25	15.92	Peak
2	5409.900	58.07	74.00	-15.93	42.11	15.96	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5240MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5243.100	108.64	------	------	92.74	15.90	Average
2	5457.000	43.64	54.00	-10.36	27.45	16.19	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5240MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5243.100	119.01	------	------	103.11	15.90	Peak
2	5431.500	55.65	74.00	-18.35	39.58	16.07	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5240MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5236.500	111.62	------	------	95.72	15.90	Average
2	5376.000	46.09	54.00	-7.91	30.21	15.88	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5240MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5236.500	121.66	------	------	105.76	15.90	Peak
2	5434.500	58.18	74.00	-15.82	42.10	16.08	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5745MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5615.000	56.93	68.20	-11.27	39.89	17.04	Peak
2	5650.000	55.51	68.21	-12.70	38.54	16.97	Peak
3	5723.000	79.70	117.64	-37.94	62.23	17.47	Peak
4	5748.000	119.13	------	------	101.48	17.65	Peak
5	5918.000	57.98	73.39	-15.41	40.08	17.90	Peak
6	5925.000	56.82	68.21	-11.39	38.94	17.88	Peak
7	6028.000	58.02	68.20	-10.18	40.08	17.94	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5745MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5551.000	57.47	68.20	-10.73	40.75	16.72	Peak
2	5650.000	55.94	68.21	-12.27	38.97	16.97	Peak
3	5725.000	86.44	122.20	-35.76	68.96	17.48	Peak
4	5739.500	120.15	------	------	102.56	17.59	Peak
5	5889.500	58.13	94.47	-36.34	40.15	17.98	Peak
6	5925.000	56.38	68.21	-11.83	38.50	17.88	Peak
7	5933.500	58.42	68.20	-9.78	40.58	17.84	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5785MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5592.000	58.02	68.20	-10.18	40.95	17.07	Peak
2	5650.000	56.57	68.21	-11.64	39.60	16.97	Peak
3	5723.500	57.76	118.78	-61.02	40.29	17.47	Peak
4	5779.500	119.15	------	------	101.36	17.79	Peak
5	5880.500	58.69	101.13	-42.44	40.70	17.99	Peak
6	5925.000	55.95	68.21	-12.26	38.07	17.88	Peak
7	5930.000	57.65	68.20	-10.55	39.80	17.85	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5785MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5589.500	57.65	68.20	-10.55	40.58	17.07	Peak
2	5650.000	54.22	68.21	-13.99	37.25	16.97	Peak
3	5724.000	57.96	119.92	-61.96	40.49	17.47	Peak
4	5782.000	119.72	------	------	101.93	17.79	Peak
5	5876.000	59.17	104.46	-45.29	41.17	18.00	Peak
6	5925.000	56.85	68.21	-11.36	38.97	17.88	Peak
7	5952.000	58.11	68.20	-10.09	40.33	17.78	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5825MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5646.500	57.58	68.20	-10.62	40.61	16.97	Peak
2	5650.000	54.59	68.21	-13.62	37.62	16.97	Peak
3	5722.500	57.22	116.50	-59.28	39.75	17.47	Peak
4	5827.500	118.39	------	------	100.43	17.96	Peak
5	5851.500	74.35	118.78	-44.43	56.35	18.00	Peak
6	5925.000	57.05	68.21	-11.16	39.17	17.88	Peak
7	5929.500	58.64	68.20	-9.56	40.79	17.85	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5825MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5631.000	58.62	68.20	-9.58	41.61	17.01	Peak
2	5650.000	55.94	68.21	-12.27	38.97	16.97	Peak
3	5685.000	57.19	94.10	-36.91	40.02	17.17	Peak
4	5828.000	120.63	------	------	102.67	17.96	Peak
5	5852.000	75.72	117.64	-41.92	57.72	18.00	Peak
6	5925.000	57.65	68.21	-10.56	39.77	17.88	Peak
7	5926.500	58.43	68.20	-9.77	40.57	17.86	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax20_5180MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5146.700	48.96	54.00	-5.04	33.25	15.71	Average
2	5176.400	105.96	------	------	90.13	15.83	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax20_5180MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5147.900	62.01	74.00	-11.99	46.31	15.70	Peak
2	5177.300	119.04	------	------	103.21	15.83	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax20_5180MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	53.36	54.00	-0.64	37.64	15.72	Average
2	5182.400	107.47	------	------	91.63	15.84	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax20_5180MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.100	68.11	74.00	-5.89	52.41	15.70	Peak
2	5183.300	119.90	------	------	104.05	15.85	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax20_5220MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5147.300	44.60	54.00	-9.40	28.89	15.71	Average
2	5216.300	107.67	------	------	91.76	15.91	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax20_5220MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5146.700	56.85	74.00	-17.15	41.14	15.71	Peak
2	5217.800	119.52	------	------	103.61	15.91	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax20_5220MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	46.78	54.00	-7.22	31.06	15.72	Average
2	5223.200	109.75	------	------	93.85	15.90	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax20_5220MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5134.100	59.05	74.00	-14.95	43.36	15.69	Peak
2	5223.800	122.40	------	------	106.50	15.90	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax20_5220MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5216.700	107.65	------	------	91.73	15.92	Average
2	5418.600	43.22	54.00	-10.78	27.22	16.00	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax20_5220MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5226.300	120.43	------	------	104.53	15.90	Peak
2	5433.300	56.56	74.00	-17.44	40.49	16.07	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax20_5220MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5222.400	109.71	------	------	93.80	15.91	Average
2	5376.000	46.19	54.00	-7.81	30.31	15.88	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax20_5220MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5212.800	122.72	------	------	106.82	15.90	Peak
2	5416.200	58.20	74.00	-15.80	42.22	15.98	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax20_5240MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5236.500	108.05	------	------	92.15	15.90	Average
2	5448.900	42.93	54.00	-11.07	26.78	16.15	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax20_5240MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5238.000	119.32	------	------	103.43	15.89	Peak
2	5373.300	56.17	74.00	-17.83	40.29	15.88	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax20_5240MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5233.800	110.06	------	------	94.16	15.90	Average
2	5376.300	46.13	54.00	-7.87	30.25	15.88	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax20_5240MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5242.500	122.59	------	------	106.70	15.89	Peak
2	5433.300	58.73	74.00	-15.27	42.66	16.07	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax20_5745MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5641.000	56.33	68.20	-11.87	39.34	16.99	Peak
2	5650.000	54.86	68.21	-13.35	37.89	16.97	Peak
3	5725.000	78.10	122.20	-44.10	60.62	17.48	Peak
4	5747.500	119.71	------	------	102.07	17.64	Peak
5	5866.000	56.93	107.72	-50.79	38.93	18.00	Peak
6	5925.000	54.78	68.21	-13.43	36.90	17.88	Peak
7	5951.000	56.69	68.20	-11.51	38.91	17.78	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax20_5745MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5544.000	57.06	68.20	-11.14	40.37	16.69	Peak
2	5650.000	55.12	68.21	-13.09	38.15	16.97	Peak
3	5725.000	81.83	122.20	-40.37	64.35	17.48	Peak
4	5739.000	120.35	------	------	102.77	17.58	Peak
5	5895.500	57.49	90.03	-32.54	39.50	17.99	Peak
6	5925.000	55.69	68.21	-12.52	37.81	17.88	Peak
7	5937.500	57.20	68.20	-11.00	39.37	17.83	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax20_5785MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5589.000	56.79	68.20	-11.41	39.72	17.07	Peak
2	5650.000	54.54	68.21	-13.67	37.57	16.97	Peak
3	5692.000	57.21	99.28	-42.07	39.98	17.23	Peak
4	5783.000	119.48	------	------	101.67	17.81	Peak
5	5872.000	58.14	106.04	-47.90	40.15	17.99	Peak
6	5925.000	54.83	68.21	-13.38	36.95	17.88	Peak
7	5993.500	56.99	68.20	-11.21	39.21	17.78	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax20_5785MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5587.500	56.24	68.20	-11.96	39.19	17.05	Peak
2	5650.000	54.41	68.21	-13.80	37.44	16.97	Peak
3	5722.500	56.65	116.50	-59.85	39.18	17.47	Peak
4	5781.500	120.75	------	------	102.96	17.79	Peak
5	5856.000	57.51	110.52	-53.01	39.51	18.00	Peak
6	5925.000	54.86	68.21	-13.35	36.98	17.88	Peak
7	6000.500	56.46	68.20	-11.74	38.68	17.78	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax20_5825MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5639.000	55.95	68.20	-12.25	38.96	16.99	Peak
2	5650.000	54.90	68.21	-13.31	37.93	16.97	Peak
3	5722.500	56.61	116.50	-59.89	39.14	17.47	Peak
4	5819.000	119.33	------	------	101.39	17.94	Peak
5	5850.500	78.70	121.06	-42.36	60.70	18.00	Peak
6	5925.000	56.13	68.21	-12.08	38.25	17.88	Peak
7	5927.000	57.55	68.20	-10.65	39.69	17.86	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax20_5825MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5640.000	56.82	68.20	-11.38	39.83	16.99	Peak
2	5650.000	54.08	68.21	-14.13	37.11	16.97	Peak
3	5721.500	56.31	114.22	-57.91	38.85	17.46	Peak
4	5821.500	121.02	------	------	103.08	17.94	Peak
5	5850.000	81.92	122.20	-40.28	63.92	18.00	Peak
6	5925.000	56.05	68.21	-12.16	38.17	17.88	Peak
7	5926.000	58.28	68.20	-9.92	40.41	17.87	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax40_5190MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.400	51.42	54.00	-2.58	35.71	15.71	Average
2	5181.800	101.50	------	------	85.66	15.84	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax40_5190MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.100	65.32	74.00	-8.68	49.62	15.70	Peak
2	5181.800	113.84	------	------	98.00	15.84	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax40_5190MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5146.100	53.16	54.00	-0.84	37.45	15.71	Average
2	5187.800	104.06	------	------	88.18	15.88	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax40_5190MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5146.700	68.41	74.00	-5.59	52.70	15.71	Peak
2	5187.500	117.18	------	------	101.31	15.87	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax40_5230MHz_B1
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	46.57	54.00	-7.43	30.85	15.72	Average
2	5227.700	104.00	------	------	88.11	15.89	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax40_5230MHz_B1
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5144.300	60.52	74.00	-13.48	44.82	15.70	Peak
2	5228.300	115.95	------	------	100.05	15.90	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax40_5230MHz_B1
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	53.25	54.00	-0.75	37.53	15.72	Average
2	5233.400	105.98	------	------	90.08	15.90	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax40_5230MHz_B1
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5148.200	65.46	74.00	-8.54	49.76	15.70	Peak
2	5222.600	118.43	------	------	102.53	15.90	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax40_5230MHz_B2
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5228.100	103.85	------	------	87.95	15.90	Average
2	5441.100	42.70	54.00	-11.30	26.59	16.11	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax40_5230MHz_B2
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5227.200	116.10	------	------	100.20	15.90	Peak
2	5397.300	56.38	74.00	-17.62	40.48	15.90	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax40_5230MHz_B2
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5233.200	105.87	------	------	89.97	15.90	Average
2	5376.000	46.18	54.00	-7.82	30.30	15.88	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax40_5230MHz_B2
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5243.700	118.05	------	------	102.15	15.90	Peak
2	5350.500	58.23	74.00	-15.77	42.38	15.85	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax40_5755MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5642.500	59.15	68.20	-9.05	42.16	16.99	Peak
2	5650.000	60.35	68.21	-7.86	43.38	16.97	Peak
3	5722.500	94.07	116.50	-22.43	76.60	17.47	Peak
4	5743.000	118.78	------	------	101.16	17.62	Peak
5	5850.000	64.78	122.20	-57.42	46.78	18.00	Peak
6	5925.000	57.10	68.21	-11.11	39.22	17.88	Peak
7	5943.000	58.72	68.20	-9.48	40.92	17.80	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax40_5755MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5644.500	62.15	68.20	-6.05	45.17	16.98	Peak
2	5650.000	60.48	68.21	-7.73	43.51	16.97	Peak
3	5718.000	92.96	110.24	-17.28	75.52	17.44	Peak
4	5758.000	119.77	------	------	102.07	17.70	Peak
5	5852.500	66.04	116.50	-50.46	48.04	18.00	Peak
6	5925.000	57.39	68.21	-10.82	39.51	17.88	Peak
7	5953.000	58.73	68.20	-9.47	40.95	17.78	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax40_5795MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5608.500	57.69	68.20	-10.51	40.64	17.05	Peak
2	5650.000	56.35	68.21	-11.86	39.38	16.97	Peak
3	5725.000	69.53	122.20	-52.67	52.05	17.48	Peak
4	5808.000	116.62	------	------	98.71	17.91	Peak
5	5856.000	75.64	110.52	-34.88	57.64	18.00	Peak
6	5925.000	58.45	68.21	-9.76	40.57	17.88	Peak
7	5934.500	58.89	68.20	-9.31	41.05	17.84	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax40_5795MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5605.000	58.70	68.20	-9.50	41.64	17.06	Peak
2	5650.000	58.23	68.21	-9.98	41.26	16.97	Peak
3	5719.500	73.92	110.66	-36.74	56.47	17.45	Peak
4	5806.000	118.98	------	------	101.08	17.90	Peak
5	5854.000	76.01	113.08	-37.07	58.01	18.00	Peak
6	5925.000	58.67	68.21	-9.54	40.79	17.88	Peak
7	5928.500	59.58	68.20	-8.62	41.72	17.86	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax80_5210MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5145.200	50.30	54.00	-3.70	34.59	15.71	Average
2	5207.300	98.20	------	------	82.28	15.92	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax80_5210MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5145.500	63.75	74.00	-10.25	48.04	15.71	Peak
2	5216.900	111.20	------	------	95.28	15.92	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax80_5210MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	52.88	54.00	-1.12	37.16	15.72	Average
2	5202.800	99.84	------	------	83.93	15.91	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax80_5210MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5142.500	67.41	74.00	-6.59	51.71	15.70	Peak
2	5204.000	112.86	------	------	96.95	15.91	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ax80_5775MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5648.000	64.44	68.20	-3.76	47.46	16.98	Peak
2	5650.000	62.63	68.21	-5.58	45.66	16.97	Peak
3	5717.500	81.32	110.10	-28.78	63.90	17.42	Peak
4	5779.000	113.48	------	------	95.69	17.79	Peak
5	5850.500	79.40	121.06	-41.66	61.40	18.00	Peak
6	5925.000	57.66	68.21	-10.55	39.78	17.88	Peak
7	5926.000	59.30	68.20	-8.90	41.43	17.87	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ax80_5775MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5645.000	66.65	68.20	-1.55	49.67	16.98	Peak
2	5650.000	61.41	68.21	-6.80	44.44	16.97	Peak
3	5717.000	83.77	109.96	-26.19	66.35	17.42	Peak
4	5768.000	115.23	------	------	97.49	17.74	Peak
5	5856.500	79.47	110.38	-30.91	61.47	18.00	Peak
6	5925.000	56.85	68.21	-11.36	38.97	17.88	Peak
7	5958.000	59.24	68.20	-8.96	41.47	17.77	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Radio-3

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5180MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	52.02	54.00	-1.98	36.30	15.72	Average
2	5174.300	99.15	------	------	83.32	15.83	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5180MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.400	68.11	74.00	-5.89	52.40	15.71	Peak
2	5174.900	109.92	------	------	94.09	15.83	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5180MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.700	47.16	54.00	-6.84	31.45	15.71	Average
2	5186.900	94.83	------	------	78.96	15.87	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5180MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.700	62.14	74.00	-11.86	46.43	15.71	Peak
2	5186.000	105.56	------	------	89.70	15.86	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5220MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5000.000	42.57	54.00	-11.43	26.71	15.86	Average
2	5227.100	97.90	------	------	82.00	15.90	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5220MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5004.200	55.10	74.00	-18.90	39.26	15.84	Peak
2	5225.600	108.44	------	------	92.54	15.90	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5220MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5000.000	41.16	54.00	-12.84	25.30	15.86	Average
2	5226.800	93.52	------	------	77.62	15.90	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5220MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5006.000	54.21	74.00	-19.79	38.36	15.85	Peak
2	5224.400	104.00	------	------	88.10	15.90	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5220MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5225.700	97.83	------	------	81.93	15.90	Average
2	5459.100	42.57	54.00	-11.43	26.37	16.20	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5220MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5227.200	108.52	------	------	92.62	15.90	Peak
2	5377.800	56.28	74.00	-17.72	40.40	15.88	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5220MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5227.200	93.58	------	------	77.68	15.90	Average
2	5459.700	41.97	54.00	-12.03	25.77	16.20	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5220MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5216.400	104.65	------	------	88.74	15.91	Peak
2	5382.000	55.05	74.00	-18.95	39.17	15.88	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5240MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5246.100	98.70	------	------	82.80	15.90	Average
2	5406.300	43.48	54.00	-10.52	27.53	15.95	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5240MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5245.800	109.26	------	------	93.36	15.90	Peak
2	5453.400	56.26	74.00	-17.74	40.09	16.17	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5240MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5246.100	95.05	------	------	79.15	15.90	Average
2	5449.200	42.37	54.00	-11.63	26.22	16.15	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5240MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5246.100	106.14	------	------	90.24	15.90	Peak
2	5450.700	55.31	74.00	-18.69	39.15	16.16	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5745MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5623.500	55.72	68.20	-12.48	38.70	17.02	Peak
2	5650.000	54.18	68.21	-14.03	37.21	16.97	Peak
3	5725.000	86.60	122.20	-35.60	69.12	17.48	Peak
4	5741.000	110.93	------	------	93.33	17.60	Peak
5	5874.500	56.54	105.34	-48.80	38.55	17.99	Peak
6	5925.000	54.99	68.21	-13.22	37.11	17.88	Peak
7	5975.500	56.55	68.20	-11.65	38.78	17.77	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5745MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5594.000	55.39	68.20	-12.81	38.32	17.07	Peak
2	5650.000	53.31	68.21	-14.90	36.34	16.97	Peak
3	5723.500	82.99	118.78	-35.79	65.52	17.47	Peak
4	5739.000	107.32	------	------	89.74	17.58	Peak
5	5853.500	56.52	114.22	-57.70	38.52	18.00	Peak
6	5925.000	55.24	68.21	-12.97	37.36	17.88	Peak
7	5977.000	56.76	68.20	-11.44	38.99	17.77	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5785MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5619.000	57.08	68.20	-11.12	40.05	17.03	Peak
2	5650.000	53.90	68.21	-14.31	36.93	16.97	Peak
3	5700.000	57.07	105.20	-48.13	39.77	17.30	Peak
4	5780.000	110.60	------	------	92.81	17.79	Peak
5	5900.500	56.99	86.33	-29.34	39.01	17.98	Peak
6	5925.000	55.72	68.21	-12.49	37.84	17.88	Peak
7	6033.000	56.61	68.20	-11.59	38.63	17.98	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5785MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5544.000	55.66	68.20	-12.54	38.97	16.69	Peak
2	5650.000	53.45	68.21	-14.76	36.48	16.97	Peak
3	5685.500	55.44	94.47	-39.03	38.27	17.17	Peak
4	5778.000	106.72	------	------	88.93	17.79	Peak
5	5877.000	56.00	103.72	-47.72	38.00	18.00	Peak
6	5925.000	54.59	68.21	-13.62	36.71	17.88	Peak
7	5970.500	56.70	68.20	-11.50	38.92	17.78	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_a_5825MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5580.500	56.07	68.20	-12.13	39.09	16.98	Peak
2	5650.000	54.47	68.21	-13.74	37.50	16.97	Peak
3	5672.500	56.35	84.85	-28.50	39.29	17.06	Peak
4	5830.000	110.36	------	------	92.40	17.96	Peak
5	5850.000	77.63	122.20	-44.57	59.63	18.00	Peak
6	5925.000	54.39	68.21	-13.82	36.51	17.88	Peak
7	5980.500	57.10	68.20	-11.10	39.32	17.78	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_a_5825MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5548.500	55.79	68.20	-12.41	39.08	16.71	Peak
2	5650.000	54.31	68.21	-13.90	37.34	16.97	Peak
3	5658.500	56.51	74.50	-17.99	39.50	17.01	Peak
4	5821.500	106.48	------	------	88.54	17.94	Peak
5	5850.000	74.06	122.20	-48.14	56.06	18.00	Peak
6	5925.000	54.56	68.21	-13.65	36.68	17.88	Peak
7	5991.000	56.36	68.20	-11.84	38.59	17.77	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac20_5180MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	52.60	54.00	-1.40	36.88	15.72	Average
2	5174.000	98.65	------	------	82.82	15.83	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac20_5180MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	67.66	74.00	-6.34	51.94	15.72	Peak
2	5175.800	109.74	------	------	93.91	15.83	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac20_5180MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	48.34	54.00	-5.66	32.62	15.72	Average
2	5186.600	94.27	------	------	78.40	15.87	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac20_5180MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.400	63.05	74.00	-10.95	47.34	15.71	Peak
2	5188.100	105.30	------	------	89.42	15.88	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac20_5220MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5000.000	42.74	54.00	-11.26	26.88	15.86	Average
2	5227.100	97.79	------	------	81.89	15.90	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac20_5220MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5049.200	55.31	74.00	-18.69	39.60	15.71	Peak
2	5225.900	108.24	------	------	92.34	15.90	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac20_5220MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5000.000	41.20	54.00	-12.80	25.34	15.86	Average
2	5225.600	93.05	------	------	77.15	15.90	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac20_5220MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5042.000	54.68	74.00	-19.32	38.93	15.75	Peak
2	5223.500	103.86	------	------	87.96	15.90	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac20_5220MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5227.200	97.61	------	------	81.71	15.90	Average
2	5457.300	42.47	54.00	-11.53	26.28	16.19	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac20_5220MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5225.700	108.82	------	------	92.92	15.90	Peak
2	5411.400	56.47	74.00	-17.53	40.50	15.97	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac20_5220MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5226.000	92.98	------	------	77.08	15.90	Average
2	5458.200	42.11	54.00	-11.89	25.92	16.19	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac20_5220MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5226.900	104.14	------	------	88.24	15.90	Peak
2	5459.100	55.27	74.00	-18.73	39.07	16.20	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac20_5240MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5245.800	98.39	------	------	82.49	15.90	Average
2	5405.400	43.23	54.00	-10.77	27.30	15.93	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac20_5240MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5245.800	109.35	------	------	93.45	15.90	Peak
2	5415.900	56.39	74.00	-17.61	40.41	15.98	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac20_5240MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5246.100	94.59	------	------	78.69	15.90	Average
2	5446.800	42.40	54.00	-11.60	26.26	16.14	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac20_5240MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5246.100	105.70	------	------	89.80	15.90	Peak
2	5452.800	56.75	74.00	-17.25	40.58	16.17	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac20_5745MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5588.000	55.39	68.20	-12.81	38.34	17.05	Peak
2	5650.000	53.20	68.21	-15.01	36.23	16.97	Peak
3	5725.000	86.50	122.20	-35.70	69.02	17.48	Peak
4	5741.500	110.38	------	------	92.78	17.60	Peak
5	5860.500	56.16	109.26	-53.10	38.16	18.00	Peak
6	5925.000	54.50	68.21	-13.71	36.62	17.88	Peak
7	6022.000	56.58	68.20	-11.62	38.69	17.89	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac20_5745MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5635.000	55.35	68.20	-12.85	38.35	17.00	Peak
2	5650.000	54.33	68.21	-13.88	37.36	16.97	Peak
3	5724.500	82.78	121.06	-38.28	65.30	17.48	Peak
4	5742.000	107.05	------	------	89.45	17.60	Peak
5	5912.500	56.58	77.46	-20.88	38.65	17.93	Peak
6	5925.000	54.09	68.21	-14.12	36.21	17.88	Peak
7	6033.500	56.44	68.20	-11.76	38.46	17.98	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac20_5785MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5616.500	56.99	68.20	-11.21	39.95	17.04	Peak
2	5650.000	54.76	68.21	-13.45	37.79	16.97	Peak
3	5715.000	57.02	109.40	-52.38	39.61	17.41	Peak
4	5777.000	110.45	------	------	92.68	17.77	Peak
5	5918.500	56.81	73.02	-16.21	38.91	17.90	Peak
6	5925.000	53.98	68.21	-14.23	36.10	17.88	Peak
7	6033.500	56.45	68.20	-11.75	38.47	17.98	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac20_5785MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5598.500	56.10	68.20	-12.10	39.03	17.07	Peak
2	5650.000	54.03	68.21	-14.18	37.06	16.97	Peak
3	5654.000	55.94	71.17	-15.23	38.96	16.98	Peak
4	5778.500	106.72	------	------	88.93	17.79	Peak
5	5914.500	56.22	75.98	-19.76	38.30	17.92	Peak
6	5925.000	54.42	68.21	-13.79	36.54	17.88	Peak
7	5960.000	57.01	68.20	-11.19	39.24	17.77	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac20_5825MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5607.000	55.78	68.20	-12.42	38.73	17.05	Peak
2	5650.000	54.76	68.21	-13.45	37.79	16.97	Peak
3	5666.000	55.90	80.05	-24.15	38.87	17.03	Peak
4	5831.000	109.85	------	------	91.88	17.97	Peak
5	5850.000	81.27	122.20	-40.93	63.27	18.00	Peak
6	5925.000	54.78	68.21	-13.43	36.90	17.88	Peak
7	6015.000	56.89	68.20	-11.31	39.06	17.83	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac20_5825MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5634.000	55.91	68.20	-12.29	38.91	17.00	Peak
2	5650.000	53.29	68.21	-14.92	36.32	16.97	Peak
3	5718.500	55.25	110.38	-55.13	37.81	17.44	Peak
4	5820.500	105.37	------	------	87.43	17.94	Peak
5	5850.000	76.47	122.20	-45.73	58.47	18.00	Peak
6	5925.000	54.12	68.21	-14.09	36.24	17.88	Peak
7	6015.500	56.72	68.20	-11.48	38.89	17.83	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac40_5190MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	53.77	54.00	-0.23	38.05	15.72	Average
2	5179.700	91.18	------	------	75.34	15.84	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac40_5190MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5148.200	68.31	74.00	-5.69	52.61	15.70	Peak
2	5182.100	102.08	------	------	86.24	15.84	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac40_5190MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	47.96	54.00	-6.04	32.24	15.72	Average
2	5203.100	87.35	------	------	71.44	15.91	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac40_5190MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5148.800	61.63	74.00	-12.37	45.93	15.70	Peak
2	5199.800	97.86	------	------	81.95	15.91	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac40_5230MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5000.000	42.35	54.00	-11.65	26.49	15.86	Average
2	5245.700	94.25	------	------	78.35	15.90	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac40_5230MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5043.200	53.93	74.00	-20.07	38.20	15.73	Peak
2	5246.000	104.94	------	------	89.04	15.90	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac40_5230MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5148.200	41.31	54.00	-12.69	25.61	15.70	Average
2	5244.800	90.97	------	------	75.07	15.90	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac40_5230MHz_B1
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5026.700	54.29	74.00	-19.71	38.51	15.78	Peak
2	5245.100	101.66	------	------	85.76	15.90	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac40_5230MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5245.200	94.24	------	------	78.34	15.90	Average
2	5450.400	42.66	54.00	-11.34	26.50	16.16	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac40_5230MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5246.400	104.50	------	------	88.60	15.90	Peak
2	5444.700	55.54	74.00	-18.46	39.41	16.13	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac40_5230MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5244.600	91.14	------	------	75.24	15.90	Average
2	5457.600	42.58	54.00	-11.42	26.39	16.19	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac40_5230MHz_B2
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5243.100	101.37	------	------	85.47	15.90	Peak
2	5449.200	55.23	74.00	-18.77	39.08	16.15	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac40_5755MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5639.000	56.56	68.20	-11.64	39.57	16.99	Peak
2	5650.000	55.35	68.21	-12.86	38.38	16.97	Peak
3	5716.000	86.02	109.68	-23.66	68.60	17.42	Peak
4	5743.000	107.23	------	------	89.61	17.62	Peak
5	5895.000	57.23	90.40	-33.17	39.24	17.99	Peak
6	5925.000	55.33	68.21	-12.88	37.45	17.88	Peak
7	5965.000	57.07	68.20	-11.13	39.29	17.78	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac40_5755MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5628.500	55.91	68.20	-12.29	38.89	17.02	Peak
2	5650.000	54.07	68.21	-14.14	37.10	16.97	Peak
3	5722.500	83.40	116.50	-33.10	65.93	17.47	Peak
4	5747.000	103.99	------	------	86.35	17.64	Peak
5	5887.500	56.32	95.95	-39.63	38.34	17.98	Peak
6	5925.000	54.75	68.21	-13.46	36.87	17.88	Peak
7	5931.000	57.36	68.20	-10.84	39.51	17.85	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac40_5795MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5637.500	56.34	68.20	-11.86	39.35	16.99	Peak
2	5650.000	54.10	68.21	-14.11	37.13	16.97	Peak
3	5723.000	64.00	117.64	-53.64	46.53	17.47	Peak
4	5788.000	107.32	------	------	89.48	17.84	Peak
5	5850.000	67.94	122.20	-54.26	49.94	18.00	Peak
6	5925.000	54.82	68.21	-13.39	36.94	17.88	Peak
7	5998.500	56.54	68.20	-11.66	38.76	17.78	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac40_5795MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5633.000	56.29	68.20	-11.91	39.28	17.01	Peak
2	5650.000	54.91	68.21	-13.30	37.94	16.97	Peak
3	5725.000	60.56	122.20	-61.64	43.08	17.48	Peak
4	5781.000	103.50	------	------	85.71	17.79	Peak
5	5851.000	64.45	119.92	-55.47	46.45	18.00	Peak
6	5925.000	54.45	68.21	-13.76	36.57	17.88	Peak
7	6002.000	56.16	68.20	-12.04	38.37	17.79	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac80_5210MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	53.48	54.00	-0.52	37.76	15.72	Average
2	5235.800	87.69	------	------	71.79	15.90	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac80_5210MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	64.71	74.00	-9.29	48.99	15.72	Peak
2	5245.700	98.38	------	------	82.48	15.90	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac80_5210MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	48.34	54.00	-5.66	32.62	15.72	Average
2	5245.100	83.19	------	------	67.29	15.90	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac80_5210MHz
Test BY :Ashton



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.100	60.13	74.00	-13.87	44.43	15.70	Peak
2	5244.800	93.23	------	------	77.33	15.90	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ac80_5775MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5646.500	67.64	68.20	-0.56	50.67	16.97	Peak
2	5650.000	66.69	68.21	-1.52	49.72	16.97	Peak
3	5719.000	87.16	110.52	-23.36	69.72	17.44	Peak
4	5764.000	105.83	------	------	88.11	17.72	Peak
5	5856.000	80.18	110.52	-30.34	62.18	18.00	Peak
6	5925.000	56.41	68.21	-11.80	38.53	17.88	Peak
7	5927.500	57.99	68.20	-10.21	40.13	17.86	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ac80_5775MHz
Test BY :Peter



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5647.000	64.33	68.20	-3.87	47.36	16.97	Peak
2	5650.000	65.38	68.21	-2.83	48.41	16.97	Peak
3	5722.000	84.03	115.36	-31.33	66.57	17.46	Peak
4	5764.000	101.81	------	------	84.09	17.72	Peak
5	5850.000	75.33	122.20	-46.87	57.33	18.00	Peak
6	5925.000	57.15	68.21	-11.06	39.27	17.88	Peak
7	5941.500	56.91	68.20	-11.29	39.11	17.80	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Product : Wireless Access Point
Test Item : Band Edge Data
Test Mode : Transmit (802.11a)_Radio-2

Chain A

Test Frequency (MHz)	Measurement Level (MHz)	Limit (MHz)	Result
5240	5248.31	<5250	PASS

Chain B

Test Frequency (MHz)	Measurement Level (MHz)	Limit (MHz)	Result
5240	5248.27	<5250	PASS

Channel 48 (Chain A)



Channel 48 (Chain B)



Product : Wireless Access Point
Test Item : Band Edge Data
Test Mode : Transmit (802.11ax-20 MHz)_Radio-2

Chain A

Test Frequency (MHz)	Measurement Level (MHz)	Limit (MHz)	Result
5240	5249.47	<5250	PASS

Chain B

Test Frequency (MHz)	Measurement Level (MHz)	Limit (MHz)	Result
5240	5249.51	<5250	PASS

Channel 48 (Chain A)



Channel 48 (Chain B)



Product : Wireless Access Point
Test Item : Band Edge Data
Test Mode : Transmit (802.11ax-40 MHz)_Radio-2

Chain A

Test Frequency (MHz)	Measurement Level (MHz)	Limit (MHz)	Result
5230	5248.86	<5250	PASS

Chain B

Test Frequency (MHz)	Measurement Level (MHz)	Limit (MHz)	Result
5230	5248.78	<5250	PASS

Channel 46 (Chain A)



Channel 46 (Chain B)



Product : Wireless Access Point
Test Item : Band Edge Data
Test Mode : Transmit (802.11ax-80 MHz)_Radio-2

Chain A

Test Frequency (MHz)	Measurement Level (MHz)	Limit (MHz)	Result
5210	5248.36	<5250	PASS

Chain B

Test Frequency (MHz)	Measurement Level (MHz)	Limit (MHz)	Result
5210	5248.52	<5250	PASS

Channel 42 (Chain A)



Channel 42 (Chain B)



Product : Wireless Access Point
Test Item : Band Edge Data
Test Mode : Transmit (802.11a)_Radio-3

Test Frequency (MHz)	Measurement Level (MHz)	Limit (MHz)	Result
5240	5249.31	<5250	PASS

Channel 48



Product : Wireless Access Point
Test Item : Band Edge Data
Test Mode : Transmit (802.11ac-20 MHz)_Radio-3

Test Frequency (MHz)	Measurement Level (MHz)	Limit (MHz)	Result
5240	5249.95	<5250	PASS

Channel 48



Product : Wireless Access Point
Test Item : Band Edge Data
Test Mode : Transmit (802.11ac-40 MHz)_Radio-3

Test Frequency (MHz)	Measurement Level (MHz)	Limit (MHz)	Result
5230	5248.62	<5250	PASS

Channel 46