

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11b

Middle Channel (Open) 9kHz~150kHz

Middle Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	82.40	4.79	77.61	120.30	-45.90	100	296 QP	Open	
2	0.04	69.07	1.96	67.11	116.30	-47.23	100	136 QP	Open	
3	0.07	61.00	0.01	60.99	110.49	-49.49	100	85 QP	Open	
4	0.11	55.93	-1.00	56.93	106.95	-51.02	100	147 QP	Open	
5	0.13	54.05	-1.78	55.83	105.11	-51.06	100	303 QP	Open	
6	0.15	53.43	-1.72	55.15	104.13	-50.70	100	2 QP	Open	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.17	70.56	16.21	54.35	103.10	-32.54	100	210 QP	Open	
2	0.60	60.40	16.17	44.23	72.07	-11.67	100	168 QP	Open	
3	6.73	49.57	12.59	36.98	69.50	-19.93	100	274 QP	Open	
4	10.57	51.45	13.32	38.13	69.50	-18.05	100	319 QP	Open	
5	16.09	51.00	13.27	37.73	69.50	-18.50	100	261 QP	Open	
6	28.66	57.95	16.45	41.50	69.50	-11.55	100	24 QP	Open	


802.11b

Middle Channel (Close) 9kHz~150kHz

Middle Channel (Close) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	82.12	4.44	77.68	128.37	-46.25	100	2 QP	Close
2	0.03	70.01	1.85	68.16	117.38	-47.37	100	77 QP	Close
3	0.06	63.03	0.12	62.91	112.46	-49.43	100	213 QP	Close
4	0.09	58.78	-0.16	58.94	108.78	-50.00	100	310 QP	Close
5	0.11	56.02	-0.73	56.75	106.61	-50.59	100	216 QP	Close
6	0.13	54.40	-1.49	55.89	105.20	-50.80	100	0 QP	Close




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.15	68.87	13.76	55.11	104.88	-35.21	100	219 QP	Close
2	0.73	57.65	14.44	43.21	70.35	-12.70	100	310 QP	Close
3	9.09	50.62	12.78	37.84	69.50	-18.88	100	128 QP	Close
4	15.05	52.43	14.61	37.82	69.50	-17.07	100	197 QP	Close
5	24.62	56.18	16.57	39.61	69.50	-13.32	100	314 QP	Close
6	29.46	57.14	15.27	41.87	69.50	-12.36	100	1 QP	Close

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
802.11b
Middle Channel (Horizontal)
Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6				
Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
54.93	33.58	41.66	-8.08	40.00	-6.42	480	282 QP	Horizontal	
72.87	33.88	44.35	-10.47	40.00	-6.12	380	148 QP	Horizontal	
133.98	32.99	41.19	-8.20	43.50	-10.51	200	106 QP	Horizontal	
388.32	38.50	42.83	-4.33	46.00	-7.50	100	164 QP	Horizontal	
817.06	34.13	32.00	2.13	46.00	-11.87	100	210 QP	Horizontal	
942.58	32.80	28.62	4.18	46.00	-13.20	132	360 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6				
Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
55.12	35.84	43.92	-8.08	40.00	-4.16	180	29 QP	Vertical	
73.55	38.99	49.67	-10.68	40.00	-1.01	180	193 QP	Vertical	
132.43	30.25	38.57	-8.32	43.50	-13.25	100	51 QP	Vertical	
437.30	31.76	35.68	-3.92	46.00	-14.24	100	160 QP	Vertical	
729.95	31.46	30.67	0.79	46.00	-14.54	100	228 QP	Vertical	
845.58	33.39	30.84	2.55	46.00	-12.61	100	360 QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	41.73	51.49	-9.76	74.00	-32.27	100	52 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	42.74	52.50	-9.76	74.00	-31.26	172	354 Peak	Vertical	


802.11b

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	42.13	51.00	-9.67	74.00	-31.87	180	344 Peak	Horizontal	
2	7311.00	48.31	55.56	-7.25	74.00	-25.69	180	323 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	52.58	62.25	-9.67	74.00	-21.42	339	358 Peak	Vertical	
2	7311.00	46.02	55.27	-7.25	74.00	-25.98	300	9 Peak	Vertical	


802.11b

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
4924.00	7386.00
41.54	42.30
51.07	49.63
-9.53	-7.33
74.00	74.00
-32.45	-31.70
201	200
245	310
Peak	Peak
Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
4924.00	7386.00
41.43	43.02
50.96	50.35
-9.53	-7.33
74.00	74.00
-32.57	-30.98
300	346
358	351
Peak	Peak
Vertical	Vertical


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	41.23	58.99	-9.76	74.00	-32.77	100	226 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	43.04	52.88	-9.76	74.00	-30.96	300	354 Peak	Vertical	

802.11g

Middle Channel (Horizontal)



Middle Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	42.72	52.39	-9.67	74.00	-31.28	300	31 Peak	Horizontal	
2	7311.00	43.51	50.76	-7.25	74.00	-30.49	180	318 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	41.67	51.34	-9.67	74.00	-32.33	200	251 Peak	Vertical	
2	7311.00	43.78	51.03	-7.25	74.00	-30.22	300	358 Peak	Vertical	

802.11g

High Channel (Horizontal)



High Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	41.67	51.20	-9.53	74.00	-32.33	180	235 Peak	Horizontal	
2	7386.00	42.67	50.00	-7.33	74.00	-31.33	300	32 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	42.10	51.63	-9.53	74.00	-31.90	300	227 Peak	Vertical	
2	7386.00	42.92	50.25	-7.33	74.00	-31.08	200	47 Peak	Vertical	

802.11ax20

Low Channel (Horizontal)



Low Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	41.44	51.20	-9.76	74.00	-32.56	200	14 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	40.93	50.69	-9.76	74.00	-33.07	400	39 Peak	Vertical	

802.11ax20

Middle Channel (Horizontal)



Middle Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	41.73	51.40	-9.67	74.00	-32.27	480	248 Peak	Horizontal	
2	7311.00	44.88	52.13	-7.25	74.00	-29.12	380	330 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	41.29	50.96	-9.67	74.00	-32.71	480	25 Peak	Vertical	
2	7311.00	45.31	52.56	-7.25	74.00	-28.69	480	74 Peak	Vertical	

802.11ax20

High Channel (Horizontal)



High Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
4924.00	7386.00
41.25	42.94
58.78	58.27
-9.53	-7.33
74.00	74.00
-32.75	-31.06
280	280
274 Peak	360 Peak
Horizontal	Horizontal

1	2
4924.00	7386.00
42.07	43.15
51.68	58.48
-9.53	-7.33
74.00	74.00
-31.93	-30.85
180	180
66 Peak	121 Peak
Vertical	Vertical


802.11ax40

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4844.00	42.56	52.31	-9.75	74.00	-31.44	200	243	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4844.00	41.47	51.22	-9.75	74.00	-32.53	210	358	Peak	Vertical	


802.11ax40

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	42.46	52.13	-9.67	74.00	-31.54	480	293 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	41.56	51.23	-9.67	74.00	-32.44	480	353 Peak	Vertical	

802.11ax40

High Channel (Horizontal)



High Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4984.00	41.62	51.21	-9.59	74.00	-32.38	201	227 Peak	Horizontal	



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4984.00	41.59	51.18	-9.59	74.00	-32.41	300	237 Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band

(Line)

(Neutral)



Trace: 1


Line	Freq	Level	Read Level	Factor	Limit	Over	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB	dB			
1	0.15	27.62	18.01	9.61	55.79	-28.17	Average	line1		
2	0.15	44.75	35.14	9.61	65.79	-21.04	QP	line1		
3	0.20	28.02	18.41	9.61	53.52	-25.50	Average	line1		
4	0.20	39.51	29.90	9.61	63.52	-24.01	QP	line1		
5	0.35	35.59	25.98	9.61	49.04	-13.45	Average	line1		
6	0.35	43.62	34.01	9.61	59.04	-15.42	QP	line1		
7	0.58	19.09	9.47	9.62	46.00	-26.91	Average	line1		
8	0.58	25.30	15.68	9.62	56.00	-30.70	QP	line1		
9	13.51	19.51	9.78	9.73	50.00	-30.49	Average	line1		
10	13.51	28.11	18.38	9.73	60.00	-31.89	QP	line1		
11	27.84	25.43	15.78	9.65	50.00	-24.57	Average	line1		
12	27.84	30.79	21.14	9.65	60.00	-29.21	QP	line1		

Trace: 1

Line	Freq	Level	Read Level	Factor	Limit	Over	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB	dB			
1	0.16	30.89	21.30	9.59	55.71	-24.82	Average	neutral		
2	0.16	45.68	36.09	9.59	65.71	-20.03	QP	neutral		
3	0.18	27.57	17.78	9.59	54.47	-27.10	Average	neutral		
4	0.18	40.97	31.38	9.59	64.47	-23.50	QP	neutral		
5	0.34	36.06	26.47	9.59	49.13	-13.07	Average	neutral		
6	0.34	42.52	32.93	9.59	59.13	-16.61	QP	neutral		
7	0.58	14.18	4.58	9.60	46.00	-31.82	Average	neutral		
8	0.58	19.90	10.30	9.60	56.00	-36.10	QP	neutral		
9	13.38	20.13	10.36	9.77	50.00	-29.87	Average	neutral		
10	13.38	25.86	16.09	9.77	60.00	-34.14	QP	neutral		
11	28.12	25.62	15.98	9.84	50.00	-24.18	Average	neutral		
12	28.12	31.25	21.41	9.84	60.00	-28.75	QP	neutral		

Test Results of Radiated Spurious Emissions & Mains Conducted Emission (POE Mode)

Band Edges, 2.31GHz ~ 2.9GHz




802.11b

Middle Channel (Horizontal) Average

Middle Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 2386.11	52.17	14.75	37.42	54.00	-1.83	122	341 Average	Horizontal	
2 * 2437.00	117.22	79.67	37.55	54.00	63.22	122	341 Average	Horizontal	
3 2487.59	52.61	14.74	37.87	54.00	-1.39	122	341 Average	Horizontal	




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 2386.50	51.40	13.98	37.42	54.00	-2.60	266	273 Average	Vertical	
2 * 2437.00	113.18	75.63	37.55	54.00	59.18	266	273 Average	Vertical	
3 2488.77	51.23	13.36	37.87	54.00	-2.77	266	273 Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz
802.11b
Middle Channel (Open) 9kHz~150kHz
Middle Channel (Open) 150kHz~30MHz



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	81.27	3.82	77.45	128.17	-46.90	100	294 QP	Open
2	0.03	72.30	3.47	68.83	118.11	-45.81	100	220 QP	Open
3	0.05	64.38	0.83	63.55	113.23	-48.85	100	84 QP	Open
4	0.08	59.62	-0.20	59.82	109.47	-49.85	100	145 QP	Open
5	0.11	58.02	0.99	57.03	107.14	-49.12	100	45 QP	Open
6	0.14	55.37	0.01	55.36	104.41	-49.04	100	118 QP	Open



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.15	70.55	15.44	55.11	104.00	-33.53	100	36 QP	Open
2	0.67	57.48	13.80	43.68	71.09	-13.61	100	280 QP	Open
3	9.58	51.67	13.64	38.03	69.50	-17.83	100	205 QP	Open
4	16.12	51.88	14.15	37.73	69.50	-17.62	100	287 QP	Open
5	23.44	55.51	16.45	39.06	69.50	-13.99	100	194 QP	Open
6	29.00	57.41	15.71	41.70	69.50	-12.09	100	257 QP	Open


802.11b

Middle Channel (Close) 9kHz~150kHz

Middle Channel (Close) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	83.56	6.65	76.91	127.72	-44.16	100	160 QP	Close	
2	0.03	70.73	2.29	68.44	117.69	-46.96	100	357 QP	Close	
3	0.06	63.86	0.92	62.94	112.49	-48.63	100	133 QP	Close	
4	0.08	58.49	-1.46	59.95	109.58	-51.09	100	317 QP	Close	
5	0.11	56.64	-0.40	57.04	107.16	-50.52	100	203 QP	Close	
6	0.13	54.88	-0.90	55.78	105.03	-50.15	100	290 QP	Close	




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.19	70.10	16.52	53.58	102.22	-32.12	100	18 QP	Close	
2	0.74	59.40	16.26	43.14	70.24	-10.84	100	347 QP	Close	
3	5.65	50.54	13.96	36.58	69.50	-18.96	100	64 QP	Close	
4	13.51	52.73	14.80	37.93	69.50	-16.77	100	1 QP	Close	
5	22.86	55.89	17.10	38.79	69.50	-13.61	100	321 QP	Close	
6	29.04	58.04	16.36	41.68	69.50	-11.46	100	98 QP	Close	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
802.11b
Middle Channel (Horizontal)
Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	65.11	27.57	37.22	-9.65	40.00	-12.43	300	127 QP	Horizontal
2	175.89	34.79	42.76	-7.97	43.50	-8.71	200	120 QP	Horizontal
3	411.70	26.83	31.07	-4.24	46.00	-19.17	200	360 QP	Horizontal
4	557.20	29.56	31.67	-2.11	46.00	-16.44	300	27 QP	Horizontal
5	689.02	30.10	29.89	0.21	46.00	-15.90	100	341 QP	Horizontal
6	845.87	33.90	31.35	2.55	46.00	-12.10	400	15 QP	Horizontal



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	31.07	34.91	43.01	-8.90	40.00	-5.09	100	224 QP	Vertical
2	38.05	38.36	46.58	-8.22	40.00	-1.64	100	360 QP	Vertical
3	44.16	34.41	42.09	-7.68	40.00	-5.59	100	56 QP	Vertical
4	171.91	28.20	35.77	-7.57	43.50	-15.30	100	1 QP	Vertical
5	728.59	31.67	30.92	0.75	46.00	-14.33	100	186 QP	Vertical
6	844.90	33.59	31.04	2.55	46.00	-12.41	200	50 QP	Vertical

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7311.00	47.20	54.45	-7.25	74.00	-26.80	100	46 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7311.00	46.02	53.27	-7.25	74.00	-27.98	400	29 Peak	Vertical

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.16	31.89	22.28	9.61	55.59	-23.70	Average	line1	
2	0.16	51.22	41.61	9.61	65.59	-14.37	QP	line1	
3	0.20	23.29	13.68	9.61	53.43	-30.14	Average	line1	
4	0.20	42.66	33.05	9.61	63.43	-20.77	QP	line1	
5	0.51	24.74	15.12	9.62	46.00	-21.26	Average	line1	
6	0.51	29.41	19.79	9.62	56.00	-26.59	QP	line1	
7	2.08	19.58	8.93	9.65	46.00	-27.42	Average	line1	
8	2.08	22.07	12.42	9.65	56.00	-33.93	QP	line1	
9	16.09	19.38	9.65	9.73	50.00	-30.62	Average	line1	
10	16.09	26.00	16.27	9.73	60.00	-34.00	QP	line1	
11	25.58	20.66	11.00	9.66	50.00	-29.34	Average	line1	
12	25.58	25.52	15.86	9.66	60.00	-34.48	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.15	32.24	22.65	9.59	55.83	-23.59	Average	neutral	
2	0.15	51.25	41.66	9.59	65.83	-14.58	QP	neutral	
3	0.21	22.93	13.34	9.59	53.35	-30.42	Average	neutral	
4	0.21	41.25	31.66	9.59	63.35	-22.10	QP	neutral	
5	0.49	21.38	11.78	9.60	46.15	-24.77	Average	neutral	
6	0.49	26.31	16.71	9.60	56.15	-29.84	QP	neutral	
7	1.96	20.93	11.30	9.63	46.00	-25.07	Average	neutral	
8	1.96	24.49	14.86	9.63	56.00	-31.51	QP	neutral	
9	20.95	17.24	7.44	9.80	50.00	-32.76	Average	neutral	
10	20.95	21.83	12.03	9.80	60.00	-38.17	QP	neutral	
11	25.58	20.74	10.92	9.82	50.00	-29.26	Average	neutral	
12	25.58	25.70	15.88	9.82	60.00	-34.30	QP	neutral	