

U-NII-2C


802.11ax40

CH 134 (Open) (9kHz ~ 150kHz)

CH 134 (Open) (150kHz ~ 30MHz)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	82.65	4.95	77.70	128.38	-45.73	100	318 QP	Open
2	0.03	69.23	1.67	67.56	116.74	-47.51	100	122 QP	Open
3	0.05	64.26	-0.25	64.51	114.09	-49.83	100	98 QP	Open
4	0.07	61.66	-0.06	61.72	111.19	-49.53	100	227 QP	Open
5	0.10	56.68	-0.43	57.11	107.29	-50.61	100	146 QP	Open
6	0.14	53.82	-1.83	55.65	104.84	-51.02	100	209 QP	Open




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.15	72.09	16.98	55.11	104.08	-31.99	100	214 QP	Open
2	0.51	61.41	16.48	44.93	73.40	-12.07	100	281 QP	Open
3	7.66	50.34	13.01	37.33	69.50	-19.16	100	124 QP	Open
4	16.49	51.09	13.38	37.71	69.50	-18.41	100	91 QP	Open
5	23.22	55.91	16.95	38.96	69.50	-13.59	100	6 QP	Open
6	28.12	56.86	15.61	41.25	69.50	-12.64	100	25 QP	Open

802.11ax40
CH 134 (Close) (9kHz ~ 150kHz)
CH 134 (Close) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6
0.01	0.04	0.08	0.11	0.13	0.14
82.91	65.48	60.07	55.63	55.48	55.16
5.13	-0.07	-0.07	-1.33	-0.60	-0.39
77.78	65.55	60.14	56.96	56.08	55.55
128.45	114.91	109.73	107.01	105.49	104.69
-45.54	-49.43	-49.66	-51.38	-50.01	-49.53
100	100	100	100	100	100
296	324	284	74	195	292
QP	QP	QP	QP	QP	QP
Close	Close	Close	Close	Close	Close



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6
0.15	0.77	9.50	14.42	23.24	29.09
68.43	58.11	51.63	52.42	55.92	57.26
13.32	15.20	13.63	14.56	16.95	15.56
55.11	42.91	38.00	37.86	38.97	41.70
104.00	69.90	69.50	69.50	69.50	69.50
-35.65	-11.79	-17.87	-17.08	-13.58	-12.24
100	100	100	100	100	100
357	159	21	17	341	36
QP	QP	QP	QP	QP	QP
Close	Close	Close	Close	Close	Close

U-NII-3


802.11a

CH 165 (Open) (9kHz ~ 150kHz)

CH 165 (Open) (150kHz ~ 30MHz)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Po1/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	82.44	5.28	77.16	127.92	-45.48	100	176 QP	Open
2	0.04	68.64	1.52	67.12	116.51	-47.67	100	312 QP	Open
3	0.07	58.87	-1.68	60.55	110.10	-51.23	100	304 QP	Open
4	0.10	57.12	-0.29	57.41	107.70	-50.58	100	215 QP	Open
5	0.13	54.77	-1.19	55.96	105.30	-50.53	100	60 QP	Open
6	0.14	53.42	-1.92	55.34	104.40	-50.98	100	140 QP	Open



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Po1/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.18	69.58	15.74	53.84	102.50	-32.92	100	290 QP	Open
2	0.55	60.60	16.00	44.60	72.00	-12.20	100	185 QP	Open
3	6.25	49.65	12.84	36.81	69.50	-19.85	100	185 QP	Open
4	10.86	52.86	14.74	38.12	69.50	-16.64	100	69 QP	Open
5	19.47	52.12	14.63	37.49	69.50	-17.38	100	278 QP	Open
6	29.20	58.05	16.30	41.75	69.50	-11.45	100	3 QP	Open


802.11a

CH 165 (Close) (9kHz ~ 150kHz)

CH 165 (Close) (150kHz ~ 30MHz)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	82.03	5.71	76.32	126.71	-44.68	100	112 QP	Close
2	0.03	72.29	2.66	69.63	119.72	-46.43	100	316 QP	Close
3	0.05	64.25	0.64	63.61	113.30	-49.05	100	350 QP	Close
4	0.08	58.18	-1.40	59.58	109.28	-51.10	100	286 QP	Close
5	0.11	57.48	0.45	57.03	107.14	-49.66	100	8 QP	Close
6	0.13	56.66	0.85	55.81	105.08	-48.42	100	331 QP	Close



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.16	71.79	16.94	54.85	103.74	-31.95	100	11 QP	Close
2	0.72	58.21	14.93	43.28	70.46	-12.25	100	138 QP	Close
3	7.38	50.39	13.17	37.22	69.50	-19.11	100	207 QP	Close
4	13.65	51.57	13.65	37.92	69.50	-17.93	100	170 QP	Close
5	23.02	54.43	15.57	38.86	69.50	-15.07	100	60 QP	Close
6	27.86	58.05	16.92	41.13	69.50	-11.45	100	15 QP	Close

Mains Conducted Emission, (150kHz ~ 30MHz)


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-212-1000 Fax: +886-212-1322




Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.15	30.56	20.95	9.61	55.83	-25.27	Average	line1	
2	0.15	49.98	40.37	9.61	65.83	-15.85	QP	line1	
3	0.21	21.82	12.21	9.61	53.18	-31.36	Average	line1	
4	0.21	40.30	30.69	9.61	63.18	-22.88	QP	line1	
5	0.51	24.54	14.92	9.62	46.00	-21.46	Average	line1	
6	0.51	29.36	19.74	9.62	56.00	-26.64	QP	line1	
7	2.54	18.42	8.77	9.65	46.00	-27.58	Average	line1	
8	2.54	22.70	13.05	9.65	56.00	-33.30	QP	line1	
9	15.16	21.54	11.81	9.73	50.00	-28.46	Average	line1	
10	15.16	27.91	18.18	9.73	60.00	-32.00	QP	line1	
11	20.95	15.69	5.98	9.71	50.00	-34.31	Average	line1	
12	20.95	20.40	10.69	9.71	60.00	-39.60	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-212-1000 Fax: +886-212-1322



Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.15	31.43	21.84	9.59	55.88	-24.45	Average	neutral	
2	0.15	50.51	40.92	9.59	65.88	-15.37	QP	neutral	
3	0.20	23.91	14.32	9.59	53.76	-29.85	Average	neutral	
4	0.20	42.33	32.74	9.59	63.76	-21.43	QP	neutral	
5	0.26	19.21	9.62	9.59	51.49	-32.28	Average	neutral	
6	0.26	34.10	24.51	9.59	61.49	-27.39	QP	neutral	
7	1.82	19.82	10.19	9.63	46.00	-26.18	Average	neutral	
8	1.82	23.32	13.69	9.63	56.00	-32.68	QP	neutral	
9	20.95	17.36	7.56	9.80	50.00	-32.64	Average	neutral	
10	20.95	22.02	12.22	9.80	60.00	-37.98	QP	neutral	
11	25.58	20.83	11.01	9.82	50.00	-29.17	Average	neutral	
12	25.58	25.78	15.96	9.82	60.00	-34.22	QP	neutral	