

Test Report No.50335250 002

Appendix D: Radiated and Mains Spurious Emission Data

(File: 50335250 002 Appendix D)

Contents


Spurious Emissions, Band Edges.....	2
Spurious Emissions, TX Mode, 9kHz-30MHz	50
Spurious Emissions, TX Mode, 30MHz-1GHz	52
Spurious Emissions, TX Mode, 1GHz-26.5GHz	54
Spurious Emissions, AC Mains.....	78

Spurious Emissions, Band Edges


802.11b




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2387.05	52.25	15.10	37.15	54.00	-1.75	282	278	Average	Horizontal
2 *	2412.00	115.51	78.31	37.20	54.00	61.51	278	271	Average	Horizontal
3	2493.73	40.31	2.69	37.62	54.00	-13.69	278	271	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.30	52.57	15.43	37.14	54.00	-1.43	200	328	Average	vertical
2 *	2412.00	110.71	73.51	37.20	54.00	56.71	300	273	Average	vertical
3	2491.13	40.73	3.12	37.61	54.00	-13.27	100	0	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.69	65.85	28.70	37.15	74.00	-8.15	282	278	Peak	Horizontal
2 *	2412.00	117.85	80.65	37.20	74.00	43.85	278	271	Peak	Horizontal
3	2489.12	52.94	15.33	37.61	74.00	-21.06	278	271	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.00	59.34	22.20	37.14	74.00	-14.66	200	328	Peak	vertical
2 *	2412.00	113.18	75.98	37.20	74.00	39.18	300	273	Peak	vertical
3	2498.98	53.52	15.86	37.66	74.00	-20.48	100	0	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.00	50.99	13.85	37.14	54.00	-3.01	100	271	Average	Horizontal
2 *	2437.00	115.98	78.65	37.33	54.00	61.98	300	252	Average	Horizontal
3 !	2483.76	50.72	13.14	37.58	54.00	-3.28	293	265	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.12	52.81	15.67	37.14	54.00	-1.19	200	274	Average	vertical
2 *	2437.00	112.36	75.03	37.33	54.00	58.36	300	271	Average	vertical
3 !	2484.64	49.61	12.03	37.58	54.00	-4.39	100	275	Average	vertical




Date: 2020-01-03

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.05	61.00	23.85	37.15	74.00	-13.00	100	271	Peak	Horizontal
2 *	2437.00	118.27	80.94	37.33	74.00	44.27	300	252	Peak	Horizontal
3	2484.35	60.59	23.01	37.58	74.00	-13.41	293	265	Peak	Horizontal




Date: 2020-01-03

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.95	57.81	20.67	37.14	74.00	-16.19	200	274	Peak	vertical
2 *	2437.00	113.80	76.47	37.33	74.00	39.80	300	271	Peak	vertical
3	2484.94	56.38	18.80	37.58	74.00	-17.62	100	275	Peak	vertical




Date: 2020-01-03

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2380.86	44.51	7.36	37.15	54.00	-9.49	300	277	Average	horizontal
2 *	2462.00	112.55	75.09	37.46	54.00	58.55	300	268	Average	horizontal
3	2486.65	44.72	7.13	37.59	54.00	-9.28	100	291	Average	horizontal




Date: 2020-01-03

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.34	41.49	4.34	37.15	54.00	-12.51	400	0	Average	vertical
2 *	2462.00	108.05	70.59	37.46	54.00	54.05	300	232	Average	vertical
3	2484.58	46.16	8.58	37.58	54.00	-7.84	101	240	Average	vertical



Date: 2020-01-03

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.94	57.59	20.45	37.14	74.00	-16.41	300	277	Peak	horizontal
2 *	2462.00	114.87	77.41	37.46	74.00	40.87	300	268	Peak	horizontal
3	2490.13	59.02	21.41	37.61	74.00	-14.98	100	291	Peak	horizontal




Date: 2020-01-03

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2378.20	53.61	16.46	37.15	74.00	-20.39	400	0	Peak	vertical
2 *	2462.00	110.74	73.28	37.46	74.00	36.74	300	232	Peak	vertical
3	2483.87	54.09	16.51	37.58	74.00	-19.91	200	310	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




Date: 2020-01-06


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.00	47.88	10.74	37.14	54.00	-6.12	139	242	Average	horizontal
2 *	2412.00	105.33	68.13	37.20	54.00	51.33	300	261	Average	horizontal
3	2487.47	41.61	4.02	37.59	54.00	-12.39	400	243	Average	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.99	49.54	12.40	37.14	54.00	-4.46	252	238	Average	Vertical
2 *	2412.00	103.41	66.21	37.20	54.00	49.41	278	239	Average	Vertical
3	2498.15	39.86	2.21	37.65	54.00	-14.14	278	239	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2380.27	68.17	31.02	37.15	74.00	-5.83	139	242	Peak	horizontal
2 *	2412.00	112.81	75.61	37.20	74.00	38.81	300	261	Peak	horizontal
3	2486.35	56.06	18.47	37.59	74.00	-17.94	400	243	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.71	68.55	31.41	37.14	74.00	-5.45	252	238	Peak	Vertical
2 *	2412.00	113.52	76.32	37.20	74.00	39.52	278	239	Peak	Vertical
3	2486.53	52.50	14.91	37.59	74.00	-21.50	278	239	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2387.23	53.22	16.07	37.15	54.00	-0.78	312	258	Average	Horizontal
2 *	2437.00	110.07	72.74	37.33	54.00	56.07	300	263	Average	Horizontal
3 !	2486.53	48.91	11.32	37.59	54.00	-5.09	100	268	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.00	53.30	16.16	37.14	54.00	-0.70	250	236	Average	Vertical
2 *	2437.00	104.85	67.52	37.33	54.00	50.85	300	315	Average	Vertical
3	2488.36	42.48	4.88	37.60	54.00	-11.52	300	315	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.95	72.25	35.11	37.14	74.00	-1.75	312	258	Peak	horizontal
2 *	2437.00	118.76	81.43	37.33	74.00	44.76	300	263	Peak	horizontal
3	2487.00	66.04	28.45	37.59	74.00	-7.96	100	268	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.53	70.97	33.83	37.14	74.00	-3.03	250	236	Peak	vertical
2 *	2437.00	114.15	76.82	37.33	74.00	40.15	300	315	Peak	vertical
3	2483.58	64.15	26.58	37.57	74.00	-9.85	300	315	Peak	vertical




Date: 2020-01-06


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.70	42.78	5.63	37.15	54.00	-11.22	100	284	Average	Horizontal
2 *	2462.00	104.14	66.68	37.46	54.00	50.14	300	248	Average	Horizontal
3 !	2483.58	51.34	13.77	37.57	54.00	-2.66	294	270	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.64	40.57	3.43	37.14	54.00	-13.43	400	214	Average	vertical
2 *	2462.00	98.97	61.51	37.46	54.00	44.97	400	296	Average	vertical
3 !	2483.58	49.85	12.28	37.57	54.00	-4.15	122	238	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.82	57.52	20.38	37.14	74.00	-16.48	100	284	Peak	horizontal
2 *	2462.00	114.13	76.67	37.46	74.00	40.13	300	248	Peak	horizontal
3 !	2483.76	70.85	33.27	37.58	74.00	-3.15	294	270	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2373.43	54.68	17.53	37.15	74.00	-19.32	400	214	Peak	vertical
2 *	2462.00	108.15	70.69	37.46	74.00	34.15	400	296	Peak	vertical
3 !	2483.76	68.80	31.22	37.58	74.00	-5.20	122	238	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2390.00	50.84	13.70	37.14	54.00	-3.16	313	271	Average	Horizontal
2 *	2412.00	104.59	67.39	37.20	54.00	50.59	300	251	Average	Horizontal
3	2498.03	41.56	3.91	37.65	54.00	-12.44	400	245	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2390.00	51.50	14.36	37.14	54.00	-2.50	250	241	Average	vertical
2 *	2412.00	100.69	63.49	37.20	54.00	46.69	200	239	Average	vertical
3	2499.98	40.30	2.64	37.66	54.00	-13.70	300	324	Average	vertical




Date: 2020-01-06


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.47	68.41	31.27	37.14	74.00	-5.59	313	271	Peak	horizontal
2 *	2412.00	112.35	75.15	37.20	74.00	38.35	300	251	Peak	horizontal
3	2494.26	56.06	18.43	37.63	74.00	-17.94	400	245	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.71	68.68	31.54	37.14	74.00	-5.32	250	241	Peak	vertical
2 *	2412.00	108.90	71.70	37.20	74.00	34.90	200	239	Peak	vertical
3	2488.48	52.09	14.49	37.60	74.00	-21.91	300	324	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2388.12	49.37	12.23	37.14	54.00	-4.63	314	260	Average	Horizontal
2 *	2437.00	108.40	71.07	37.33	54.00	54.40	300	290	Average	Horizontal
3	2483.81	46.66	9.08	37.58	54.00	-7.34	400	249	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.83	49.72	12.58	37.14	74.00	-24.28	116	238	Peak	vertical
2 *	2437.00	105.73	68.40	37.33	74.00	31.73	300	327	Peak	vertical
3	2483.70	46.43	8.86	37.57	74.00	-27.57	100	234	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.94	66.55	29.40	37.15	74.00	-7.45	400	270	Peak	horizontal
2 *	2437.00	117.58	80.25	37.33	74.00	43.58	300	290	Peak	horizontal
3	2499.98	63.60	25.94	37.66	74.00	-10.40	400	249	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.71	62.94	25.80	37.14	74.00	-11.06	200	333	Peak	vertical
2 *	2437.00	113.99	76.66	37.33	74.00	39.99	300	237	Peak	vertical
3	2486.88	60.32	22.73	37.59	74.00	-13.68	100	234	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2310.35	41.39	4.27	37.12	54.00	-12.61	300	266	Average	Horizontal
2 *	2462.00	104.25	66.79	37.46	54.00	50.25	300	266	Average	Horizontal
3 !	2483.52	53.13	15.56	37.57	54.00	-0.87	100	288	Average	Horizontal



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit	cm	deg		
			Factor						
1	2359.91	39.85	2.68	37.17	54.00	-14.15	200	347 Average	Vertical
2 *	2462.00	96.66	59.20	37.46	54.00	42.66	200	347 Average	Vertical
3 !	2483.51	52.44	14.87	37.57	54.00	-1.56	210	331 Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2380.15	57.77	20.62	37.15	74.00	-16.23	100	291	Peak	horizontal
2 *	2462.00	112.31	74.85	37.46	74.00	38.31	300	266	Peak	horizontal
3 !	2483.51	70.28	32.71	37.57	74.00	-3.72	292	278	Peak	horizontal




Date: 2020-01-07

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2352.01	53.50	16.32	37.18	74.00	-20.50	400	232	Peak	vertical
2 *	2462.00	107.87	70.41	37.46	74.00	33.87	200	347	Peak	vertical
3 !	2483.70	69.47	31.90	37.57	74.00	-4.53	210	331	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




Date: 2020-01-07


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.957	52.97	15.83	37.14	54.00	-1.03	281	268	Average	Horizontal
2	2422.000	99.28	62.03	37.25	54.00	45.28	278	270	Average	Horizontal
3	2484.994	40.52	2.94	37.58	54.00	-13.48	278	270	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.877	50.22	13.08	37.14	54.00	-3.78	274	269	Average	Vertical
2 *	2422.000	94.76	57.51	37.25	54.00	40.76	307	243	Average	Vertical
3	2499.980	40.23	2.57	37.66	54.00	-13.77	307	243	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.190	68.85	31.71	37.14	74.00	-5.15	281	268	Peak	Horizontal
2 *	2422.000	109.57	72.32	37.25	74.00	35.57	278	270	Peak	Horizontal
3	2488.003	52.72	15.12	37.60	74.00	-21.28	278	270	Peak	Horizontal




Date: 2020-01-07


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.140	66.31	29.17	37.14	74.00	-7.69	274	269	Peak	Vertical
2 *	2422.000	104.98	67.73	37.25	74.00	30.98	307	243	Peak	Vertical
3	2495.614	53.72	16.09	37.63	74.00	-20.28	307	243	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.99	50.39	13.25	37.14	54.00	-3.61	280	232	Average	Horizontal
2 *	2437.00	102.78	65.45	37.33	54.00	48.78	272	269	Average	Horizontal
3	2483.67	47.37	9.80	37.57	54.00	-6.63	110	286	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.93	49.51	12.37	37.14	54.00	-4.49	174	311	Average	Vertical
2 *	2437.00	98.14	60.81	37.33	54.00	44.14	266	311	Average	Vertical
3 !	2483.53	48.02	10.45	37.57	54.00	-5.98	120	309	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.50	67.53	30.39	37.14	74.00	-6.47	280	232	Peak	Horizontal
2 *	2437.00	113.13	75.80	37.33	74.00	39.13	272	269	Peak	Horizontal
3	2483.67	63.60	26.03	37.57	74.00	-10.40	110	286	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.68	65.49	28.35	37.14	74.00	-8.51	174	311	Peak	Vertical
2 *	2437.00	107.93	70.60	37.33	74.00	33.93	266	311	Peak	Vertical
3	2483.54	64.60	27.03	37.57	74.00	-9.40	120	309	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2311.53	41.33	4.20	37.13	54.00	-12.67	200	270	Average	Horizontal
2 *	2452.00	98.65	61.24	37.41	54.00	44.65	300	257	Average	Horizontal
3 !	2483.55	53.00	15.43	37.57	54.00	-1.00	115	288	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.99	40.27	3.12	37.15	54.00	-13.73	300	287	Average	Vertical
2 *	2452.00	94.22	56.81	37.41	54.00	40.22	200	321	Average	Vertical
3 !	2483.51	50.39	12.82	37.57	54.00	-3.61	106	240	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.93	55.75	18.60	37.15	74.00	-18.25	200	270	Peak	horizontal
2 *	2452.00	106.79	69.38	37.41	74.00	32.79	300	257	Peak	horizontal
3 !	2483.59	69.99	32.42	37.57	74.00	-4.01	115	288	Peak	horizontal



Date: 2020-01-07


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.34	53.10	15.95	37.15	74.00	-20.90	300	287	Peak	vertical
2 *	2452.00	102.86	65.45	37.41	74.00	28.86	200	321	Peak	vertical
3	2484.74	66.83	29.25	37.58	74.00	-7.17	106	240	Peak	vertical

Spurious Emissions, TX Mode, 9kHz-30MHz


802.11g_2437MHz



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	75.10	4.03	71.07	118.60	-43.50	100	237	QP	vertical
2	0.06	69.31	5.14	64.17	112.58	-43.27	100	237	QP	vertical
3	0.08	61.53	0.64	60.89	109.06	-47.53	100	237	QP	vertical
4	0.11	53.24	-5.28	58.52	106.56	-53.32	100	237	QP	vertical
5	0.13	49.74	-7.66	57.40	105.19	-55.45	100	240	QP	vertical
6	0.14	51.09	-5.79	56.88	104.62	-53.53	100	237	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.64	44.07	-0.31	44.38	71.49	-27.42	100	243	QP	vertical
2	6.99	29.54	-8.83	38.37	69.50	-39.96	100	243	QP	vertical
3	14.50	31.21	-6.46	37.67	69.50	-38.29	100	201	QP	vertical
4	17.22	29.94	-7.14	37.08	69.50	-39.56	100	243	QP	vertical
5	21.12	29.05	-7.00	36.05	69.50	-40.45	100	201	QP	vertical
6	29.61	29.38	-9.42	38.80	69.50	-40.12	100	78	QP	vertical

Spurious Emissions, TX Mode, 30MHz-1GHz

802.11g_2437MHz




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-01-16

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	53.67	34.18	40.36	-6.18	40.00	-5.82	200	189 QP		horizontal
2 !	250.00	42.71	49.33	-6.62	46.00	-3.29	100	234 QP		horizontal
3	393.07	37.96	41.41	-3.45	46.00	-8.04	100	201 QP		horizontal
4	750.03	36.88	34.70	2.18	46.00	-9.12	100	215 QP		horizontal
5	800.08	39.37	36.68	2.69	46.00	-6.63	100	292 QP		horizontal
6 !	875.06	40.43	36.80	3.63	46.00	-5.57	100	0 QP		horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit	cm	deg		
			dBuV	dB/m	dBuV/m	dB			
1	53.57	30.49	36.67	-6.18	40.00	-9.51	322	0 QP	vertical
2	250.00	38.83	45.45	-6.62	46.00	-7.17	200	314 QP	vertical
3	499.97	35.86	37.77	-1.91	46.00	-10.14	100	277 QP	vertical
4	524.99	36.04	37.52	-1.48	46.00	-9.96	100	265 QP	vertical
5	650.02	37.99	37.39	0.60	46.00	-8.01	100	175 QP	vertical
6 !	875.06	45.32	41.69	3.63	46.00	-0.68	100	277 QP	vertical

Spurious Emissions, TX Mode, 1GHz-26.5GHz


802.11b




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.69	65.85	28.70	37.15	74.00	-8.15	282	278	Peak	Horizontal
2 *	2412.00	117.85	80.65	37.20	74.00	43.85	278	271	Peak	Horizontal
3	2489.12	52.94	15.33	37.61	74.00	-21.06	278	271	Peak	Horizontal
4 !	4824.00	51.66	61.04	-9.38	54.00	-2.34	312	352	Average	horizontal
5	4824.00	53.64	63.02	-9.38	74.00	-20.36	312	352	Peak	horizontal
6	7236.00	39.94	46.69	-6.75	74.00	-34.06	163	360	Peak	horizontal
7	9648.00	40.82	44.95	-4.13	74.00	-33.18	100	221	Peak	horizontal
8	19400.80	47.48	47.86	-0.38	74.00	-26.52	200	85	Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2390.00	59.34	22.20	37.14	74.00	-14.66	200	328 Peak	vertical
2 *	2412.00	113.18	75.98	37.20	74.00	39.18	300	273 Peak	vertical
3	2498.98	53.52	15.86	37.66	74.00	-20.48	100	0 Peak	vertical
4 !	4824.00	50.76	60.14	-9.38	54.00	-3.24	104	210 Average	vertical
5	4824.00	53.01	62.39	-9.38	74.00	-20.99	104	210 Peak	vertical
6	7236.00	40.89	47.64	-6.75	74.00	-33.11	200	241 Peak	vertical
7	9648.00	41.28	45.41	-4.13	74.00	-32.72	259	0 Peak	vertical
8	19943.95	47.20	46.93	0.27	74.00	-26.80	200	95 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2387.05	61.00	23.85	37.15	74.00	-13.00	100	271 Peak	Horizontal
2 *	2437.00	118.27	80.94	37.33	74.00	44.27	300	252 Peak	Horizontal
3	2484.35	60.59	23.01	37.58	74.00	-13.41	293	265 Peak	Horizontal
4 !	4874.00	52.53	61.83	-9.30	54.00	-1.47	291	339 Average	horizontal
5	4874.00	54.04	63.34	-9.30	74.00	-19.96	291	339 Peak	horizontal
6	7311.00	40.07	46.78	-6.71	74.00	-33.93	200	130 Peak	horizontal
7	9748.00	43.05	46.93	-3.88	74.00	-30.95	300	39 Peak	horizontal
8	18055.25	46.67	48.28	-1.61	74.00	-27.33	100	256 Peak	horizontal



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2389.95	57.81	20.67	37.14	74.00	-16.19	200	274 Peak	vertical
2 *	2437.00	113.80	76.47	37.33	74.00	39.80	300	271 Peak	vertical
3	2484.94	56.38	18.80	37.58	74.00	-17.62	100	275 Peak	vertical
4 !	4874.00	51.50	60.80	-9.30	54.00	-2.50	111	211 Average	vertical
5	4874.00	53.17	62.47	-9.30	74.00	-20.83	111	211 Peak	vertical
6	7311.00	39.84	46.55	-6.71	74.00	-34.16	159	265 Peak	vertical
7	9748.00	42.57	46.45	-3.88	74.00	-31.43	200	0 Peak	vertical
8	20087.60	47.22	46.72	0.50	74.00	-26.78	186	360 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2388.94	57.59	20.45	37.14	74.00	-16.41	300	277 Peak	horizontal
2 *	2462.00	114.87	77.41	37.46	74.00	40.87	300	268 Peak	horizontal
3	2490.13	59.02	21.41	37.61	74.00	-14.98	100	291 Peak	horizontal
4 !	4924.00	50.97	60.19	-9.22	54.00	-3.03	285	337 Average	horizontal
5	4924.00	52.87	62.09	-9.22	74.00	-21.13	285	337 Peak	horizontal
6	7386.00	39.43	46.19	-6.76	74.00	-34.57	251	298 Peak	horizontal
7	9848.00	41.00	44.82	-3.82	74.00	-33.00	300	360 Peak	horizontal
8	18402.90	46.98	47.99	-1.01	74.00	-27.02	200	266 Peak	horizontal



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2378.20	53.61	16.46	37.15	74.00	-20.39	400	0 Peak	vertical
2 *	2462.00	110.74	73.28	37.46	74.00	36.74	300	232 Peak	vertical
3	2483.87	54.09	16.51	37.58	74.00	-19.91	200	310 Peak	vertical
4 !	4924.00	51.22	60.44	-9.22	54.00	-2.78	111	210 Average	vertical
5	4924.00	52.93	62.15	-9.22	74.00	-21.07	111	210 Peak	vertical
6	7386.00	39.99	46.75	-6.76	74.00	-34.01	100	331 Peak	vertical
7	9848.00	41.22	45.04	-3.82	74.00	-32.78	300	165 Peak	vertical
8	20077.40	47.52	47.04	0.48	74.00	-26.48	200	360 Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




Date: 2020-01-06


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.71	68.55	31.41	37.14	74.00	-5.45	252	238	Peak	Vertical
2 *	2412.00	113.52	76.32	37.20	74.00	39.52	278	239	Peak	Vertical
3	2486.53	52.50	14.91	37.59	74.00	-21.50	278	239	Peak	Vertical
4	4824.00	40.80	50.18	-9.38	74.00	-33.20	383	360	Peak	horizontal
5	7236.00	39.70	46.45	-6.75	74.00	-34.30	200	360	Peak	horizontal
6	9648.00	41.63	45.76	-4.13	74.00	-32.37	400	292	Peak	horizontal
7	22184.55	48.21	45.60	2.61	74.00	-25.79	100	360	Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 !	2380.27	68.17	31.02	37.15	74.00	-5.83	139	242 Peak	horizontal
2 *	2412.00	112.81	75.61	37.20	74.00	38.81	300	261 Peak	horizontal
3	2486.35	56.06	18.47	37.59	74.00	-17.94	400	243 Peak	horizontal
4	4824.00	40.32	49.70	-9.38	74.00	-33.68	100	209 Peak	vertical
5	7236.00	39.27	46.02	-6.75	74.00	-34.73	200	292 Peak	vertical
6	9648.00	41.54	45.67	-4.13	74.00	-32.46	200	360 Peak	vertical
7	19950.75	46.60	46.32	0.28	74.00	-27.40	200	100 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 !	2389.95	72.25	35.11	37.14	74.00	-1.75	312	258 Peak	horizontal
2 *	2437.00	118.76	81.43	37.33	74.00	44.76	300	263 Peak	horizontal
3	2487.00	66.04	28.45	37.59	74.00	-7.96	100	268 Peak	horizontal
4	4874.00	44.50	53.80	-9.30	54.00	-9.50	291	339 Average	horizontal
5	4874.00	58.57	67.87	-9.30	74.00	-15.43	291	339 Peak	horizontal
6	7311.00	44.00	50.71	-6.71	74.00	-30.00	200	286 Peak	horizontal
7	9748.00	39.60	43.48	-3.88	54.00	-14.40	105	268 Average	horizontal
8	9748.00	54.40	58.28	-3.88	74.00	-19.60	105	268 Peak	horizontal
9	20072.30	47.00	46.53	0.47	74.00	-27.00	100	184 Peak	horizontal



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 !	2389.53	70.97	33.83	37.14	74.00	-3.03	250	236 Peak	vertical
2 *	2437.00	114.15	76.82	37.33	74.00	40.15	300	315 Peak	vertical
3	2483.58	64.15	26.58	37.57	74.00	-9.85	300	315 Peak	vertical
4	4874.00	42.94	52.24	-9.30	54.00	-11.06	113	211 Average	vertical
5	4874.00	57.13	66.43	-9.30	74.00	-16.87	113	211 Peak	vertical
6	7311.00	47.69	54.40	-6.71	74.00	-26.31	121	355 Peak	vertical
7	9748.00	46.08	49.96	-3.88	74.00	-27.92	300	269 Peak	vertical
8	19900.60	47.32	47.10	0.22	74.00	-26.68	200	16 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2388.82	57.52	20.38	37.14	74.00	-16.48	100	284 Peak	horizontal
2 *	2462.00	114.13	76.67	37.46	74.00	40.13	300	248 Peak	horizontal
3 !	2483.76	70.85	33.27	37.58	74.00	-3.15	294	270 Peak	horizontal
4	4924.00	46.31	55.53	-9.22	74.00	-27.69	300	268 Peak	horizontal
5	7386.00	40.25	47.01	-6.76	74.00	-33.75	200	360 Peak	horizontal
6	9848.00	41.10	44.92	-3.82	74.00	-32.90	400	30 Peak	horizontal
7	19217.20	46.71	47.17	-0.46	74.00	-27.29	200	201 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2373.43	54.68	17.53	37.15	74.00	-19.32	400	214 Peak	vertical
2 *	2462.00	108.15	70.69	37.46	74.00	34.15	400	296 Peak	vertical
3 !	2483.76	68.80	31.22	37.58	74.00	-5.20	122	238 Peak	vertical
4	4924.00	44.72	53.94	-9.22	74.00	-29.28	100	205 Peak	vertical
5	7386.00	39.13	45.89	-6.76	74.00	-34.87	200	360 Peak	vertical
6	9848.00	41.22	45.04	-3.82	74.00	-32.78	100	33 Peak	vertical
7	19375.30	46.73	47.12	-0.39	74.00	-27.27	200	266 Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.47	68.41	31.27	37.14	74.00	-5.59	313	271	Peak	horizontal
2 *	2412.00	112.35	75.15	37.20	74.00	38.35	300	251	Peak	horizontal
3	2494.26	56.06	18.43	37.63	74.00	-17.94	400	245	Peak	horizontal
4	4824.00	40.05	49.43	-9.38	74.00	-33.95	346	360	Peak	horizontal
5	7236.00	39.66	46.41	-6.75	74.00	-34.34	310	360	Peak	horizontal
6	9648.00	41.03	45.16	-4.13	74.00	-32.97	200	300	Peak	horizontal
7	20098.65	47.85	47.34	0.51	74.00	-26.15	200	21	Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 !	2389.71	68.68	31.54	37.14	74.00	-5.32	250	241 Peak	vertical
2 *	2412.00	108.90	71.70	37.20	74.00	34.90	200	239 Peak	vertical
3	2488.48	52.09	14.49	37.60	74.00	-21.91	300	324 Peak	vertical
4	4824.00	40.86	50.24	-9.38	74.00	-33.14	400	271 Peak	vertical
5	7236.00	39.43	46.18	-6.75	74.00	-34.57	353	360 Peak	vertical
6	9648.00	40.65	44.78	-4.13	74.00	-33.35	100	255 Peak	vertical
7	18872.10	46.51	47.04	-0.53	74.00	-27.49	200	117 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2386.94	66.55	29.40	37.15	74.00	-7.45	400	270 Peak	horizontal
2 *	2437.00	117.58	80.25	37.33	74.00	43.58	300	290 Peak	horizontal
3	2499.98	63.60	25.94	37.66	74.00	-10.40	400	249 Peak	horizontal
4	4874.00	43.99	53.29	-9.30	74.00	-30.01	120	56 Peak	horizontal
5	7311.00	39.31	46.02	-6.71	74.00	-34.69	110	89 Peak	horizontal
6	9748.00	41.27	45.15	-3.88	74.00	-32.73	100	276 Peak	horizontal
7	19354.90	46.76	47.17	-0.41	74.00	-27.24	100	339 Peak	horizontal



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2388.71	62.94	25.80	37.14	74.00	-11.06	200	333 Peak	vertical
2 *	2437.00	113.99	76.66	37.33	74.00	39.99	300	237 Peak	vertical
3	2486.88	60.32	22.73	37.59	74.00	-13.68	100	234 Peak	vertical
4	4874.00	44.64	53.94	-9.30	74.00	-29.36	100	276 Peak	vertical
5	7311.00	39.10	45.81	-6.71	74.00	-34.90	400	319 Peak	vertical
6	9748.00	40.63	44.51	-3.88	74.00	-33.37	200	165 Peak	vertical
7	18568.65	46.63	47.41	-0.78	74.00	-27.37	200	15 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2380.15	57.77	20.62	37.15	74.00	-16.23	100	291 Peak	horizontal
2 *	2462.00	112.31	74.85	37.46	74.00	38.31	300	266 Peak	horizontal
3 !	2483.51	70.28	32.71	37.57	74.00	-3.72	292	278 Peak	horizontal
4	4924.00	43.63	52.85	-9.22	74.00	-30.37	200	235 Peak	horizontal
5	7386.00	39.25	46.01	-6.76	74.00	-34.75	211	122 Peak	horizontal
6	9848.00	40.65	44.47	-3.82	74.00	-33.35	206	0 Peak	horizontal
7	19029.35	43.88	44.30	-0.42	74.00	-30.12	154	360 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2352.01	53.50	16.32	37.18	74.00	-20.50	400	232 Peak	vertical
2 *	2462.00	107.87	70.41	37.46	74.00	33.87	200	347 Peak	vertical
3 !	2483.70	69.47	31.90	37.57	74.00	-4.53	210	331 Peak	vertical
4	4924.00	41.90	51.12	-9.22	74.00	-32.10	100	201 Peak	vertical
5	7386.00	39.80	46.56	-6.76	74.00	-34.20	134	360 Peak	vertical
6	9848.00	39.96	43.78	-3.82	74.00	-34.04	300	104 Peak	vertical
7	19017.45	44.98	45.40	-0.42	74.00	-29.02	200	0 Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.19	68.85	31.71	37.14	74.00	-5.15	281	268	Peak	Horizontal
2 *	2422.00	109.57	72.32	37.25	74.00	35.57	278	270	Peak	Horizontal
3	2488.00	52.72	15.12	37.60	74.00	-21.28	278	270	Peak	Horizontal
4	4844.00	38.94	48.27	-9.33	74.00	-35.06	100	285	Peak	horizontal
5	7266.00	40.11	46.83	-6.72	74.00	-33.89	300	182	Peak	horizontal
6	9688.00	43.32	47.35	-4.03	74.00	-30.68	122	30	Peak	horizontal
7	20030.65	48.34	47.94	0.40	74.00	-25.66	100	360	Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2389.14	66.31	29.17	37.14	74.00	-7.69	274	269 Peak	Vertical
2 *	2422.00	104.98	67.73	37.25	74.00	30.98	307	243 Peak	Vertical
3	2495.61	53.72	16.09	37.63	74.00	-20.28	307	243 Peak	Vertical
4	4844.00	39.10	48.43	-9.33	74.00	-34.90	200	97 Peak	vertical
5	7266.00	40.13	46.85	-6.72	74.00	-33.87	134	360 Peak	vertical
6	9706.00	42.97	46.96	-3.99	74.00	-31.03	300	71 Peak	vertical
7	19902.30	47.15	46.93	0.22	74.00	-26.85	100	335 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit	cm	deg		
			Factor	dBuV/m	dB				
1	2389.50	67.53	30.39	37.14	74.00	-6.47	280	232 Peak	Horizontal
2 *	2437.00	113.13	75.80	37.33	74.00	39.13	272	269 Peak	Horizontal
3	2483.67	63.60	26.03	37.57	74.00	-10.40	110	286 Peak	Horizontal
4	4874.00	40.73	50.03	-9.30	74.00	-33.27	300	346 Peak	horizontal
5	7311.00	39.20	45.91	-6.71	74.00	-34.80	300	189 Peak	horizontal
6	9748.00	40.24	44.12	-3.88	74.00	-33.76	129	360 Peak	horizontal
7	19258.00	46.40	46.87	-0.47	74.00	-27.60	200	0 Peak	horizontal



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2389.68	65.49	28.35	37.14	74.00	-8.51	174	311 Peak	Vertical
2 *	2437.00	107.93	70.60	37.33	74.00	33.93	266	311 Peak	Vertical
3	2483.54	64.60	27.03	37.57	74.00	-9.40	120	309 Peak	Vertical
4	4874.00	42.21	51.51	-9.30	74.00	-31.79	120	69 Peak	vertical
5	7311.00	41.23	47.94	-6.71	74.00	-32.77	309	360 Peak	vertical
6	9748.00	41.24	45.12	-3.88	74.00	-32.76	266	221 Peak	vertical
7	20092.70	47.30	46.79	0.51	74.00	-26.70	100	92 Peak	vertical



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2383.93	55.75	18.60	37.15	74.00	-18.25	200	270 Peak	horizontal
2 *	2452.00	106.79	69.38	37.41	74.00	32.79	300	257 Peak	horizontal
3 !	2483.59	69.99	32.42	37.57	74.00	-4.01	115	288 Peak	horizontal
4	4904.00	41.63	50.91	-9.28	74.00	-32.37	133	96 Peak	horizontal
5	7356.00	39.10	45.81	-6.71	74.00	-34.90	200	88 Peak	horizontal
6	9808.00	41.30	45.14	-3.84	74.00	-32.70	400	284 Peak	horizontal
7	18731.85	46.05	46.70	-0.65	74.00	-27.95	100	120 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2384.34	53.10	15.95	37.15	74.00	-20.90	300	287 Peak	vertical
2 *	2452.00	102.86	65.45	37.41	74.00	28.86	200	321 Peak	vertical
3	2484.74	66.83	29.25	37.58	74.00	-7.17	106	240 Peak	vertical
4	4904.00	38.18	47.46	-9.28	74.00	-35.82	106	200 Peak	vertical
5	7356.00	39.94	46.65	-6.71	74.00	-34.06	100	168 Peak	vertical
6	9808.00	41.59	45.43	-3.84	74.00	-32.41	300	3 Peak	vertical
7	18538.05	46.50	47.31	-0.81	74.00	-27.50	200	48 Peak	vertical

Spurious Emissions, AC Mains




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



Trace: 1
 Site : Conduction room
 Condition : CISPR22 Class B Conduction(QP) line1
 Test Engineer: Aslen Chiu
 Product : Firebox
 Model No. : Firebox_T20-W
 Test Rating : 120Vac / 60Hz
 Tmp/Hum : 24.5°C / 42%
 Memo : Input 100V-240V 0.9A ,50Hz-60Hz
 : Output 12VDC 2.5A
 : WiFi 2.4G

	Read Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	
1	0.155	33.98	9.61	43.59	65.75	-22.16	QP
2	0.155	23.37	9.61	32.98	55.75	-22.77	Average
3	0.191	31.53	9.61	41.14	64.01	-22.87	QP
4	0.191	21.43	9.61	31.04	54.01	-22.97	Average
5	0.335	34.66	9.61	44.27	59.33	-15.06	QP
6	0.335	27.64	9.61	37.25	49.33	-12.08	Average
7	0.516	15.90	9.62	25.52	56.00	-30.48	QP
8	0.516	7.04	9.62	16.66	46.00	-29.34	Average
9	4.651	16.85	9.68	26.53	56.00	-29.47	QP
10	4.651	9.71	9.68	19.39	46.00	-26.61	Average
11	17.252	28.83	9.77	38.60	60.00	-21.40	QP
12	17.252	20.68	9.77	30.45	50.00	-19.55	Average



Trace: 1
 Site : Conduction room
 Condition : CISPR22 Class B Conduction(QP) neutral
 Test Engineer: Aslen Chiu
 Product : Firebox
 Model No. : Firebox_T20-W
 Test Rating : 120Vac / 60Hz
 Tmp/Hum : 24.5°C / 42%
 Memo : Input 100V-240V 0.9A , 50Hz-60Hz
 : Output 12VDC 2.5A
 : WiFi 2.4G

	Read Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	
1	0.158	34.47	9.62	44.09	65.54	-21.45	QP
2	0.158	25.20	9.62	34.82	55.54	-20.72	Average
3	0.190	32.16	9.62	41.78	64.05	-22.27	QP
4	0.190	22.42	9.62	32.04	54.05	-22.01	Average
5	0.340	35.69	9.62	45.31	59.21	-13.90	QP
6	0.340	27.39	9.62	37.01	49.21	-12.20	Average
7	0.522	18.82	9.63	28.45	56.00	-27.55	QP
8	0.522	10.60	9.63	20.23	46.00	-25.77	Average
9	5.037	16.99	9.69	26.68	60.00	-33.32	QP
10	5.037	9.18	9.69	18.87	50.00	-31.13	Average
11	18.778	30.92	9.82	40.74	60.00	-19.26	QP
12	18.778	23.75	9.82	33.57	50.00	-16.43	Average