

Test Report No.50335252 002

Appendix D: Radiated and Mains Spurious Emission Data

(File: 50335252 002 Appendix D)

Contents


Spurious Emissions, Band Edges	2
Spurious Emissions, TX Mode, 9kHz-30MHz.....	74
Spurious Emissions, TX Mode, 30MHz-1GHz.....	78
Spurious Emissions, TX Mode, 1GHz-40GHz.....	82
Spurious Emissions, AC Mains	118

Spurious Emissions, Band Edges


802.11a




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.930	52.86	10.39	42.47	54.00	-1.14	350	294	Average	Horizontal
2	5180.000	104.75	62.19	42.56	54.00	50.75	400	271	Average	Horizontal
3	5413.250	45.39	2.34	43.05	54.00	-8.61	200	296	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.950	50.76	8.29	42.47	54.00	-3.24	378	336	Average	vertical
2	5180.000	102.32	59.76	42.56	54.00	48.32	100	310	Average	vertical
3	5423.750	46.25	3.14	43.11	54.00	-7.75	300	276	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.670	72.03	29.57	42.46	74.00	-1.97	350	294	Peak	horizontal
2	* 5180.000	111.98	69.42	42.56	74.00	37.98	400	271	Peak	horizontal
3	5391.500	56.74	13.78	42.96	74.00	-17.26	200	296	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.900	69.13	26.66	42.47	74.00	-4.87	378	336	Peak	vertical
2	5180.000	110.50	67.94	42.56	74.00	36.50	100	310	Peak	vertical
3	5351.000	58.86	16.01	42.85	74.00	-15.14	300	276	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.604	53.49	11.02	42.47	54.00	-0.51	388	299	Average	Horizontal
2	* 5200.000	109.40	66.78	42.62	54.00	55.40	378	272	Average	Horizontal
3	5408.000	47.11	4.08	43.03	54.00	-6.89	378	272	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	! 5149.950	50.43	7.96	42.47	54.00	-3.57	377	336	Average	Vertical
2	* 5200.000	105.90	63.28	42.62	54.00	51.90	316	0	Average	Vertical
3	! 5353.766	53.07	10.21	42.86	54.00	-0.93	300	275	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.863	70.51	28.04	42.47	74.00	-3.49	388	299	Peak	Horizontal
2	* 5200.000	118.58	75.96	42.62	74.00	44.58	378	272	Peak	Horizontal
3	5436.500	59.57	16.40	43.17	74.00	-14.43	378	272	Peak	Horizontal




Date: 2020-01-08


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.869	66.88	24.41	42.47	74.00	-7.12	377	336	Peak	Vertical
2 *	5200.000	115.81	73.19	42.62	74.00	41.81	316	0	Peak	Vertical
3	5354.020	67.51	24.65	42.86	74.00	-6.49	300	275	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	! 5150.000	53.68	11.21	42.47	54.00	-0.32	100	245	Average	Horizontal
2	* 5240.000	111.50	68.85	42.65	54.00	57.50	100	267	Average	Horizontal
3	! 5360.000	50.81	7.93	42.88	54.00	-3.19	100	269	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	! 5149.000	51.57	9.10	42.47	54.00	-2.43	100	214	Average	Vertical
2	* 5240.000	109.73	67.08	42.65	54.00	55.73	299	0	Average	Vertical
3	! 5354.000	50.25	7.39	42.86	54.00	-3.75	200	342	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	63.63	21.16	42.47	74.00	-10.37	100	245	Peak	horizontal
2 *	5240.000	118.16	75.51	42.65	74.00	44.16	100	267	Peak	horizontal
3	5357.500	62.64	19.77	42.87	74.00	-11.36	100	269	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	63.04	20.57	42.47	74.00	-10.96	100	214	Peak	vertical
2 *	5240.000	118.16	75.51	42.65	74.00	44.16	299	0	Peak	vertical
3	5360.500	61.33	18.45	42.88	74.00	-12.67	200	342	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5120.000	46.18	3.85	42.33	54.00	-7.82	300	215	Average	Horizontal
2	5360.000	47.55	4.67	42.88	54.00	-6.45	100	201	Average	Horizontal
3 *	5745.000	98.78	55.22	43.56	54.00	44.78	100	339	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.000	44.47	2.02	42.45	54.00	-9.53	200	310	Average	Vertical
2	5420.000	46.51	3.42	43.09	54.00	-7.49	100	201	Average	Vertical
3 *	5745.000	96.90	53.34	43.56	54.00	42.90	100	360	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5119.000	56.53	14.21	42.32	74.00	-17.47	300	215	Peak	horizontal
2	5455.000	57.32	14.09	43.23	74.00	-16.68	100	234	Peak	horizontal
3	5461.000	57.78	14.55	43.23	68.20	-10.42	200	296	Peak	horizontal
4	5684.000	56.67	13.28	43.39	93.40	-36.73	200	325	Peak	horizontal
5	5704.000	57.18	13.73	43.45	106.32	-49.14	100	0	Peak	horizontal
6	5723.000	56.25	12.75	43.50	117.64	-61.39	300	204	Peak	horizontal
7	5745.000	107.06	63.50	43.56	122.20	-15.14	100	339	Peak	horizontal
8	5852.500	56.05	12.29	43.76	116.50	-60.45	100	237	Peak	horizontal
9	5863.000	56.25	12.46	43.79	108.56	-52.31	300	164	Peak	horizontal
10	5880.000	56.95	13.12	43.83	101.49	-44.54	400	191	Peak	horizontal
11	5969.000	57.61	13.67	43.94	68.20	-10.59	226	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5142.000	56.63	14.20	42.43	74.00	-17.37	200	310	Peak	vertical
2	5430.000	57.60	14.46	43.14	74.00	-16.40	100	201	Peak	vertical
3	5531.000	57.58	14.38	43.20	68.20	-10.62	100	334	Peak	vertical
4	5651.500	57.26	13.96	43.30	69.31	-12.05	400	357	Peak	vertical
5	5718.500	56.20	12.71	43.49	110.38	-54.18	300	200	Peak	vertical
6	5724.000	55.46	11.96	43.50	119.92	-64.46	124	360	Peak	vertical
7	5745.000	105.08	61.52	43.56	122.20	-17.12	100	360	Peak	vertical
8	5850.000	56.65	12.90	43.75	122.20	-65.55	100	231	Peak	vertical
9	5871.500	56.64	12.84	43.80	106.18	-49.54	400	65	Peak	vertical
10	5892.500	57.72	13.86	43.86	92.21	-34.49	400	219	Peak	vertical
11	5963.000	56.89	12.96	43.93	68.20	-11.31	100	61	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	48.01	5.54	42.47	54.00	-5.99	100	242	Average	Horizontal
2	5374.500	49.51	6.59	42.92	54.00	-4.49	200	292	Average	Horizontal
3	5785.000	99.17	55.57	43.60	54.00	45.17	300	303	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.500	47.55	5.10	42.45	54.00	-6.45	400	268	Average	vertical
2	5354.500	52.48	9.62	42.86	54.00	-1.52	301	276	Average	vertical
3 *	5785.000	100.12	56.52	43.60	54.00	46.12	100	355	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5075.500	59.83	17.47	42.36	74.00	-14.17	400	268	Peak	horizontal
2	5386.000	60.31	17.36	42.95	74.00	-13.69	200	292	Peak	horizontal
3	5632.000	58.77	15.53	43.24	68.20	-9.43	100	342	Peak	horizontal
4	5685.000	58.89	15.50	43.39	94.13	-35.24	200	347	Peak	horizontal
5	5714.000	58.02	14.55	43.47	109.12	-51.10	100	305	Peak	horizontal
6	5720.500	57.05	13.56	43.49	111.94	-54.89	200	343	Peak	horizontal
7	5785.000	108.45	64.85	43.60	122.20	-13.75	100	355	Peak	horizontal
8	5850.500	56.29	12.54	43.75	121.06	-64.77	300	338	Peak	horizontal
9	5857.000	56.84	13.08	43.76	110.24	-53.40	400	251	Peak	horizontal
10	5920.000	56.81	12.91	43.90	71.89	-15.08	300	44	Peak	horizontal
11	5933.000	57.74	13.83	43.91	68.20	-10.46	210	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5131.500	58.99	16.60	42.39	74.00	-15.01	100	242	Peak	vertical
2	5361.500	65.28	22.40	42.88	74.00	-8.72	301	276	Peak	vertical
3	5527.000	62.38	19.18	43.20	68.20	-5.82	300	245	Peak	vertical
4	5662.500	58.57	15.24	43.33	77.48	-18.91	300	276	Peak	vertical
5	5713.500	57.51	14.04	43.47	108.98	-51.47	246	0	Peak	vertical
6	5721.500	56.44	12.95	43.49	114.22	-57.78	400	1	Peak	vertical
7	5785.000	108.53	64.93	43.60	122.20	-13.67	300	303	Peak	vertical
8	5852.500	56.13	12.37	43.76	116.50	-60.37	100	99	Peak	vertical
9	5867.000	56.86	13.07	43.79	107.44	-50.58	200	263	Peak	vertical
10	5920.000	57.12	13.22	43.90	71.89	-14.77	300	171	Peak	vertical
11	5941.000	57.91	13.99	43.92	68.20	-10.29	200	239	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	49.01	6.78	42.23	54.00	-4.99	400	277	Average	Horizontal
2	5440.000	53.27	10.08	43.19	54.00	-0.73	106	241	Average	Horizontal
3	* 5825.000	100.41	56.73	43.68	54.00	46.41	134	360	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5086.500	47.53	5.23	42.30	54.00	-6.47	300	308	Average	Vertical
2	5350.000	52.39	9.54	42.85	54.00	-1.61	300	308	Average	Vertical
3	5825.000	100.51	56.83	43.68	54.00	46.51	300	308	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5064.500	60.10	17.69	42.41	74.00	-13.90	400	277	Peak	horizontal
2	5412.000	64.72	21.67	43.05	74.00	-9.28	106	241	Peak	horizontal
3	5485.000	60.72	17.52	43.20	68.20	-7.48	100	244	Peak	horizontal
4	5684.500	59.00	15.61	43.39	93.76	-34.76	200	339	Peak	horizontal
5	5715.500	58.33	14.86	43.47	109.54	-51.21	140	360	Peak	horizontal
6	5720.000	57.11	13.62	43.49	110.80	-53.69	200	346	Peak	horizontal
7	5825.000	108.73	65.05	43.68	122.20	-13.47	134	360	Peak	horizontal
8	5853.000	57.51	13.75	43.76	115.36	-57.85	300	280	Peak	horizontal
9	5856.000	57.63	13.87	43.76	110.52	-52.89	300	350	Peak	horizontal
10	5910.000	57.30	13.41	43.89	79.27	-21.97	200	290	Peak	horizontal
11	5982.500	57.43	13.48	43.95	68.20	-10.77	100	291	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5062.000	59.20	16.78	42.42	74.00	-14.80	300	284	Peak	vertical
2	5355.000	62.26	19.40	42.86	74.00	-11.74	300	276	Peak	vertical
3	5487.000	60.49	17.29	43.20	68.20	-7.71	300	248	Peak	vertical
4	5658.500	58.69	15.37	43.32	74.51	-15.82	151	360	Peak	vertical
5	5718.000	58.33	14.84	43.49	110.24	-51.91	200	274	Peak	vertical
6	5721.000	56.77	13.28	43.49	113.08	-56.31	163	360	Peak	vertical
7	5825.000	109.03	65.35	43.68	122.20	-13.17	300	308	Peak	vertical
8	5854.000	57.20	13.44	43.76	113.08	-55.88	200	301	Peak	vertical
9	5873.000	57.38	13.57	43.81	105.76	-48.38	200	333	Peak	vertical
10	5904.500	57.42	13.53	43.89	83.33	-25.91	100	361	Peak	vertical
11	5996.000	57.06	13.10	43.96	68.20	-11.14	100	361	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	51.31	8.84	42.47	54.00	-2.69	386	296	Average	Horizontal
2	5180.000	104.53	61.97	42.56	54.00	50.53	383	290	Average	Horizontal
3	5378.000	44.51	1.58	42.93	54.00	-9.49	383	290	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	49.05	6.58	42.47	54.00	-4.95	376	337	Average	Vertical
2	* 5180.000	102.17	59.61	42.56	54.00	48.17	318	331	Average	Vertical
3	5446.500	48.25	5.03	43.22	54.00	-5.75	318	270	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.500	66.99	24.52	42.47	74.00	-7.01	386	296	Peak	Horizontal
2 *	5180.000	113.89	71.33	42.56	74.00	39.89	383	290	Peak	Horizontal
3	5459.000	56.83	13.61	43.22	74.00	-17.17	383	290	Peak	Horizontal




Date: 2020-01-08


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.500	64.48	22.01	42.47	74.00	-9.52	376	337	Peak	Vertical
2 *	5180.000	111.05	68.49	42.56	74.00	37.05	318	331	Peak	Vertical
3	5456.500	61.66	18.43	43.23	74.00	-12.34	318	270	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	52.80	10.33	42.47	54.00	-1.20	388	297	Average	Horizontal
2	* 5200.000	106.24	63.62	42.62	54.00	52.24	100	218	Average	Horizontal
3	5439.500	47.14	3.95	43.19	54.00	-6.86	100	218	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	! 5150.000	50.11	7.64	42.47	54.00	-3.89	375	336	Average	Vertical
2	* 5200.000	105.45	62.83	42.62	54.00	51.45	302	0	Average	Vertical
3	! 5446.000	50.10	6.89	43.21	54.00	-3.90	318	269	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.000	71.88	29.43	42.45	74.00	-2.12	388	297	Peak	Horizontal
2	* 5200.000	115.68	73.06	42.62	74.00	41.68	100	218	Peak	Horizontal
3	5379.000	58.64	15.71	42.93	74.00	-15.36	100	218	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5112.500	68.15	25.86	42.29	74.00	-5.85	375	336	Peak	Vertical
2	* 5200.000	114.48	71.86	42.62	74.00	40.48	302	0	Peak	Vertical
3	5452.500	62.93	19.70	43.23	74.00	-11.07	318	269	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5100.000	62.91	20.68	42.23	74.00	-11.09	282	276	Peak	Vertical
2 *	5240.000	119.60	76.95	42.65	74.00	45.60	282	278	Peak	Vertical
3	5386.000	65.85	22.90	42.95	74.00	-8.15	310	270	Peak	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	! 5085.500	49.74	7.43	42.31	54.00	-4.26	282	276	Average	Vertical
2	* 5240.000	110.15	67.50	42.65	54.00	56.15	282	278	Average	Vertical
3	! 5379.000	51.01	8.08	42.93	54.00	-2.99	310	270	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	! 5146.500	51.39	8.93	42.46	54.00	-2.61	274	217	Average	Horizontal
2	* 5240.000	110.92	68.27	42.65	54.00	56.92	102	244	Average	Horizontal
3	! 5350.000	49.76	6.91	42.85	54.00	-4.24	100	236	Average	Horizontal




Date: 2020-01-08


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.000	69.15	26.70	42.45	74.00	-4.85	274	217	Peak	Horizontal
2	5240.000	120.02	77.37	42.65	74.00	46.02	102	244	Peak	Horizontal
3	5380.000	61.45	18.52	42.93	74.00	-12.55	102	244	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5097.500	47.73	5.49	42.24	54.00	-6.27	400	301	Average	Horizontal
2	5427.000	48.00	4.87	43.13	54.00	-6.00	300	304	Average	Horizontal
3	5745.000	100.42	56.86	43.56	54.00	46.42	200	341	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5131.000	45.49	3.11	42.38	54.00	-8.51	300	306	Average	Vertical
2	5399.000	48.18	5.19	42.99	54.00	-5.82	100	327	Average	Vertical
3	* 5745.000	98.67	55.11	43.56	54.00	44.67	300	285	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5115.000	58.51	16.21	42.30	74.00	-15.49	400	301	Peak	horizontal
2	5378.000	59.98	17.05	42.93	74.00	-14.02	300	304	Peak	horizontal
3	5492.000	58.93	15.74	43.19	68.20	-9.27	300	246	Peak	horizontal
4	5677.000	57.89	14.53	43.36	88.22	-30.33	300	349	Peak	horizontal
5	5701.500	58.05	14.62	43.43	105.62	-47.57	200	345	Peak	horizontal
6	5724.500	58.41	14.91	43.50	121.06	-62.65	170	360	Peak	horizontal
7	5745.000	108.13	64.57	43.56	122.20	-14.07	200	341	Peak	horizontal
8	5851.000	56.02	12.27	43.75	119.92	-63.90	200	227	Peak	horizontal
9	5871.000	56.91	13.11	43.80	106.32	-49.41	279	0	Peak	horizontal
10	5880.500	56.78	12.95	43.83	101.11	-44.33	100	230	Peak	horizontal
11	5981.000	57.00	13.05	43.95	68.20	-11.20	300	50	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5134.500	57.15	14.75	42.40	74.00	-16.85	300	306	Peak	vertical
2	5427.500	59.26	16.13	43.13	74.00	-14.74	100	327	Peak	vertical
3	5484.000	59.08	15.88	43.20	68.20	-9.12	300	270	Peak	vertical
4	5666.500	56.63	13.29	43.34	80.45	-23.82	114	360	Peak	vertical
5	5714.000	56.44	12.97	43.47	109.12	-52.68	284	0	Peak	vertical
6	5724.000	56.60	13.10	43.50	119.92	-63.32	400	0	Peak	vertical
7	5745.000	106.73	63.17	43.56	122.20	-15.47	300	285	Peak	vertical
8	5853.000	58.53	14.77	43.76	115.36	-56.83	200	296	Peak	vertical
9	5871.500	56.01	12.21	43.80	106.18	-50.17	200	133	Peak	vertical
10	5922.500	57.10	13.20	43.90	70.04	-12.94	200	357	Peak	vertical
11	5974.000	57.23	13.29	43.94	68.20	-10.97	112	360	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.000	51.85	8.53	43.32	54.00	-2.15	390	297	Average	Horizontal
2	5440.000	53.83	9.70	44.13	54.00	-0.17	116	241	Average	Horizontal
3 *	5785.000	101.70	57.13	44.57	54.00	47.70	200	275	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.000	47.94	4.61	43.33	54.00	-6.06	399	360	Average	vertical
2	5385.500	52.43	8.55	43.88	54.00	-1.57	284	296	Average	vertical
3	5785.000	102.13	57.56	44.57	54.00	48.13	300	308	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.500	64.81	21.49	43.32	74.00	-9.19	390	297	Peak	horizontal
2	5445.000	65.47	21.31	44.16	74.00	-8.53	116	241	Peak	horizontal
3	5460.500	60.58	16.40	44.18	68.20	-7.62	400	316	Peak	horizontal
4	5676.000	59.91	15.58	44.33	87.48	-27.57	100	341	Peak	horizontal
5	5718.500	58.67	14.21	44.46	110.38	-51.71	400	339	Peak	horizontal
6	5720.500	58.17	13.71	44.46	111.94	-53.77	300	228	Peak	horizontal
7	5785.000	110.52	65.95	44.57	122.20	-11.68	200	275	Peak	horizontal
8	5855.000	57.70	12.97	44.73	110.80	-53.10	100	360	Peak	horizontal
9	5855.000	57.70	12.97	44.73	110.80	-53.10	100	360	Peak	horizontal
10	5905.500	58.12	13.26	44.86	82.59	-24.47	200	0	Peak	horizontal
11	5957.000	58.44	13.53	44.91	68.20	-9.76	400	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.500	59.71	16.39	43.32	74.00	-14.29	399	360	Peak	vertical
2	5383.500	65.39	21.51	43.88	74.00	-8.61	284	296	Peak	vertical
3	5484.000	61.17	17.02	44.15	68.20	-7.03	300	293	Peak	vertical
4	5683.000	59.38	15.02	44.36	92.66	-33.28	100	350	Peak	vertical
5	5700.000	57.95	13.55	44.40	105.20	-47.25	300	1	Peak	vertical
6	5723.500	58.68	14.21	44.47	118.78	-60.10	300	283	Peak	vertical
7	5785.000	110.69	66.12	44.57	122.20	-11.51	300	308	Peak	vertical
8	5853.500	57.23	12.50	44.73	114.22	-56.99	300	335	Peak	vertical
9	5856.500	58.06	13.32	44.74	110.38	-52.32	400	0	Peak	vertical
10	5906.500	58.91	14.04	44.87	81.85	-22.94	300	306	Peak	vertical
11	5993.000	57.95	13.02	44.93	68.20	-10.25	400	18	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	49.68	7.45	42.23	54.00	-4.32	400	239	Average	Horizontal
2	5440.000	53.38	10.19	43.19	54.00	-0.62	107	241	Average	Horizontal
3	* 5825.000	99.53	55.85	43.68	54.00	45.53	200	345	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.500	48.11	5.65	42.46	54.00	-5.89	100	294	Average	vertical
2	5404.500	51.33	8.31	43.02	54.00	-2.67	326	276	Average	vertical
3	* 5825.000	99.22	55.54	43.68	54.00	45.22	200	302	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5095.500	59.20	16.95	42.25	74.00	-14.80	400	239	Peak	horizontal
2	5458.000	65.06	21.84	43.22	74.00	-8.94	107	241	Peak	horizontal
3	5480.500	60.73	17.53	43.20	68.20	-7.47	400	309	Peak	horizontal
4	5651.500	59.03	15.73	43.30	69.31	-10.28	300	207	Peak	horizontal
5	5715.500	58.09	14.62	43.47	109.54	-51.45	100	0	Peak	horizontal
6	5721.000	57.71	14.22	43.49	113.08	-55.37	100	352	Peak	horizontal
7	5825.000	107.95	64.27	43.68	122.20	-14.25	200	345	Peak	horizontal
8	5852.000	58.16	14.41	43.75	117.64	-59.48	200	355	Peak	horizontal
9	5858.500	56.77	13.00	43.77	109.82	-53.05	153	359	Peak	horizontal
10	5914.000	57.49	13.60	43.89	76.31	-18.82	200	305	Peak	horizontal
11	5999.000	57.18	13.22	43.96	68.20	-11.02	302	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5096.500	58.51	16.27	42.24	74.00	-15.49	100	294	Peak	vertical
2	5368.000	63.78	20.88	42.90	74.00	-10.22	326	276	Peak	vertical
3	5526.000	61.79	18.59	43.20	68.20	-6.41	300	251	Peak	vertical
4	5696.500	58.46	15.04	43.42	102.62	-44.16	130	360	Peak	vertical
5	5712.500	56.94	13.47	43.47	108.70	-51.76	400	13	Peak	vertical
6	5724.500	55.64	12.14	43.50	121.06	-65.42	274	0	Peak	vertical
7	5825.000	106.18	62.50	43.68	122.20	-16.02	200	302	Peak	vertical
8	5853.500	55.64	11.88	43.76	114.22	-58.58	200	244	Peak	vertical
9	5871.500	57.17	13.37	43.80	106.18	-49.01	300	283	Peak	vertical
10	5914.500	57.39	13.49	43.90	75.94	-18.55	100	340	Peak	vertical
11	5947.000	57.56	13.64	43.92	68.20	-10.64	400	292	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.500	52.11	9.66	42.45	54.00	-1.89	100	214	Average	Horizontal
2	5190.000	99.77	57.18	42.59	54.00	45.77	382	292	Average	Horizontal
3	5399.500	44.11	1.12	42.99	54.00	-9.89	382	292	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.500	51.90	9.44	42.46	54.00	-2.10	260	360	Average	Vertical
2	* 5190.000	97.21	54.62	42.59	54.00	43.21	353	335	Average	Vertical
3	5445.000	44.88	1.67	43.21	54.00	-9.12	353	335	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5143.500	67.62	25.18	42.44	74.00	-6.38	100	214	Peak	Horizontal
2 *	5190.000	109.23	66.64	42.59	74.00	35.23	382	292	Peak	Horizontal
3	5420.000	57.09	14.00	43.09	74.00	-16.91	382	292	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.500	68.05	25.59	42.46	74.00	-5.95	260	360	Peak	Vertical
2	* 5190.000	106.98	64.39	42.59	74.00	32.98	353	335	Peak	Vertical
3	5436.000	57.54	14.38	43.16	74.00	-16.46	353	335	Peak	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5082.000	48.20	5.88	42.32	54.00	-5.80	100	214	Average	Horizontal
2	* 5230.000	104.29	61.65	42.64	54.00	50.29	375	291	Average	Horizontal
3	5440.000	44.59	1.40	43.19	54.00	-9.41	375	291	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.500	47.81	5.35	42.46	54.00	-6.19	100	206	Average	vertical
2 *	5230.000	101.60	58.96	42.64	54.00	47.60	100	291	Average	vertical
3	5375.000	46.13	3.21	42.92	54.00	-7.87	100	240	Average	vertical




Date: 2020-01-09

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5083.500	65.29	22.98	42.31	74.00	-8.71	100	214	Peak	Horizontal
2 *	5230.000	113.42	70.78	42.64	74.00	39.42	375	291	Peak	Horizontal
3	5450.000	57.12	13.88	43.24	74.00	-16.88	375	291	Peak	Horizontal




Date: 2020-01-09


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.500	59.73	17.27	42.46	74.00	-14.27	100	206	Peak	vertical
2 *	5230.000	110.05	67.41	42.64	74.00	36.05	100	291	Peak	vertical
3	5370.000	57.56	14.65	42.91	74.00	-16.44	100	240	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5130.000	46.96	4.59	42.37	54.00	-7.04	100	339	Average	Horizontal
2	5439.944	50.83	7.64	43.19	54.00	-3.17	105	242	Average	Horizontal
3	5755.000	99.68	56.11	43.57	54.00	45.68	100	339	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5130.000	44.70	2.33	42.37	54.00	-9.30	152	360	Average	vertical
2	5371.846	50.82	7.91	42.91	54.00	-3.18	120	210	Average	vertical
3 *	5755.000	97.97	54.40	43.57	54.00	43.97	152	360	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.000	59.56	17.11	42.45	74.00	-14.44	300	290	Peak	horizontal
2	5440.000	59.70	16.51	43.19	74.00	-14.30	100	239	Peak	horizontal
3	5482.000	59.52	16.32	43.20	68.20	-8.68	300	204	Peak	horizontal
4	5699.500	60.29	16.86	43.43	104.83	-44.54	100	360	Peak	horizontal
5	5720.000	65.87	22.38	43.49	110.80	-44.93	100	350	Peak	horizontal
6	5725.000	69.48	25.98	43.50	122.20	-52.72	232	0	Peak	horizontal
7	5755.000	109.07	65.50	43.57	122.20	-13.13	100	339	Peak	horizontal
8	5855.000	56.29	12.53	43.76	110.80	-54.51	350	360	Peak	horizontal
9	5866.000	56.89	13.10	43.79	107.72	-50.83	100	243	Peak	horizontal
10	5877.000	57.20	13.38	43.82	103.71	-46.51	400	300	Peak	horizontal
11	5980.500	58.16	14.21	43.95	68.20	-10.04	253	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5119.500	59.00	16.67	42.33	74.00	-15.00	100	251	Peak	vertical
2	5370.506	65.26	22.35	42.91	74.00	-8.74	120	210	Peak	vertical
3	5470.500	59.75	16.54	43.21	68.20	-8.45	300	284	Peak	vertical
4	5697.500	61.55	18.13	43.42	103.36	-41.81	134	360	Peak	vertical
5	5720.000	66.48	22.99	43.49	110.80	-44.32	200	250	Peak	vertical
6	5723.500	70.54	27.04	43.50	118.78	-48.24	400	10	Peak	vertical
7	5755.000	107.52	63.95	43.57	122.20	-14.68	152	360	Peak	vertical
8	5851.000	56.67	12.92	43.75	119.92	-63.25	100	209	Peak	vertical
9	5867.000	56.89	13.10	43.79	107.44	-50.55	200	265	Peak	vertical
10	5900.500	57.62	13.74	43.88	86.29	-28.67	200	17	Peak	vertical
11	5974.500	57.05	13.11	43.94	68.20	-11.15	400	163	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.535	51.57	9.10	42.47	54.00	-2.43	386	273	Average	Horizontal
2	5439.895	52.94	9.75	43.19	54.00	-1.06	109	240	Average	Horizontal
3	* 5795.000	100.65	57.05	43.60	54.00	46.65	200	346	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.795	48.96	6.49	42.47	54.00	-5.04	100	292	Average	Vertical
2	5401.657	52.06	9.06	43.00	54.00	-1.94	284	254	Average	Vertical
3	* 5795.000	98.54	54.94	43.60	54.00	44.54	300	311	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5141.887	64.75	22.32	42.43	74.00	-9.25	386	273	Peak	horizontal
2	5440.067	64.71	21.52	43.19	74.00	-9.29	109	240	Peak	horizontal
3	5491.500	59.65	16.46	43.19	68.20	-8.55	100	258	Peak	horizontal
4	5699.000	58.87	15.44	43.43	104.46	-45.59	400	318	Peak	horizontal
5	5716.500	58.06	14.59	43.47	109.82	-51.76	200	348	Peak	horizontal
6	5725.000	58.01	14.51	43.50	122.20	-64.19	254	360	Peak	horizontal
7	5795.000	107.98	64.38	43.60	122.20	-14.22	200	346	Peak	horizontal
8	5851.500	58.71	14.96	43.75	118.78	-60.07	146	0	Peak	horizontal
9	5855.000	57.23	13.47	43.76	110.80	-53.57	200	360	Peak	horizontal
10	5887.000	56.47	12.63	43.84	96.29	-39.82	200	325	Peak	horizontal
11	5926.500	56.56	12.66	43.90	68.20	-11.64	400	270	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.185	62.21	19.74	42.47	74.00	-11.79	100	292	Peak	vertical
2	5407.156	65.50	22.47	43.03	74.00	-8.50	284	254	Peak	vertical
3	5480.500	60.36	17.16	43.20	68.20	-7.84	332	0	Peak	vertical
4	5662.000	57.79	14.47	43.32	77.11	-19.32	100	204	Peak	vertical
5	5702.000	57.42	13.99	43.43	105.76	-48.34	100	204	Peak	vertical
6	5722.000	56.92	13.43	43.49	115.36	-58.44	118	0	Peak	vertical
7	5795.000	107.23	63.63	43.60	122.20	-14.97	300	311	Peak	vertical
8	5852.000	57.25	13.50	43.75	117.64	-60.39	200	336	Peak	vertical
9	5857.500	58.08	14.31	43.77	110.10	-52.02	305	0	Peak	vertical
10	5879.000	57.76	13.93	43.83	102.23	-44.47	100	0	Peak	vertical
11	5949.500	58.08	14.16	43.92	68.20	-10.12	300	252	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5141.500	53.24	10.81	42.43	54.00	-0.76	390	298	Average	Horizontal
2	5210.000	100.60	57.98	42.62	54.00	46.60	100	228	Average	Horizontal
3	5440.000	46.64	3.45	43.19	54.00	-7.36	100	228	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5125.000	50.96	8.61	42.35	54.00	-3.04	344	328	Average	Vertical
2	* 5210.000	93.02	50.40	42.62	54.00	39.02	299	278	Average	Vertical
3	5369.000	46.60	3.70	42.90	54.00	-7.40	299	278	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5141.500	67.73	25.30	42.43	74.00	-6.27	390	298	Peak	Horizontal
2 *	5210.000	104.60	61.98	42.62	74.00	30.60	100	228	Peak	Horizontal
3	5453.000	57.58	14.35	43.23	74.00	-16.42	100	228	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.000	65.67	23.22	42.45	74.00	-8.33	344	328	Peak	Vertical
2 *	5210.000	103.86	61.24	42.62	74.00	29.86	299	278	Peak	Vertical
3	5366.500	58.67	15.78	42.89	74.00	-15.33	299	278	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.985	51.15	8.68	42.47	54.00	-2.85	385	270	Average	Horizontal
2	5351.418	50.13	7.28	42.85	54.00	-3.87	213	295	Average	Horizontal
3	* 5775.000	96.53	52.94	43.59	54.00	42.53	100	255	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	! 5139.742	49.16	6.74	42.42	54.00	-4.84	279	280	Average	Vertical
2	! 5353.724	52.74	9.88	42.86	54.00	-1.26	300	277	Average	Vertical
3	* 5775.000	95.34	51.75	43.59	54.00	41.34	100	1	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5142.486	63.76	21.32	42.44	74.00	-10.24	385	270	Peak	horizontal
2	5364.220	63.02	20.13	42.89	74.00	-10.98	213	295	Peak	horizontal
3	5629.500	59.29	16.05	43.24	68.20	-8.91	200	339	Peak	horizontal
4	5698.500	65.63	22.20	43.43	104.09	-38.46	100	348	Peak	horizontal
5	5719.500	72.50	29.01	43.49	110.66	-38.16	100	220	Peak	horizontal
6	5725.000	75.06	31.56	43.50	122.20	-47.14	100	338	Peak	horizontal
7	5775.000	106.75	63.16	43.59	122.20	-15.45	100	255	Peak	horizontal
8	5854.500	66.97	23.21	43.76	111.94	-44.97	100	220	Peak	horizontal
9	5857.000	66.32	22.56	43.76	110.24	-43.92	200	351	Peak	horizontal
10	5876.500	59.93	16.11	43.82	104.09	-44.16	200	345	Peak	horizontal
11	5960.000	57.29	13.36	43.93	68.20	-10.91	100	253	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.556	61.51	19.04	42.47	74.00	-12.49	279	280	Peak	vertical
2	5363.070	65.19	22.30	42.89	74.00	-8.81	300	277	Peak	vertical
3	5597.000	60.48	17.32	43.16	68.20	-7.72	200	231	Peak	vertical
4	5699.500	62.91	19.48	43.43	104.83	-41.92	400	195	Peak	vertical
5	5719.500	71.91	28.42	43.49	110.66	-38.75	400	333	Peak	vertical
6	5722.500	75.12	31.63	43.49	116.50	-41.38	100	340	Peak	vertical
7	5775.000	105.79	62.20	43.59	122.20	-16.41	100	1	Peak	vertical
8	5851.500	65.25	21.50	43.75	118.78	-53.53	200	239	Peak	vertical
9	5864.500	65.73	21.94	43.79	108.14	-42.41	300	291	Peak	vertical
10	5876.500	61.84	18.02	43.82	104.09	-42.25	300	283	Peak	vertical
11	5979.000	57.64	13.70	43.94	68.20	-10.56	300	146	Peak	vertical

Spurious Emissions, TX Mode, 9kHz-30MHz

802.11n HT20




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2020-01-16


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.026	74.83	3.29	71.54	119.43	-44.60	100	246	QP	vertical
2	0.051	69.72	4.84	64.88	113.41	-43.69	100	249	QP	vertical
3	0.077	62.85	1.25	61.60	109.89	-47.04	100	249	QP	vertical
4	0.102	53.29	-5.82	59.11	107.39	-54.10	100	249	QP	vertical
5	0.128	50.14	-7.51	57.65	105.48	-55.34	100	236	QP	vertical
6	0.141	49.77	-7.13	56.90	104.64	-54.87	100	223	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.696	42.67	-0.57	43.24	70.67	-28.00	100	228	QP	vertical
2	2.293	29.99	-8.56	38.55	69.50	-39.51	100	221	QP	vertical
3	7.992	29.29	-8.78	38.07	69.50	-40.21	100	24	QP	vertical
4	14.323	30.64	-7.01	37.65	69.50	-38.86	100	34	QP	vertical
5	20.806	29.02	-7.08	36.10	69.50	-40.48	100	214	QP	vertical
6	23.349	29.18	-6.16	35.34	69.50	-40.32	100	183	QP	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.026	71.44	-0.09	71.53	119.43	-47.99	100	257	QP	vertical
2	0.051	67.53	2.65	64.88	113.41	-45.88	100	257	QP	vertical
3	0.077	62.17	0.57	61.60	109.89	-47.72	100	257	QP	vertical
4	0.102	55.62	-3.49	59.11	107.39	-51.77	100	234	QP	vertical
5	0.128	49.15	-8.48	57.63	105.45	-56.30	100	234	QP	vertical
6	0.136	48.19	-8.94	57.13	104.90	-56.71	100	230	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.634	42.84	-1.66	44.50	71.51	-28.67	100	242	QP	vertical
2	4.425	29.07	-9.27	38.34	69.50	-40.43	100	175	QP	vertical
3	7.836	28.96	-9.16	38.12	69.50	-40.54	100	54	QP	vertical
4	14.415	32.03	-5.63	37.66	69.50	-37.47	100	86	QP	vertical
5	20.824	29.17	-6.93	36.10	69.50	-40.33	100	201	QP	vertical
6	23.373	28.52	-6.80	35.32	69.50	-40.98	100	194	QP	vertical

Spurious Emissions, TX Mode, 30MHz-1GHz


802.11n HT20



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	58.227	31.96	38.58	-6.62	40.00	-8.04	400	317	QP	horizontal
2	249.996	45.23	51.85	-6.62	46.00	-0.77	100	41	QP	horizontal
3	350.003	35.58	39.87	-4.29	46.00	-10.42	100	287	QP	horizontal
4	375.029	38.49	42.19	-3.70	46.00	-7.51	200	273	QP	horizontal
5	750.031	38.39	36.21	2.18	46.00	-7.61	101	0	QP	horizontal
6	875.064	41.01	37.38	3.63	46.00	-4.99	230	360	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	46.199	31.54	37.67	-6.13	40.00	-8.46	100	173	QP	vertical
2	249.996	36.87	43.49	-6.62	46.00	-9.13	100	183	QP	vertical
3 !	375.029	42.44	46.14	-3.70	46.00	-3.56	169	0	QP	vertical
4	524.991	36.00	37.48	-1.48	46.00	-10.00	100	314	QP	vertical
5 !	625.095	43.96	43.56	0.40	46.00	-2.04	100	256	QP	vertical
6	875.064	39.53	35.90	3.63	46.00	-6.47	100	262	QP	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	53.765	34.31	40.50	-6.19	40.00	-5.69	200	150	QP	horizontal
2 !	249.996	45.01	51.63	-6.62	46.00	-0.99	100	37	QP	horizontal
3	350.003	34.45	38.74	-4.29	46.00	-11.55	100	293	QP	horizontal
4	650.121	36.12	35.52	0.60	46.00	-9.88	300	193	QP	horizontal
5	750.128	39.09	36.91	2.18	46.00	-6.91	100	172	QP	horizontal
6 !	875.064	40.00	36.37	3.63	46.00	-6.00	234	360	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	80.828	30.65	41.53	-10.88	40.00	-9.35	100	360	QP	vertical
2	249.996	36.93	43.55	-6.62	46.00	-9.07	100	182	QP	vertical
3	524.991	35.48	36.96	-1.48	46.00	-10.52	100	310	QP	vertical
4	625.095	35.37	34.97	0.40	46.00	-10.63	100	159	QP	vertical
5	750.128	36.11	33.93	2.18	46.00	-9.89	200	145	QP	vertical
6	875.064	40.43	36.80	3.63	46.00	-5.57	100	274	QP	vertical

Spurious Emissions, TX Mode, 1GHz-40GHz


802.11a




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.67	72.03	29.57	42.46	74.00	-1.97	350	294	Peak	horizontal
2	5180.00	111.98	69.42	42.56	74.00	37.98	400	271	Peak	horizontal
3	5391.50	56.74	13.78	42.96	74.00	-17.26	200	296	Peak	horizontal
4	10360.00	55.10	58.13	-3.03	68.20	-13.10	193	222	Peak	horizontal
5	20720.00	31.44	30.15	1.29	54.00	-22.56	200	246	Average	horizontal
6	20720.00	51.75	50.46	1.29	74.00	-22.25	200	246	Peak	horizontal
7	39934.00	53.33	37.58	15.75	54.00	-0.67	300	2	Average	horizontal
8	39934.00	65.59	49.84	15.75	68.20	-2.61	300	2	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.90	69.13	26.66	42.47	74.00	-4.87	378	336	Peak	vertical
2	5180.00	110.50	67.94	42.56	74.00	36.50	100	310	Peak	vertical
3	5351.00	58.86	16.01	42.85	74.00	-15.14	300	276	Peak	vertical
4	10360.00	47.48	50.51	-3.03	68.20	-20.72	200	329	Peak	vertical
5	20720.00	37.34	36.05	1.29	54.00	-16.66	157	255	Average	vertical
6	20720.00	51.84	50.55	1.29	74.00	-22.16	157	255	Peak	vertical
7	39651.00	52.45	36.95	15.50	54.00	-1.55	400	335	Average	vertical
8	39651.00	64.89	49.39	15.50	68.20	-3.31	400	335	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.86	70.51	28.04	42.47	74.00	-3.49	388	299	Peak	Horizontal
2 *	5200.00	118.58	75.96	42.62	74.00	44.58	378	272	Peak	Horizontal
3	5436.50	59.57	16.40	43.17	74.00	-14.43	378	272	Peak	Horizontal
4	10400.00	60.46	63.39	-2.93	68.20	-7.74	118	313	Peak	horizontal
5	15600.00	52.48	47.46	5.02	54.00	-1.52	100	308	Average	horizontal
6	15600.00	65.95	60.93	5.02	74.00	-8.05	100	308	Peak	horizontal
7	20800.00	39.86	38.51	1.35	54.00	-14.14	201	245	Average	horizontal
8	20800.00	54.16	52.81	1.35	74.00	-19.84	201	245	Peak	horizontal
9	39643.00	52.48	37.00	15.48	54.00	-1.52	400	93	Average	horizontal
10	39643.00	65.62	50.14	15.48	68.20	-2.58	400	93	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.87	66.88	24.41	42.47	74.00	-7.12	377	336	Peak	Vertical
2 *	5200.00	115.81	73.19	42.62	74.00	41.81	316	0	Peak	Vertical
3	5354.02	67.51	24.65	42.86	74.00	-6.49	300	275	Peak	Vertical
4	10400.00	56.31	59.24	-2.93	68.20	-11.89	266	322	Peak	vertical
5 ↓	15600.00	48.29	43.27	5.02	54.00	-5.71	133	274	Average	vertical
6	15600.00	63.63	58.61	5.02	74.00	-10.37	133	274	Peak	vertical
7	20800.00	41.09	39.74	1.35	54.00	-12.91	200	244	Average	vertical
8	20800.00	55.45	54.10	1.35	74.00	-18.55	200	244	Peak	vertical
9 ↓	39910.00	52.33	36.59	15.74	54.00	-1.67	259	0	Average	vertical
10 ↓	39910.00	65.16	49.42	15.74	68.20	-3.04	259	0	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	63.04	20.57	42.47	74.00	-10.96	100	214	Peak	vertical
2 *	5240.00	118.16	75.51	42.65	74.00	44.16	299	0	Peak	vertical
3	5360.50	61.33	18.45	42.88	74.00	-12.67	200	342	Peak	vertical
4 !	10480.00	63.74	66.63	-2.89	68.20	-4.46	130	312	Peak	horizontal
5 !	15720.00	52.58	47.51	5.07	54.00	-1.42	119	320	Average	horizontal
6	15720.00	67.68	62.61	5.07	74.00	-6.32	119	320	Peak	horizontal
7	20960.00	38.69	37.20	1.49	54.00	-15.31	237	325	Average	horizontal
8	20960.00	53.26	51.77	1.49	74.00	-20.74	237	325	Peak	horizontal
9 !	39788.00	52.84	37.12	15.72	54.00	-1.16	100	0	Average	horizontal
10 !	39788.00	65.18	49.46	15.72	68.20	-3.02	100	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	63.63	21.16	42.47	74.00	-10.37	100	245	Peak	horizontal
2 *	5240.00	118.16	75.51	42.65	74.00	44.16	100	267	Peak	horizontal
3	5357.50	62.64	19.77	42.87	74.00	-11.36	100	269	Peak	horizontal
4	10480.00	60.14	63.03	-2.89	68.20	-8.06	185	328	Peak	vertical
5 ↓	15720.00	49.08	44.01	5.07	54.00	-4.92	290	242	Average	vertical
6	15720.00	63.81	58.74	5.07	74.00	-10.19	290	242	Peak	vertical
7	20960.00	40.81	39.32	1.49	54.00	-13.19	200	273	Average	vertical
8	20960.00	55.78	54.29	1.49	74.00	-18.22	200	273	Peak	vertical
9 ↓	39856.00	52.72	36.99	15.73	54.00	-1.28	300	351	Average	vertical
10 ↓	39856.00	65.47	49.74	15.73	68.20	-2.73	300	351	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5119.00	56.53	14.21	42.32	74.00	-17.47	300	215	Peak	horizontal
2	5455.00	57.32	14.09	43.23	74.00	-16.68	100	234	Peak	horizontal
3	5461.00	57.78	14.55	43.23	68.20	-10.42	200	296	Peak	horizontal
4	5684.00	56.67	13.28	43.39	93.40	-36.73	200	325	Peak	horizontal
5	5704.00	57.18	13.73	43.45	106.32	-49.14	100	0	Peak	horizontal
6	5723.00	56.25	12.75	43.50	117.64	-61.39	300	204	Peak	horizontal
7	5745.00	107.06	63.50	43.56	122.20	-15.14	100	339	Peak	horizontal
8	5852.50	56.05	12.29	43.76	116.50	-60.45	100	237	Peak	horizontal
9	5863.00	56.25	12.46	43.79	108.56	-52.31	300	164	Peak	horizontal
10	5880.00	56.95	13.12	43.83	101.49	-44.54	400	191	Peak	horizontal
11	5969.00	57.61	13.67	43.94	68.20	-10.59	226	0	Peak	horizontal
12	11490.00	41.63	42.66	-1.03	74.00	-32.37	400	357	Peak	horizontal
13	17235.00	65.39	58.00	7.39	68.20	-2.81	188	290	Peak	horizontal
14	22980.00	45.37	41.67	3.70	74.00	-28.63	400	340	Peak	horizontal
15	39888.00	52.76	37.02	15.74	54.00	-1.24	300	69	Average	horizontal
16	39888.00	65.10	49.36	15.74	68.20	-3.10	300	69	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5142.00	56.63	14.20	42.43	74.00	-17.37	200	310	Peak	vertical
2	5430.00	57.60	14.46	43.14	74.00	-16.40	100	201	Peak	vertical
3	5531.00	57.58	14.38	43.20	68.20	-10.62	100	334	Peak	vertical
4	5651.50	57.26	13.96	43.30	69.31	-12.05	400	357	Peak	vertical
5	5718.50	56.20	12.71	43.49	110.38	-54.18	300	200	Peak	vertical
6	5724.00	55.46	11.96	43.50	119.92	-64.46	124	360	Peak	vertical
7	5745.00	105.08	61.52	43.56	122.20	-17.12	100	360	Peak	vertical
8	5850.00	56.65	12.90	43.75	122.20	-65.55	100	231	Peak	vertical
9	5871.50	56.64	12.84	43.80	106.18	-49.54	400	65	Peak	vertical
10	5892.50	57.72	13.86	43.86	92.21	-34.49	400	219	Peak	vertical
11	5963.00	56.89	12.96	43.93	68.20	-11.31	100	61	Peak	vertical
12	11490.00	42.57	43.60	-1.03	74.00	-31.43	200	205	Peak	vertical
13	17235.00	57.44	50.05	7.39	68.20	-10.76	228	221	Peak	vertical
14	22980.00	45.24	41.54	3.70	74.00	-28.76	100	162	Peak	vertical
15	39951.00	52.27	36.52	15.75	54.00	-1.73	400	201	Average	vertical
16	39951.00	65.36	49.61	15.75	68.20	-2.84	400	201	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5075.50	59.83	17.47	42.36	74.00	-14.17	400	268	Peak	horizontal
2	5386.00	60.31	17.36	42.95	74.00	-13.69	200	292	Peak	horizontal
3	5632.00	58.77	15.53	43.24	68.20	-9.43	100	342	Peak	horizontal
4	5685.00	58.89	15.50	43.39	94.13	-35.24	200	347	Peak	horizontal
5	5714.00	58.02	14.55	43.47	109.12	-51.10	100	305	Peak	horizontal
6	5720.50	57.05	13.56	43.49	111.94	-54.89	200	343	Peak	horizontal
7	5785.00	108.45	64.85	43.60	122.20	-13.75	100	355	Peak	horizontal
8	5850.50	56.29	12.54	43.75	121.06	-64.77	300	338	Peak	horizontal
9	5857.00	56.84	13.08	43.76	110.24	-53.40	400	251	Peak	horizontal
10	5920.00	56.81	12.91	43.90	71.89	-15.08	300	44	Peak	horizontal
11	5933.00	57.74	13.83	43.91	68.20	-10.46	210	0	Peak	horizontal
12	11570.00	39.49	40.31	-0.82	54.00	-14.51	100	204	Average	horizontal
13	11570.00	54.53	55.35	-0.82	74.00	-19.47	100	204	Peak	horizontal
14	17355.00	66.92	59.45	7.47	68.20	-1.28	179	302	Peak	horizontal
15	23140.00	46.20	42.46	3.74	68.20	-22.00	300	315	Peak	horizontal
16	39828.00	52.75	37.02	15.73	54.00	-1.25	400	238	Average	horizontal
17	39828.00	65.09	49.36	15.73	68.20	-3.11	400	238	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5131.50	58.99	16.60	42.39	74.00	-15.01	100	242	Peak	vertical
2	5361.50	65.28	22.40	42.88	74.00	-8.72	301	276	Peak	vertical
3 !	5527.00	62.38	19.18	43.20	68.20	-5.82	300	245	Peak	vertical
4	5662.50	58.57	15.24	43.33	77.48	-18.91	300	276	Peak	vertical
5	5713.50	57.51	14.04	43.47	108.98	-51.47	246	0	Peak	vertical
6	5721.50	56.44	12.95	43.49	114.22	-57.78	400	-1	Peak	vertical
7	5785.00	108.53	64.93	43.60	122.20	-13.67	300	303	Peak	vertical
8	5852.50	56.13	12.37	43.76	116.50	-60.37	100	99	Peak	vertical
9	5867.00	56.86	13.07	43.79	107.44	-50.58	200	263	Peak	vertical
10	5920.00	57.12	13.22	43.90	71.89	-14.77	300	171	Peak	vertical
11	5941.00	57.91	13.99	43.92	68.20	-10.29	200	239	Peak	vertical
12	11570.00	47.35	48.17	-0.82	74.00	-26.65	300	276	Peak	vertical
13	17355.00	61.88	54.41	7.47	68.20	-6.32	309	264	Peak	vertical
14	23140.00	47.26	43.52	3.74	68.20	-20.94	300	279	Peak	vertical
15 !	39890.00	51.86	36.12	15.74	54.00	-2.14	400	84	Average	vertical
16 !	39890.00	64.69	48.95	15.74	68.20	-3.51	400	84	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5064.50	60.10	17.69	42.41	74.00	-13.90	400	277	Peak	horizontal
2	5412.00	64.72	21.67	43.05	74.00	-9.28	106	241	Peak	horizontal
3	5485.00	60.72	17.52	43.20	68.20	-7.48	100	244	Peak	horizontal
4	5684.50	59.00	15.61	43.39	93.76	-34.76	200	339	Peak	horizontal
5	5715.50	58.33	14.86	43.47	109.54	-51.21	140	360	Peak	horizontal
6	5720.00	57.11	13.62	43.49	110.80	-53.69	200	346	Peak	horizontal
7	5825.00	108.73	65.05	43.68	122.20	-13.47	134	360	Peak	horizontal
8	5853.00	57.51	13.75	43.76	115.36	-57.85	300	280	Peak	horizontal
9	5856.00	57.63	13.87	43.76	110.52	-52.89	300	350	Peak	horizontal
10	5910.00	57.30	13.41	43.89	79.27	-21.97	200	290	Peak	horizontal
11	5982.50	57.43	13.48	43.95	68.20	-10.77	100	291	Peak	horizontal
12	11650.00	40.94	41.60	-0.66	54.00	-13.06	198	338	Average	horizontal
13	11650.00	54.68	55.34	-0.66	74.00	-19.32	198	338	Peak	horizontal
14	17475.00	65.77	58.34	7.43	68.20	-2.43	185	312	Peak	horizontal
15	23300.00	45.15	41.38	3.77	68.20	-23.05	100	58	Peak	horizontal
16	39765.00	53.24	37.52	15.72	54.00	-0.76	300	350	Average	horizontal
17	39765.00	65.32	49.60	15.72	68.20	-2.88	300	350	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5062.00	59.20	16.78	42.42	74.00	-14.80	300	284	Peak	vertical
2	5355.00	62.26	19.40	42.86	74.00	-11.74	300	276	Peak	vertical
3	5487.00	60.49	17.29	43.20	68.20	-7.71	300	248	Peak	vertical
4	5658.50	58.69	15.37	43.32	74.51	-15.82	151	360	Peak	vertical
5	5718.00	58.33	14.84	43.49	110.24	-51.91	200	274	Peak	vertical
6	5721.00	56.77	13.28	43.49	113.08	-56.31	163	360	Peak	vertical
7	5825.00	109.03	65.35	43.68	122.20	-13.17	300	308	Peak	vertical
8	5854.00	57.20	13.44	43.76	113.08	-55.88	200	301	Peak	vertical
9	5873.00	57.38	13.57	43.81	105.76	-48.38	200	333	Peak	vertical
10	5904.50	57.42	13.53	43.89	83.33	-25.91	100	361	Peak	vertical
11	5996.00	57.06	13.10	43.96	68.20	-11.14	100	361	Peak	vertical
12	11650.00	41.61	42.27	-0.66	54.00	-12.39	262	262	Average	vertical
13	11650.00	55.18	55.84	-0.66	74.00	-18.82	262	262	Peak	vertical
14	17475.00	62.21	54.78	7.43	68.20	-5.99	291	264	Peak	vertical
15	23300.00	46.07	42.30	3.77	68.20	-22.13	400	342	Peak	vertical
16	39937.00	51.80	36.05	15.75	54.00	-2.20	200	310	Average	vertical
17	39937.00	65.00	49.25	15.75	68.20	-3.20	200	310	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.50	66.99	24.52	42.47	74.00	-7.01	386	296	Peak	Horizontal
2 *	5180.00	113.89	71.33	42.56	74.00	39.89	383	290	Peak	Horizontal
3	5459.00	56.83	13.61	43.22	74.00	-17.17	383	290	Peak	Horizontal
4	10360.00	55.58	58.61	-3.03	68.20	-12.62	112	314	Peak	horizontal
5	20720.00	46.39	45.10	1.29	74.00	-27.61	400	242	Peak	horizontal
6 †	39637.00	52.49	37.03	15.46	54.00	-1.51	100	328	Average	horizontal
7 †	39637.00	64.96	49.50	15.46	68.20	-3.24	100	328	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.50	64.48	22.01	42.47	74.00	-9.52	376	337	Peak	Vertical
2 *	5180.00	111.05	68.49	42.56	74.00	37.05	318	331	Peak	Vertical
3	5456.50	61.66	18.43	43.23	74.00	-12.34	318	270	Peak	Vertical
4	10360.00	44.95	47.98	-3.03	68.20	-23.25	100	334	Peak	vertical
5	20720.00	36.81	35.52	1.29	54.00	-17.19	100	294	Average	vertical
6	20720.00	51.15	49.86	1.29	74.00	-22.85	100	294	Peak	vertical
7 †	39790.00	52.56	36.84	15.72	54.00	-1.44	100	200	Average	vertical
8 †	39790.00	65.20	49.48	15.72	68.20	-3.00	100	200	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5146.00	71.88	29.43	42.45	74.00	-2.12	388	297	Peak	Horizontal
2 *	5200.00	115.68	73.06	42.62	74.00	41.68	100	218	Peak	Horizontal
3	5379.00	58.64	15.71	42.93	74.00	-15.36	100	218	Peak	Horizontal
4 !	10400.00	62.53	65.46	-2.93	68.20	-5.67	121	314	Peak	horizontal
5 !	15600.00	53.76	48.74	5.02	54.00	-0.24	100	308	Average	horizontal
6 !	15600.00	68.21	63.19	5.02	74.00	-5.79	100	308	Peak	horizontal
7	20800.00	41.30	39.95	1.35	54.00	-12.70	200	315	Average	horizontal
8	20800.00	58.33	56.98	1.35	74.00	-15.67	200	315	Peak	horizontal
9 !	39948.00	52.77	37.02	15.75	54.00	-1.23	300	28	Average	horizontal
10 !	39948.00	66.27	50.52	15.75	68.20	-1.93	300	28	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5112.50	68.15	25.86	42.29	74.00	-5.85	375	336	Peak	Vertical
2	5200.00	114.48	71.86	42.62	74.00	40.48	302	0	Peak	Vertical
3	5452.50	62.93	19.70	43.23	74.00	-11.07	318	269	Peak	Vertical
4	10400.00	57.66	60.59	-2.93	68.20	-10.54	178	319	Peak	vertical
5	15600.00	50.66	45.64	5.02	54.00	-3.34	344	248	Average	vertical
6	15600.00	65.41	60.39	5.02	74.00	-8.59	344	248	Peak	vertical
7	20800.00	41.98	40.63	1.35	54.00	-12.02	183	272	Average	vertical
8	20800.00	59.01	57.66	1.35	74.00	-14.99	183	272	Peak	vertical
9	39939.00	52.27	36.52	15.75	54.00	-1.73	200	133	Average	vertical
10	39939.00	65.53	49.78	15.75	68.20	-2.67	200	133	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5146.00	69.15	26.70	42.45	74.00	-4.85	274	217	Peak	Horizontal
2 *	5240.00	120.02	77.37	42.65	74.00	46.02	102	244	Peak	Horizontal
3	5380.00	61.45	18.52	42.93	74.00	-12.55	102	244	Peak	Horizontal
4 !	10480.00	63.78	66.67	-2.89	68.20	-4.42	122	313	Peak	horizontal
5 !	15720.00	52.76	47.69	5.07	54.00	-1.24	113	321	Average	horizontal
6	15720.00	66.43	61.36	5.07	74.00	-7.57	113	321	Peak	horizontal
7	20960.00	39.17	37.68	1.49	54.00	-14.83	200	313	Average	horizontal
8	20960.00	53.67	52.18	1.49	74.00	-20.33	200	313	Peak	horizontal
9 !	39937.00	53.37	37.62	15.75	54.00	-0.63	400	77	Average	horizontal
10 !	39937.00	66.38	50.63	15.75	68.20	-1.82	400	77	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5100.00	62.91	20.68	42.23	74.00	-11.09	282	276	Peak	Vertical
2 *	5240.00	119.60	76.95	42.65	74.00	45.60	282	278	Peak	Vertical
3	5386.00	65.85	22.90	42.95	74.00	-8.15	310	270	Peak	Vertical
4	10480.00	59.30	62.19	-2.89	68.20	-8.90	226	323	Peak	vertical
5 ↓	15720.00	49.18	44.11	5.07	54.00	-4.82	300	242	Average	vertical
6	15720.00	63.87	58.80	5.07	74.00	-10.13	300	242	Peak	vertical
7	20960.00	40.44	38.95	1.49	54.00	-13.56	200	273	Average	vertical
8	20960.00	55.58	54.09	1.49	74.00	-18.42	200	273	Peak	vertical
9 ↓	39759.00	52.18	36.46	15.72	54.00	-1.82	100	347	Average	vertical
10 ↓	39759.00	66.26	50.54	15.72	68.20	-1.94	100	347	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5115.00	58.51	16.21	42.30	74.00	-15.49	400	301	Peak	horizontal
2	5378.00	59.98	17.05	42.93	74.00	-14.02	300	304	Peak	horizontal
3	5492.00	58.93	15.74	43.19	68.20	-9.27	300	246	Peak	horizontal
4	5677.00	57.89	14.53	43.36	88.22	-30.33	300	349	Peak	horizontal
5	5701.50	58.05	14.62	43.43	105.62	-47.57	200	345	Peak	horizontal
6	5724.50	58.41	14.91	43.50	121.06	-62.65	170	360	Peak	horizontal
7	5745.00	108.13	64.57	43.56	122.20	-14.07	200	341	Peak	horizontal
8	5851.00	56.02	12.27	43.75	119.92	-63.90	200	227	Peak	horizontal
9	5871.00	56.91	13.11	43.80	106.32	-49.41	279	0	Peak	horizontal
10	5880.50	56.78	12.95	43.83	101.11	-44.33	100	230	Peak	horizontal
11	5981.00	57.00	13.05	43.95	68.20	-11.20	300	50	Peak	horizontal
12	11490.00	45.24	46.27	-1.03	74.00	-28.76	100	214	Peak	horizontal
13	17235.00	66.01	58.62	7.39	68.20	-2.19	186	301	Peak	horizontal
14	22980.00	45.81	42.11	3.70	74.00	-28.19	200	190	Peak	horizontal
15	39831.00	52.92	37.19	15.73	54.00	-1.08	300	66	Average	horizontal
16	39831.00	65.58	49.85	15.73	68.20	-2.62	300	66	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5134.50	57.15	14.75	42.40	74.00	-16.85	300	306	Peak	vertical
2	5427.50	59.26	16.13	43.13	74.00	-14.74	100	327	Peak	vertical
3	5484.00	59.08	15.88	43.20	68.20	-9.12	300	270	Peak	vertical
4	5666.50	56.63	13.29	43.34	80.45	-23.82	114	360	Peak	vertical
5	5714.00	56.44	12.97	43.47	109.12	-52.68	284	0	Peak	vertical
6	5724.00	56.60	13.10	43.50	119.92	-63.32	400	0	Peak	vertical
7	5745.00	106.73	63.17	43.56	122.20	-15.47	300	285	Peak	vertical
8	5853.00	58.53	14.77	43.76	115.36	-56.83	200	296	Peak	vertical
9	5871.50	56.01	12.21	43.80	106.18	-50.17	200	133	Peak	vertical
10	5922.50	57.10	13.20	43.90	70.04	-12.94	200	357	Peak	vertical
11	5974.00	57.23	13.29	43.94	68.20	-10.97	112	360	Peak	vertical
12	10490.00	41.99	44.87	-2.88	74.00	-32.01	400	31	Peak	vertical
13	17235.00	59.99	52.60	7.39	68.20	-8.21	400	6	Peak	vertical
14	22980.00	44.80	41.10	3.70	74.00	-29.20	200	47	Peak	vertical
15	39926.00	52.33	36.58	15.75	54.00	-1.67	330	360	Average	vertical
16	39926.00	65.81	50.06	15.75	68.20	-2.39	330	360	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.50	64.81	21.49	43.32	74.00	-9.19	390	297	Peak	horizontal
2	5445.00	65.47	21.31	44.16	74.00	-8.53	116	241	Peak	horizontal
3	5460.50	60.58	16.40	44.18	68.20	-7.62	400	316	Peak	horizontal
4	5676.00	59.91	15.58	44.33	87.48	-27.57	100	341	Peak	horizontal
5	5718.50	58.67	14.21	44.46	110.38	-51.71	400	339	Peak	horizontal
6	5720.50	58.17	13.71	44.46	111.94	-53.77	300	228	Peak	horizontal
7	5785.00	110.52	65.95	44.57	122.20	-11.68	200	275	Peak	horizontal
8	5855.00	57.70	12.97	44.73	110.80	-53.10	100	360	Peak	horizontal
9	5855.00	57.70	12.97	44.73	110.80	-53.10	100	360	Peak	horizontal
10	5905.50	58.12	13.26	44.86	82.59	-24.47	200	0	Peak	horizontal
11	5957.00	58.44	13.53	44.91	68.20	-9.76	400	360	Peak	horizontal
12	11570.00	48.08	48.90	-0.82	74.00	-25.92	100	208	Peak	horizontal
13	17362.00	67.79	60.30	7.49	68.20	-0.41	200	315	Peak	horizontal
14	23140.00	46.20	42.46	3.74	68.20	-22.00	300	262	Peak	horizontal
15	39854.00	52.89	37.16	15.73	54.00	-1.11	200	148	Average	horizontal
16	39854.00	64.94	49.21	15.73	68.20	-3.26	200	148	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.50	59.71	16.39	43.32	74.00	-14.29	399	360	Peak	vertical
2	5383.50	65.39	21.51	43.88	74.00	-8.61	284	296	Peak	vertical
3	5484.00	61.17	17.02	44.15	68.20	-7.03	300	293	Peak	vertical
4	5683.00	59.38	15.02	44.36	92.66	-33.28	100	350	Peak	vertical
5	5700.00	57.95	13.55	44.40	105.20	-47.25	300	1	Peak	vertical
6	5723.50	58.68	14.21	44.47	118.78	-60.10	300	283	Peak	vertical
7	5785.00	110.69	66.12	44.57	122.20	-11.51	300	308	Peak	vertical
8	5853.50	57.23	12.50	44.73	114.22	-56.99	300	335	Peak	vertical
9	5856.50	58.06	13.32	44.74	110.38	-52.32	400	0	Peak	vertical
10	5906.50	58.91	14.04	44.87	81.85	-22.94	300	306	Peak	vertical
11	5993.00	57.95	13.02	44.93	68.20	-10.25	400	18	Peak	vertical
12	11570.00	46.45	47.27	-0.82	74.00	-27.55	159	268	Peak	vertical
13	17355.00	63.30	55.83	7.47	68.20	-4.90	107	278	Peak	vertical
14	23140.00	47.70	43.96	3.74	68.20	-20.50	200	217	Peak	vertical
15	39897.00	52.18	36.44	15.74	54.00	-1.82	400	348	Average	Vertical
16	39897.00	64.93	49.19	15.74	68.20	-3.27	400	348	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5095.50	59.20	16.95	42.25	74.00	-14.80	400	239	Peak	horizontal
2	5458.00	65.06	21.84	43.22	74.00	-8.94	107	241	Peak	horizontal
3	5480.50	60.73	17.53	43.20	68.20	-7.47	400	309	Peak	horizontal
4	5651.50	59.03	15.73	43.30	69.31	-10.28	300	207	Peak	horizontal
5	5715.50	58.09	14.62	43.47	109.54	-51.45	100	0	Peak	horizontal
6	5721.00	57.71	14.22	43.49	113.08	-55.37	100	352	Peak	horizontal
7	5825.00	107.95	64.27	43.68	122.20	-14.25	200	345	Peak	horizontal
8	5852.00	58.16	14.41	43.75	117.64	-59.48	200	355	Peak	horizontal
9	5858.50	56.77	13.00	43.77	109.82	-53.05	153	359	Peak	horizontal
10	5914.00	57.49	13.60	43.89	76.31	-18.82	200	305	Peak	horizontal
11	5999.00	57.18	13.22	43.96	68.20	-11.02	302	360	Peak	horizontal
12	11650.00	47.87	48.53	-0.66	74.00	-26.13	258	360	Peak	horizontal
13	17475.00	65.65	58.22	7.43	68.20	-2.55	168	291	Peak	horizontal
14	23300.00	45.46	41.69	3.77	68.20	-22.74	356	360	Peak	horizontal
15	39741.00	53.52	37.83	15.69	54.00	-0.48	100	360	Average	horizontal
16	39741.00	65.37	49.68	15.69	68.20	-2.83	100	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5096.50	58.51	16.27	42.24	74.00	-15.49	100	294	Peak	vertical
2	5368.00	63.78	20.88	42.90	74.00	-10.22	326	276	Peak	vertical
3	5526.00	61.79	18.59	43.20	68.20	-6.41	300	251	Peak	vertical
4	5696.50	58.46	15.04	43.42	102.62	-44.16	130	360	Peak	vertical
5	5712.50	56.94	13.47	43.47	108.70	-51.76	400	13	Peak	vertical
6	5724.50	55.64	12.14	43.50	121.06	-65.42	274	0	Peak	vertical
7	5825.00	106.18	62.50	43.68	122.20	-16.02	200	302	Peak	vertical
8	5853.50	55.64	11.88	43.76	114.22	-58.58	200	244	Peak	vertical
9	5871.50	57.17	13.37	43.80	106.18	-49.01	300	283	Peak	vertical
10	5914.50	57.39	13.49	43.90	75.94	-18.55	100	340	Peak	vertical
11	5947.00	57.56	13.64	43.92	68.20	-10.64	400	292	Peak	vertical
12	11650.00	46.40	47.06	-0.66	74.00	-27.60	100	258	Peak	vertical
13	17475.00	60.62	53.19	7.43	68.20	-7.58	291	265	Peak	vertical
14	23300.00	45.70	41.93	3.77	68.20	-22.50	300	234	Peak	vertical
15	39921.00	52.57	36.82	15.75	54.00	-1.43	100	151	Average	Vertical
16	39921.00	65.17	49.42	15.75	68.20	-3.03	100	151	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5143.50	67.62	25.18	42.44	74.00	-6.38	100	214	Peak	Horizontal
2 *	5190.00	109.23	66.64	42.59	74.00	35.23	382	292	Peak	Horizontal
3	5420.00	57.09	14.00	43.09	74.00	-16.91	382	292	Peak	Horizontal
4	10380.00	45.44	48.42	-2.98	68.20	-22.76	100	315	Peak	horizontal
5	15570.00	48.04	43.10	4.94	74.00	-25.96	300	352	Peak	horizontal
6	20760.00	43.43	44.27	-0.84	74.00	-30.57	200	242	Peak	horizontal
7 †	39748.00	53.12	39.56	13.56	54.00	-0.88	200	272	Average	horizontal
8 †	39748.00	62.82	49.26	13.56	68.20	-5.38	200	272	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.50	68.05	25.59	42.46	74.00	-5.95	260	360	Peak	Vertical
2	5190.00	106.98	64.39	42.59	74.00	32.98	353	335	Peak	Vertical
3	5436.00	57.54	14.38	43.16	74.00	-16.46	353	335	Peak	Vertical
4	10380.00	41.76	44.74	-2.98	68.20	-26.44	200	8	Peak	vertical
5	15570.00	48.21	43.27	4.94	74.00	-25.79	346	360	Peak	vertical
6	20760.00	44.31	45.15	-0.84	74.00	-29.69	100	294	Peak	vertical
7	39933.00	52.59	38.99	13.60	54.00	-1.41	100	201	Average	vertical
8	39933.00	63.35	49.75	13.60	68.20	-4.85	100	201	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5083.50	65.29	22.98	42.31	74.00	-8.71	100	214	Peak	Horizontal
2 *	5230.00	113.42	70.78	42.64	74.00	39.42	375	291	Peak	Horizontal
3	5450.00	57.12	13.88	43.24	74.00	-16.88	375	291	Peak	Horizontal
4	10460.00	59.35	62.25	-2.90	68.20	-8.85	128	312	Peak	horizontal
5	15690.00	46.37	41.35	5.02	54.00	-7.63	100	308	Average	horizontal
6	15690.00	60.62	55.60	5.02	74.00	-13.38	100	308	Peak	horizontal
7	20920.00	47.13	45.67	1.46	74.00	-26.87	300	318	Peak	horizontal
8 !	39960.00	53.27	37.52	15.75	54.00	-0.73	100	58	Average	horizontal
9 !	39960.00	65.18	49.43	15.75	68.20	-3.02	100	58	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.50	59.73	17.27	42.46	74.00	-14.27	100	206	Peak	vertical
2 *	5230.00	110.05	67.41	42.64	74.00	36.05	100	291	Peak	vertical
3	5370.00	57.56	14.65	42.91	74.00	-16.44	100	240	Peak	vertical
4	10460.00	54.77	57.67	-2.90	68.20	-13.43	167	320	Peak	vertical
5	15690.00	52.59	47.57	5.02	74.00	-21.41	200	235	Peak	vertical
6	20920.00	47.25	45.79	1.46	74.00	-26.75	300	325	Peak	vertical
7 †	39968.00	52.26	36.51	15.75	54.00	-1.74	200	28	Average	vertical
8 †	39968.00	65.43	49.68	15.75	68.20	-2.77	200	28	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.00	59.56	17.11	42.45	74.00	-14.44	300	290	Peak	horizontal
2	5440.00	59.70	16.51	43.19	74.00	-14.30	100	239	Peak	horizontal
3	5482.00	59.52	16.32	43.20	68.20	-8.68	300	204	Peak	horizontal
4	5699.50	60.29	16.86	43.43	104.83	-44.54	100	360	Peak	horizontal
5	5720.00	65.87	22.38	43.49	110.80	-44.93	100	350	Peak	horizontal
6	5725.00	69.48	25.98	43.50	122.20	-52.72	232	0	Peak	horizontal
7	5755.00	109.07	65.50	43.57	122.20	-13.13	100	339	Peak	horizontal
8	5855.00	56.29	12.53	43.76	110.80	-54.51	350	360	Peak	horizontal
9	5866.00	56.89	13.10	43.79	107.72	-50.83	100	243	Peak	horizontal
10	5877.00	57.20	13.38	43.82	103.71	-46.51	400	300	Peak	horizontal
11	5980.50	58.16	14.21	43.95	68.20	-10.04	253	0	Peak	horizontal
12	11510.00	44.36	45.34	-0.98	74.00	-29.64	200	264	Peak	horizontal
13	17265.00	66.55	59.22	7.33	68.20	-1.65	203	295	Peak	horizontal
14	23020.00	45.65	41.92	3.73	74.00	-28.35	200	249	Peak	horizontal
15	39724.00	52.71	37.05	15.66	54.00	-1.29	209	0	Average	horizontal
16	39724.00	65.29	49.63	15.66	68.20	-2.91	209	0	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5119.50	59.00	16.67	42.33	74.00	-15.00	100	251	Peak	vertical
2	5370.51	65.26	22.35	42.91	74.00	-8.74	120	210	Peak	vertical
3	5470.50	59.75	16.54	43.21	68.20	-8.45	300	284	Peak	vertical
4	5697.50	61.55	18.13	43.42	103.36	-41.81	134	360	Peak	vertical
5	5720.00	66.48	22.99	43.49	110.80	-44.32	200	250	Peak	vertical
6	5723.50	70.54	27.04	43.50	118.78	-48.24	400	10	Peak	vertical
7	5755.00	107.52	63.95	43.57	122.20	-14.68	152	360	Peak	vertical
8	5851.00	56.67	12.92	43.75	119.92	-63.25	100	209	Peak	vertical
9	5867.00	56.89	13.10	43.79	107.44	-50.55	200	265	Peak	vertical
10	5900.50	57.62	13.74	43.88	86.29	-28.67	200	17	Peak	vertical
11	5974.50	57.05	13.11	43.94	68.20	-11.15	400	163	Peak	vertical
12	11510.00	42.98	43.96	-0.98	74.00	-31.02	312	25	Peak	vertical
13	17264.83	68.09	60.75	7.34	68.20	-0.11	250	360	Peak	vertical
14	23020.00	45.60	41.87	3.73	74.00	-28.40	300	234	Peak	vertical
15	39725.00	52.58	36.92	15.66	54.00	-1.42	115	360	Average	vertical
16	39725.00	65.42	49.76	15.66	68.20	-2.78	115	360	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5141.89	64.75	22.32	42.43	74.00	-9.25	386	273	Peak	horizontal
2	5440.07	64.71	21.52	43.19	74.00	-9.29	109	240	Peak	horizontal
3	5491.50	59.65	16.46	43.19	68.20	-8.55	100	258	Peak	horizontal
4	5699.00	58.87	15.44	43.43	104.46	-45.59	400	318	Peak	horizontal
5	5716.50	58.06	14.59	43.47	109.82	-51.76	200	348	Peak	horizontal
6	5725.00	58.01	14.51	43.50	122.20	-64.19	254	360	Peak	horizontal
7	5795.00	107.98	64.38	43.60	122.20	-14.22	200	346	Peak	horizontal
8	5851.50	58.71	14.96	43.75	118.78	-60.07	146	0	Peak	horizontal
9	5855.00	57.23	13.47	43.76	110.80	-53.57	200	360	Peak	horizontal
10	5887.00	56.47	12.63	43.84	96.29	-39.82	200	325	Peak	horizontal
11	5926.50	56.56	12.66	43.90	68.20	-11.64	400	270	Peak	horizontal
12	11590.00	37.73	38.50	-0.77	54.00	-16.27	144	340	Average	horizontal
13	11590.00	51.60	52.37	-0.77	74.00	-22.40	144	340	Peak	horizontal
14	17385.00	67.28	59.71	7.57	68.20	-0.92	205	295	Peak	horizontal
15	23180.00	46.34	42.59	3.75	68.20	-21.86	373	360	Peak	horizontal
16	39965.00	53.36	37.61	15.75	54.00	-0.64	300	28	Average	horizontal
17	39965.00	64.65	48.90	15.75	68.20	-3.55	300	28	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.19	62.21	19.74	42.47	74.00	-11.79	100	292	Peak	vertical
2	5407.16	65.50	22.47	43.03	74.00	-8.50	284	254	Peak	vertical
3	5480.50	60.36	17.16	43.20	68.20	-7.84	332	0	Peak	vertical
4	5662.00	57.79	14.47	43.32	77.11	-19.32	100	204	Peak	vertical
5	5702.00	57.42	13.99	43.43	105.76	-48.34	100	204	Peak	vertical
6	5722.00	56.92	13.43	43.49	115.36	-58.44	118	0	Peak	vertical
7	5795.00	107.23	63.63	43.60	122.20	-14.97	300	311	Peak	vertical
8	5852.00	57.25	13.50	43.75	117.64	-60.39	200	336	Peak	vertical
9	5857.50	58.08	14.31	43.77	110.10	-52.02	305	0	Peak	vertical
10	5879.00	57.76	13.93	43.83	102.23	-44.47	100	0	Peak	vertical
11	5949.50	58.08	14.16	43.92	68.20	-10.12	300	252	Peak	vertical
12	11590.00	45.72	46.49	-0.77	74.00	-28.28	200	280	Peak	vertical
13	17385.00	60.92	53.35	7.57	68.20	-7.28	228	277	Peak	vertical
14	23180.00	45.89	42.14	3.75	68.20	-22.31	300	306	Peak	vertical
15	39795.00	52.60	36.88	15.72	54.00	-1.40	326	360	Average	vertical
16	39795.00	66.46	50.74	15.72	68.20	-1.74	326	360	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5141.50	67.73	25.30	42.43	74.00	-6.27	390	298	Peak	Horizontal
2 *	5210.00	104.60	61.98	42.62	74.00	30.60	100	228	Peak	Horizontal
3	5453.00	57.58	14.35	43.23	74.00	-16.42	100	228	Peak	Horizontal
4	10420.00	40.64	43.56	-2.92	68.20	-27.56	200	216	Peak	horizontal
5	15630.00	48.50	43.48	5.02	74.00	-25.50	100	360	Peak	horizontal
6	20840.00	47.33	45.95	1.38	74.00	-26.67	100	360	Peak	horizontal
7 †	39881.00	53.17	37.43	15.74	54.00	-0.83	100	126	Average	horizontal
8 †	39881.00	65.23	49.49	15.74	68.20	-2.97	100	126	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.00	65.67	23.22	42.45	74.00	-8.33	344	328	Peak	Vertical
2 *	5210.00	103.86	61.24	42.62	74.00	29.86	299	278	Peak	Vertical
3	5366.50	58.67	15.78	42.89	74.00	-15.33	299	278	Peak	Vertical
4	10420.00	39.76	42.68	-2.92	68.20	-28.44	300	0	Peak	vertical
5	15630.00	49.66	44.64	5.02	74.00	-24.34	100	360	Peak	vertical
6	20840.00	45.22	43.84	1.38	74.00	-28.78	200	190	Peak	vertical
7 †	39781.00	52.64	36.92	15.72	54.00	-1.36	300	159	Average	vertical
8 †	39781.00	65.47	49.75	15.72	68.20	-2.73	300	159	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5142.49	63.76	21.32	42.44	74.00	-10.24	385	270	Peak	horizontal
2	5364.22	63.02	20.13	42.89	74.00	-10.98	213	295	Peak	horizontal
3	5629.50	59.29	16.05	43.24	68.20	-8.91	200	339	Peak	horizontal
4	5698.50	65.63	22.20	43.43	104.09	-38.46	100	348	Peak	horizontal
5	5719.50	72.50	29.01	43.49	110.66	-38.16	100	220	Peak	horizontal
6	5725.00	75.06	31.56	43.50	122.20	-47.14	100	338	Peak	horizontal
7	5775.00	106.75	63.16	43.59	122.20	-15.45	100	255	Peak	horizontal
8	5854.50	66.97	23.21	43.76	111.94	-44.97	100	220	Peak	horizontal
9	5857.00	66.32	22.56	43.76	110.24	-43.92	200	351	Peak	horizontal
10	5876.50	59.93	16.11	43.82	104.09	-44.16	200	345	Peak	horizontal
11	5960.00	57.29	13.36	43.93	68.20	-10.91	100	253	Peak	horizontal
12	11550.00	47.37	48.25	-0.88	74.00	-26.63	100	339	Peak	horizontal
13	17325.00	66.36	58.99	7.37	68.20	-1.84	184	293	Peak	horizontal
14	23100.00	46.62	42.88	3.74	74.00	-27.38	200	60	Peak	horizontal
15	39940.00	53.37	37.62	15.75	54.00	-0.63	400	5	Average	horizontal
16	39940.00	65.16	49.41	15.75	68.20	-3.04	400	5	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.56	61.51	19.04	42.47	74.00	-12.49	279	280	Peak	vertical
2	5363.07	65.19	22.30	42.89	74.00	-8.81	300	277	Peak	vertical
3	5597.00	60.48	17.32	43.16	68.20	-7.72	200	231	Peak	vertical
4	5699.50	62.91	19.48	43.43	104.83	-41.92	400	195	Peak	vertical
5	5719.50	71.91	28.42	43.49	110.66	-38.75	400	333	Peak	vertical
6	5722.50	75.12	31.63	43.49	116.50	-41.38	100	340	Peak	vertical
7	5775.00	105.79	62.20	43.59	122.20	-16.41	100	1	Peak	vertical
8	5851.50	65.25	21.50	43.75	118.78	-53.53	200	239	Peak	vertical
9	5864.50	65.73	21.94	43.79	108.14	-42.41	300	291	Peak	vertical
10	5876.50	61.84	18.02	43.82	104.09	-42.25	300	283	Peak	vertical
11	5979.00	57.64	13.70	43.94	68.20	-10.56	300	146	Peak	vertical
12	11550.00	43.00	43.88	-0.88	74.00	-31.00	300	278	Peak	vertical
13	17325.33	59.56	52.19	7.37	68.20	-8.64	107	278	Peak	vertical
14	23100.00	46.77	43.03	3.74	74.00	-27.23	100	317	Peak	vertical
15	39859.00	52.24	36.51	15.73	54.00	-1.76	335	360	Average	vertical
16	39859.00	64.86	49.13	15.73	68.20	-3.34	335	360	Peak	vertical

Spurious Emissions, AC Mains




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec.4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



Trace: 1
 Site : Conduction room
 Condition : CISPR22 Class B Conduction(QP) line1
 Test Engineer: Aslen Chiu
 Product : Firebox
 Model No. : Firebox_T20-W
 Test Rating : 120Vac / 60Hz
 Temp/Hum : 24.5°C / 42%
 Memo : Input 100V-240V 0.9A ,50Hz-60Hz
 : Output 12VDC 2.5A
 : Wifi 5G

	Read Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	
1	0.155	35.21	9.61	44.82	65.75	-20.93	QP
2	0.155	18.63	9.61	28.24	55.75	-27.51	Average
3	0.177	30.74	9.61	40.35	64.63	-24.28	QP
4	0.177	15.58	9.61	25.19	54.63	-29.44	Average
5	0.347	34.98	9.61	44.59	59.04	-14.45	QP
6	0.347	24.38	9.61	33.99	49.04	-15.05	Average
7	0.402	24.97	9.62	34.59	57.80	-23.21	QP
8	0.402	16.58	9.62	26.20	47.80	-21.60	Average
9	4.721	15.97	9.68	25.65	56.00	-30.35	QP
10	4.721	9.05	9.68	18.73	46.00	-27.27	Average
11	15.930	14.77	9.77	24.54	60.00	-35.46	QP
12	15.930	9.20	9.77	18.97	50.00	-31.03	Average



Trace: 1
 Site : Conduction room
 Condition : CISPR22 Class B Conduction(QP) neutral
 Test Engineer: Aslen Chiu
 Product : Firebox
 Model No. : Firebox_T20-W
 Test Rating : 120Vac / 60Hz
 Temp/Hum : 24.5°C / 42%
 Memo : Input 100V-240V 0.9A ,50Hz-60Hz
 : Output 12VDC 2.5A
 : Wifi 5G

	Read Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	
1	0.154	34.78	9.62	44.40	65.79	-21.39	QP
2	0.154	17.37	9.62	26.99	55.79	-28.80	Average
3	0.170	31.21	9.62	40.83	64.97	-24.14	QP
4	0.170	14.75	9.62	24.37	54.97	-30.60	Average
5	0.341	36.27	9.62	45.89	59.17	-13.28	QP
6	0.341	27.88	9.62	37.50	49.17	-11.67	Average
7	0.406	26.07	9.63	35.70	57.72	-22.02	QP
8	0.406	19.64	9.63	29.27	47.72	-18.45	Average
9	0.562	17.30	9.63	26.93	56.00	-29.07	QP
10	0.562	11.84	9.63	21.47	46.00	-24.53	Average
11	15.693	13.97	9.80	23.77	60.00	-36.23	QP
12	15.693	8.29	9.80	18.09	50.00	-31.91	Average