



	SAR MEASUREMENT REPORT
	Project name :
	SZ080527B03

I. RESULTS

<u>TYPE</u>	<u>BAND</u>	<u>PARAMETERS</u>
<u>Noise</u>	--	--
<u>Validation</u>	--	--
<u>Phone</u>	<u>CUSTOM</u>	<u>Measurement 1:</u> Validation Plane with Body device position (band wireless) <u>Measurement 2:</u> Validation Plane with Body device position (band wireless) <u>Measurement 3:</u> Validation Plane with Body device position (band wireless)

MEASUREMENT 1

Type: Phone measurement (Complete)

Date of measurement: 5/6/2008

Measurement duration: 6 minutes 50 seconds


Mobile Phone IMEI number: --

A. Experimental conditions.

Phantom File	surf_sam_plan.txt, Adaptive 2 max
Phantom	Validation plane
Device Position	Body
Band	CUSTOM (wireless)
Channels	Low
Signal	Duty Cycle: 1

B. SAR Measurement Results


Frequency (MHz)	2412.000000
Relative permittivity (real part)	52.633999
Relative permittivity (imaginary part)	14.750400
Conductivity (S/m)	1.997040
Variation (%)	-1.420000



Maximum location: X=9.00, Y=0.00

SAR 10g (W/Kg)	0.221920
SAR 1g (W/Kg)	0.440027

Z Axis Scan



MEASUREMENT 2

Type: Phone measurement (Complete)

Date of measurement: 5/6/2008

Measurement duration: 6 minutes 37 seconds


Mobile Phone IMEI number: --

A. Experimental conditions.

Phantom File	surf_sam_plan.txt, Adaptive 2 max
Phantom	Validation plane
Device Position	Body
Band	CUSTOM (wireless)
Channels	Middle
Signal	Duty Cycle: 1

B. SAR Measurement Results


Frequency (MHz)	2437.000000
Relative permittivity (real part)	52.633999
Relative permittivity (imaginary part)	14.750400
Conductivity (S/m)	1.997040
Variation (%)	-0.610000



Maximum location: X=-1.00, Y=-2.00

SAR 10g (W/Kg)	0.200155
SAR 1g (W/Kg)	0.397462

Z Axis Scan



MEASUREMENT 3

Type: Phone measurement (Complete)

Date of measurement: 5/6/2008

Measurement duration: 6 minutes 39 seconds


Mobile Phone IMEI number: --

A. Experimental conditions.

Phantom File	surf_sam_plan.txt, Adaptive 2 max
Phantom	Validation plane
Device Position	Body
Band	CUSTOM (wireless)
Channels	High
Signal	Duty Cycle: 1

B. SAR Measurement Results

Frequency (MHz)	2462.000000
Relative permittivity (real part)	52.633999
Relative permittivity (imaginary part)	14.750400
Conductivity (S/m)	1.997040
Variation (%)	-2.320000



Maximum location: X=1.00, Y=0.00

SAR 10g (W/Kg)	0.192265
SAR 1g (W/Kg)	0.385516

Z Axis Scan

