

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1105-0862SAR

Page 121 of 126

ANNEX H: The EUT Appearances and Test Configuration



a: EUT




b: Battery

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1105-0862SAR

Page 122 of 126



c: Back View

Picture 6: Constituents of EUT


TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1105-0862SAR

Page 123 of 126



Picture 7: Left Hand Touch Cheek Position




Picture 8: Left Hand Tilt 15 Degree Position

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1105-0862SAR


Page 124 of 126




Picture 9: Right Hand Touch Cheek Position



Picture 10: Right Hand Tilt 15 Degree Position



Picture 11: Body, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 15mm




Picture 12: Body, The EUT display towards phantom, the distance from handset to the bottom of the Phantom is 15mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1105-0862SAR

Page 126 of 126



Picture 13: Body with earphone, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 15mm