

FCC TEST REPORT

For

Macro Radio Remote Unit

Model Number: ZXSDR R8854 S1700

FCC ID: Q78-R8854S1700

Report Number : WT198001218

Test Laboratory : Shenzhen Academy of Metrology and Quality
Inspection

Site Location : NETC Building, No.4 Tongfa Rd., Xili, Nanshan,
Shenzhen, China

Tel : 0086-755-86928965

Fax : 0086-755-86009898-31396

Web : www.smq.com.cn

E-mail : emcrf@smq.com.cn

TEST REPORT DECLARATION

Applicant : ZTE Corporation
Address : ZTE Plaza, Hi-tech Park, Nanshan District, Shenzhen,
Guangdong, China 518057
Manufacturer : ZTE Corporation
Address : ZTE Plaza, Hi-tech Park, Nanshan District, Shenzhen,
Guangdong, China 518057
EUT Description : Macro Radio Remote Unit
Model No : ZXSDR R8854 S1700
Trade mark : ZTE
FCC ID : Q78-R8854S1700

Test Standards:

FCC CFR 47 Part 27

The EUT described above is tested by Shenzhen Academy of Metrology and Quality Inspection EMC Laboratory to determine the maximum emissions from the EUT. Shenzhen Academy of Metrology and Quality Inspection EMC Laboratory is assumed full responsibility for the accuracy of the test results. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.26 (2015) & KDB971168 and the energy emitted by the sample EUT tested as described in this report is in compliance with FCC Rules Part 27.

The test report is valid for above tested sample only and shall not be reproduced in part without written approval of the laboratory.


Project
Engineer:



(Chen Silin 陈司林)

Date: Apr.04, 2019


Checked by:



(Lin Yixiang 林奕翔)

Date: Apr.04, 2019

Approved by:



(Lin Bin 林斌)

Date: Apr.04, 2019

TABLE OF CONTENTS

TEST REPORT DECLARATION	2
1. TEST RESULTS SUMMARY	6
2. GENERAL INFORMATION	7
2.1. Report information.....	7
2.2. Laboratory Accreditation and Relationship to Customer.....	7
2.3. Measurement Uncertainty.....	8
3. PRODUCT DESCRIPTION	9
3.1. EUT Description	9
3.2. Related Submittal(s) / Grant (s).....	9
3.3. Operating Condition of EUT	9
3.4. Special Accessories.....	11
3.5. Equipment Modifications.....	11
4. TRANSMITTER OUTPUT POWER	12
4.1. Applicable Standard:.....	12
4.2. Test Equipment List and Details.....	12
4.3. Test Procedure:.....	12
4.4. Environmental Conditions:.....	12
4.5. Test Result: Pass	13
4.6. Test Mode: Transmitting LTE.....	13
4.7. Test Data:.....	13
5. RF EXPOSURE	51
5.1. Applicable Standard :	51
5.2. Limit.....	51
5.3. Test Data:.....	51
5.4. Test Result: Pass	51
6. MODULATION CHARACTERISTIC	52
6.1. Applicable Standard :	52
6.2. Test Equipment List and Details :	52
6.3. Test Procedure:.....	52
6.4. Environmental Conditions :	52
6.5. Test Result: Pass	52

6.6.	Test Mode: Transmitting LTE.....	52
6.7.	Test Data:.....	52
7.	SPURIOUS RADIATED EMISSIONS.....	155
7.1.	Applicable Standard :	155
7.2.	Test Equipment List and Details :	155
7.3.	Test Procedure:.....	155
7.4.	Environmental Conditions :	156
7.5.	Test Result: Pass	156
7.6.	Test Mode: Transmitting LTE.....	156
7.7.	Test Data:.....	156
8.	SPURIOUS AND EMISSIONS AT ANTENNA TERMINALS.....	163
8.1.	Applicable Standard :	163
8.2.	Test Equipment List and Details :	163
8.3.	Test Procedure:.....	163
8.4.	Environmental Conditions :	163
8.5.	Test Result: Pass	164
8.6.	Test Mode: Transmitting LTE.....	164
8.7.	Test Data:.....	164
9.	OCCUPIED BANDWIDTH.....	212
9.1.	Applicable Standard :	212
9.2.	Test Equipment List and Details :	212
9.3.	Test Procedure:.....	212
9.4.	Environmental Conditions :	212
9.5.	Test Result: Pass	212
9.6.	Test Mode: Transmitting LTE.....	212
9.7.	Test Data:.....	212
10.	BAND EDGES.....	238
10.1.	Applicable Standard :	238
10.2.	Test Equipment List and Details :	238
10.3.	Test Procedure:.....	238
10.4.	Environmental Conditions :	238
10.5.	Test Result: Pass	238
10.6.	Test Mode: Transmitting LTE.....	238

10.7.	Test Data:	238
11.	FREQUENCY STABILITY.....	252
11.1.	Applicable Standard :	252
11.2.	Test Equipment List and Details :	252
11.3.	Test Procedure:	252
11.4.	Environmental Conditions :	252
11.5.	Test Result: Pass	253
11.6.	Test Mode: Transmitting LTE.....	253
11.7.	Test Data:	253

1. TEST RESULTS SUMMARY

Table 1 Test Results Summary

RULES	DESCRIPTION OF TEST	RESULT
§ 2.1046 , §27.50	Transmitter output Power	Compliance
§ 2.1091 ,§1.1037	RF Exposure	Compliance
§ 2.1047	Modulation Characteristic	Compliance
§ 2.1053, §27.53	Spurious Radiated Emissions	Compliance
§ 2.1051, §27.53	Spurious Emissions AT Antenna Terminals	Compliance
§ 2.1049,§27.53	Occupied Bandwidth	Compliance
§ 2.1051,§27.53	Band Edge	Compliance
§ 2.1055	Frequency stability	Compliance

Remark: "N/A" means "Not applicable."

The tests documented in this report were performed in accordance with ANSI C63.26 (2015) & KDB971168, FCC CFR 47 Part 2, Part 27.

2. GENERAL INFORMATION

2.1. Report information

This report is not a certificate of quality; it only applies to the sample of the specific product/equipment given at the time of its testing. The results are not used to indicate or imply that they are application to the similar items. In addition, such results must not be used to indicate or imply that SMQ approves recommends or endorses the manufacture, supplier or use of such product/equipment, or that SMQ in any way guarantees the later performance of the product/equipment.

The sample/s mentioned in this report is/are supplied by Applicant, SMQ therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture or any information supplied.

Additional copies of the report are available to the Applicant at an additional fee. No third part can obtain a copy of this report through SMQ, unless the applicant has authorized SMQ in writing to do so.

2.2. Laboratory Accreditation and Relationship to Customer

The testing report were performed by the Shenzhen Academy of Metrology and quality Inspection EMC Laboratory (Guangdong EMC compliance testing center), in their facilities located at NETC Building, No.4 Tongfa Rd., Xili, Nanshan, Shenzhen, China. At the time of testing, Laboratory is accredited by the following organizations:

China National Accreditation Service for Conformity Assessment (CNAS) accredits the Laboratory for conformance to FCC standards, EMC international standards and EN standards. The Registration Number is CNAS L0579.

The Laboratory is Accredited Testing Laboratory of FCC with Designation number CN1165 and Site registration number 582918.

The Laboratory is registered to perform emission tests with Innovation, Science and Economic Development (ISED), and the registration number is 11177A.

2.3.Measurement Uncertainty

For a 95% confidence level ($k = 2$), the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 as following:

Radiated Emission

30MHz~1000MHz 4.5dB

1GHz~26.5GHz 4.6dB

26dB & Occupied Bandwidth: $\pm 0.39\%$

Frequency Stability: $\pm 0.42\%$

Peak to Average Ratio: 0.45 dB

Conducted power : 0.3 dB

Temperature: ± 0.698

Supply voltages: $\pm 0.15\%$

3. PRODUCT DESCRIPTION

3.1.EUT Description

The ZTE Corporation's product, model number: ZXSDR R8854 S1700 or the "EUT" as referred to in this report is a Macro Radio Remote Unit.

Technical specification:

Size: 415 mm x 296 mm x 104 mm (HxWxD)

Input voltage: -37V~-57V

Frequency range: Rx: 1710MHz – 1770MHz; Tx: 2110MHz – 2170MHz

Max RF output power: 46dBm

Gain of the antenna: 17.5dBi

Appearance of EUT:




FIGURE 1 APPEARANCE OF ZXSDR R8854 S1700

3.2.Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for FCC ID: **Q78-R8854S1700** filing to comply with FCC Part 27 Rules.

3.3.Operating Condition of EUT

Justification

The EUT was configured for testing according to ANSI C63.26 (2015).

The final qualification test was performed with EUT operating at normal mode.

Equipment Modifications


SMQ has not done any modification on the EUT.

During all testing, EUT at maximum power level. The spurious emission measurements were carried out in semi-anechoic chamber with 3-meter test range, and EUT is rotated on three test planes to find out the worst emission (X plane).


Date of test : Jan.02, 2019 - Apr.03, 2019

Date of EUT Receive : Dec.30, 2018

Configuration of Test Setup



Block Diagram of Test Setup



3.4.Special Accessories

Not available for this EUT intended for grant.

3.5.Equipment Modifications

Not available for this EUT intended for grant.

4. TRANSMITTER OUTPUT POWER

4.1.Applicable Standard:

FCC §2.1046, §27.50

According to FCC §2.1046 & 27.50, the ERP (equivalent radiated power) must not exceed 1640 watts.

Note: ERP= Max output Power+ Antenna gain-Cable loss-2.15


The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

4.2.Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Signal & Spectrum Analyzer	FSW26	SB12724/01	2018.06.06	2019.06.05
DTS	DTS 40dB Attenuator	DTS100-40-3-1	09112005	2018.07.19	2019.07.19
Radiall	RF Cable	1807188	---	---	---

***statement of traceability:** SMQ attests that all calibration has been performed per the A2LA requirements, traceable to NIM.

4.3.Test Procedure:



The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation. External attenuation Loss is 40dB, Cable Loss is about 2dB

4.4.Environmental Conditions:

Temperature:	22 °C
Relative Humidity:	51 %
ATM Pressure:	1020 mbar

4.5. Test Result: Pass

4.6. Test Mode: Transmitting LTE


4.7. Test Data:

Dual Carrier_ERP:


Channel Bandwidth :5M+5M 2112.5MHz & 2152.5MHz)

Port	Carrier1 Center Freq. (MHz)	Carrier1 Max output Power in dBm	Carrier2 Center Freq. (MHz)	Carrier2 Max output Power in dBm	Antenna gain dBi	Cable Loss dB	Dipole Antenna	Total Power in W Of single antenna
1	2112.5	42.89	2152.5	43.08	17.5	2	2.15	860.27
2		43.01		43.21	17.5	2	2.15	885.41
3		42.95		43.15	17.5	2	2.15	873.26
4		42.85		43.06	17.5	2	2.15	854.39


5M+5M -2112.5MHz-Port 1~4:




23:36:22 11.02.2019



23:53:37 11.02.2019




00:10:54 12.02.2019




00:29:00 12.02.2019


5M+5M -2152.5MHz-Port 1~4:




23:36:46 11.02.2019



23:54:01 11.02.2019



00:11:18 12.02.2019




00:29:24 12.02.2019


Channel Bandwidth :5M+5M(2120MHz & 2160MHz)

Port	Carrier1 Center Freq. (MHz)	Carrier1 Max output Power in dBm	Carrier2 Center Freq. (MHz)	Carrier2 Max output Power in dBm	Antenna gain dBi	Cable Loss dB	Dipole Antenna	Total Power in W Of single antenna
1	2120	42.94	2160	43.11	17.5	2	2.15	868.19
2		42.87		43.03	17.5	2	2.15	853.30
3		42.86		43.05	17.5	2	2.15	854.35
4		42.81		43.00	17.5	2	2.15	844.57


5M+5M -2120MHz-Port 1~4:




02:16:30 12.02.2019



02:33:33 12.02.2019




02:50:53 12.02.2019




03:08:19 12.02.2019


5M+5M -2160MHz-Port 1~4:




02:16:55 12.02.2019



02:33:57 12.02.2019



02:51:19 12.02.2019




03:08:44 12.02.2019


Channel Bandwidth :5M+5M(2127.5MHz & 2167.5MHz)

Port	Carrier1 Center Freq. (MHz)	Carrier1 Max output Power in dBm	Carrier2 Center Freq. (MHz)	Carrier2 Max output Power in dBm	Antenna gain dBi	Cable Loss dB	Dipole Antenna	Total Power in W Of single antenna
1	2127.5	42.99	2167.5	42.89	17.5	2	2.15	851.25
2		42.98		42.91	17.5	2	2.15	852.21
3		42.98		42.91	17.5	2	2.15	852.21
4		42.93		42.87	17.5	2	2.15	843.41


5M+5M -2127.5MHz-Port 1~4:




03:33:21 12.02.2019



03:50:32 12.02.2019




04:07:32 12.02.2019




04:24:44 12.02.2019


5M+5M -2167.5MHz-Port 1~4:




03:33:46 12.02.2019



03:50:57 12.02.2019



04:07:57 12.02.2019




04:25:08 12.02.2019


Channel Bandwidth :20M+20M(2120MHz &2145MHz)

Port	Carrier1 Center Freq. (MHz)	Carrier1 Max output Power in dBm	Carrier2 Center Freq. (MHz)	Carrier2 Max output Power in dBm	Antenna gain dBi	Cable Loss dB	Dipole Antenna	Total Power in W Of single antenna
1	2120	42.62	2145	42.89	17.5	2	2.15	816.09
2		42.44		42.72	17.5	2	2.15	783.89
3		42.34		42.60	17.5	2	2.15	764.23
4		42.43		42.71	17.5	2	2.15	782.09


20M+20M -2120MHz-Port 1~4:




03:51:04 13.02.2019



04:07:18 13.02.2019




04:23:33 13.02.2019




04:39:49 13.02.2019


20M+20M -2145MHz-Port 1~4:




03:51:28 13.02.2019



04:07:43 13.02.2019



04:24:00 13.02.2019




04:40:13 13.02.2019


Channel Bandwidth :20M+20M(2127.5MHz & 2152.5MHz)

Port	Carrier1 Center Freq. (MHz)	Carrier1 Max output Power in dBm	Carrier2 Center Freq. (MHz)	Carrier2 Max output Power in dBm	Antenna gain dBi	Cable Loss dB	Dipole Antenna	Total Power in W Of single antenna
1	2127.5	42.35	2152.5	42.64	17.5	2	2.15	768.73
2		42.55		42.82	17.5	2	2.15	803.04
3		42.48		42.74	17.5	2	2.15	789.27
4		42.59		42.84	17.5	2	2.15	808.56


20M+20M -2127.5MHz-Port 1~4:




02:06:54 13.02.2019



02:23:10 13.02.2019




02:39:32 13.02.2019




02:56:18 13.02.2019


20M+20M -2152.5MHz-Port 1~4:




02:07:18 13.02.2019



02:23:35 13.02.2019



02:39:57 13.02.2019




02:56:43 13.02.2019


Channel Bandwidth :20M+20M(2135MHz & 2160MHz)

Port	Carrier1 Center Freq. (MHz)	Carrier1 Max output Power in dBm	Carrier2 Center Freq. (MHz)	Carrier2 Max output Power in dBm	Antenna gain dBi	Cable Loss dB	Dipole Antenna	Total Power in W Of single antenna
1	2135	42.58	2160	42.73	17.5	2	2.15	797.25
2		42.51		42.65	17.5	2	2.15	783.59
3		42.55		42.70	17.5	2	2.15	791.76
4		42.57		42.71	17.5	2	2.15	794.49


20M+20M -2135MHz-Port 1~4:




22:31:30 12.02.2019



22:48:21 12.02.2019




23:05:08 12.02.2019




23:22:01 12.02.2019


20M+20M -2160MHz-Port 1~4:




22:31:55 12.02.2019



22:48:46 12.02.2019



23:05:33 12.02.2019




23:22:26 12.02.2019

Dual Carrier_PAR:


Channel Bandwidth :5M+5M 2112.5MHz & 2152.5MHz)

Port	Center Freq. (MHz)	PAR in dB
1	2112.5MHz & 2152.5MHz	7.47
2		7.51
3		7.52
4		7.63


5M+5M -2112.5MHz & 2152.5MHz-Port 1~4:




05:41:45 03.04.2019



05:41:53 03.04.2019



05:42:00 03.04.2019




05:42:05 03.04.2019


Channel Bandwidth :5M+5M(2120MHz & 2160MHz)

Port	Center Freq. (MHz)	PAR in dB
1	2120MHz & 2160MHz	7.33
2		7.30
3		7.35
4		7.37


5M+5M -2120MHz & 2160MHz-Port 1~4:




05:38:25 03.04.2019



05:38:39 03.04.2019



05:38:45 03.04.2019




05:38:33 03.04.2019


Channel Bandwidth :5M+5M(2127.5MHz & 2167.5MHz)

Port	Center Freq. (MHz)	PAR in dB
1	2127.5MHz & 2167.5MHz	7.98
2		7.87
3		7.80
4		7.80


5M+5M -2127.5MHz & 2167.5MHz-Port 1~4:




05:36:46 03.04.2019



05:36:54 03.04.2019



05:37:02 03.04.2019




05:37:10 03.04.2019


Channel Bandwidth :20M+20M(2120MHz &2145MHz)

Port	Center Freq. (MHz)	PAR in dB
1	2120MHz &2145MHz	7.80
2		7.69
3		7.97
4		8.04


20M+20M -2120MHz &2145MHz-Port 1~4:




05:24:07 03.04.2019



05:24:30 03.04.2019



05:24:23 03.04.2019




05:24:16 03.04.2019


Channel Bandwidth :20M+20M(2127.5MHz & 2152.5MHz)

Port	Center Freq. (MHz)	PAR in dB
1	2127.5MHz & 2152.5MHz	7.50
2		7.50
3		7.48
4		7.60


20M+20M -2127.5MHz & 2152.5MHz-Port 1~4:




05:28:24 03.04.2019



05:28:33 03.04.2019



05:28:42 03.04.2019




05:28:49 03.04.2019


Channel Bandwidth :20M+20M(2135MHz & 2160MHz)

Port	Center Freq. (MHz)	PAR in dB
1	2135MHz & 2160MHz	8.21
2		8.16
3		8.20
4		8.20


20M+20M -2135MHz & 2160MHz-Port 1~4:




05:30:35 03.04.2019



05:30:55 03.04.2019



05:30:48 03.04.2019



05:30:41 03.04.2019