


Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

### Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11568.9000	25.26	12.14	37.40	54.00	-16.60	AVG	
2	11569.5750	36.38	12.15	48.53	74.00	-25.47	Peak	

**REMARKS:**

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.


# APPENDIXE -BANDWIDTH



Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.09	17.00
116	5580	20.21	17.00
140	5700	20.29	17.00

**CH100**




Date: 17\_AUG,2019 19:12:04

**CH116**



Date: 17\_AUG,2019 19:15:04

**CH140**




Date: 17\_AUG,2019 19:16:55

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99% Emission Bandwidth(MHz)	6dB Bandwidth Min. Limit(kHz)	Result
149	5745	13.46	20.70	500	Complies
157	5785	15.15	23.90	500	Complies
165	5825	15.20	24.40	500	Complies

**CH149**




Date: 18\_AUG,2019 17:06:26

**CH157**



Date: 18\_AUG,2019 17:07:38


**CH165**




Date: 18\_AUG,2019 17:16:33

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	36.50	20.10
40	5200	36.80	20.10
48	5240	37.39	20.00



Date: 18\_AUG\_2019 13:49:01




Date: 18\_AUG\_2019 13:49:17




Date: 18\_AUG\_2019 13:51:07

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	83.20	48.00
46	5230	82.70	45.40



Date: 18\_AUG\_2019 15:58:42




Date: 18\_AUG\_2019 15:59:17

Test Mode	UNII-1_TX AC (VHT80)
-----------	----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	169.19	94.80




### CH42



Date: 18\_AUG\_2019 16:50:26



Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.65	17.80
60	5300	20.71	17.90
64	5320	20.65	17.80



Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	42.40	36.80
62	5310	42.30	36.60



<b>Test Mode</b>	UNII-2A_TX AC (VHT80)
------------------	-----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	81.20	75.60

### CH58




Date: 18\_AUG\_2019 16:52:02



Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.70	17.80
116	5580	20.65	17.80
140	5700	20.80	17.90

**CH100**




Date: 18\_AUG,2019 13:57:07

**CH116**



Date: 18\_AUG,2019 13:58:38

**CH140**




Date: 18\_AUG,2019 14:01:88

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	42.10	36.80
110	5550	42.11	36.60
134	5670	42.30	36.60

**CH102**




Date: 18\_AUG,2019 16:00:25

**CH110**



Date: 18\_AUG,2019 16:00:56

**CH134**




Date: 18\_AUG,2019 16:00:57

Test Mode	UNII-2C_TX AC (VHT80)
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	81.80	75.60
122	5610	81.21	75.60

**CH106**



Date: 10\_AUG\_2019 16:53:26




**CH122**



Date: 10\_AUG\_2019 16:55:01

Test Mode UNII-3\_TX AC (VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99% Emission Bandwidth(MHz)	6dB Bandwidth Min. Limit(kHz)	Result
149	5745	15.40	26.00	500	Complies
157	5785	15.15	24.70	500	Complies
165	5825	15.15	25.20	500	Complies





Date: 18\_AUG\_2019 17:13:41

Date: 18\_AUG\_2019 17:40:53

Date: 18\_AUG\_2019 17:46:02

Test Mode UNII-3\_TX AC (VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99% Emission Bandwidth(MHz)	6dB Bandwidth Min. Limit(kHz)	Result
151	5755	35.30	43.40	500	Complies
159	5795	35.30	47.80	500	Complies




Date: 18\_AUG\_2019 17:58:13

Date: 18\_AUG\_2019 17:59:32

Test Mode UNII-3\_TX AC (VHT80)

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99% Emission Bandwidth(MHz)	6dB Bandwidth Min. Limit(kHz)	Result
155	5775	69.40	100.40	500	Complies

### CH155



Date: 18\_AUG\_2019 19:06:50

## APPENDIX F - CONDUCTED OUTPUT POWER

### Non-Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.97	0.17	12.14	30.00	1.00	Complies
40	5200	20.31	0.17	20.48	30.00	1.00	Complies
48	5240	18.69	0.17	18.86	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.88	0.17	12.05	30.00	1.00	Complies
40	5200	20.53	0.17	20.70	30.00	1.00	Complies
48	5240	20.46	0.17	20.63	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.87	0.17	12.04	30.00	1.00	Complies
40	5200	20.35	0.17	20.52	30.00	1.00	Complies
48	5240	20.27	0.17	20.44	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.21	0.17	12.38	30.00	1.00	Complies
40	5200	19.67	0.17	19.84	30.00	1.00	Complies
48	5240	19.59	0.17	19.76	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.17	30.00	1.00	Complies
40	5200	26.41	30.00	1.00	Complies
48	5240	25.99	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.99	0.60	12.59	30.00	1.00	Complies
40	5200	17.39	0.60	17.99	30.00	1.00	Complies
48	5240	18.36	0.60	18.96	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.31	0.60	12.91	30.00	1.00	Complies
40	5200	17.47	0.60	18.07	30.00	1.00	Complies
48	5240	19.80	0.60	20.40	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.73	0.60	12.33	30.00	1.00	Complies
40	5200	17.46	0.60	18.06	30.00	1.00	Complies
48	5240	19.54	0.60	20.14	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.30	0.60	12.90	30.00	1.00	Complies
40	5200	17.81	0.60	18.41	30.00	1.00	Complies
48	5240	19.07	0.60	19.67	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.71	30.00	1.00	Complies
40	5200	24.16	30.00	1.00	Complies
48	5240	25.85	30.00	1.00	Complies



Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.56	1.03	12.59	30.00	1.00	Complies
46	5230	13.55	1.03	14.58	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.27	1.03	12.30	30.00	1.00	Complies
46	5230	13.38	1.03	14.41	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.07	1.03	12.10	30.00	1.00	Complies
46	5230	13.19	1.03	14.22	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.66	1.03	12.69	30.00	1.00	Complies
46	5230	13.51	1.03	14.54	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.45	30.00	1.00	Complies
46	5230	20.46	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.50	0.17	14.67	24.00	0.25	Complies
60	5300	11.11	0.17	11.28	24.00	0.25	Complies
64	5320	10.41	0.17	10.58	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.67	0.17	15.84	24.00	0.25	Complies
60	5300	11.65	0.17	11.82	24.00	0.25	Complies
64	5320	11.21	0.17	11.38	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.44	0.17	15.61	24.00	0.25	Complies
60	5300	10.92	0.17	11.09	24.00	0.25	Complies
64	5320	10.38	0.17	10.55	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.03	0.17	15.20	24.00	0.25	Complies
60	5300	10.76	0.17	10.93	24.00	0.25	Complies
64	5320	10.50	0.17	10.67	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.37	24.00	0.25	Complies
60	5300	17.31	24.00	0.25	Complies
64	5320	16.83	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.78	0.60	15.38	24.00	0.25	Complies
60	5300	15.38	0.60	15.98	24.00	0.25	Complies
64	5320	14.45	0.60	15.05	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.44	0.60	16.04	24.00	0.25	Complies
60	5300	16.11	0.60	16.71	24.00	0.25	Complies
64	5320	14.82	0.60	15.42	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.46	0.60	16.06	24.00	0.25	Complies
60	5300	15.25	0.60	15.85	24.00	0.25	Complies
64	5320	14.20	0.60	14.80	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.13	0.60	15.73	24.00	0.25	Complies
60	5300	14.92	0.60	15.52	24.00	0.25	Complies
64	5320	13.99	0.60	14.59	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.83	24.00	0.25	Complies
60	5300	22.06	24.00	0.25	Complies
64	5320	21.00	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.91	1.03	14.94	24.00	0.25	Complies
62	5310	11.78	1.03	12.81	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.37	1.03	15.40	24.00	0.25	Complies
62	5310	12.19	1.03	13.22	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.11	1.03	15.14	24.00	0.25	Complies
62	5310	11.58	1.03	12.61	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.05	1.03	15.08	24.00	0.25	Complies
62	5310	11.64	1.03	12.67	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.17	24.00	0.25	Complies
62	5310	18.86	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.89	0.17	15.06	24.00	0.25	Complies
116	5580	14.53	0.17	14.70	24.00	0.25	Complies
140	5700	14.12	0.17	14.29	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.22	0.17	15.39	24.00	0.25	Complies
116	5580	15.13	0.17	15.30	24.00	0.25	Complies
140	5700	15.27	0.17	15.44	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.44	0.17	14.61	24.00	0.25	Complies
116	5580	14.38	0.17	14.55	24.00	0.25	Complies
140	5700	14.49	0.17	14.66	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.55	0.17	14.72	24.00	0.25	Complies
116	5580	14.65	0.17	14.82	24.00	0.25	Complies
140	5700	13.92	0.17	14.09	24.00	0.25	Complies



Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.97	24.00	0.25	Complies
116	5580	20.87	24.00	0.25	Complies
140	5700	20.67	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.36	0.60	14.96	24.00	0.25	Complies
116	5580	13.79	0.60	14.39	24.00	0.25	Complies
140	5700	13.01	0.60	13.61	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.66	0.60	15.26	24.00	0.25	Complies
116	5580	14.39	0.60	14.99	24.00	0.25	Complies
140	5700	14.21	0.60	14.81	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.89	0.60	14.49	24.00	0.25	Complies
116	5580	13.56	0.60	14.16	24.00	0.25	Complies
140	5700	13.46	0.60	14.06	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.32	0.60	14.92	24.00	0.25	Complies
116	5580	14.02	0.60	14.62	24.00	0.25	Complies
140	5700	13.27	0.60	13.87	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.94	24.00	0.25	Complies
116	5580	20.57	24.00	0.25	Complies
140	5700	20.13	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.85	1.03	13.88	24.00	0.25	Complies
110	5550	13.87	1.03	14.90	24.00	0.25	Complies
134	5670	11.64	1.03	12.67	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.67	1.03	13.70	24.00	0.25	Complies
110	5550	13.59	1.03	14.62	24.00	0.25	Complies
134	5670	11.05	1.03	12.08	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.36	1.03	13.39	24.00	0.25	Complies
110	5550	13.14	1.03	14.17	24.00	0.25	Complies
134	5670	10.56	1.03	11.59	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.78	1.03	13.81	24.00	0.25	Complies
110	5550	13.79	1.03	14.82	24.00	0.25	Complies
134	5670	10.22	1.03	11.25	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.72	24.00	0.25	Complies
110	5550	20.66	24.00	0.25	Complies
134	5670	17.95	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.31	0.17	16.48	30.00	1.00	Complies
157	5785	16.37	0.17	16.54	30.00	1.00	Complies
165	5825	16.53	0.17	16.70	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.04	0.17	17.21	30.00	1.00	Complies
157	5785	16.78	0.17	16.95	30.00	1.00	Complies
165	5825	16.49	0.17	16.66	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.47	0.17	16.64	30.00	1.00	Complies
157	5785	16.24	0.17	16.41	30.00	1.00	Complies
165	5825	16.15	0.17	16.32	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.33	0.17	16.50	30.00	1.00	Complies
157	5785	16.46	0.17	16.63	30.00	1.00	Complies
165	5825	16.81	0.17	16.98	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.74	30.00	1.00	Complies
157	5785	22.65	30.00	1.00	Complies
165	5825	22.69	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.85	0.60	17.45	30.00	1.00	Complies
157	5785	16.90	0.60	17.50	30.00	1.00	Complies
165	5825	16.51	0.60	17.11	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.45	0.60	18.05	30.00	1.00	Complies
157	5785	17.48	0.60	18.08	30.00	1.00	Complies
165	5825	17.46	0.60	18.06	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.98	0.60	17.58	30.00	1.00	Complies
157	5785	16.90	0.60	17.50	30.00	1.00	Complies
165	5825	17.24	0.60	17.84	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.59	0.60	17.19	30.00	1.00	Complies
157	5785	16.66	0.60	17.26	30.00	1.00	Complies
165	5825	16.62	0.60	17.22	30.00	1.00	Complies



Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.60	30.00	1.00	Complies
157	5785	23.62	30.00	1.00	Complies
165	5825	23.60	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.92	1.03	16.95	30.00	1.00	Complies
159	5795	18.91	1.03	19.94	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.28	1.03	17.31	30.00	1.00	Complies
159	5795	19.27	1.03	20.30	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.60	1.03	16.63	30.00	1.00	Complies
159	5795	18.47	1.03	19.50	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.72	1.03	16.75	30.00	1.00	Complies
159	5795	18.79	1.03	19.82	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.94	30.00	1.00	Complies
159	5795	25.92	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.05	0.64	14.69	30.00	1.00	Complies
40	5200	17.41	0.64	18.05	30.00	1.00	Complies
48	5240	18.55	0.64	19.19	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.95	0.64	14.59	30.00	1.00	Complies
40	5200	17.71	0.64	18.35	30.00	1.00	Complies
48	5240	19.87	0.64	20.51	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.19	0.64	14.83	30.00	1.00	Complies
40	5200	17.55	0.64	18.19	30.00	1.00	Complies
48	5240	19.54	0.64	20.18	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.82	0.64	15.46	30.00	1.00	Complies
40	5200	17.75	0.64	18.39	30.00	1.00	Complies
48	5240	18.77	0.64	19.41	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.93	30.00	1.00	Complies
40	5200	24.27	30.00	1.00	Complies
48	5240	25.88	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.47	1.01	12.48	30.00	1.00	Complies
46	5230	18.85	1.01	19.86	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.89	1.01	12.90	30.00	1.00	Complies
46	5230	19.55	1.01	20.56	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.36	1.01	12.37	30.00	1.00	Complies
46	5230	19.45	1.01	20.46	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.72	1.01	12.73	30.00	1.00	Complies
46	5230	18.39	1.01	19.40	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.65	30.00	1.00	Complies
46	5230	26.12	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.79	1.58	9.37	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.41	1.58	8.99	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.79	1.58	9.37	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.89	1.58	9.47	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.33	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.11	0.64	16.75	24.00	0.25	Complies
60	5300	16.17	0.64	16.81	24.00	0.25	Complies
64	5320	14.64	0.64	15.28	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.89	0.64	17.53	24.00	0.25	Complies
60	5300	16.92	0.64	17.56	24.00	0.25	Complies
64	5320	15.21	0.64	15.85	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.49	0.64	17.13	24.00	0.25	Complies
60	5300	16.27	0.64	16.91	24.00	0.25	Complies
64	5320	14.67	0.64	15.31	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.37	0.64	17.01	24.00	0.25	Complies
60	5300	16.11	0.64	16.75	24.00	0.25	Complies
64	5320	14.54	0.64	15.18	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	23.14	24.00	0.25	Complies
60	5300	23.05	24.00	0.25	Complies
64	5320	21.44	24.00	0.25	Complies



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.47	1.01	17.48	24.00	0.25	Complies
62	5310	13.59	1.01	14.60	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.97	1.01	17.98	24.00	0.25	Complies
62	5310	14.31	1.01	15.32	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.26	1.01	17.27	24.00	0.25	Complies
62	5310	13.59	1.01	14.60	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.34	1.01	17.35	24.00	0.25	Complies
62	5310	13.63	1.01	14.64	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.55	24.00	0.25	Complies
62	5310	20.82	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.79	1.58	10.37	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.21	1.58	10.79	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.02	1.58	10.60	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.99	1.58	10.57	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.61	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.56	0.64	15.20	24.00	0.25	Complies
116	5580	14.05	0.64	14.69	24.00	0.25	Complies
140	5700	13.02	0.64	13.66	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.98	0.64	15.62	24.00	0.25	Complies
116	5580	14.44	0.64	15.08	24.00	0.25	Complies
140	5700	14.43	0.64	15.07	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.42	0.64	15.06	24.00	0.25	Complies
116	5580	13.54	0.64	14.18	24.00	0.25	Complies
140	5700	13.69	0.64	14.33	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.41	0.64	15.05	24.00	0.25	Complies
116	5580	13.87	0.64	14.51	24.00	0.25	Complies
140	5700	13.11	0.64	13.75	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.26	24.00	0.25	Complies
116	5580	20.65	24.00	0.25	Complies
140	5700	20.26	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.14	1.01	14.15	24.00	0.25	Complies
110	5550	16.56	1.01	17.57	24.00	0.25	Complies
134	5670	12.64	1.01	13.65	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.22	1.01	14.23	24.00	0.25	Complies
110	5550	16.52	1.01	17.53	24.00	0.25	Complies
134	5670	12.46	1.01	13.47	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.87	1.01	13.88	24.00	0.25	Complies
110	5550	15.91	1.01	16.92	24.00	0.25	Complies
134	5670	12.24	1.01	13.25	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.11	1.01	14.12	24.00	0.25	Complies
110	5550	16.62	1.01	17.63	24.00	0.25	Complies
134	5670	11.89	1.01	12.90	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.12	24.00	0.25	Complies
110	5550	23.44	24.00	0.25	Complies
134	5670	19.35	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.14	1.58	10.72	24.00	0.25	Complies
122	5610	14.06	1.58	15.64	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.37	1.58	10.95	24.00	0.25	Complies
122	5610	13.72	1.58	15.30	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.74	1.58	10.32	24.00	0.25	Complies
122	5610	13.93	1.58	15.51	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.76	1.58	10.34	24.00	0.25	Complies
122	5610	13.66	1.58	15.24	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.61	24.00	0.25	Complies
122	5610	21.45	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.26	0.64	20.90	30.00	1.00	Complies
157	5785	19.51	0.64	20.15	30.00	1.00	Complies
165	5825	19.42	0.64	20.06	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.40	0.64	22.04	30.00	1.00	Complies
157	5785	21.36	0.64	22.00	30.00	1.00	Complies
165	5825	21.36	0.64	22.00	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.50	0.64	21.14	30.00	1.00	Complies
157	5785	20.47	0.64	21.11	30.00	1.00	Complies
165	5825	20.71	0.64	21.35	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.68	0.64	21.32	30.00	1.00	Complies
157	5785	20.57	0.64	21.21	30.00	1.00	Complies
165	5825	20.38	0.64	21.02	30.00	1.00	Complies



Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.40	30.00	1.00	Complies
157	5785	27.19	30.00	1.00	Complies
165	5825	27.19	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.51	1.01	20.52	30.00	1.00	Complies
159	5795	19.64	1.01	20.65	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.91	1.01	20.92	30.00	1.00	Complies
159	5795	20.02	1.01	21.03	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.13	1.01	20.14	30.00	1.00	Complies
159	5795	19.26	1.01	20.27	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.52	1.01	20.53	30.00	1.00	Complies
159	5795	19.62	1.01	20.63	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.56	30.00	1.00	Complies
159	5795	26.67	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.56	1.58	14.14	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.94	1.58	14.52	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.46	1.58	14.04	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.31	1.58	13.89	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.18	30.00	1.00	Complies

### Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.86	0.60	12.46	26.3	0.43	Complies
40	5200	13.92	0.60	14.52	26.3	0.43	Complies
48	5240	14.21	0.60	14.81	26.3	0.43	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.82	0.60	12.42	26.3	0.43	Complies
40	5200	13.77	0.60	14.37	26.3	0.43	Complies
48	5240	13.96	0.60	14.56	26.3	0.43	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.55	0.60	12.15	26.3	0.43	Complies
40	5200	13.69	0.60	14.29	26.3	0.43	Complies
48	5240	13.98	0.60	14.58	26.3	0.43	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.95	0.60	12.55	26.3	0.43	Complies
40	5200	14.37	0.60	14.97	26.3	0.43	Complies
48	5240	14.27	0.60	14.87	26.3	0.43	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.42	26.3	0.43	Complies
40	5200	20.57	26.3	0.43	Complies
48	5240	20.73	26.3	0.43	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.56	1.03	12.59	26.3	0.43	Complies
46	5230	13.26	1.03	14.29	26.3	0.43	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.27	1.03	12.30	26.3	0.43	Complies
46	5230	13.08	1.03	14.11	26.3	0.43	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.07	1.03	12.10	26.3	0.43	Complies
46	5230	12.98	1.03	14.01	26.3	0.43	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.66	1.03	12.69	26.3	0.43	Complies
46	5230	13.43	1.03	14.46	26.3	0.43	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.45	26.3	0.43	Complies
46	5230	20.24	26.3	0.43	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.68	0.60	9.28	20.3	0.11	Complies
60	5300	8.51	0.60	9.11	20.3	0.11	Complies
64	5320	8.66	0.60	9.26	20.3	0.11	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.50	0.60	9.10	20.3	0.11	Complies
60	5300	8.94	0.60	9.54	20.3	0.11	Complies
64	5320	9.01	0.60	9.61	20.3	0.11	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.43	0.60	9.03	20.3	0.11	Complies
60	5300	8.78	0.60	9.38	20.3	0.11	Complies
64	5320	8.72	0.60	9.32	20.3	0.11	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.75	0.60	9.35	20.3	0.11	Complies
60	5300	8.65	0.60	9.25	20.3	0.11	Complies
64	5320	8.74	0.60	9.34	20.3	0.11	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.21	20.3	0.11	Complies
60	5300	15.35	20.3	0.11	Complies
64	5320	15.41	20.3	0.11	Complies



Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.84	1.03	11.87	20.3	0.11	Complies
62	5310	10.47	1.03	11.50	20.3	0.11	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.96	1.03	11.99	20.3	0.11	Complies
62	5310	10.84	1.03	11.87	20.3	0.11	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.41	1.03	11.44	20.3	0.11	Complies
62	5310	10.39	1.03	11.42	20.3	0.11	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.80	1.03	11.83	20.3	0.11	Complies
62	5310	10.87	1.03	11.90	20.3	0.11	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.81	20.3	0.11	Complies
62	5310	17.70	20.3	0.11	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.27	0.60	8.87	20.3	0.11	Complies
116	5580	8.58	0.60	9.18	20.3	0.11	Complies
140	5700	8.03	0.60	8.63	20.3	0.11	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.22	0.60	8.82	20.3	0.11	Complies
116	5580	8.95	0.60	9.55	20.3	0.11	Complies
140	5700	8.95	0.60	9.55	20.3	0.11	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.83	0.60	9.43	20.3	0.11	Complies
116	5580	8.03	0.60	8.63	20.3	0.11	Complies
140	5700	8.17	0.60	8.77	20.3	0.11	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.66	0.60	9.26	20.3	0.11	Complies
116	5580	8.27	0.60	8.87	20.3	0.11	Complies
140	5700	7.63	0.60	8.23	20.3	0.11	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.13	20.3	0.11	Complies
116	5580	15.09	20.3	0.11	Complies
140	5700	14.84	20.3	0.11	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.87	1.03	10.90	20.3	0.11	Complies
110	5550	9.91	1.03	10.94	20.3	0.11	Complies
134	5670	9.62	1.03	10.65	20.3	0.11	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.49	1.03	11.52	20.3	0.11	Complies
110	5550	10.48	1.03	11.51	20.3	0.11	Complies
134	5670	10.21	1.03	11.24	20.3	0.11	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.09	1.03	11.12	20.3	0.11	Complies
110	5550	9.83	1.03	10.86	20.3	0.11	Complies
134	5670	9.90	1.03	10.93	20.3	0.11	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.07	1.03	11.10	20.3	0.11	Complies
110	5550	9.90	1.03	10.93	20.3	0.11	Complies
134	5670	9.94	1.03	10.97	20.3	0.11	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.19	20.3	0.11	Complies
110	5550	17.09	20.3	0.11	Complies
134	5670	16.98	20.3	0.11	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.78	0.60	17.38	26.3	0.43	Complies
157	5785	16.74	0.60	17.34	26.3	0.43	Complies
165	5825	16.84	0.60	17.44	26.3	0.43	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.92	0.60	17.52	26.3	0.43	Complies
157	5785	17.32	0.60	17.92	26.3	0.43	Complies
165	5825	17.50	0.60	18.10	26.3	0.43	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.77	0.60	17.37	26.3	0.43	Complies
157	5785	16.84	0.60	17.44	26.3	0.43	Complies
165	5825	16.88	0.60	17.48	26.3	0.43	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.43	0.60	17.03	26.3	0.43	Complies
157	5785	16.42	0.60	17.02	26.3	0.43	Complies
165	5825	16.27	0.60	16.87	26.3	0.43	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.35	26.3	0.43	Complies
157	5785	23.46	26.3	0.43	Complies
165	5825	23.52	26.3	0.43	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.69	1.03	16.72	26.3	0.43	Complies
159	5795	18.73	1.03	19.76	26.3	0.43	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.92	1.03	16.95	26.3	0.43	Complies
159	5795	18.94	1.03	19.97	26.3	0.43	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.54	1.03	16.57	26.3	0.43	Complies
159	5795	18.32	1.03	19.35	26.3	0.43	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.67	1.03	16.70	26.3	0.43	Complies
159	5795	18.67	1.03	19.70	26.3	0.43	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.76	26.3	0.43	Complies
159	5795	25.72	26.3	0.43	Complies



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.34	0.64	14.98	26.3	0.43	Complies
40	5200	14.37	0.64	15.01	26.3	0.43	Complies
48	5240	14.41	0.64	15.05	26.3	0.43	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.03	0.64	14.67	26.3	0.43	Complies
40	5200	14.23	0.64	14.87	26.3	0.43	Complies
48	5240	14.16	0.64	14.80	26.3	0.43	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.85	0.64	14.49	26.3	0.43	Complies
40	5200	14.27	0.64	14.91	26.3	0.43	Complies
48	5240	14.24	0.64	14.88	26.3	0.43	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.36	0.64	15.00	26.3	0.43	Complies
40	5200	14.54	0.64	15.18	26.3	0.43	Complies
48	5240	14.45	0.64	15.09	26.3	0.43	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.82	26.3	0.43	Complies
40	5200	21.02	26.3	0.43	Complies
48	5240	20.98	26.3	0.43	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.89	1.01	11.90	26.3	0.43	Complies
46	5230	17.28	1.01	18.29	26.3	0.43	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.13	1.01	12.14	26.3	0.43	Complies
46	5230	17.16	1.01	18.17	26.3	0.43	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.05	1.01	12.06	26.3	0.43	Complies
46	5230	16.97	1.01	17.98	26.3	0.43	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.26	1.01	12.27	26.3	0.43	Complies
46	5230	17.35	1.01	18.36	26.3	0.43	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.12	26.3	0.43	Complies
46	5230	24.22	26.3	0.43	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.71	1.58	9.29	26.3	0.43	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.39	1.58	8.97	26.3	0.43	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.79	1.58	9.37	26.3	0.43	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.82	1.58	9.40	26.3	0.43	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.29	26.3	0.43	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.67	0.64	9.31	20.3	0.11	Complies
60	5300	8.69	0.64	9.33	20.3	0.11	Complies
64	5320	8.72	0.64	9.36	20.3	0.11	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.92	0.64	9.56	20.3	0.11	Complies
60	5300	9.12	0.64	9.76	20.3	0.11	Complies
64	5320	9.23	0.64	9.87	20.3	0.11	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.44	0.64	9.08	20.3	0.11	Complies
60	5300	8.59	0.64	9.23	20.3	0.11	Complies
64	5320	8.75	0.64	9.39	20.3	0.11	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.74	0.64	9.38	20.3	0.11	Complies
60	5300	8.77	0.64	9.41	20.3	0.11	Complies
64	5320	8.70	0.64	9.34	20.3	0.11	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.36	20.3	0.11	Complies
60	5300	15.46	20.3	0.11	Complies
64	5320	15.52	20.3	0.11	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.38	1.01	12.39	20.3	0.11	Complies
62	5310	11.21	1.01	12.22	20.3	0.11	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.64	1.01	12.65	20.3	0.11	Complies
62	5310	11.71	1.01	12.72	20.3	0.11	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.30	1.01	12.31	20.3	0.11	Complies
62	5310	11.38	1.01	12.39	20.3	0.11	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.49	1.01	12.50	20.3	0.11	Complies
62	5310	11.52	1.01	12.53	20.3	0.11	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.49	20.3	0.11	Complies
62	5310	18.49	20.3	0.11	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.72	1.58	10.30	20.3	0.11	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.23	1.58	10.81	20.3	0.11	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.93	1.58	10.51	20.3	0.11	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.71	1.58	10.29	20.3	0.11	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.51	20.3	0.11	Complies



Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.35	0.64	8.99	20.3	0.11	Complies
116	5580	8.45	0.64	9.09	20.3	0.11	Complies
140	5700	8.53	0.64	9.17	20.3	0.11	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.10	0.64	9.74	20.3	0.11	Complies
116	5580	9.03	0.64	9.67	20.3	0.11	Complies
140	5700	8.97	0.64	9.61	20.3	0.11	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.25	0.64	8.89	20.3	0.11	Complies
116	5580	8.17	0.64	8.81	20.3	0.11	Complies
140	5700	7.83	0.64	8.47	20.3	0.11	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.63	0.64	9.27	20.3	0.11	Complies
116	5580	8.55	0.64	9.19	20.3	0.11	Complies
140	5700	7.94	0.64	8.58	20.3	0.11	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.26	20.3	0.11	Complies
116	5580	15.23	20.3	0.11	Complies
140	5700	15.01	20.3	0.11	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.33	1.01	11.34	20.3	0.11	Complies
110	5550	10.29	1.01	11.30	20.3	0.11	Complies
134	5670	10.57	1.01	11.58	20.3	0.11	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.59	1.01	11.60	20.3	0.11	Complies
110	5550	10.62	1.01	11.63	20.3	0.11	Complies
134	5670	10.28	1.01	11.29	20.3	0.11	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.84	1.01	10.85	20.3	0.11	Complies
110	5550	9.80	1.01	10.81	20.3	0.11	Complies
134	5670	9.95	1.01	10.96	20.3	0.11	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.06	1.01	11.07	20.3	0.11	Complies
110	5550	10.06	1.01	11.07	20.3	0.11	Complies
134	5670	9.86	1.01	10.87	20.3	0.11	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.25	20.3	0.11	Complies
110	5550	17.23	20.3	0.11	Complies
134	5670	17.21	20.3	0.11	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.01	1.58	10.59	20.3	0.11	Complies
122	5610	11.98	1.58	13.56	20.3	0.11	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.25	1.58	10.83	20.3	0.11	Complies
122	5610	11.77	1.58	13.35	20.3	0.11	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.71	1.58	10.29	20.3	0.11	Complies
122	5610	12.01	1.58	13.59	20.3	0.11	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.59	1.58	10.17	20.3	0.11	Complies
122	5610	11.87	1.58	13.45	20.3	0.11	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.50	20.3	0.11	Complies
122	5610	19.51	20.3	0.11	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.96	0.64	19.60	26.30	0.43	Complies
157	5785	18.43	0.64	19.07	26.30	0.43	Complies
165	5825	18.54	0.64	19.18	26.30	0.43	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.72	0.64	20.36	26.30	0.43	Complies
157	5785	19.53	0.64	20.17	26.30	0.43	Complies
165	5825	19.66	0.64	20.30	26.30	0.43	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.72	0.64	19.36	26.30	0.43	Complies
157	5785	18.75	0.64	19.39	26.30	0.43	Complies
165	5825	18.79	0.64	19.43	26.30	0.43	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.84	0.64	19.48	26.30	0.43	Complies
157	5785	19.12	0.64	19.76	26.30	0.43	Complies
165	5825	19.15	0.64	19.79	26.30	0.43	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.74	26.30	0.43	Complies
157	5785	25.64	26.30	0.43	Complies
165	5825	25.72	26.30	0.43	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.31	1.01	19.32	26.30	0.43	Complies
159	5795	18.53	1.01	19.54	26.30	0.43	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.43	1.01	20.44	26.30	0.43	Complies
159	5795	19.51	1.01	20.52	26.30	0.43	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.94	1.01	19.95	26.30	0.43	Complies
159	5795	18.82	1.01	19.83	26.30	0.43	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.20	1.01	19.21	26.30	0.43	Complies
159	5795	18.29	1.01	19.30	26.30	0.43	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.78	26.30	0.43	Complies
159	5795	25.84	26.30	0.43	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.43	1.58	14.01	26.30	0.43	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.85	1.58	14.43	26.30	0.43	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.37	1.58	13.95	26.30	0.43	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.11	1.58	13.69	26.30	0.43	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.05	26.30	0.43	Complies

**APPENDIXG - POWER SPECTRAL DENSITY**


## Non-Beamforming

Test Mode UNII-1\_TX A Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.69	0.17	10.86	17.00	Complies
40	5200	10.49	0.17	10.66	17.00	Complies
48	5240	9.96	0.17	10.13	17.00	Complies



Date: 17\_AUG,2019 19:06:01




Date: 17\_AUG,2019 19:06:55




Date: 17\_AUG,2019 19:07:51

Test Mode UNII-1\_TX A Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.16	0.17	10.33	17.00	Complies
40	5200	9.78	0.17	9.95	17.00	Complies
48	5240	9.13	0.17	9.30	17.00	Complies



Date: 17\_AUG,2019 18:35:48




Date: 17\_AUG,2019 18:36:46



Date: 17\_AUG,2019 18:38:15

Test Mode UNII-1\_TX A Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.63	0.17	9.80	17.00	Complies
40	5200	9.52	0.17	9.69	17.00	Complies
48	5240	9.34	0.17	9.51	17.00	Complies





Date: 17\_AUG\_2019 19:26:14

Date: 17\_AUG\_2019 19:26:15

Date: 17\_AUG\_2019 19:26:03

Test Mode UNII-1\_TX A Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.27	0.17	10.44	17.00	Complies
40	5200	10.28	0.17	10.45	17.00	Complies
48	5240	10.21	0.17	10.38	17.00	Complies



Date: 17\_AUG\_2019 19:25:47

Date: 17\_AUG\_2019 19:25:03


Date: 17\_AUG\_2019 19:25:50

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.39	17.00	Complies
40	5200	16.22	17.00	Complies
48	5240	15.87	17.00	Complies

Test Mode UNII-2A\_TX A Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.52	0.17	4.69	11.00	Complies
60	5300	4.25	0.17	4.42	11.00	Complies
64	5320	4.21	0.17	4.38	11.00	Complies



Date: 17\_AUG\_2019 19:08:39




Date: 17\_AUG\_2019 19:10:08




Date: 17\_AUG\_2019 19:11:22

Test Mode UNII-2A\_TX A Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.25	0.17	4.42	11.00	Complies
60	5300	4.77	0.17	4.94	11.00	Complies
64	5320	4.58	0.17	4.75	11.00	Complies



Date: 17\_AUG\_2019 18:58:15




Date: 17\_AUG\_2019 18:40:38




Date: 17\_AUG\_2019 18:41:32

Test Mode UNII-2A\_TX A Mode\_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.76	0.17	4.93	11.00	Complies
60	5300	4.79	0.17	4.96	11.00	Complies
64	5320	4.79	0.17	4.96	11.00	Complies



Date: 17\_AUG\_2019 19:26:51



Date: 17\_AUG\_2019 19:28:40




Date: 17\_AUG\_2019 19:30:05

Test Mode UNII-2A\_TX A Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.63	0.17	4.80	11.00	Complies
60	5300	4.34	0.17	4.51	11.00	Complies
64	5320	4.30	0.17	4.47	11.00	Complies



Date: 17\_AUG\_2019 19:35:57



Date: 17\_AUG\_2019 19:37:05



Date: 17\_AUG\_2019 19:38:20


Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.73	11.00	Complies
60	5300	10.73	11.00	Complies
64	5320	10.66	11.00	Complies




Test Mode UNII-2C\_TX A Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.94	0.17	5.11	11.00	Complies
116	5580	4.91	0.17	5.08	11.00	Complies
140	5700	4.81	0.17	4.98	11.00	Complies



Date: 17\_AUG\_2019 19:13:06




Date: 17\_AUG\_2019 19:14:18




Date: 17\_AUG\_2019 19:16:09

Test Mode UNII-2C\_TX A Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.45	0.17	4.62	11.00	Complies
116	5580	4.42	0.17	4.59	11.00	Complies
140	5700	4.12	0.17	4.29	11.00	Complies



Date: 17\_AUG\_2019 19:01:49






Date: 17\_AUG\_2019 19:03:16



Date: 17\_AUG\_2019 19:03:10

Test Mode UNII-2C\_TX A Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.27	0.17	4.44	11.00	Complies
116	5580	3.95	0.17	4.12	11.00	Complies
140	5700	4.82	0.17	4.99	11.00	Complies






Date: 17\_AUG\_2019 19:31:28

Date: 17\_AUG\_2019 19:32:09

Date: 17\_AUG\_2019 19:33:08

Test Mode UNII-2C\_TX A Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.38	0.17	4.55	11.00	Complies
116	5580	4.04	0.17	4.21	11.00	Complies
140	5700	4.75	0.17	4.92	11.00	Complies



Date: 17\_AUG\_2019 20:01:03

Date: 17\_AUG\_2019 20:01:43


Date: 17\_AUG\_2019 20:02:14

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.71	11.00	Complies
116	5580	10.53	11.00	Complies
140	5700	10.82	11.00	Complies

Test Mode UNII-3\_TX A Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.51	0.17	9.68	30.00	Complies
157	5785	9.02	0.17	9.19	30.00	Complies
165	5825	8.44	0.17	8.61	30.00	Complies



Date: 18\_AUG\_2019 17:06:36




Date: 18\_AUG\_2019 17:07:48




Date: 18\_AUG\_2019 17:08:43

Test Mode UNII-3\_TX A Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.90	0.17	9.07	30.00	Complies
157	5785	8.53	0.17	8.70	30.00	Complies
165	5825	8.58	0.17	8.75	30.00	Complies



Date: 18\_AUG\_2019 17:13:24





Date: 18\_AUG\_2019 17:13:42



Date: 18\_AUG\_2019 17:13:29

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.64	0.17	8.81	30.00	Complies
157	5785	8.28	0.17	8.45	30.00	Complies
165	5825	7.90	0.17	8.07	30.00	Complies




Date: 18\_AUG,2019 17:16:24

Date: 18\_AUG,2019 17:16:43

Date: 18\_AUG,2019 17:17:59

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.20	0.17	9.37	30.00	Complies
157	5785	9.00	0.17	9.17	30.00	Complies
165	5825	8.12	0.17	8.29	30.00	Complies



Date: 18\_AUG,2019 17:16:24

Date: 18\_AUG,2019 17:16:05

Date: 18\_AUG,2019 17:23:53

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.26	30.00	Complies
157	5785	14.91	30.00	Complies
165	5825	14.46	30.00	Complies

Test Mode UNII-1\_TX AC (VHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.61	0.64	10.25	11.00	Complies
40	5200	9.47	0.64	10.11	11.00	Complies
48	5240	9.26	0.64	9.90	11.00	Complies



Date: 18\_AUG\_2019 13:48:19



Date: 18\_AUG\_2019 13:48:19




Date: 18\_AUG\_2019 13:50:31

Test Mode UNII-1\_TX AC (VHT20) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.30	0.64	10.94	11.00	Complies
40	5200	10.01	0.64	10.65	11.00	Complies
48	5240	9.58	0.64	10.22	11.00	Complies



Date: 18\_AUG\_2019 14:03:15




Date: 18\_AUG\_2019 14:04:12



Date: 18\_AUG\_2019 14:04:53


Test Mode UNII-1\_TX AC (VHT20) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.05	0.64	9.69	11.00	Complies
40	5200	8.86	0.64	9.50	11.00	Complies
48	5240	8.65	0.64	9.29	11.00	Complies



Test Mode UNII-1\_TX AC (VHT20) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.90	0.64	10.54	11.00	Complies
40	5200	9.87	0.64	10.51	11.00	Complies
48	5240	9.71	0.64	10.35	11.00	Complies





Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.40	11.00	Complies
40	5200	16.24	11.00	Complies
48	5240	15.98	11.00	Complies

Test Mode UNII-1\_TX AC (VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.48	1.01	8.49	11.00	Complies
46	5230	6.85	1.01	7.86	11.00	Complies



Test Mode UNII-1\_TX AC (VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.97	1.01	7.98	11.00	Complies
46	5230	6.87	1.01	7.88	11.00	Complies



Test Mode UNII-1\_TX AC (VHT40) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.58	1.01	7.59	11.00	Complies
46	5230	5.67	1.01	6.68	11.00	Complies



Test Mode UNII-1\_TX AC (VHT40) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.03	1.01	8.04	11.00	Complies
46	5230	7.05	1.01	8.06	11.00	Complies




Test Mode UNII-1\_TX AC (VHT40) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	14.06	11.00	Complies
46	5230	13.67	11.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.25	1.58	6.83	11.00	Complies

**CH42**




Date: 18\_AUG\_2019 16:49:34

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.83	1.58	6.41	11.00	Complies

**CH42**



Date: 18\_AUG\_2019 16:55:57

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.33	1.58	4.91	11.00	Complies



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.68	1.58	6.26	11.00	Complies




Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	12.18	11.00	Complies

Test Mode UNII-2A\_TX AC (VHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.79	0.64	4.43	11.00	Complies
60	5300	3.71	0.64	4.35	11.00	Complies
64	5320	3.60	0.64	4.24	11.00	Complies



Date: 18\_AUG\_2019 13:51:51



Date: 18\_AUG\_2019 13:52:58




Date: 18\_AUG\_2019 13:54:00

Test Mode UNII-2A\_TX AC (VHT20) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.41	0.64	5.05	11.00	Complies
60	5300	4.38	0.64	5.02	11.00	Complies
64	5320	4.39	0.64	5.03	11.00	Complies



Date: 18\_AUG\_2019 14:05:38



Date: 18\_AUG\_2019 14:06:48




Date: 18\_AUG\_2019 14:07:53

Test Mode UNII-2A\_TX AC (VHT20) Mode\_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.55	0.64	5.19	11.00	Complies
60	5300	4.35	0.64	4.99	11.00	Complies
64	5320	4.53	0.64	5.17	11.00	Complies



Date: 18\_AUG\_2019 14:17:52




Date: 18\_AUG\_2019 14:19:17




Date: 18\_AUG\_2019 14:20:59

Test Mode UNII-2A\_TX AC (VHT20) Mode\_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.40	0.64	5.04	11.00	Complies
60	5300	4.09	0.64	4.73	11.00	Complies
64	5320	4.27	0.64	4.91	11.00	Complies



Date: 18\_AUG\_2019 14:56:08



Date: 18\_AUG\_2019 14:57:01



Date: 18\_AUG\_2019 14:57:19

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.96	11.00	Complies
60	5300	10.81	11.00	Complies
64	5320	10.88	11.00	Complies



Test Mode UNII-2A\_TX AC (VHT40) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.50	1.01	1.51	11.00	Complies
62	5310	0.46	1.01	1.47	11.00	Complies

**CH54**



Date: 18\_AUG,2019 16:12:26

**CH62**



Date: 18\_AUG,2019 16:14:00

Test Mode UNII-2A\_TX AC (VHT40) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.20	1.01	1.21	11.00	Complies
62	5310	0.34	1.01	1.35	11.00	Complies

**CH54**



Date: 18\_AUG,2019 16:17:46

**CH62**



Date: 18\_AUG,2019 16:18:08


Test Mode UNII-2A\_TX AC (VHT40) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.45	1.01	1.46	11.00	Complies
62	5310	0.74	1.01	1.75	11.00	Complies



Test Mode UNII-2A\_TX AC (VHT40) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.64	1.01	1.65	11.00	Complies
62	5310	0.59	1.01	1.60	11.00	Complies



Test Mode UNII-2A\_TX AC (VHT40) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.48	11.00	Complies
62	5310	7.57	11.00	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.22	1.58	0.36	11.00	Complies



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.48	1.58	0.10	11.00	Complies



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.03	1.58	0.55	11.00	Complies


**CH58**



Date: 18\_AUG\_2019 17:02:40

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.35	1.58	0.23	11.00	Complies



Date: 18\_AUG\_2019 17:02:39


**CH58**

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.34	11.00	Complies

Test Mode UNII-2C\_TX AC (VHT20) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.31	0.64	4.95	11.00	Complies
116	5580	4.10	0.64	4.74	11.00	Complies
140	5700	4.18	0.64	4.82	11.00	Complies



Date: 18\_AUG\_2019 13:56:22




Date: 18\_AUG\_2019 13:57:53




Date: 18\_AUG\_2019 14:59:37

Test Mode UNII-2C\_TX AC (VHT20) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.17	0.64	4.81	11.00	Complies
116	5580	3.75	0.64	4.39	11.00	Complies
140	5700	4.16	0.64	4.80	11.00	Complies



Date: 18\_AUG\_2019 14:09:18






Date: 18\_AUG\_2019 14:10:40



Date: 18\_AUG\_2019 15:00:06

Test Mode UNII-2C\_TX AC (VHT20) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.93	0.64	4.57	11.00	Complies
116	5580	3.34	0.64	3.98	11.00	Complies
140	5700	4.36	0.64	5.00	11.00	Complies






Date: 18\_AUG\_2019 14:22:11

Date: 18\_AUG\_2019 14:40:26

Date: 18\_AUG\_2019 15:00:21

Test Mode UNII-2C\_TX AC (VHT20) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.23	0.64	4.87	11.00	Complies
116	5580	3.59	0.64	4.23	11.00	Complies
140	5700	4.31	0.64	4.95	11.00	Complies



Date: 18\_AUG\_2019 14:57:45

Date: 18\_AUG\_2019 14:58:13


Date: 18\_AUG\_2019 14:58:37

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.83	11.00	Complies
116	5580	10.37	11.00	Complies
140	5700	10.92	11.00	Complies

Test Mode UNII-2C\_TX AC (VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.52	1.01	2.53	11.00	Complies
110	5550	1.50	1.01	2.51	11.00	Complies
134	5670	1.39	1.01	2.40	11.00	Complies



Date: 18\_AUG\_2019 16:14:39



Date: 18\_AUG\_2019 16:14:58




Date: 18\_AUG\_2019 16:15:36

Test Mode UNII-2C\_TX AC (VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.90	1.01	1.91	11.00	Complies
110	5550	1.05	1.01	2.06	11.00	Complies
134	5670	3.37	1.01	4.38	11.00	Complies



Date: 18\_AUG\_2019 16:18:31



Date: 18\_AUG\_2019 16:18:50




Date: 18\_AUG\_2019 16:19:10




Test Mode UNII-2C\_TX AC (VHT40) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.75	1.01	1.76	11.00	Complies
110	5550	0.73	1.01	1.74	11.00	Complies
134	5670	0.69	1.01	1.70	11.00	Complies



Date: 18\_AUG\_2019 16:22:51



Date: 18\_AUG\_2019 16:22:05



Date: 18\_AUG\_2019 16:22:36

Test Mode UNII-2C\_TX AC (VHT40) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.99	1.01	2.00	11.00	Complies
110	5550	1.09	1.01	2.10	11.00	Complies
134	5670	1.22	1.01	2.23	11.00	Complies



Date: 18\_AUG\_2019 16:27:31



Date: 18\_AUG\_2019 16:27:13



Date: 18\_AUG\_2019 16:28:20


Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	8.08	11.00	Complies
110	5550	8.13	11.00	Complies
134	5670	8.83	11.00	Complies

Test Mode UNII-2C\_TX AC (VHT80) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.38	1.58	1.20	11.00	Complies
122	5610	-1.07	1.58	0.51	11.00	Complies

**CH106**



Date: 18\_AUG,2019 16:52:29

**CH122**




Date: 18\_AUG,2019 16:54:01

Test Mode UNII-2C\_TX AC (VHT80) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.76	1.58	0.82	11.00	Complies
122	5610	3.36	1.58	4.94	11.00	Complies

**CH106**



Date: 18\_AUG,2019 16:57:42

**CH122**



Date: 18\_AUG,2019 16:58:26

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.90	1.58	0.68	11.00	Complies
122	5610	-1.13	1.58	0.45	11.00	Complies



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.97	1.58	0.61	11.00	Complies
122	5610	-0.82	1.58	0.76	11.00	Complies




Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	6.86	11.00	Complies
122	5610	8.16	11.00	Complies

Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.94	0.64	9.58	30.00	Complies
157	5785	8.17	0.64	8.81	30.00	Complies
165	5825	7.97	0.64	8.61	30.00	Complies



Date: 18\_AUG\_2019 17:39:51




Date: 18\_AUG\_2019 17:41:02



Date: 18\_AUG\_2019 17:46:12

Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.43	0.64	9.07	30.00	Complies
157	5785	8.08	0.64	8.72	30.00	Complies
165	5825	8.30	0.64	8.94	30.00	Complies



Date: 18\_AUG\_2019 17:43:18




Date: 18\_AUG\_2019 17:44:07




Date: 18\_AUG\_2019 17:44:42

Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.29	0.64	8.93	30.00	Complies
157	5785	7.81	0.64	8.45	30.00	Complies
165	5825	7.82	0.64	8.46	30.00	Complies



Date: 18\_AUG\_2019 17:46:56



Date: 18\_AUG\_2019 17:47:12



Date: 18\_AUG\_2019 17:47:51

Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.66	0.64	9.30	30.00	Complies
157	5785	8.54	0.64	9.18	30.00	Complies
165	5825	8.15	0.64	8.79	30.00	Complies



Date: 18\_AUG\_2019 17:49:59



Date: 18\_AUG\_2019 17:50:13



Date: 18\_AUG\_2019 17:50:24


Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.25	30.00	Complies
157	5785	14.82	30.00	Complies
165	5825	14.73	30.00	Complies

Test Mode UNII-3\_TX AC (VHT40) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.08	1.01	6.09	30.00	Complies
159	5795	4.89	1.01	5.90	30.00	Complies

CH151



Date: 18\_AUG,2019 17:58:26

CH159




Date: 18\_AUG,2019 17:59:45

Test Mode UNII-3\_TX AC (VHT40) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.11	1.01	5.12	30.00	Complies
159	5795	3.81	1.01	4.82	30.00	Complies

CH151



Date: 18\_AUG,2019 18:00:50

CH159



Date: 18\_AUG,2019 18:01:28



Test Mode UNII-3\_TX AC (VHT40) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.80	1.01	4.81	30.00	Complies
159	5795	3.39	1.01	4.40	30.00	Complies



Test Mode UNII-3\_TX AC (VHT40) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.81	1.01	5.82	30.00	Complies
159	5795	4.49	1.01	5.50	30.00	Complies




Test Mode UNII-3\_TX AC (VHT40) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.51	30.00	Complies
159	5795	11.21	30.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.53	1.58	4.11	30.00	Complies

**CH155**




Date: 18\_AUG\_2019 18:07:03

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.06	1.58	3.64	30.00	Complies

**CH155**



Date: 18\_AUG\_2019 18:07:34

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.36	1.58	2.94	30.00	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.32	1.58	3.90	30.00	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.69	30.00	Complies

# APPENDIXH-FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency(MHz)
(V)	5180.0000
132	5180.0199
120	5180.0000
108	5180.0150
Maximum Deviation (MHz)	0.0199
Maximum Deviation (ppm)	3.8393

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency(MHz)
(°C)	5180.0000
0	5180.0350
10	5179.9999
20	5180.0200
30	5180.0150
40	5180.0150
Maximum Deviation (MHz)	0.0350
Maximum Deviation (ppm)	6.7592

Test Mode	UNII-2A
-----------	---------

### Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency(MHz)
132	5260.0150
120	5259.9999
108	5260.0200
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.7999

### Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency(MHz)
0	5260.0350
10	5260.0200
20	5260.0199
30	5259.9950
40	5260.0200
Maximum Deviation (MHz)	0.0350
Maximum Deviation (ppm)	6.6564

Test Mode	UNII-2C
-----------	---------

**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency(MHz)
132	5499.9948
120	5500.0102
108	5500.0350
Maximum Deviation (MHz)	0.0350
Maximum Deviation (ppm)	6.3659

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency(MHz)
0	5500.0000
10	5500.0150
20	5500.0199
30	5499.9948
40	5500.0100
Maximum Deviation (MHz)	0.0199
Maximum Deviation (ppm)	3.6159

Test Mode	UNII-3
-----------	--------

**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency(MHz)
132	5745.0150
120	5745.0150
108	5745.0100
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.6131

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency(MHz)
0	5745.0148
10	5745.0000
20	5745.0150
30	5745.0150
40	5745.0150
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.6131

**End of Test Report**