


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7725.3350	20.10	12.12	32.22	54.00	-21.78	AVG	
2	7725.5600	31.41	12.12	43.53	68.30	-24.77	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Vertical


110 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5102.0000	17.87	40.47	58.34	68.30	-9.96	Peak	
2	5102.0000	8.21	40.47	48.68	54.00	-5.32	AVG	
3	5150.0000	8.62	40.62	49.24	68.30	-19.06	Peak	
4	5150.0000	1.52	40.62	42.14	54.00	-11.86	AVG	
5 *	5173.0000	54.38	40.70	95.08	54.00	41.08	AVG	No Limit
6	5178.4000	64.57	40.72	105.29	68.30	36.99	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	6906.6700	39.06	10.78	49.84	54.00	-4.16	AVG	
2	6906.7250	41.83	10.78	52.61	68.30	-15.69	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Horizontal


125 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5104.6000	18.17	40.48	58.65	68.30	-9.65	Peak	
2	5104.6000	10.85	40.48	51.33	54.00	-2.67	AVG	
3	5150.0000	9.22	40.62	49.84	68.30	-18.46	Peak	
4	5150.0000	0.51	40.62	41.13	54.00	-12.87	AVG	
5 *	5187.4000	54.70	40.75	95.45	54.00	41.45	AVG	No Limit
6	5188.2000	64.90	40.75	105.65	68.30	37.35	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	6906.5950	36.80	9.40	46.20	68.30	-22.10	Peak	
2 *	6906.6150	31.23	9.40	40.63	54.00	-13.37	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Vertical


110 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5118.2000	16.51	40.52	57.03	68.30	-11.27	Peak	
2	5118.2000	8.14	40.52	48.66	54.00	-5.34	AVG	
3	5150.0000	9.04	40.62	49.66	68.30	-18.64	Peak	
4	5150.0000	0.33	40.62	40.95	54.00	-13.05	AVG	
5	5199.2000	62.93	40.79	103.72	68.30	35.42	Peak	No Limit
6 *	5202.2000	52.97	40.80	93.77	54.00	39.77	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	6933.3250	37.51	10.77	48.28	54.00	-5.72	AVG	
2	6933.4000	40.59	10.77	51.36	68.30	-16.94	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Horizontal


125 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5119.8000	19.65	40.53	60.18	68.30	-8.12	Peak	
2	5119.8000	11.28	40.53	51.81	54.00	-2.19	AVG	
3 *	5193.0000	54.71	40.77	95.48	54.00	41.48	AVG	No Limit
4	5208.4000	63.46	40.82	104.28	68.30	35.98	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	6933.2600	36.03	9.38	45.41	68.30	-22.89	Peak	
2 *	6933.3050	30.00	9.38	39.38	54.00	-14.62	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5158.2000	19.02	40.65	59.67	68.30	-8.63	Peak	
2	5158.2000	11.13	40.65	51.78	54.00	-2.22	AVG	
3 *	5233.0000	54.03	40.90	94.93	54.00	40.93	AVG	No Limit
4	5248.2000	64.33	40.95	105.28	68.30	36.98	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	6986.6350	39.81	10.75	50.56	68.30	-17.74	Peak	
2 *	6986.6650	36.30	10.75	47.05	54.00	-6.95	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

Horizontal


125 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5160.0000	17.43	40.66	58.09	68.30	-10.21	Peak	
2	5160.0000	10.50	40.66	51.16	54.00	-2.84	AVG	
3 *	5232.8000	55.73	40.90	96.63	54.00	42.63	AVG	No Limit
4	5236.8000	64.99	40.91	105.90	68.30	37.60	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	6986.5950	35.15	9.36	44.51	68.30	-23.79	Peak	
2 *	6986.7150	29.18	9.36	38.54	54.00	-15.46	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

Vertical


110 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	19.86	40.62	60.48	68.30	-7.82	Peak	
2	5150.0000	10.41	40.62	51.03	54.00	-2.97	AVG	
3 *	5174.4000	53.60	40.71	94.31	54.00	40.31	AVG	No Limit
4	5186.4000	63.13	40.75	103.88	68.30	35.58	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	6919.9200	42.65	10.77	53.42	68.30	-14.88	Peak	
2 *	6920.0000	39.94	10.77	50.71	54.00	-3.29	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	21.47	40.62	62.09	68.30	-6.21	Peak	
2	5150.0000	10.91	40.62	51.53	54.00	-2.47	AVG	
3 *	5174.1000	54.14	40.70	94.84	54.00	40.84	AVG	No Limit
4	5202.6000	63.97	40.80	104.77	68.30	36.47	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	6919.9900	26.34	10.77	37.11	54.00	-16.89	AVG	
2	6920.0250	34.15	10.77	44.92	68.30	-23.38	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

Vertical


110 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5154.4000	17.75	40.64	58.39	68.30	-9.91	Peak	
2	5154.4000	8.83	40.64	49.47	54.00	-4.53	AVG	
3 *	5234.2000	53.72	40.90	94.62	54.00	40.62	AVG	No Limit
4	5241.1000	63.59	40.93	104.52	68.30	36.22	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	6973.3150	42.72	10.76	53.48	68.30	-14.82	Peak	
2 *	6973.3300	39.87	10.76	50.63	54.00	-3.37	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5154.1000	19.19	40.64	59.83	68.30	-8.47	Peak	
2	5154.1000	11.46	40.64	52.10	54.00	-1.90	AVG	
3	5212.6000	64.47	40.83	105.30	68.30	37.00	Peak	No Limit
4 *	5214.1000	53.88	40.84	94.72	54.00	40.72	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	6973.3400	28.24	10.76	39.00	54.00	-15.00	AVG	
2	6973.3900	35.02	10.76	45.78	68.30	-22.52	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Vertical


110 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	21.85	40.62	62.47	68.30	-5.83	Peak	
2	5150.0000	8.46	40.62	49.08	54.00	-4.92	AVG	
3	5219.6000	61.23	40.85	102.08	68.30	33.78	Peak	No Limit
4 *	5221.6000	49.34	40.86	90.20	54.00	36.20	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	6946.6700	36.82	10.77	47.59	54.00	-6.41	AVG	
2	6946.7150	40.70	10.77	51.47	68.30	-16.83	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Horizontal

110 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	20.37	40.62	60.99	68.30	-7.31	Peak	
2	5150.0000	10.54	40.62	51.16	54.00	-2.84	AVG	
3	5194.4000	63.60	40.77	104.37	68.30	36.07	Peak	No Limit
4 *	5196.4000	51.48	40.78	92.26	54.00	38.26	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Horizontal


80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	6946.6650	21.33	10.77	32.10	54.00	-21.90	AVG	
2	6947.6900	32.06	10.77	42.83	68.30	-25.47	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5261.8000	63.53	40.99	104.52	68.30	36.22	Peak	No Limit
2 *	5267.2000	53.45	41.01	94.46	54.00	40.46	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7013.1400	39.01	10.78	49.79	68.30	-18.51	Peak	
2 *	7013.3250	35.51	10.78	46.29	54.00	-7.71	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Horizontal


125 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5184.4000	18.15	40.74	58.89	68.30	-9.41	Peak	
2	5184.4000	10.99	40.74	51.73	54.00	-2.27	AVG	
3	5252.0000	65.21	40.96	106.17	68.30	37.87	Peak	No Limit
4 *	5252.8000	55.01	40.96	95.97	54.00	41.97	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7013.3050	29.18	9.41	38.59	54.00	-15.41	AVG	
2	7013.4100	34.99	9.41	44.40	68.30	-23.90	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

Vertical

110 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5304.4000	63.27	41.13	104.40	68.30	36.10	Peak	No Limit
2 *	5307.2000	53.73	41.14	94.87	54.00	40.87	AVG	No Limit
3	5350.0000	10.15	41.28	51.43	68.30	-16.87	Peak	
4	5350.0000	0.53	41.28	41.81	54.00	-12.19	AVG	
5	5382.2000	16.08	41.39	57.47	68.30	-10.83	Peak	
6	5382.2000	7.68	41.39	49.07	54.00	-4.93	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7066.6650	33.35	10.88	44.23	54.00	-9.77	AVG	
2	7066.7050	37.44	10.88	48.32	68.30	-19.98	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

Horizontal


125 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5220.0000	18.39	40.86	59.25	68.30	-9.05	Peak	
2	5220.0000	11.02	40.86	51.88	54.00	-2.12	AVG	
3 *	5304.8000	54.00	41.14	95.14	54.00	41.14	AVG	No Limit
4	5307.4000	63.79	41.14	104.93	68.30	36.63	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7066.5900	34.56	9.64	44.20	68.30	-24.10	Peak	
2 *	7066.6750	26.85	9.64	36.49	54.00	-17.51	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5323.4000	64.83	41.20	106.03	68.30	37.73	Peak	No Limit
2 *	5327.2000	55.13	41.21	96.34	54.00	42.34	AVG	No Limit
3	5350.0000	10.66	41.28	51.94	68.30	-16.36	Peak	
4	5350.0000	1.94	41.28	43.22	54.00	-10.78	AVG	
5	5397.6000	15.58	41.44	57.02	68.30	-11.28	Peak	
6	5397.6000	7.54	41.44	48.98	54.00	-5.02	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7093.2700	38.41	10.94	49.35	68.30	-18.95	Peak	
2 *	7093.3200	34.44	10.94	45.38	54.00	-8.62	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Horizontal

125 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5327.2000	65.16	41.21	106.37	68.30	38.07	Peak	No Limit
2 *	5327.4000	55.39	41.21	96.60	54.00	42.60	AVG	No Limit
3	5350.0000	10.18	41.28	51.46	68.30	-16.84	Peak	
4	5350.0000	1.97	41.28	43.25	54.00	-10.75	AVG	
5	5400.0000	16.73	41.45	58.18	68.30	-10.12	Peak	
6	5400.0000	9.59	41.45	51.04	54.00	-2.96	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7093.2600	27.58	9.76	37.34	54.00	-16.66	AVG	
2	7093.2650	33.50	9.76	43.26	68.30	-25.04	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

Vertical


110 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5254.1000	54.25	40.97	95.22	54.00	41.22	AVG	No Limit
2	5259.8000	64.54	40.99	105.53	68.30	37.23	Peak	No Limit
3	5345.6000	16.64	41.27	57.91	68.30	-10.39	Peak	
4	5345.6000	9.19	41.27	50.46	54.00	-3.54	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7026.6650	38.53	10.80	49.33	54.00	-4.67	AVG	
2	7026.6800	41.60	10.80	52.40	68.30	-15.90	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5253.8000	64.39	40.97	105.36	68.30	37.06	Peak	No Limit
2 *	5254.1000	54.21	40.97	95.18	54.00	41.18	AVG	No Limit
3	5344.1000	19.46	41.27	60.73	68.30	-7.57	Peak	
4	5344.1000	10.27	41.27	51.54	54.00	-2.46	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7026.6000	36.50	10.80	47.30	68.30	-21.00	Peak	
2 *	7026.6500	30.39	10.80	41.19	54.00	-12.81	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Vertical

110 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5292.9000	64.14	41.10	105.24	68.30	36.94	Peak	No Limit
2 *	5314.8000	54.09	41.17	95.26	54.00	41.26	AVG	No Limit
3	5350.0000	17.64	41.28	58.92	68.30	-9.38	Peak	
4	5350.0000	8.39	41.28	49.67	54.00	-4.33	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Vertical


80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7079.9950	37.73	10.91	48.64	54.00	-5.36	AVG	
2	7080.0250	40.85	10.91	51.76	68.30	-16.54	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5294.1000	54.30	41.10	95.40	54.00	41.40	AVG	No Limit
2	5297.7000	64.58	41.11	105.69	68.30	37.39	Peak	No Limit
3	5350.0000	22.99	41.28	64.27	68.30	-4.03	Peak	
4	5350.0000	10.22	41.28	51.50	54.00	-2.50	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7079.8800	34.91	10.91	45.82	68.30	-22.48	Peak	
2 *	7079.9900	29.62	10.91	40.53	54.00	-13.47	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical


110 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5281.6000	51.91	41.06	92.97	54.00	38.97	AVG	No Limit
2	5299.6000	63.40	41.12	104.52	68.30	36.22	Peak	No Limit
3	5350.0000	17.42	41.28	58.70	68.30	-9.60	Peak	
4	5350.0000	8.55	41.28	49.83	54.00	-4.17	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7053.3300	36.30	10.86	47.16	54.00	-6.84	AVG	
2	7053.3750	40.52	10.86	51.38	68.30	-16.92	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal


110 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5282.4000	64.00	41.06	105.06	68.30	36.76	Peak	No Limit
2 *	5296.4000	52.52	41.11	93.63	54.00	39.63	AVG	No Limit
3	5350.0000	22.25	41.28	63.53	68.30	-4.77	Peak	
4	5350.0000	10.62	41.28	51.90	54.00	-2.10	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7053.2500	33.90	10.86	44.76	68.30	-23.54	Peak	
2 *	7053.3250	26.96	10.86	37.82	54.00	-16.18	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Vertical


110 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5427.0000	15.15	41.54	56.69	68.30	-11.61	Peak	
2	5427.0000	7.13	41.54	48.67	54.00	-5.33	AVG	
3	5460.0000	8.15	41.65	49.80	68.30	-18.50	Peak	
4	5460.0000	0.98	41.65	42.63	54.00	-11.37	AVG	
5	5470.0000	10.18	41.68	51.86	68.30	-16.44	Peak	
6	5470.0000	1.28	41.68	42.96	54.00	-11.04	AVG	
7 *	5493.8000	53.90	41.76	95.66	54.00	41.66	AVG	No Limit
8	5498.6000	63.29	41.78	105.07	68.30	36.77	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7333.3600	26.30	10.82	37.12	54.00	-16.88	AVG	
2	7333.3950	33.09	10.82	43.91	68.30	-24.39	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Horizontal


125 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5416.0000	17.45	41.50	58.95	68.30	-9.35	Peak	
2	5416.0000	9.86	41.50	51.36	54.00	-2.64	AVG	
3	5460.0000	10.71	41.65	52.36	68.30	-15.94	Peak	
4	5460.0000	1.90	41.65	43.55	54.00	-10.45	AVG	
5	5470.0000	11.27	41.68	52.95	68.30	-15.35	Peak	
6	5470.0000	2.28	41.68	43.96	54.00	-10.04	AVG	
7 *	5493.0000	54.86	41.76	96.62	54.00	42.62	AVG	No Limit
8	5505.0000	64.53	41.80	106.33	68.30	38.03	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7333.1450	32.94	10.82	43.76	68.30	-24.54	Peak	
2 *	7333.3650	25.16	10.82	35.98	54.00	-18.02	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Vertical


110 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5573.2000	53.35	42.04	95.39	54.00	41.39	AVG	No Limit
2	5576.2000	62.58	42.05	104.63	68.30	36.33	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7439.7850	32.80	11.29	44.09	68.30	-24.21	Peak	
2 *	7439.9150	23.37	11.29	34.66	54.00	-19.34	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Horizontal

125 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5587.4000	54.41	42.09	96.50	54.00	42.50	AVG	No Limit
2	5587.8000	64.16	42.09	106.25	68.30	37.95	Peak	No Limit
3	5654.0000	19.05	42.33	61.38	68.30	-6.92	Peak	
4	5654.0000	9.40	42.33	51.73	54.00	-2.27	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7440.1500	22.77	11.29	34.06	54.00	-19.94	AVG	
2	7441.9550	32.59	11.29	43.88	68.30	-24.42	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Vertical

110 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5706.0000	62.42	42.51	104.93	68.30	36.63	Peak	No Limit
2 *	5707.0000	52.81	42.52	95.33	54.00	41.33	AVG	No Limit
3	5725.0000	11.44	42.58	54.02	68.30	-14.28	Peak	
4	5725.0000	2.38	42.58	44.96	54.00	-9.04	AVG	
5	5778.0000	13.20	42.77	55.97	68.30	-12.33	Peak	
6	5778.0000	6.17	42.77	48.94	54.00	-5.06	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7599.9100	21.30	11.80	33.10	54.00	-20.90	AVG	
2	7599.9850	31.73	11.80	43.53	68.30	-24.77	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Horizontal


125 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5693.2000	54.91	42.47	97.38	54.00	43.38	AVG	No Limit
2	5694.6000	65.37	42.47	107.84	68.30	39.54	Peak	No Limit
3	5725.0000	10.68	42.58	53.26	68.30	-15.04	Peak	
4	5725.0000	2.91	42.58	45.49	54.00	-8.51	AVG	
5	5774.8000	17.43	42.76	60.19	68.30	-8.11	Peak	
6	5774.8000	9.10	42.76	51.86	54.00	-2.14	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7599.9050	30.39	11.80	42.19	68.30	-26.11	Peak	
2 *	7600.2050	21.09	11.80	32.89	54.00	-21.11	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	14.82	41.65	56.47	68.30	-11.83	Peak	
2	5460.0000	5.29	41.65	46.94	54.00	-7.06	AVG	
3	5470.0000	18.10	41.68	59.78	68.30	-8.52	Peak	
4	5470.0000	9.80	41.68	51.48	54.00	-2.52	AVG	
5 *	5514.2000	54.11	41.83	95.94	54.00	41.94	AVG	No Limit
6	5522.6000	64.52	41.86	106.38	68.30	38.08	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7346.6650	28.38	10.88	39.26	54.00	-14.74	AVG	
2	7346.7550	35.99	10.88	46.87	68.30	-21.43	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	14.01	41.65	55.66	68.30	-12.64	Peak	
2	5460.0000	5.62	41.65	47.27	54.00	-6.73	AVG	
3	5470.0000	19.52	41.68	61.20	68.30	-7.10	Peak	
4	5470.0000	10.11	41.68	51.79	54.00	-2.21	AVG	
5	5492.3000	65.21	41.75	106.96	68.30	38.66	Peak	No Limit
6 *	5494.4000	54.40	41.76	96.16	54.00	42.16	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Horizontal


80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7346.6400	23.12	10.88	34.00	54.00	-20.00	AVG	
2	7347.2150	33.34	10.88	44.22	68.30	-24.08	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5466.0000	19.20	41.67	60.87	68.30	-7.43	Peak	
2	5466.0000	10.21	41.67	51.88	54.00	-2.12	AVG	
3	5532.6000	65.44	41.90	107.34	68.30	39.04	Peak	No Limit
4 *	5566.2000	55.04	42.02	97.06	54.00	43.06	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Vertical


80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7399.9550	25.70	11.11	36.81	54.00	-17.19	AVG	
2	7400.1750	33.62	11.11	44.73	68.30	-23.57	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5474.4000	19.18	41.70	60.88	68.30	-7.42	Peak	
2	5474.4000	10.18	41.70	51.88	54.00	-2.12	AVG	
3	5551.8000	65.53	41.96	107.49	68.30	39.19	Peak	No Limit
4 *	5566.2000	54.85	42.02	96.87	54.00	42.87	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7399.9800	22.13	11.11	33.24	54.00	-20.76	AVG	
2	7399.9950	33.00	11.11	44.11	68.30	-24.19	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Vertical

110 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5656.8000	62.02	42.34	104.36	68.30	36.06	Peak	No Limit
2 *	5664.3000	51.82	42.36	94.18	54.00	40.18	AVG	No Limit
3	5725.0000	11.02	42.58	53.60	68.30	-14.70	Peak	
4	5725.0000	1.55	42.58	44.13	54.00	-9.87	AVG	
5	5754.6000	16.22	42.69	58.91	68.30	-9.39	Peak	
6	5754.6000	6.33	42.69	49.02	54.00	-4.98	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Vertical


80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7559.9250	32.14	11.70	43.84	68.30	-24.46	Peak	
2 *	7560.0800	21.63	11.70	33.33	54.00	-20.67	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5674.2000	52.76	42.40	95.16	54.00	41.16	AVG	No Limit
2	5684.4000	63.74	42.44	106.18	68.30	37.88	Peak	No Limit
3	5725.0000	10.45	42.58	53.03	68.30	-15.27	Peak	
4	5725.0000	2.35	42.58	44.93	54.00	-9.07	AVG	
5	5754.6000	17.27	42.69	59.96	68.30	-8.34	Peak	
6	5754.6000	9.23	42.69	51.92	54.00	-2.08	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7558.0800	21.46	11.70	33.16	54.00	-20.84	AVG	
2	7559.8850	32.53	11.70	44.23	68.30	-24.07	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical


110 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	16.73	41.65	58.38	68.30	-9.92	Peak	
2	5460.0000	7.50	41.65	49.15	54.00	-4.85	AVG	
3	5470.0000	20.09	41.68	61.77	68.30	-6.53	Peak	
4	5470.0000	7.83	41.68	49.51	54.00	-4.49	AVG	
5 *	5559.2000	50.51	41.99	92.50	54.00	38.50	AVG	No Limit
6	5566.8000	60.70	42.02	102.72	68.30	34.42	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7373.3050	26.94	10.99	37.93	54.00	-16.07	AVG	
2	7373.5100	33.96	10.99	44.95	68.30	-23.35	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal


110 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	17.91	41.65	59.56	68.30	-8.74	Peak	
2	5460.0000	8.92	41.65	50.57	54.00	-3.43	AVG	
3	5470.0000	19.63	41.68	61.31	68.30	-6.99	Peak	
4	5470.0000	9.37	41.68	51.05	54.00	-2.95	AVG	
5	5494.4000	60.87	41.76	102.63	68.30	34.33	Peak	No Limit
6 *	5502.8000	50.25	41.79	92.04	54.00	38.04	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7373.2950	22.77	10.99	33.76	54.00	-20.24	AVG	
2	7373.4050	31.99	10.99	42.98	68.30	-25.32	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5602.8000	53.83	42.15	95.98	54.00	41.98	AVG	No Limit
2	5603.2000	64.42	42.15	106.57	68.30	38.27	Peak	No Limit
3	5725.0000	16.42	42.58	59.00	68.30	-9.30	Peak	
4	5725.0000	7.26	42.58	49.84	54.00	-4.16	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Vertical


80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7479.9250	33.27	11.46	44.73	68.30	-23.57	Peak	
2 *	7480.0850	23.76	11.46	35.22	54.00	-18.78	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5604.8000	63.99	42.15	106.14	68.30	37.84	Peak	No Limit
2 *	5616.4000	53.56	42.19	95.75	54.00	41.75	AVG	No Limit
3	5725.0000	13.59	42.58	56.17	68.30	-12.13	Peak	
4	5725.0000	7.42	42.58	50.00	54.00	-4.00	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7479.6400	33.34	11.46	44.80	68.30	-23.50	Peak	
2 *	7479.9250	21.09	11.46	32.55	54.00	-21.45	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	24.10	42.55	66.65	109.50	-42.85	peak	
2		5715.000	15.29	42.55	57.84	109.50	-51.66	AVG	
3		5725.000	30.20	42.58	72.78	122.30	-49.52	peak	
4		5725.000	22.06	42.58	64.64	122.30	-57.66	AVG	
5		5738.400	62.83	42.63	105.46	122.30	-16.84	AVG	
6	*	5742.500	72.68	42.64	115.32	122.30	-6.98	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5499.960	52.16	7.53	59.69	68.30	-8.61	peak	
2	*	5503.240	41.24	7.53	48.77	54.00	-5.23	AVG	
3		7659.990	20.17	11.96	32.13	54.00	-21.87	AVG	
4		7660.150	31.26	11.96	43.22	68.30	-25.08	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Horizontal

125 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	24.79	42.55	67.34	109.50	-42.16	Peak	
2	5715.0000	16.38	42.55	58.93	109.50	-50.57	AVG	
3	5725.0000	35.16	42.58	77.74	122.30	-44.56	Peak	
4	5725.0000	25.75	42.58	68.33	122.30	-53.97	AVG	
5 *	5750.7000	75.65	42.67	118.32	122.30	-3.98	Peak	
6	5751.8000	66.16	42.68	108.84	122.30	-13.46	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7657.7150	19.57	11.95	31.52	54.00	-22.48	AVG	
2	7661.0200	31.27	11.96	43.23	68.30	-25.07	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

Vertical

125 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5778.4000	61.73	42.77	104.50	122.30	-17.80	AVG	
2 *	5783.3000	71.75	42.79	114.54	122.30	-7.76	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5543.7200	53.39	7.58	60.97	68.30	-7.33	Peak	
2 *	5543.8800	43.31	7.58	50.89	54.00	-3.11	AVG	
3	7713.2100	20.22	12.09	32.31	54.00	-21.69	AVG	
4	7713.4900	31.56	12.09	43.65	68.30	-24.65	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

Horizontal

125 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5777.3000	64.17	42.77	106.94	122.30	-15.36	AVG	
2 *	5780.8000	73.36	42.78	116.14	122.30	-6.16	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7713.6700	19.87	12.09	31.96	54.00	-22.04	AVG	
2	7715.2400	31.86	12.10	43.96	68.30	-24.34	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Vertical


125 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5823.0000	62.92	42.93	105.85	122.30	-16.45	AVG	
2 *	5824.2000	71.64	42.93	114.57	122.30	-7.73	Peak	
3	5850.0000	26.03	43.03	69.06	122.30	-53.24	Peak	
4	5850.0000	17.99	43.03	61.02	122.30	-61.28	AVG	
5	5860.0000	21.37	43.06	64.43	109.50	-45.07	Peak	
6	5860.0000	13.94	43.06	57.00	109.50	-52.50	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5582.280	44.10	7.63	51.73	54.00	-2.27	AVG	
2		5582.320	53.69	7.63	61.32	68.30	-6.98	peak	
3		7766.950	19.96	12.23	32.19	54.00	-21.81	AVG	
4		7768.195	31.24	12.23	43.47	68.30	-24.83	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Horizontal


125 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5829.0000	74.59	42.95	117.54	122.30	-4.76	Peak	
2	5831.9000	64.98	42.96	107.94	122.30	-14.36	AVG	
3	5850.0000	29.86	43.03	72.89	122.30	-49.41	Peak	
4	5850.0000	21.00	43.03	64.03	122.30	-58.27	AVG	
5	5860.0000	23.89	43.06	66.95	109.50	-42.55	Peak	
6	5860.0000	15.61	43.06	58.67	109.50	-50.83	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7764.7650	30.44	12.22	42.66	68.30	-25.64	Peak	
2 *	7768.9750	19.93	12.23	32.16	54.00	-21.84	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Vertical

125 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	29.03	42.55	71.58	109.50	-37.92	Peak	
2	5715.0000	18.61	42.55	61.16	109.50	-48.34	AVG	
3	5725.0000	34.07	42.58	76.65	122.30	-45.65	Peak	
4	5725.0000	21.45	42.58	64.03	122.30	-58.27	AVG	
5 *	5741.4000	69.11	42.64	111.75	122.30	-10.55	Peak	
6	5751.4000	57.51	42.67	100.18	122.30	-22.12	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7673.6800	30.67	11.99	42.66	68.30	-25.64	Peak	
2 *	7675.6700	19.35	12.00	31.35	54.00	-22.65	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal

125 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	37.95	42.55	80.50	109.50	-29.00	Peak	
2	5715.0000	26.27	42.55	68.82	109.50	-40.68	AVG	
3	5725.0000	41.32	42.58	83.90	122.30	-38.40	Peak	
4	5725.0000	30.30	42.58	72.88	122.30	-49.42	AVG	
5 *	5751.0000	73.37	42.67	116.04	122.30	-6.26	Peak	
6	5751.2000	63.93	42.67	106.60	122.30	-15.70	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal


80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7673.6950	30.40	11.99	42.39	68.30	-25.91	Peak	
2 *	7675.5350	19.44	12.00	31.44	54.00	-22.56	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5781.4000	68.47	42.78	111.25	122.30	-11.05	Peak	
2	5791.4000	56.88	42.82	99.70	122.30	-22.60	AVG	
3	5850.0000	27.51	43.03	70.54	122.30	-51.76	Peak	
4	5850.0000	16.07	43.03	59.10	122.30	-63.20	AVG	
5	5860.0000	25.91	43.06	68.97	109.50	-40.53	Peak	
6	5860.0000	16.47	43.06	59.53	109.50	-49.97	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	7726.090	32.11	12.13	44.24	54.00	-9.76	AVG	
2		7726.580	20.50	12.13	32.63	68.30	-35.67	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5791.0000	61.72	42.82	104.54	122.30	-17.76	AVG	
2 *	5791.8000	71.20	42.82	114.02	122.30	-8.28	Peak	
3	5850.0000	27.39	43.03	70.42	122.30	-51.88	Peak	
4	5850.0000	18.59	43.03	61.62	122.30	-60.68	AVG	
5	5860.0000	27.09	43.06	70.15	109.50	-39.35	Peak	
6	5860.0000	19.50	43.06	62.56	109.50	-46.94	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7727.5050	20.44	12.13	32.57	54.00	-21.43	AVG	
2	7728.6700	31.55	12.13	43.68	68.30	-24.62	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical

125 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	35.95	42.55	78.50	109.50	-31.00	Peak	
2	5715.0000	23.23	42.55	65.78	109.50	-43.72	AVG	
3	5725.0000	35.98	42.58	78.56	122.30	-43.74	Peak	
4	5725.0000	24.65	42.58	67.23	122.30	-55.07	AVG	
5	5749.0000	56.37	42.67	99.04	122.30	-23.26	AVG	
6 *	5779.4000	67.33	42.77	110.10	122.30	-12.20	Peak	
7	5850.0000	33.60	43.03	76.63	122.30	-45.67	Peak	
8	5850.0000	22.74	43.03	65.77	122.30	-56.53	AVG	
9	5860.0000	31.81	43.06	74.87	109.50	-34.63	Peak	
10	5860.0000	21.91	43.06	64.97	109.50	-44.53	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7700.0850	21.00	12.06	33.06	54.00	-20.94	AVG	
2	7701.3950	31.85	12.06	43.91	68.30	-24.39	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal

125 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	36.40	42.55	78.95	109.50	-30.55	Peak	
2	5715.0000	27.59	42.55	70.14	109.50	-39.36	AVG	
3	5725.0000	41.62	42.58	84.20	122.30	-38.10	Peak	
4	5725.0000	29.73	42.58	72.31	122.30	-49.99	AVG	
5	5749.4000	58.89	42.67	101.56	122.30	-20.74	AVG	
6 *	5751.0000	70.12	42.67	112.79	122.30	-9.51	Peak	
7	5850.0000	40.33	43.03	83.36	122.30	-38.94	Peak	
8	5850.0000	27.61	43.03	70.64	122.30	-51.66	AVG	
9	5860.0000	33.39	43.06	76.45	109.50	-33.05	Peak	
10	5860.0000	26.46	43.06	69.52	109.50	-39.98	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7699.8150	32.23	12.06	44.29	68.30	-24.01	Peak	
2 *	7700.0000	20.65	12.06	32.71	54.00	-21.29	AVG	

TX A Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 2.07 msec

T_{Total} : 2.18 msec

Duty cycle: 94.95%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.22



Date: 20.APR.2017 10:08:06

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor
 Power Spectral Density = Measured density + Duty factor

TX N20 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 0.68 msec

T_{Total} : 0.78 msec

Duty cycle: 87.18%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.60



Date: 20.APR.2017 10:41:38

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor
 Power Spectral Density = Measured density + Duty factor

TX N40 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 0.32 msec

T_{Total} : 0.45 msec

Duty cycle: 71.11%

Duty Factor = $10 \log(1/Duty \text{ cycle})$

Duty Factor = 1.48



Date: 20.APR.2017 15:08:49

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor
 Power Spectral Density = Measured density + Duty factor

TX AC20 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 0.68 msec

T_{Total} : 0.72 msec

Duty cycle: 94.44%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.25



Date: 20.APR.2017 12:05:27

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor
 Power Spectral Density = Measured density + Duty factor

TX AC40 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 0.33 msec

T_{Total} : 0.38 msec

Duty cycle: 86.84%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.61



Date: 20.APR.2017 16:58:22

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor
 Power Spectral Density = Measured density + Duty factor

TX AC80 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 0.16 msec

T_{Total} : 0.22 msec

Duty cycle: 72.73%

Duty Factor = $10 \log(1/Duty \text{ cycle})$

Duty Factor = 1.38



Date: 20.APR.2017 17:25:52

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor
 Power Spectral Density = Measured density + Duty factor


ATTACHMENT E - BANDWIDTH

Without Beamforming

Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	20.41	17.10
CH40	5200	20.65	17.10
CH48	5240	20.55	17.00

TX CH36




Date: 20.APR.2017 10:03:32

TX CH40



Date: 20.APR.2017 10:09:07

TX CH48




Date: 20.APR.2017 10:10:05

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	20.75	17.90
CH40	5200	20.90	17.90
CH48	5240	20.69	18.00

TX CH36




Date: 20.APR.2017 10:40:59

TX CH40



Date: 20.APR.2017 10:42:28

TX CH48




Date: 20.APR.2017 10:43:37

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	41.41	36.80
CH46	5230	41.59	36.80

TX CH38



Date: 20.APR.2017 15:08:44


TX CH46



Date: 20.APR.2017 15:10:18


Test Mode: UNII-2A/TX A Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	20.50	17.00
CH60	5300	20.50	17.00
CH64	5320	20.30	17.00

TX CH52



Date: 20.APR.2017 10:10:56

TX CH60



Date: 20.APR.2017 10:12:06

TX CH64




Date: 20.APR.2017 10:13:03

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	20.59	18.00
CH60	5300	20.85	18.00
CH64	5320	20.75	18.00

TX CH52




Date: 20.APR.2017 10:49:48

TX CH60



Date: 20.APR.2017 10:52:17

TX CH64




Date: 20.APR.2017 10:53:14

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	41.60	36.80
CH62	5310	41.39	36.80

TX CH54



Date: 20.APR.2017 15:11:32

TX CH62




Date: 20.APR.2017 15:13:00

Test Mode: UNII-2C/TX A Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	20.70	17.00
CH116	5580	20.49	17.00
CH140	5700	20.50	17.10

TX CH100




Date: 20.APR.2017 10:18:02

TX CH116



Date: 20.APR.2017 10:19:19

TX CH140




Date: 20.APR.2017 10:20:19

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	20.80	18.00
CH116	5580	20.79	18.00
CH140	5700	20.75	18.00

TX CH100




Date: 20.APR.2017 10:58:49

TX CH116



Date: 20.APR.2017 11:00:05

TX CH140




Date: 20.APR.2017 11:01:03

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	41.60	36.80
CH110	5550	41.10	36.80
CH134	5670	41.50	37.00

TX CH102




Date: 20.APR.2017 15:17:58

TX CH110



Date: 20.APR.2017 15:19:34


TX CH134



Date: 20.APR.2017 15:20:50


Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.50	16.90	>=500
CH157	5785	16.39	21.10	>=500
CH165	5825	16.41	17.90	>=500

TX CH 149



Date: 20.APR.2017 10:21:45

TX CH 157



Date: 20.APR.2017 10:22:55


TX CH 165



Date: 20.APR.2017 10:24:19


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.55	17.70	>=500
CH157	5785	17.65	17.80	>=500
CH165	5825	17.65	17.80	>=500

TX CH 149



Date: 20.APR.2017 11:03:14

TX CH 157



Date: 20.APR.2017 11:04:30

TX CH 165




Date: 20.APR.2017 11:05:39

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	≥ 500
CH159	5795	36.50	36.40	≥ 500

TX CH 151



Date: 20.APR.2017 15:22:11

TX CH 159




Date: 20.APR.2017 15:23:03

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.00	18.10
CH40	5200	20.91	18.00
CH48	5240	20.79	18.00

TX CH36




Date: 20.APR.2017 12:04:51

TX CH40



Date: 20.APR.2017 12:06:56

TX CH48




Date: 20.APR.2017 12:08:10

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	41.70	37.00
CH46	5230	41.99	37.20

TX CH38



Date: 20.APR.2017 16:15:38

TX CH46



Date: 20.APR.2017 16:16:58