


Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	83.60	76.00


TX CH42



Date: 20.APR.2017 17:01:51


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	20.89	18.10
CH60	5300	20.80	18.00
CH64	5320	20.79	18.00

TX CH52



Date: 20.APR.2017 12:10:27

TX CH60



Date: 20.APR.2017 12:11:43

TX CH64




Date: 20.APR.2017 12:13:46

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	41.80	37.00
CH62	5310	41.50	37.00

TX CH54



Date: 20.APR.2017 16:18:08

TX CH62




Date: 20.APR.2017 16:19:21

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	83.00	76.00

TX CH58




Date: 20.APR.2017 17:03:20

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	20.95	18.00
CH116	5580	20.90	18.10
CH140	5700	20.69	18.00

TX CH100




Date: 20.APR.2017 12:17:11

TX CH116




Date: 20.APR.2017 12:19:58

TX CH140




Date: 20.APR.2017 12:21:17

TX CH110



Date: 20.APR.2017 16:21:21

TX CH134




Date: 20.APR.2017 16:22:38

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	83.80	76.00
CH122	5610	83.60	76.00

TX CH106



Date: 20.APR.2017 17:05:05


TX CH122



Date: 20.APR.2017 17:06:19


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.70	17.70	>=500
CH157	5785	17.70	17.80	>=500
CH165	5825	17.69	17.80	>=500

TX CH 149



Date: 20.APR.2017 12:25:01

TX CH 157



Date: 20.APR.2017 12:28:14

TX CH 165




Date: 20.APR.2017 12:30:14

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 20.APR.2017 16:23:42


TX CH 159



Date: 20.APR.2017 16:24:33

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	75.80	75.60	>=500




Date: 20.APR.2017 17:07:29

With Beamforming

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	20.70	18.10
CH40	5200	20.75	18.00
CH48	5240	20.75	18.00

TX CH36




Date: 24.APR.2017 12:00:38

TX CH40



Date: 24.APR.2017 12:01:36

TX CH48




Date: 24.APR.2017 12:04:42

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	41.70	37.00
CH46	5230	41.61	36.80

TX CH38



Date: 24.APR.2017 15:45:20

TX CH46




Date: 24.APR.2017 15:46:12

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	20.75	18.00
CH60	5300	21.00	18.00
CH64	5320	20.75	18.00

TX CH52




Date: 24.APR.2017 12:08:16

TX CH60



Date: 24.APR.2017 12:08:57

TX CH64




Date: 24.APR.2017 12:09:37

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	41.60	36.80
CH62	5310	41.21	36.80

TX CH54



Date: 24.APR.2017 15:46:58


TX CH62



Date: 24.APR.2017 15:47:43


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	20.95	18.00
CH116	5580	20.65	18.00
CH140	5700	21.05	18.10

TX CH100



Date: 24.APR.2017 12:10:57

TX CH116



Date: 24.APR.2017 12:11:41

TX CH140




Date: 24.APR.2017 12:12:20

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	41.79	36.80
CH110	5550	41.59	36.80
CH134	5670	41.70	37.00

TX CH102




Date: 24.APR.2017 15:48:27

TX CH110



Date: 24.APR.2017 15:49:54


TX CH134



Date: 24.APR.2017 15:51:23


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.55	17.70	>=500
CH157	5785	17.61	17.80	>=500
CH165	5825	17.65	17.80	>=500

TX CH 149



Date: 24.APR.2017 12:13:27

TX CH 157



Date: 24.APR.2017 12:15:43

TX CH 165




Date: 24.APR.2017 12:16:39

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 24.APR.2017 15:52:12

TX CH 159




Date: 24.APR.2017 15:53:21

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	20.79	18.10
CH40	5200	20.89	18.10
CH48	5240	20.79	18.00

TX CH36




Date: 24.APR.2017 15:14:59

TX CH40



Date: 24.APR.2017 15:15:53

TX CH48




Date: 24.APR.2017 15:16:52

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	41.79	37.00
CH46	5230	41.70	37.00

TX CH38



Date: 24.APR.2017 17:13:46


TX CH46



Date: 24.APR.2017 17:14:54

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	83.60	76.00




Date: 24.APR.2017 17:59:02

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	20.69	18.00
CH60	5300	20.89	18.00
CH64	5320	20.85	18.00

TX CH52




Date: 24.APR.2017 15:17:46

TX CH60



Date: 24.APR.2017 15:19:52

TX CH64




Date: 24.APR.2017 15:20:40

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	41.81	37.00
CH62	5310	41.50	37.20

TX CH54



Date: 24.APR.2017 17:15:54

TX CH62




Date: 24.APR.2017 17:16:52

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	83.00	76.00


TX CH58



Date: 24.APR.2017 18:02:20


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	20.95	18.00
CH116	5580	20.75	18.00
CH140	5700	20.95	18.00

TX CH100



Date: 24.APR.2017 15:21:29

TX CH116



Date: 24.APR.2017 15:23:14


TX CH140



Date: 24.APR.2017 15:24:00


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	41.40	37.00
CH110	5550	41.70	37.00
CH134	5670	41.80	37.00

TX CH102



Date: 24.APR.2017 17:18:09

TX CH110



Date: 24.APR.2017 17:19:23

TX CH134




Date: 24.APR.2017 17:20:20

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	83.40	76.00
CH122	5610	83.40	76.00

TX CH106



Date: 24.APR.2017 18:03:20


TX CH122



Date: 24.APR.2017 18:04:20


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.70	17.70	>=500
CH157	5785	17.70	17.80	>=500
CH165	5825	17.65	17.80	>=500

TX CH 149



Date: 24.APR.2017 15:25:02

TX CH 157



Date: 24.APR.2017 15:26:02

TX CH 165




Date: 24.APR.2017 15:27:08

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 24.APR.2017 17:21:21


TX CH 159



Date: 24.APR.2017 17:22:32

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	76.39	76.00	>=500



Date: 24.APR.2017 18:05:26

ATTACHMENT F - MAXIMUM OUTPUT POWER

Without Beamforming

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	22.53	0.22	22.75	28.23	0.665
CH40	5200	22.86	0.22	23.08	28.23	0.665
CH48	5240	19.42	0.22	19.64	28.23	0.665

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.22	0.60	19.82	28.23	0.665
CH40	5200	17.53	0.60	18.13	28.23	0.665
CH48	5240	17.69	0.60	18.29	28.23	0.665

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.03	0.60	19.63	28.23	0.665
CH40	5200	17.32	0.60	17.92	28.23	0.665
CH48	5240	17.26	0.60	17.86	28.23	0.665

Test Mode: UNII-1/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.22	0.60	19.82	28.23	0.665
CH40	5200	17.54	0.60	18.14	28.23	0.665
CH48	5240	17.61	0.60	18.21	28.23	0.665

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.53	28.23	0.665
CH40	5200	22.84	28.23	0.665
CH48	5240	22.90	28.23	0.665

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.16	1.48	15.64	28.23	0.665
CH46	5230	20.15	1.48	21.63	28.23	0.665

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.43	1.48	15.91	28.23	0.665
CH46	5230	19.92	1.48	21.40	28.23	0.665

Test Mode: UNII-1/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.52	1.48	16.00	28.23	0.665
CH46	5230	20.46	1.48	21.94	28.23	0.665

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	20.62	28.23	0.665
CH46	5230	26.43	28.23	0.665

Test Mode: UNII-2A/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.49	0.22	19.71	22.23	0.167
CH60	5300	19.55	0.22	19.77	22.23	0.167
CH64	5320	19.20	0.22	19.42	22.23	0.167

Test Mode: UNII-2A/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.17	0.60	14.77	22.23	0.167
CH60	5300	14.97	0.60	15.57	22.23	0.167
CH64	5320	15.41	0.60	16.01	22.23	0.167

Test Mode: UNII-2A/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	13.78	0.60	14.38	22.23	0.167
CH60	5300	15.15	0.60	15.75	22.23	0.167
CH64	5320	15.44	0.60	16.04	22.23	0.167

Test Mode: UNII-2A/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.21	0.60	14.81	22.23	0.167
CH60	5300	15.08	0.60	15.68	22.23	0.167
CH64	5320	15.36	0.60	15.96	22.23	0.167

Test Mode: UNII-2A/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.43	22.23	0.167
CH60	5300	20.44	22.23	0.167
CH64	5320	20.77	22.23	0.167

Test Mode: UNII-2A/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.51	1.48	16.99	22.23	0.167
CH62	5310	15.42	1.48	16.90	22.23	0.167

Test Mode: UNII-2A/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.25	1.48	16.73	24.00	0.25
CH62	5310	15.54	1.48	17.02	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.47	1.48	16.95	22.23	0.167
CH62	5310	15.32	1.48	16.80	22.23	0.167

Test Mode: UNII-2A/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	21.66	22.23	0.167
CH62	5310	21.68	22.23	0.167

Test Mode: UNII-2C/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	21.79	0.22	22.01	22.23	0.167
CH116	5580	18.72	0.22	18.94	22.23	0.167
CH140	5700	17.16	0.22	17.38	22.23	0.167

Test Mode: UNII-2C/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.25	0.60	14.85	22.23	0.167
CH116	5580	13.42	0.60	14.02	22.23	0.167
CH140	5700	14.04	0.60	14.64	22.23	0.167

Test Mode: UNII-2C/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.67	0.60	15.27	22.23	0.167
CH116	5580	13.61	0.60	14.21	22.23	0.167
CH140	5700	14.17	0.60	14.77	22.23	0.167

Test Mode: UNII-2C/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.29	0.60	14.89	22.23	0.167
CH116	5580	13.87	0.60	14.47	22.23	0.167
CH140	5700	14.36	0.60	14.96	22.23	0.167

Test Mode: UNII-2C/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	19.78	22.23	0.167
CH116	5580	19.01	22.23	0.167
CH140	5700	19.56	22.23	0.167

Test Mode: UNII-2C/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.32	1.48	15.80	22.23	0.167
CH110	5550	15.64	1.48	17.12	22.23	0.167
CH134	5670	15.67	1.48	17.15	22.23	0.167

Test Mode: UNII-2C/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.83	1.48	16.31	22.23	0.167
CH110	5550	15.42	1.48	16.90	22.23	0.167
CH134	5670	15.51	1.48	16.99	22.23	0.167

Test Mode: UNII-2C/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.26	1.48	15.74	22.23	0.167
CH110	5550	15.31	1.48	16.79	22.23	0.167
CH134	5670	15.05	1.48	16.53	22.23	0.167

Test Mode: UNII-2C/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	20.73	22.23	0.167
CH110	5550	21.71	22.23	0.167
CH134	5670	21.67	22.23	0.167

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	26.48	0.22	26.70	28.23	0.665
CH157	5785	27.84	0.22	28.06	28.23	0.665
CH165	5825	27.34	0.22	27.56	28.23	0.665

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.18	0.60	22.78	28.23	0.665
CH157	5785	21.74	0.60	22.34	28.23	0.665
CH165	5825	22.19	0.60	22.79	28.23	0.665

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.35	0.60	22.95	28.23	0.665
CH157	5785	22.26	0.60	22.86	28.23	0.665
CH165	5825	21.93	0.60	22.53	28.23	0.665

Test Mode: UNII-3/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.46	0.60	23.06	28.23	0.665
CH157	5785	22.23	0.60	22.83	28.23	0.665
CH165	5825	22.13	0.60	22.73	28.23	0.665

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	27.70	28.23	0.665
CH157	5785	27.45	28.23	0.665
CH165	5825	27.46	28.23	0.665

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.64	1.48	23.12	28.23	0.665
CH159	5795	21.59	1.48	23.07	28.23	0.665

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.67	1.48	23.15	28.23	0.665
CH159	5795	21.39	1.48	22.87	28.23	0.665

Test Mode: UNII-3/ TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.23	1.48	22.71	28.23	0.665
CH159	5795	21.15	1.48	22.63	28.23	0.665

Test Mode: UNII-3/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	27.77	28.23	0.665
CH159	5795	27.63	28.23	0.665

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.66	0.25	19.91	28.23	0.665
CH40	5200	17.83	0.25	18.08	28.23	0.665
CH48	5240	17.87	0.25	18.12	28.23	0.665

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.48	0.25	19.73	28.23	0.665
CH40	5200	17.81	0.25	18.06	28.23	0.665
CH48	5240	17.70	0.25	17.95	28.23	0.665

Test Mode: UNII-1/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.57	0.25	19.82	28.23	0.665
CH40	5200	17.98	0.25	18.23	28.23	0.665
CH48	5240	17.98	0.25	18.23	28.23	0.665

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.59	28.23	0.665
CH40	5200	22.90	28.23	0.665
CH48	5240	22.87	28.23	0.665

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.20	0.61	15.81	28.23	0.665
CH46	5230	21.20	0.61	21.81	28.23	0.665

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.06	0.61	15.67	28.23	0.665
CH46	5230	20.98	0.61	21.59	28.23	0.665

Test Mode: UNII-1/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.26	0.61	15.87	28.23	0.665
CH46	5230	21.36	0.61	21.97	28.23	0.665

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	20.56	28.23	0.665
CH46	5230	26.56	28.23	0.665

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.39	1.38	14.77	28.23	0.665

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.22	1.38	14.60	28.23	0.665

Test Mode: UNII-1/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.36	1.38	14.74	28.23	0.665

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	19.48	28.23	0.665

Test Mode: UNII-2A/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	13.95	0.25	14.20	22.23	0.167
CH60	5300	14.79	0.25	15.04	22.23	0.167
CH64	5320	14.70	0.25	14.95	22.23	0.167

Test Mode: UNII-2A/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	13.97	0.25	14.22	22.23	0.167
CH60	5300	14.81	0.25	15.06	22.23	0.167
CH64	5320	14.79	0.25	15.04	22.23	0.167

Test Mode: UNII-2A/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.35	0.25	14.60	22.23	0.167
CH60	5300	14.94	0.25	15.19	22.23	0.167
CH64	5320	14.86	0.25	15.11	22.23	0.167

Test Mode: UNII-2A/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.12	22.23	0.167
CH60	5300	19.87	22.23	0.167
CH64	5320	19.81	22.23	0.167

Test Mode: UNII-2A/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.40	0.61	17.01	22.23	0.167
CH62	5310	16.44	0.61	17.05	22.23	0.167

Test Mode: UNII-2A/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.68	0.61	17.29	22.23	0.167
CH62	5310	16.28	0.61	16.89	22.23	0.167

Test Mode: UNII-2A/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.90	0.61	17.51	22.23	0.167
CH62	5310	16.79	0.61	17.40	22.23	0.167

Test Mode: UNII-2A/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	22.05	22.23	0.167
CH62	5310	21.89	22.23	0.167

Test Mode: UNII-2A/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	15.63	1.38	17.01	22.23	0.167

Test Mode: UNII-2A/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	15.62	1.38	17.00	22.23	0.167

Test Mode: UNII-2A/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	16.09	1.38	17.47	22.23	0.167

Test Mode: UNII-2A/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	21.94	22.23	0.167

Test Mode: UNII-2C/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.56	0.25	14.81	22.23	0.167
CH116	5580	13.37	0.25	13.62	22.23	0.167
CH140	5700	13.57	0.25	13.82	22.23	0.167

Test Mode: UNII-2C/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.65	0.25	14.90	22.23	0.167
CH116	5580	13.55	0.25	13.80	22.23	0.167
CH140	5700	13.58	0.25	13.83	22.23	0.167

Test Mode: UNII-2C/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.29	0.25	14.54	22.23	0.167
CH116	5580	13.74	0.25	13.99	22.23	0.167
CH140	5700	13.86	0.25	14.11	22.23	0.167

Test Mode: UNII-2C/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	19.52	22.23	0.167
CH116	5580	18.58	22.23	0.167
CH140	5700	18.69	22.23	0.167

Test Mode: UNII-2C/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	15.30	0.61	15.91	22.23	0.167
CH110	5550	16.00	0.61	16.61	22.23	0.167
CH134	5670	15.95	0.61	16.56	22.23	0.167

Test Mode: UNII-2C/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	15.50	0.61	16.11	22.23	0.167
CH110	5550	16.45	0.61	17.06	22.23	0.167
CH134	5670	16.04	0.61	16.65	22.23	0.167

Test Mode: UNII-2C/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	15.04	0.61	15.65	22.23	0.167
CH110	5550	16.35	0.61	16.96	22.23	0.167
CH134	5670	16.21	0.61	16.82	22.23	0.167

Test Mode: UNII-2C/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	20.67	22.23	0.167
CH110	5550	21.65	22.23	0.167
CH134	5670	21.45	22.23	0.167

Test Mode: UNII-2C/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	11.59	1.38	12.97	22.23	0.167
CH122	5610	15.42	1.38	16.80	22.23	0.167

Test Mode: UNII-2C/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.61	1.38	13.99	22.23	0.167
CH122	5610	15.89	1.38	17.27	22.23	0.167

Test Mode: UNII-2C/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	11.83	1.38	13.21	22.23	0.167
CH122	5610	16.39	1.38	17.77	22.23	0.167

Test Mode: UNII-2C/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	18.18	22.23	0.167
CH122	5610	22.07	22.23	0.167

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.83	0.25	23.08	28.23	0.665
CH157	5785	22.54	0.25	22.79	28.23	0.665
CH165	5825	22.81	0.25	23.06	28.23	0.665

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.47	0.25	22.72	28.23	0.665
CH157	5785	22.59	0.25	22.84	28.23	0.665
CH165	5825	22.75	0.25	23.00	28.23	0.665

Test Mode: UNII-3/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.86	0.25	23.11	28.23	0.665
CH157	5785	22.83	0.25	23.08	28.23	0.665
CH165	5825	22.58	0.25	22.83	28.23	0.665

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	27.74	28.23	0.665
CH157	5785	27.68	28.23	0.665
CH165	5825	27.74	28.23	0.665

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.60	0.61	23.21	28.23	0.665
CH159	5795	22.61	0.61	23.52	28.23	0.665

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.76	0.61	23.37	28.23	0.665
CH159	5795	22.81	0.61	23.42	28.23	0.665

Test Mode: UNII-3/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.71	0.61	23.32	28.23	0.665
CH159	5795	22.68	0.61	23.39	28.23	0.665

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	28.07	28.23	0.665
CH159	5795	28.11	28.23	0.665

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	22.01	1.38	23.44	28.23	0.665

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	22.02	1.38	23.44	28.23	0.665

Test Mode: UNII-3/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	22.13	1.38	23.61	28.23	0.665

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	28.18	28.23	0.665

With Beamforming

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.22	0.60	19.82	28.50	0.708
CH40	5200	17.53	0.60	18.13	28.50	0.708
CH48	5240	17.69	0.60	18.29	28.50	0.708

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.03	0.60	19.63	28.50	0.708
CH40	5200	17.32	0.60	17.92	28.50	0.708
CH48	5240	17.26	0.60	17.86	28.50	0.708

Test Mode: UNII-1/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.22	0.60	19.82	28.50	0.708
CH40	5200	17.54	0.60	18.14	28.50	0.708
CH48	5240	17.61	0.60	18.21	28.50	0.708

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.53	28.50	0.708
CH40	5200	22.84	28.50	0.708
CH48	5240	22.90	28.50	0.708

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.16	1.48	15.64	28.50	0.708
CH46	5230	20.15	1.48	21.63	28.50	0.708

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.43	1.48	15.91	28.50	0.708
CH46	5230	19.92	1.48	21.40	28.50	0.708

Test Mode: UNII-1/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.52	1.48	16.00	28.50	0.708
CH46	5230	20.46	1.48	21.94	28.50	0.708

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	20.62	28.50	0.708
CH46	5230	26.43	28.50	0.708

Test Mode: UNII-2A/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.17	0.60	14.77	22.50	0.178
CH60	5300	14.97	0.60	15.57	22.50	0.178
CH64	5320	15.41	0.60	16.01	22.50	0.178

Test Mode: UNII-2A/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	13.78	0.60	14.38	22.50	0.178
CH60	5300	15.15	0.60	15.75	22.50	0.178
CH64	5320	15.44	0.60	16.04	22.50	0.178

Test Mode: UNII-2A/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.21	0.60	14.81	22.50	0.178
CH60	5300	15.08	0.60	15.68	22.50	0.178
CH64	5320	15.36	0.60	15.96	22.50	0.178

Test Mode: UNII-2A/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.43	22.50	0.178
CH60	5300	20.44	22.50	0.178
CH64	5320	20.77	22.50	0.178

Test Mode: UNII-2A/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.46	1.48	16.94	22.50	0.178
CH62	5310	15.42	1.48	16.90	22.50	0.178

Test Mode: UNII-2A/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.45	1.48	16.93	22.50	0.178
CH62	5310	15.44	1.48	16.92	22.50	0.178

Test Mode: UNII-2A/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.57	1.48	17.05	22.50	0.178
CH62	5310	15.62	1.48	17.10	22.50	0.178

Test Mode: UNII-2A/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	21.74	22.50	0.178
CH62	5310	21.75	22.50	0.178

Test Mode: UNII-2C/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.25	0.60	14.85	22.50	0.178
CH116	5580	13.42	0.60	14.02	22.50	0.178
CH140	5700	14.04	0.60	14.64	22.50	0.178

Test Mode: UNII-2C/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.67	0.60	15.27	22.50	0.178
CH116	5580	13.61	0.60	14.21	22.50	0.178
CH140	5700	14.17	0.60	14.77	22.50	0.178

Test Mode: UNII-2C/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.29	0.60	14.89	22.50	0.178
CH116	5580	13.87	0.60	14.47	22.50	0.178
CH140	5700	14.36	0.60	14.96	22.50	0.178

Test Mode: UNII-2C/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	19.78	22.50	0.178
CH116	5580	19.01	22.50	0.178
CH140	5700	19.56	22.50	0.178

Test Mode: UNII-2C/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.32	1.48	15.80	22.50	0.178
CH110	5550	15.84	1.48	17.32	22.50	0.178
CH134	5670	15.80	1.48	17.28	22.50	0.178

Test Mode: UNII-2C/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.83	1.48	16.31	22.50	0.178
CH110	5550	15.41	1.48	16.89	22.50	0.178
CH134	5670	15.71	1.48	17.19	22.50	0.178

Test Mode: UNII-2C/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.26	1.48	15.74	22.50	0.178
CH110	5550	15.51	1.48	16.99	22.50	0.178
CH134	5670	16.65	1.48	18.13	22.50	0.178

Test Mode: UNII-2C/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	20.73	22.50	0.178
CH110	5550	21.84	22.50	0.178
CH134	5670	22.33	22.50	0.178

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.18	0.60	22.78	28.50	0.708
CH157	5785	22.64	0.60	23.24	28.50	0.708
CH165	5825	22.79	0.60	23.39	28.50	0.708

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.35	0.60	22.95	28.50	0.708
CH157	5785	22.66	0.60	23.26	28.50	0.708
CH165	5825	22.13	0.60	22.73	28.50	0.708

Test Mode: UNII-3/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.46	0.60	23.06	28.50	0.708
CH157	5785	22.63	0.60	23.23	28.50	0.708
CH165	5825	22.73	0.60	23.33	28.50	0.708

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	27.70	28.50	0.708
CH157	5785	28.01	28.50	0.708
CH165	5825	27.93	28.50	0.708

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.51	1.48	22.99	28.50	0.708
CH159	5795	21.49	1.48	22.97	28.50	0.708

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.67	1.48	23.15	28.50	0.708
CH159	5795	21.39	1.48	22.87	28.50	0.708

Test Mode: UNII-3/ TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.53	1.48	23.01	28.50	0.708
CH159	5795	21.45	1.48	22.93	28.50	0.708

Test Mode: UNII-3/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	27.82	28.50	0.708
CH159	5795	27.69	28.50	0.708

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.44	0.25	19.69	28.50	0.708
CH40	5200	17.61	0.25	17.86	28.50	0.708
CH48	5240	17.65	0.25	17.90	28.50	0.708

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.26	0.25	19.51	28.50	0.708
CH40	5200	17.59	0.25	17.84	28.50	0.708
CH48	5240	17.48	0.25	17.73	28.50	0.708

Test Mode: UNII-1/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.35	0.25	19.60	28.50	0.708
CH40	5200	17.76	0.25	18.01	28.50	0.708
CH48	5240	17.76	0.25	18.01	28.50	0.708

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.37	28.50	0.708
CH40	5200	22.68	28.50	0.708
CH48	5240	22.65	28.50	0.708

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.53	0.61	15.14	28.50	0.708
CH46	5230	20.53	0.61	21.14	28.50	0.708

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.39	0.61	15.00	28.50	0.708
CH46	5230	20.31	0.61	20.92	28.50	0.708

Test Mode: UNII-1/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.59	0.61	15.20	28.50	0.708
CH46	5230	20.69	0.61	21.30	28.50	0.708

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	19.89	28.50	0.708
CH46	5230	25.89	28.50	0.708

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.39	1.38	14.77	28.50	0.708

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.22	1.38	14.60	28.50	0.708

Test Mode: UNII-1/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.36	1.38	14.74	28.50	0.708

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	19.48	28.50	0.708

Test Mode: UNII-2A/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	13.73	0.25	13.98	22.50	0.178
CH60	5300	14.57	0.25	14.82	22.50	0.178
CH64	5320	14.48	0.25	14.73	22.50	0.178

Test Mode: UNII-2A/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	13.75	0.25	14.00	22.50	0.178
CH60	5300	14.59	0.25	14.84	22.50	0.178
CH64	5320	14.57	0.25	14.82	22.50	0.178

Test Mode: UNII-2A/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.13	0.25	14.38	22.50	0.178
CH60	5300	14.72	0.25	14.97	22.50	0.178
CH64	5320	14.64	0.25	14.89	22.50	0.178

Test Mode: UNII-2A/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.90	22.50	0.178
CH60	5300	19.65	22.50	0.178
CH64	5320	19.59	22.50	0.178

Test Mode: UNII-2A/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.13	0.61	16.74	22.50	0.178
CH62	5310	16.27	0.61	16.88	22.50	0.178

Test Mode: UNII-2A/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.11	0.61	16.72	22.50	0.178
CH62	5310	16.21	0.61	16.82	22.50	0.178

Test Mode: UNII-2A/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.23	0.61	16.84	22.50	0.178
CH62	5310	16.12	0.61	16.73	22.50	0.178

Test Mode: UNII-2A/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	21.54	22.50	0.178
CH62	5310	21.58	22.50	0.178

Test Mode: UNII-2A/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	15.63	1.38	17.01	22.50	0.178

Test Mode: UNII-2A/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	15.62	1.38	17.00	22.50	0.178

Test Mode: UNII-2A/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	15.89	1.38	17.27	22.50	0.178

Test Mode: UNII-2A/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	21.87	22.50	0.178

Test Mode: UNII-2C/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.34	0.25	14.59	22.50	0.178
CH116	5580	13.15	0.25	13.40	22.50	0.178
CH140	5700	13.35	0.25	13.60	22.50	0.178

Test Mode: UNII-2C/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.43	0.25	14.68	22.50	0.178
CH116	5580	13.33	0.25	13.58	22.50	0.178
CH140	5700	13.36	0.25	13.61	22.50	0.178

Test Mode: UNII-2C/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.07	0.25	14.32	22.50	0.178
CH116	5580	13.52	0.25	13.77	22.50	0.178
CH140	5700	13.64	0.25	13.89	22.50	0.178

Test Mode: UNII-2C/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	19.30	22.50	0.178
CH116	5580	18.36	22.50	0.178
CH140	5700	18.47	22.50	0.178

Test Mode: UNII-2C/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.63	0.61	15.24	22.50	0.178
CH110	5550	15.93	0.61	16.54	22.50	0.178
CH134	5670	15.78	0.61	16.39	22.50	0.178

Test Mode: UNII-2C/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.83	0.61	15.44	22.50	0.178
CH110	5550	16.28	0.61	16.89	22.50	0.178
CH134	5670	16.17	0.61	16.78	22.50	0.178

Test Mode: UNII-2C/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.37	0.61	14.98	22.50	0.178
CH110	5550	16.08	0.61	16.69	22.50	0.178
CH134	5670	16.24	0.61	16.85	22.50	0.178

Test Mode: UNII-2C/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	20.00	22.50	0.178
CH110	5550	21.48	22.50	0.178
CH134	5670	21.45	22.50	0.178

Test Mode: UNII-2C/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	11.59	1.38	12.97	22.50	0.178
CH122	5610	15.52	1.38	16.90	22.50	0.178

Test Mode: UNII-2C/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.61	1.38	13.99	22.50	0.178
CH122	5610	15.89	1.38	17.27	22.50	0.178

Test Mode: UNII-2C/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	11.83	1.38	13.21	22.50	0.178
CH122	5610	15.79	1.38	17.17	22.50	0.178

Test Mode: UNII-2C/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	18.18	22.50	0.178
CH122	5610	21.89	22.50	0.178

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.61	0.25	22.86	28.50	0.708
CH157	5785	22.82	0.25	23.07	28.50	0.708
CH165	5825	22.49	0.25	22.74	28.50	0.708

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.75	0.25	23.00	28.50	0.708
CH157	5785	22.77	0.25	23.02	28.50	0.708
CH165	5825	22.53	0.25	22.78	28.50	0.708

Test Mode: UNII-3/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.81	0.25	23.06	28.50	0.708
CH157	5785	22.61	0.25	22.86	28.50	0.708
CH165	5825	22.56	0.25	22.81	28.50	0.708

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	27.75	28.50	0.708
CH157	5785	27.76	28.50	0.708
CH165	5825	27.55	28.50	0.708

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.23	0.61	22.84	28.50	0.708
CH159	5795	22.34	0.61	22.95	28.50	0.708

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.19	0.61	22.80	28.50	0.708
CH159	5795	22.32	0.61	22.93	28.50	0.708

Test Mode: UNII-3/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.14	0.61	22.75	28.50	0.708
CH159	5795	22.01	0.61	22.62	28.50	0.708

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	27.57	28.50	0.708
CH159	5795	27.61	28.50	0.708

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	21.67	1.38	23.05	28.50	0.708

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	21.76	1.38	23.14	28.50	0.708

Test Mode: UNII-3/TX AC80 Mode_ANT 3


Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	21.83	1.38	23.21	28.50	0.708

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	27.91	28.50	0.708


ATTACHMENT G - POWER SPECTRAL DENSITY

CH40



Date: 20.APR.2017 10:09:17


CH48



Date: 20.APR.2017 10:10:15


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.92	0.60	7.52	15.23
CH40	5200	3.86	0.60	4.46	15.23
CH48	5240	4.38	0.60	4.98	15.23




Date: 20.APR.2017 10:41:10

CH40



Date: 20.APR.2017 10:42:37


CH48



Date: 20.APR.2017 10:43:46


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.58	0.60	7.18	15.23
CH40	5200	3.28	0.60	3.88	15.23
CH48	5240	4.05	0.60	4.65	15.23




Date: 20.APR.2017 11:18:52

CH40



Date: 20.APR.2017 11:20:59


CH48



Date: 20.APR.2017 11:21:53


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.61	0.60	7.21	15.23
CH40	5200	4.68	0.60	5.28	15.23
CH48	5240	3.97	0.60	4.57	15.23




Date: 20.APR.2017 11:36:50

CH40



Date: 20.APR.2017 11:37:53

CH48



Date: 20.APR.2017 11:39:21


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	12.08	15.23
CH40	5200	9.35	15.23
CH48	5240	9.51	15.23

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.05	1.48	0.43	15.23
CH46	5230	2.96	1.48	4.44	15.23

CH38



Date: 20.APR.2017 15:08:15

CH46




Date: 20.APR.2017 15:09:49

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.02	1.48	0.46	15.23
CH46	5230	1.61	1.48	3.09	15.23

CH38



Date: 20.APR.2017 15:25:27

CH46




Date: 20.APR.2017 15:26:59

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.17	1.48	0.31	15.23
CH46	5230	1.62	1.48	3.10	15.23

CH38



Date: 20.APR.2017 15:36:19

CH46




Date: 20.APR.2017 15:37:27

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.17	15.23
CH46	5230	8.36	15.23


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.35	0.22	8.57	9.23
CH60	5300	7.77	0.22	7.99	9.23
CH64	5320	8.78	0.22	9.00	9.23




Date: 20.APR.2017 10:11:05

CH60



Date: 20.APR.2017 10:12:16


CH64



Date: 27.MAY.2017 10:06:44

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.69	0.60	4.29	9.23
CH60	5300	3.69	0.60	4.29	9.23
CH64	5320	3.61	0.60	4.21	9.23



Date: 27.MAY.2017 10:08:37