



CH110



Date: 24.APR.2017 17:32:29

CH134



Date: 24.APR.2017 17:33:03


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	5.67	9.50
CH110	5550	8.27	9.50
CH134	5670	8.32	9.50

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-6.04	1.38	-4.66	9.50
CH122	5610	-0.29	1.38	1.09	9.50

CH106



Date: 24.APR.2017 18:03:32

CH122




Date: 24.APR.2017 18:04:33

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.19	1.38	-3.81	9.50
CH122	5610	0.26	1.38	1.64	9.50

CH106



Date: 24.APR.2017 17:54:31

CH122




Date: 24.APR.2017 17:56:23

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.70	1.38	-4.32	9.50
CH122	5610	0.71	1.38	2.09	9.50

CH106



Date: 24.APR.2017 17:46:56

CH122




Date: 24.APR.2017 17:48:10

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.52	9.50
CH122	5610	6.40	9.50

TX CH157



Date: 24.APR.2017 15:26:11

TX CH165




Date: 24.APR.2017 15:27:18

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.28	0.25	9.53	28.50
CH157	5785	10.35	0.25	10.60	28.50
CH165	5825	9.80	0.25	10.05	28.50

TX CH149




Date: 24.APR.2017 15:11:35

TX CH157



Date: 24.APR.2017 15:12:48

TX CH165




Date: 24.APR.2017 15:13:39

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.23	0.25	9.48	28.50
CH157	5785	10.27	0.25	10.52	28.50
CH165	5825	9.71	0.25	9.96	28.50

TX CH149




Date: 24.APR.2017 14:59:44

TX CH157



Date: 24.APR.2017 15:00:46

TX CH165



Date: 24.APR.2017 15:01:45


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.24	28.50
CH157	5785	15.35	28.50
CH165	5825	14.83	28.50

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.74	0.61	7.35	28.50
CH159	5795	6.60	0.61	7.21	28.50

TX CH151



Date: 24.APR.2017 17:21:34

TX CH159




Date: 24.APR.2017 17:22:45

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.62	0.61	7.23	28.50
CH159	5795	6.70	0.61	7.31	28.50

TX CH151



Date: 24.APR.2017 17:07:14

TX CH159




Date: 24.APR.2017 17:12:19

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.85	0.61	7.46	28.50
CH159	5795	6.72	0.61	7.33	28.50

TX CH151



Date: 24.APR.2017 16:55:35

TX CH159



Date: 24.APR.2017 16:56:27


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	12.12	28.50
CH159	5795	12.05	28.50

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	1.99	1.38	3.37	28.50

TX CH155




Date: 24.APR.2017 18:05:38

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.01	1.38	3.39	28.50

TX CH155




Date: 24.APR.2017 17:57:26

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.32	1.38	3.70	28.50

TX CH155



Date: 24.APR.2017 17:50:30

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	8.26	28.50

ATTACHMENT H - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0056
120	5180.0056
108	5180.0052
Max. Deviation (MHz)	0.0056
Max. Deviation (ppm)	1.0811

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0052
5	5180.0052
15	5180.0052
25	5180.0052
35	5180.0052
45	5180.0052
50	5180.0052
Max. Deviation (MHz)	0.0052
Max. Deviation (ppm)	1.0039

Test Mode:	UNII-2A
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0056
120	5260.0056
108	5260.0056
Max. Deviation (MHz)	0.0056
Max. Deviation (ppm)	1.0646

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5260.0056
5	5260.0056
15	5260.0056
25	5260.0056
35	5260.0056
45	5260.0056
50	5260.0056
Max. Deviation (MHz)	0.0056
Max. Deviation (ppm)	1.0646

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0060
120	5500.0064
108	5500.0064
Max. Deviation (MHz)	0.0064
Max. Deviation (ppm)	1.1636

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0064
5	5500.0064
15	5500.0064
25	5500.0064
35	5500.0068
45	5500.0068
50	5500.0068
Max. Deviation (MHz)	0.0068
Max. Deviation (ppm)	1.2364

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0080
120	5745.0080
108	5745.0084
Max. Deviation (MHz)	0.0084
Max. Deviation (ppm)	1.4621

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0084
5	5745.0084
15	5745.0084
25	5745.0084
35	5745.0084
45	5745.0084
50	5745.0084
Max. Deviation (MHz)	0.0084
Max. Deviation (ppm)	1.4621