


Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch36
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10359.500000	46.38	---	74.00	27.62	100.0	H	113.0	11.8
10361.466667	---	37.68	54.00	16.32	100.0	H	314.0	11.8


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch36
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10359.991667	50.51	---	74.00	23.49	100.0	V	240.0	11.8
10364.908333	---	42.81	54.00	11.19	100.0	V	240.0	11.8


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch36
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5147.855556	61.93	---	74.00	12.07	100.0	H	179.0	12.4
5149.955556	---	48.76	54.00	5.24	100.0	H	179.0	12.4


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch36
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5072.566667	51.93	---	74.00	22.07	100.0	V	156.0	12.1
5076.611111	---	40.23	54.00	13.77	100.0	V	1.0	12.1


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch40
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10400.800000	---	38.00	54.00	16.00	100.0	H	292.0	11.9
10424.400000	45.66	---	74.00	28.34	100.0	H	316.0	11.9


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch40
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10395.883333	50.94	---	74.00	23.06	100.0	V	246.0	11.9
10400.800000	---	42.98	54.00	11.02	100.0	V	246.0	11.9


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch48
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10477.500000	45.03	---	74.00	28.97	100.0	H	298.0	12.0
10477.500000	---	38.19	54.00	15.81	100.0	H	298.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch48
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10474.058333	50.37	---	74.00	23.63	100.0	V	242.0	12.0
10477.008333	---	42.27	54.00	11.73	100.0	V	242.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11ac20_Ch40
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10394.900000	---	38.34	54.00	15.67	100.0	H	1.0	11.9
10403.750000	47.37	---	74.00	26.63	100.0	H	219.0	11.9


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11ac20_Ch40
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10394.408333	---	45.88	54.00	8.12	100.0	V	176.0	11.9
10399.325000	53.75	---	74.00	20.25	100.0	V	176.0	11.9


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac40_Ch38
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5148.316667	64.93	---	74.00	9.07	100.0	H	114.0	12.4


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5149.530556	48.02	54.00	5.98	100.0	H	132.0	12.4

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac40_Ch38
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5144.711111	53.62	---	74.00	20.38	100.0	V	320.0	12.4
5149.955556	---	43.05	54.00	10.95	100.0	V	312.0	12.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11ac40_Ch46
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10463.733333	---	37.28	54.00	16.72	100.0	H	162.0	12.0
10488.316667	46.53	---	74.00	27.47	100.0	H	0.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11ac40_Ch46
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10461.275000	---	43.26	54.00	10.74	100.0	V	265.0	12.0
10464.225000	51.95	---	74.00	22.05	100.0	V	265.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11ac80_Ch42
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10418.008333	---	36.96	54.00	17.04	100.0	H	0.0	11.9
10424.891667	45.49	---	74.00	28.51	100.0	H	133.0	11.9


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11ac80_Ch42
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10436.691667	50.13	---	74.00	23.87	100.0	V	176.0	11.9
10438.658333	---	40.87	54.00	13.13	100.0	V	270.0	11.9


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac80_Ch42
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5138.155556	70.95	---	74.00	3.05	100.0	H	104.0	12.4


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5149.269445	50.16	54.00	3.84	100.0	H	119.0	12.4

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac80_Ch42
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5145.694445	---	46.41	54.00	7.59	100.0	V	294.0	12.4
5146.022222	58.61	---	74.00	15.39	100.0	V	310.0	12.4

Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

U-NII-2A Band

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch52
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5259.000000	112.16	---	---	---	100.0	H	185.0	12.9
5261.000000	---	103.48	---	---	100.0	H	185.0	12.9


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch52
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10514.866667	---	36.49	54.00	17.51	100.0	H	33.0	12.0
10518.308333	45.74	---	74.00	28.26	100.0	H	289.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch52
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10516.833333	50.61	---	74.00	23.39	100.0	V	145.0	12.0
10523.225000	---	40.71	54.00	13.29	100.0	V	246.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch56
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10552.725000	46.84	---	74.00	27.16	100.0	H	342.0	12.0
10560.591667	---	37.50	54.00	16.50	100.0	H	315.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch56
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10560.591667	---	42.55	54.00	11.45	100.0	V	191.0	12.0
10564.525000	51.22	---	74.00	22.78	100.0	V	139.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch64
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10625.000000	---	36.99	54.00	17.01	100.0	H	130.0	12.0
10632.866667	46.09	---	74.00	27.91	100.0	H	91.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch64
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10636.800000	50.45	---	74.00	23.55	100.0	V	183.0	12.0
10640.733333	---	42.09	54.00	11.91	100.0	V	33.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch64
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5350.150000	60.13	---	74.00	13.87	100.0	H	185.0	13.3
5350.150000	---	49.85	54.00	4.15	100.0	H	185.0	13.3


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac20_Ch56
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10557.641667	---	38.98	54.00	15.02	100.0	H	0.0	12.0
10571.900000	47.21	---	74.00	26.79	100.0	H	0.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac20_Ch56
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10559.116667	52.93	---	74.00	21.07	100.0	V	328.0	12.0
10559.116667	---	43.85	54.00	10.15	100.0	V	328.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac20_Ch64
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5351.811111	---	50.67	54.00	3.33	100.0	H	113.0	13.3
5352.894445	63.78	---	74.00	10.22	100.0	H	204.0	13.3


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac20_Ch64
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5400.561111	54.51	---	74.00	19.49	100.0	V	302.0	13.5
5402.583333	---	42.80	54.00	11.20	100.0	V	282.0	13.5


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11ac40_Ch54
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10536.500000	---	38.06	54.00	15.94	100.0	H	228.0	12.0
10536.500000	48.41	---	74.00	25.59	100.0	H	228.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac40_Ch54
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10538.466667	---	43.53	54.00	10.47	100.0	V	179.0	12.0
10547.316667	50.74	---	74.00	23.26	100.0	V	82.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac40_Ch62
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5356.061111	68.81	---	74.00	5.19	100.0	H	90.0	13.3


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5351.358334	49.88	54.00	4.12	100.0	H	73.0	13.3

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac40_Ch62
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5351.055556	---	46.34	54.00	7.66	100.0	V	307.0	13.3
5351.938889	58.02	---	74.00	15.98	100.0	V	293.0	13.3


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac80_Ch58
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10566.983333	---	37.01	54.00	16.99	100.0	H	359.0	12.0
10577.800000	46.23	---	74.00	27.77	100.0	H	138.0	12.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11ac80_Ch58
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10597.958333	---	40.04	54.00	13.96	100.0	V	329.0	12.1
10604.350000	49.28	---	74.00	24.72	100.0	V	175.0	12.1


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac80_Ch58
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5374.905556	69.16	---	74.00	4.84	100.0	H	119.0	13.4


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5354.258334	50.54	54.00	3.46	100.0	H	121.0	13.3

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac80_Ch58
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5355.177778	---	47.65	54.00	6.35	100.0	V	296.0	13.3
5374.316667	59.89	---	74.00	14.11	100.0	V	304.0	13.4

Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

U-NII-2C Band

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch100
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5499.000000	---	105.67	---	---	100.0	H	194.0	13.7
5501.500000	114.59	---	---	---	100.0	H	194.0	13.7


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch100
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10952.450000	46.34	---	74.00	27.66	100.0	H	138.0	12.2
10983.425000	---	36.99	54.00	17.01	100.0	H	101.0	12.2


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch100
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10997.191667	47.51	---	74.00	26.49	100.0	V	204.0	12.2
10997.191667	---	38.43	54.00	15.57	100.0	V	204.0	12.2


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch100
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5420.852778	---	46.96	54.00	7.04	100.0	H	201.0	13.5
5421.363889	58.18	---	74.00	15.82	100.0	H	211.0	13.5


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch100
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5420.469445	---	42.13	54.00	11.87	100.0	V	90.0	13.5
5423.727778	52.83	---	74.00	21.17	100.0	V	323.0	13.5


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch116
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11151.083333	46.09	---	74.00	27.91	100.0	H	49.0	12.5
11164.358333	---	37.13	54.00	16.87	100.0	H	246.0	12.5


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch116
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8927.766667	43.49	---	74.00	30.51	100.0	V	53.0	9.6
8927.766667	---	37.84	54.00	16.16	100.0	V	53.0	9.6
11156.491667	46.77	---	74.00	27.23	100.0	V	269.0	12.5
11157.475000	---	38.02	54.00	15.98	100.0	V	218.0	12.5


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch140
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11404.783333	---	38.21	54.00	15.79	100.0	H	355.0	12.8
11405.766667	45.12	---	74.00	28.88	100.0	H	297.0	12.8


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch140
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9120.008333	44.46	---	74.00	29.54	100.0	V	243.0	10.2
9120.008333	---	37.52	54.00	16.48	100.0	V	243.0	10.2
11399.866667	46.55	---	74.00	27.45	100.0	V	31.0	12.8
11400.850000	---	38.80	54.00	15.20	100.0	V	204.0	12.8


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch140
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5727.962500	64.87	68.20	3.33	100.0	H	210.0	13.9


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch140
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5727.087500	55.45	68.20	12.75	100.0	V	79.0	13.9


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11n20_Ch100
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5419.319445	---	50.30	54.00	3.70	100.0	H	122.0	13.5
5468.833333	61.23	---	68.20	6.97	100.0	H	122.0	13.6


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11n20_Ch100
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5419.702778	---	43.07	54.00	10.93	100.0	V	299.0	13.5
5467.491667	53.84	---	68.20	14.36	100.0	V	299.0	13.6


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11n20_Ch116
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11153.541667	---	37.99	54.00	16.01	100.0	H	81.0	12.5
11159.441667	46.57	---	74.00	27.43	100.0	H	226.0	12.5


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11n20_Ch116
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11154.525000	49.21	---	74.00	24.79	100.0	V	326.0	12.5
11161.900000	---	39.72	54.00	14.28	100.0	V	156.0	12.5


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11n20_Ch140
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5725.075000	65.09	68.20	3.11	100.0	H	80.0	13.9


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11n20_Ch140
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5731.900000	54.28	68.20	13.92	100.0	V	54.0	13.9


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac40_Ch102
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5458.066667	---	50.80	54.00	3.20	100.0	H	120.0	13.6
5469.538889	64.42	---	68.20	3.78	100.0	H	120.0	13.6


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac40_Ch102
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5458.722222	---	43.31	54.00	10.69	100.0	V	298.0	13.6
5468.227778	56.28	---	68.20	11.92	100.0	V	290.0	13.6


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac40_Ch110
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11105.850000	---	37.80	54.00	16.20	100.0	H	35.0	12.4
11112.241667	47.05	---	74.00	26.95	100.0	H	0.0	12.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac40_Ch110
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11092.575000	47.49	---	74.00	26.51	100.0	V	173.0	12.4
11106.833333	---	38.85	54.00	15.15	100.0	V	359.0	12.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac40_Ch134
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5737.412500	62.25	68.20	5.95	100.0	H	120.0	13.9


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac40_Ch134
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5747.037500	54.34	68.20	13.86	100.0	V	309.0	13.9


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac80_Ch106
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5467.900000	65.17	---	68.20	3.03	100.0	H	90.0	13.6


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5453.377778	47.70	54.00	6.30	105.0	H	119.0	13.5

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac80_Ch106
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5454.461111	---	44.74	54.00	9.26	100.0	V	302.0	13.5
5467.900000	57.22	---	68.20	10.98	100.0	V	295.0	13.6


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac80_Ch122
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11216.966667	46.05	---	74.00	27.95	100.0	H	275.0	12.6
11222.375000	---	37.70	54.00	16.30	100.0	H	286.0	12.6


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac80_Ch122
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11235.158333	47.35	---	74.00	26.65	100.0	V	15.0	12.6
11247.450000	---	39.25	54.00	14.75	100.0	V	311.0	12.6

Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

U-NII-3 Band

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch149
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5744.000000	---	105.22	---	---	100.0	H	210.0	13.9
5746.500000	113.62	---	---	---	100.0	H	202.0	13.9


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch149
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11506.558333	46.96	---	74.00	27.04	100.0	H	273.0	13.7
11508.033333	---	38.81	54.00	15.19	100.0	H	260.0	13.7


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch149
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9191.791667	---	40.05	54.00	13.95	100.0	V	209.0	10.6
9192.283333	45.58	---	74.00	28.42	100.0	V	329.0	10.6
11483.450000	---	38.36	54.00	15.64	100.0	V	58.0	13.7
11489.350000	47.25	---	74.00	26.75	100.0	V	46.0	13.7


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch149
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5646.872222	56.43	68.20	11.77	100.0	H	204.0	13.8


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch149
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5639.050000	53.58	68.20	14.62	100.0	V	73.0	13.8


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch157
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11552.283333	48.10	---	74.00	25.90	100.0	H	194.0	13.5
11569.491667	---	37.99	54.00	16.01	100.0	H	104.0	13.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch157
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9255.708333	44.28	---	74.00	29.72	100.0	V	208.0	10.5
9255.708333	---	38.94	54.00	15.06	100.0	V	208.0	10.5
11569.000000	46.17	---	74.00	27.83	100.0	V	66.0	13.4
11571.950000	---	40.21	54.00	13.79	100.0	V	51.0	13.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch165
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11665.858333	46.87	---	74.00	27.13	100.0	H	7.0	13.3
11669.791667	---	37.68	54.00	16.32	100.0	H	94.0	13.3


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch165
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9319.625000	---	38.27	54.00	15.73	100.0	V	208.0	10.0
9320.116667	44.18	---	74.00	29.82	100.0	V	181.0	10.0
11651.108333	48.48	---	74.00	25.52	100.0	V	61.0	13.3
11651.108333	---	41.88	54.00	12.12	100.0	V	61.0	13.3


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11a_Ch165
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5944.991667	56.53	68.20	11.67	100.0	H	201.0	14.7


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11a_Ch165
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5949.272222	54.85	68.20	13.35	100.0	V	58.0	14.8


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11n20_Ch149
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5645.344445	58.31	68.20	9.89	100.0	H	87.0	13.8


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11n20_Ch149
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5636.055556	53.09	68.20	15.11	100.0	V	66.0	13.8


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11n20_Ch157
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11555.725000	46.15	---	74.00	27.85	100.0	H	29.0	13.5
11576.375000	---	37.97	54.00	16.03	100.0	H	6.0	13.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11n20_Ch157
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9255.708333	---	37.80	54.00	16.20	100.0	V	198.0	10.5
9256.200000	44.25	---	74.00	29.75	100.0	V	171.0	10.5
11571.458333	---	39.06	54.00	14.94	100.0	V	61.0	13.4
11574.900000	47.25	---	74.00	26.75	100.0	V	5.0	13.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11n20_Ch165
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5988.883333	58.35	68.20	9.85	100.0	H	106.0	15.0


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11n20_Ch165
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5956.236111	56.64	68.20	11.56	100.0	V	199.0	14.8


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11n40_Ch151
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5639.966667	58.03	68.20	10.17	100.0	H	72.0	13.8


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11n40_Ch151
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5622.611111	53.55	68.20	14.65	100.0	V	318.0	13.8


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11n40_Ch159
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11580.308333	47.02	---	74.00	26.98	100.0	H	219.0	13.4
11595.550000	---	38.10	54.00	15.90	100.0	H	0.0	13.3


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11n40_Ch159
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9272.425000	44.11	---	74.00	29.89	100.0	V	327.0	10.4
9272.425000	---	37.67	54.00	16.33	100.0	V	327.0	10.4
11578.341667	46.70	---	74.00	27.30	100.0	V	39.0	13.4
11583.258333	---	38.18	54.00	15.82	100.0	V	78.0	13.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11n40_Ch159
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5947.036111	57.48	68.20	10.72	100.0	H	125.0	14.8


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11n40_Ch159
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5956.172222	55.61	68.20	12.59	100.0	V	334.0	14.8


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac80_Ch155
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11527.208333	---	37.93	54.00	16.07	100.0	H	313.0	13.6
11559.166667	46.18	---	74.00	27.82	100.0	H	284.0	13.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name: RichMedia Box
 Model: ZXV10 B866V2-H
 Test Mode: WIFI 5G_11ac80_Ch155
 Order No/Sample No: 168349697/A003194305-001
 Test Voltage:: 120V/60Hz
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9239.975000	44.74	---	74.00	29.26	100.0	V	215.0	10.6
9239.975000	---	38.20	54.00	15.80	100.0	V	215.0	10.6
11553.266667	46.76	---	74.00	27.24	100.0	V	341.0	13.5
11557.200000	---	37.92	54.00	16.08	100.0	V	341.0	13.5


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac80_Ch155
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5647.544445	60.32	68.20	7.88	100.0	H	213.0	13.8


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Test Report

EUT Information

EUT Name:	RichMedia Box
Model:	ZXV10 B866V2-H
Test Mode:	WIFI 5G_11ac80_Ch155
Order No/Sample No:	168349697/A003194305-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5641.616667	54.15	68.20	14.05	100.0	V	297.0	13.8

Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix A.8: Test Results of Dynamic Frequency Selection (DFS)


DFS Detection Thresholds

TestMode	Channel	Radar Type	Result	Limit[dbm]	Verdict
11AC80SISO	5290	Type0	-62.24	-62.00	PASS
	5530	Type0	-63.14	-62.00	PASS

11AC80SISO_5290_Type0




11AC80SISO_5530_Type0




Channel Move Time and Channel Closing Transmission Time

TestMode	Channel	CCT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC80SISO	5290	200+9.1	200+60	3997.5	10000	PASS
	5530	200+14.3	200+60	4009.2	10000	PASS

11AC80SISO_5290



11AC80SISO_5530




Appendix A.9: Test Results of Conducted Emission

Note. We tested four adapter and recorded the wose case data in the report.

Test Report

EUT Information

EUT Name:	RichMedia Box
Order No:	168349697
Model:	ZXV10 B866V2-H
Test Mode:	WiFi operation+HDMI(4K)+S/PDIF
Test Voltage:	AC 120V/60Hz
Test By:	Mac Xie
Review By:	Gary Chen
Remark:	Adapter Model:UWP-12W-1210S



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.476500	---	36.18	46.37	10.19	L1	9.7
0.526500	48.03	---	56.00	7.97	L1	9.7
0.906500	48.67	---	56.00	7.33	L1	9.7
0.930500	---	35.49	46.00	10.52	L1	9.7
1.154500	---	35.56	46.00	10.44	L1	9.7
1.157500	49.38	---	56.00	6.62	L1	9.7
1.856000	---	33.27	46.00	12.73	L1	9.8
1.856000	47.14	---	56.00	8.86	L1	9.8
2.192000	---	29.48	46.00	16.52	L1	9.8
2.220000	45.37	---	56.00	10.63	L1	9.8
2.784000	---	33.31	46.00	12.69	L1	9.9
2.804000	45.23	---	56.00	10.77	L1	9.9


Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.476500	---	36.09	46.40	10.31	1000.0	9.000	L1	9.7
0.526500	43.10	---	56.00	12.90	1000.0	9.000	L1	9.7
0.906500	43.35	---	56.00	12.65	1000.0	9.000	L1	9.7
0.930500	---	32.85	46.00	13.15	1000.0	9.000	L1	9.7
1.154500	---	28.74	46.00	17.26	1000.0	9.000	L1	9.7
1.157500	40.57	---	56.00	15.43	1000.0	9.000	L1	9.7

Test Report

EUT Information

EUT Name: RichMedia Box
 Order No: 168349697
 Model: ZXV10 B866V2-H
 Test Mode: WiFi operation+HDMI(4K)+S/PDIF
 Test Voltage: AC 120V/60Hz
 Test By: Mac Xie
 Review By: Gary Chen
 Remark: Adapter Model:UWP-12W-1210S



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.476500	47.96	---	56.31	8.35	N	9.7
0.476500	---	32.03	46.37	14.34	N	9.7
0.956000	46.95	---	56.00	9.05	N	9.7
0.976000	---	30.02	46.00	15.98	N	9.7
1.696000	---	30.50	46.00	15.50	N	9.7
1.709500	46.90	---	56.00	9.10	N	9.7
2.008000	---	26.96	46.00	19.04	N	9.8
2.073500	48.80	---	56.00	7.20	N	9.8
2.170500	48.73	---	56.00	7.27	N	9.8
2.182500	---	29.64	46.00	16.36	N	9.8
2.784000	---	29.53	46.00	16.47	N	9.9
2.804000	46.83	---	56.00	9.17	N	9.9

Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.476500	---	32.47	46.40	13.93	1000.0	9.000	N	9.7
0.476500	45.40	---	56.40	11.00	1000.0	9.000	N	9.7
1.709500	40.48	---	56.00	15.52	1000.0	9.000	N	9.7
2.073500	39.12	---	56.00	16.88	1000.0	9.000	N	9.8
2.170500	34.23	---	56.00	21.77	1000.0	9.000	N	9.8
2.182500	---	20.52	46.00	25.48	1000.0	9.000	N	9.8