


Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5649.4000	24.89	39.87	64.76	68.20	-3.44	Peak	
2	5715.0000	22.13	40.02	62.15	109.40	-47.25	Peak	
3	5725.0000	23.39	40.05	63.44	122.20	-58.76	Peak	
4	5740.4000	65.56	40.08	105.64	122.20	-16.56	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11490.0000	46.64	3.84	50.48	74.00	-23.52	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5607.8000	25.28	39.77	65.05	68.20	-3.15	Peak	
2	5715.0000	22.06	40.02	62.08	109.40	-47.32	Peak	
3	5725.0000	23.26	40.05	63.31	122.20	-58.89	Peak	
4	5740.2000	63.53	40.08	103.61	122.20	-18.59	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11490.0000	45.79	3.84	49.63	74.00	-24.37	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	!	5626.800	24.63	39.81	64.44	68.20	-3.76	peak	
2		5715.000	23.12	40.02	63.14	109.40	-46.26	peak	
3		5725.000	23.09	40.05	63.14	122.20	-59.06	peak	
4		5782.000	64.09	40.18	104.27	122.20	-17.93	peak	
5		5850.000	23.24	40.34	63.58	122.20	-58.62	peak	
6		5860.000	23.08	40.36	63.44	109.40	-45.96	peak	
7	*	5957.000	25.69	40.60	66.29	68.20	-1.91	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11570.00	45.72	3.79	49.51	74.00	-24.49	peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5609.0000	25.45	39.77	65.22	68.20	-2.98	Peak	
2	5715.0000	22.32	40.02	62.34	109.40	-47.06	Peak	
3	5725.0000	22.76	40.05	62.81	122.20	-59.39	Peak	
4	5790.4000	62.61	40.20	102.81	122.20	-19.39	Peak	
5	5850.0000	22.36	40.34	62.70	122.20	-59.50	Peak	
6	5860.0000	22.60	40.37	62.97	109.40	-46.43	Peak	
7 *	5989.8000	25.86	40.68	66.54	68.20	-1.66	Peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11570.00	46.06	3.79	49.85	74.00	-24.15	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5820.600	63.35	40.27	103.62	122.20	-18.58	peak	
2		5850.000	23.29	40.34	63.63	122.20	-58.57	peak	
3		5860.000	23.15	40.36	63.51	109.40	-45.89	peak	
4	*	5950.000	25.47	40.58	66.05	68.20	-2.15	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11650.0000	46.76	3.74	50.50	74.00	-23.50	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5820.600	62.53	40.27	102.80	122.20	-19.40	peak	
2	5850.000	23.47	40.34	63.81	122.20	-58.39	peak	
3	5860.000	23.92	40.36	64.28	109.40	-45.12	peak	
4 *	5978.800	26.09	40.64	66.73	68.20	-1.47	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11650.0000	45.60	3.74	49.34	74.00	-24.66	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5610.200	25.57	39.77	65.34	68.20	-2.86	peak	
2		5715.000	22.60	40.02	62.62	109.40	-46.78	peak	
3		5725.000	23.37	40.05	63.42	122.20	-58.78	peak	
4		5759.800	61.23	40.13	101.36	122.20	-20.84	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11510.0000	45.86	3.82	49.68	74.00	-24.32	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5621.6000	24.66	39.80	64.46	68.20	-3.74	Peak	
2	5715.0000	22.46	40.02	62.48	109.40	-46.92	Peak	
3	5725.0000	23.65	40.05	63.70	122.20	-58.50	Peak	
4	5756.4000	60.04	40.12	100.16	122.20	-22.04	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11510.0000	45.89	3.82	49.71	74.00	-24.29	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5648.4000	24.99	39.86	64.85	68.20	-3.35	Peak	
2	5715.0000	22.56	40.02	62.58	109.40	-46.82	Peak	
3	5725.0000	23.61	40.05	63.66	122.20	-58.54	Peak	
4	5797.4000	61.63	40.22	101.85	122.20	-20.35	Peak	
5	5850.0000	22.95	40.34	63.29	122.20	-58.91	Peak	
6	5860.0000	24.51	40.37	64.88	109.40	-44.52	Peak	
7 *	5981.4000	25.88	40.66	66.54	68.20	-1.66	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11590.0000	46.12	3.77	49.89	74.00	-24.11	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5617.2000	25.24	39.79	65.03	68.20	-3.17	Peak	
2	5715.0000	22.32	40.02	62.34	109.40	-47.06	Peak	
3	5725.0000	22.64	40.05	62.69	122.20	-59.51	Peak	
4	5799.8000	60.08	40.22	100.30	122.20	-21.90	Peak	
5	5850.0000	22.75	40.34	63.09	122.20	-59.11	Peak	
6	5860.0000	23.78	40.37	64.15	109.40	-45.25	Peak	
7 *	5980.4000	25.46	40.65	66.11	68.20	-2.09	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11590.0000	46.09	3.77	49.86	74.00	-24.14	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5611.4000	24.80	39.78	64.58	68.20	-3.62	Peak	
2	5715.0000	22.78	40.02	62.80	109.40	-46.60	Peak	
3	5725.0000	23.49	40.05	63.54	122.20	-58.66	Peak	
4	5792.6000	57.67	40.21	97.88	122.20	-24.32	Peak	
5	5850.0000	25.23	40.34	65.57	122.20	-56.63	Peak	
6	5860.0000	22.56	40.37	62.93	109.40	-46.47	Peak	
7 *	5993.8000	25.84	40.69	66.53	68.20	-1.67	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11550.0000	45.96	3.80	49.76	74.00	-24.24	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5634.6000	25.07	39.83	64.90	68.20	-3.30	Peak	
2	5715.0000	23.56	40.02	63.58	109.40	-45.82	Peak	
3	5725.0000	22.86	40.05	62.91	122.20	-59.29	Peak	
4	5763.4000	56.09	40.14	96.23	122.20	-25.97	Peak	
5	5850.0000	22.91	40.34	63.25	122.20	-58.95	Peak	
6	5860.0000	22.92	40.37	63.29	109.40	-46.11	Peak	
7 *	5991.2000	27.12	40.68	67.80	68.20	-0.40	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11550.0000	46.66	3.80	50.46	74.00	-23.54	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.


APPENDIX D - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	18.89	16.50
40	5200	18.85	16.50
48	5240	18.85	16.50



Date: 9.JAN.2020 09:10:13Z




Date: 9.JAN.2020 09:10:15Z




Date: 9.JAN.2020 09:21:22Z

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	18.89	16.50
60	5300	18.89	16.50
64	5320	18.89	16.50



Date: 9.JAN.2020 09:12:16Z




Date: 9.JAN.2020 09:12:15Z




Date: 9.JAN.2020 09:23:47Z

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	18.89	16.50
116	5580	20.79	16.60
140	5700	18.85	16.50



Date: 9.JAN.2020 09:124126




Date: 9.JAN.2020 09:125143




Date: 9.JAN.2020 09:126125

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.51	500	Complies
157	5785	16.56	500	Complies
165	5825	16.51	500	Complies



Date: 9.JAN.2020 09:127110




Date: 9.JAN.2020 09:127155




Date: 9.JAN.2020 09:128143

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	19.90	17.70
40	5200	19.90	17.70
48	5240	19.85	17.70



Date: 9.JAN.2020 13:47:39




Date: 9.JAN.2020 13:54:40




Date: 9.JAN.2020 13:55:57

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	43.00	36.40
46	5230	43.00	36.60




Date: 9.JAN.2020 14:30:19



Date: 9.JAN.2020 14:31:29

Test Mode	UNII-1_TX AC (VHT80)
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	82.00	74.80




Date: 9.JAN.2020 15:12:45

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	19.90	17.70
60	5300	19.85	17.70
64	5320	19.85	17.70



Date: 9.JAN.2020 13:58:28



Date: 9.JAN.2020 14:01:58




Date: 9.JAN.2020 14:03:43

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	42.91	36.60
62	5310	42.99	36.60

CH54



Date: 9.JAN.2020 14:32:46

CH62




Date: 9.JAN.2020 14:45:21

Test Mode	UNII-2A_TX AC (VHT80)
-----------	-----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	81.61	74.80


CH58



Date: 9.JAN.2020 15:24:06


Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	19.90	17.60
116	5580	19.90	17.60
140	5700	19.90	17.70




Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	43.39	36.60
110	5550	43.10	36.40
134	5670	43.00	36.60



Test Mode	UNII-2C_TX AC (VHT80)
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	81.80	74.80




Date: 9.JAN.2020 15:23:01

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.69	500	Complies
157	5785	17.69	500	Complies
165	5825	17.80	500	Complies



Date: 9.JAN.2020 14:14:32



Date: 9.JAN.2020 14:19:43




Date: 9.JAN.2020 13:46:51


Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.50	500	Complies
159	5795	36.50	500	Complies

CH151




CH159



Test Mode	UNII-3_TX AC (VHT80)
-----------	----------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.39	500	Complies

CH155



APPENDIX E - CONDUCTED OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.17	0.00	15.17	30.00	1.000	Complies
40	5200	15.09	0.00	15.09	30.00	1.000	Complies
48	5240	15.14	0.00	15.14	30.00	1.000	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.84	0.00	14.84	30.00	1.000	Complies
60	5300	15.07	0.00	15.07	30.00	1.000	Complies
64	5320	15.02	0.00	15.02	30.00	1.000	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.10	0.00	15.10	30.00	1.000	Complies
116	5580	15.15	0.00	15.15	30.00	1.000	Complies
140	5700	15.02	0.00	15.02	30.00	1.000	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.08	0.00	15.08	30.00	1.000	Complies
157	5785	15.18	0.00	15.18	30.00	1.000	Complies
165	5825	15.01	0.00	15.01	30.00	1.000	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.12	0.00	15.12	22.10	0.162	Complies
40	5200	15.15	0.00	15.15	22.10	0.162	Complies
48	5240	15.04	0.00	15.04	22.10	0.162	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.08	0.00	15.08	22.10	0.162	Complies
40	5200	15.22	0.00	15.22	22.10	0.162	Complies
48	5240	15.05	0.00	15.05	22.10	0.162	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.11	22.10	0.162	Complies
40	5200	18.20	22.10	0.162	Complies
48	5240	18.06	22.10	0.162	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.06	0.00	15.06	22.10	0.162	Complies
46	5230	15.08	0.00	15.08	22.10	0.162	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.93	0.00	14.93	22.10	0.162	Complies
46	5230	15.09	0.00	15.09	22.10	0.162	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.01	22.10	0.162	Complies
46	5230	18.10	22.10	0.162	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.11	0.00	15.11	22.10	0.162	Complies
60	5300	15.09	0.00	15.09	22.10	0.162	Complies
64	5320	15.19	0.00	15.19	22.10	0.162	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.21	0.00	15.21	22.10	0.162	Complies
60	5300	15.13	0.00	15.13	22.10	0.162	Complies
64	5320	15.27	0.00	15.27	22.10	0.162	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.17	22.10	0.162	Complies
60	5300	18.12	22.10	0.162	Complies
64	5320	18.24	22.10	0.162	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.19	0.00	15.19	22.10	0.162	Complies
62	5310	15.22	0.00	15.22	22.10	0.162	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.18	0.00	15.18	22.10	0.162	Complies
62	5310	15.01	0.00	15.01	22.10	0.162	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.20	22.10	0.162	Complies
62	5310	18.13	22.10	0.162	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.18	0.00	15.18	22.10	0.162	Complies
116	5580	14.95	0.00	14.95	22.10	0.162	Complies
140	5700	15.03	0.00	15.03	22.10	0.162	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.06	0.00	15.06	22.10	0.162	Complies
116	5580	15.04	0.00	15.04	22.10	0.162	Complies
140	5700	15.15	0.00	15.15	22.10	0.162	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.13	22.10	0.162	Complies
116	5580	18.01	22.10	0.162	Complies
140	5700	18.10	22.10	0.162	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.17	0.00	15.17	22.10	0.162	Complies
110	5550	15.10	0.00	15.10	22.10	0.162	Complies
134	5670	14.99	0.00	14.99	22.10	0.162	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.18	0.00	15.18	22.10	0.162	Complies
110	5550	15.09	0.00	15.09	22.10	0.162	Complies
134	5670	14.89	0.00	14.89	22.10	0.162	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.19	22.10	0.162	Complies
110	5550	18.11	22.10	0.162	Complies
134	5670	17.95	22.10	0.162	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.06	0.00	15.06	28.10	0.646	Complies
157	5785	15.17	0.00	15.17	28.10	0.646	Complies
165	5825	15.05	0.00	15.05	28.10	0.646	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.09	0.00	15.09	28.10	0.646	Complies
157	5785	14.99	0.00	14.99	28.10	0.646	Complies
165	5825	15.01	0.00	15.01	28.10	0.646	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.09	28.10	0.646	Complies
157	5785	18.09	28.10	0.646	Complies
165	5825	18.04	28.10	0.646	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.03	0.00	15.03	28.10	0.646	Complies
159	5795	15.01	0.00	15.01	28.10	0.646	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.16	0.00	15.16	28.10	0.646	Complies
159	5795	15.11	0.00	15.11	28.10	0.646	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.11	28.10	0.646	Complies
159	5795	18.07	28.10	0.646	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.08	0.00	15.08	28.10	0.646	Complies
40	5200	15.22	0.00	15.22	28.10	0.646	Complies
48	5240	15.23	0.00	15.23	28.10	0.646	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.14	0.00	15.14	28.10	0.646	Complies
40	5200	15.19	0.00	15.19	28.10	0.646	Complies
48	5240	15.21	0.00	15.21	28.10	0.646	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.12	28.10	0.646	Complies
40	5200	18.22	28.10	0.646	Complies
48	5240	18.23	28.10	0.646	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.01	0.00	15.01	28.10	0.646	Complies
46	5230	15.01	0.00	15.01	28.10	0.646	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.24	0.00	15.24	28.10	0.646	Complies
46	5230	15.09	0.00	15.09	28.10	0.646	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.14	28.10	0.646	Complies
46	5230	18.06	28.10	0.646	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.93	0.00	14.93	28.10	0.646	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.14	0.00	15.14	28.10	0.646	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.05	28.10	0.646	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.21	0.00	15.21	22.10	0.162	Complies
60	5300	15.22	0.00	15.22	22.10	0.162	Complies
64	5320	15.19	0.00	15.19	22.10	0.162	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.17	0.00	15.17	22.10	0.162	Complies
60	5300	15.22	0.00	15.22	22.10	0.162	Complies
64	5320	14.99	0.00	14.99	22.10	0.162	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.20	22.10	0.162	Complies
60	5300	18.23	22.10	0.162	Complies
64	5320	18.10	22.10	0.162	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.22	0.00	15.22	22.10	0.162	Complies
62	5310	15.22	0.00	15.22	22.10	0.162	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.96	0.00	14.96	22.10	0.162	Complies
62	5310	15.22	0.00	15.22	22.10	0.162	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.10	22.10	0.162	Complies
62	5310	18.23	22.10	0.162	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.21	0.00	15.21	22.10	0.162	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.97	0.00	14.97	22.10	0.162	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.10	22.10	0.162	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.18	0.00	15.18	22.10	0.162	Complies
116	5580	14.95	0.00	14.95	22.10	0.162	Complies
140	5700	15.03	0.00	15.03	22.10	0.162	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.06	0.00	15.06	22.10	0.162	Complies
116	5580	15.04	0.00	15.04	22.10	0.162	Complies
140	5700	15.15	0.00	15.15	22.10	0.162	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.13	22.10	0.162	Complies
116	5580	18.01	22.10	0.162	Complies
140	5700	18.10	22.10	0.162	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.17	0.00	15.17	22.10	0.162	Complies
110	5550	15.10	0.00	15.10	22.10	0.162	Complies
134	5670	14.99	0.00	14.99	22.10	0.162	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.18	0.00	15.18	22.10	0.162	Complies
110	5550	15.09	0.00	15.09	22.10	0.162	Complies
134	5670	14.89	0.00	14.89	22.10	0.162	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.19	22.10	0.162	Complies
110	5550	18.11	22.10	0.162	Complies
134	5670	17.95	22.10	0.162	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.09	0.00	15.09	22.10	0.162	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.10	0.00	15.10	22.10	0.162	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.11	22.10	0.162	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.15	0.00	15.15	28.10	0.646	Complies
157	5785	15.14	0.00	15.14	28.10	0.646	Complies
165	5825	15.05	0.00	15.05	28.10	0.646	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.11	0.00	15.11	28.10	0.646	Complies
157	5785	15.05	0.00	15.05	28.10	0.646	Complies
165	5825	15.12	0.00	15.12	28.10	0.646	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.14	28.10	0.646	Complies
157	5785	18.11	28.10	0.646	Complies
165	5825	18.10	28.10	0.646	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.01	0.00	15.01	28.10	0.646	Complies
159	5795	15.08	0.00	15.08	28.10	0.646	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.99	0.00	14.99	28.10	0.646	Complies
159	5795	15.02	0.00	15.02	28.10	0.646	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.01	28.10	0.646	Complies
159	5795	18.06	28.10	0.646	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.93	0.00	15.93	28.10	0.646	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.05	0.00	15.05	28.10	0.646	Complies




Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.52	28.10	0.646	Complies

APPENDIX F - POWER SPECTRAL DENSITY




Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.71	0.00	5.71	11.00	Complies
40	5200	5.49	0.00	5.49	11.00	Complies
48	5240	5.68	0.00	5.68	11.00	Complies






Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.30	0.00	5.30	11.00	Complies
60	5300	5.52	0.00	5.52	11.00	Complies
64	5320	5.13	0.00	5.13	11.00	Complies



Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.31	0.00	4.31	11.00	Complies
116	5580	4.98	0.00	4.98	11.00	Complies
140	5700	4.97	0.00	4.97	11.00	Complies






Date: 9, JAN, 2020 09:14:25

Date: 9, JAN, 2020 09:14:51

Date: 9, JAN, 2020 09:15:38

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.14	0.00	2.14	30.00	Complies
157	5785	2.24	0.00	2.24	30.00	Complies
165	5825	1.89	0.00	1.89	30.00	Complies




Date: 9, JAN, 2020 09:16:06

Date: 9, JAN, 2020 09:16:36

Date: 9, JAN, 2020 09:16:46


Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.34	0.00	4.34	9.10	Complies
40	5200	4.56	0.00	4.56	9.10	Complies
48	5240	4.82	0.00	4.82	9.10	Complies



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.89	0.00	3.89	9.10	Complies
40	5200	3.82	0.00	3.82	9.10	Complies
48	5240	3.78	0.00	3.78	9.10	Complies





Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.13	9.10	Complies
40	5200	7.22	9.10	Complies
48	5240	7.34	9.10	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.56	0.00	1.56	9.10	Complies
46	5230	1.75	0.00	1.75	9.10	Complies





Date: 9-JAN-2020 14:22:36

Date: 9-JAN-2020 14:24:55

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.89	0.00	1.89	9.10	Complies
46	5230	2.07	0.00	2.07	9.10	Complies



Date: 20-JAN-2020 13:50:08


Date: 20-JAN-2020 13:50:43

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.74	9.10	Complies
46	5230	4.92	9.10	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.53	0.00	-1.53	9.10	Complies



Date: 9.JAN.2020 15:18:44

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.75	0.00	-1.75	9.10	Complies




Date: 9.JAN.2020 15:17:33

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.37	9.10	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.80	0.00	4.80	9.10	Complies
60	5300	4.76	0.00	4.76	9.10	Complies
64	5320	4.47	0.00	4.47	9.10	Complies



Date: 9_JAN_2020 13:13:43




Date: 9_JAN_2020 13:14:08




Date: 9_JAN_2020 13:14:30

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.84	0.00	3.84	9.10	Complies
60	5300	4.59	0.00	4.59	9.10	Complies
64	5320	4.39	0.00	4.39	9.10	Complies



Date: 9_JAN_2020 13:12:33



Date: 9_JAN_2020 13:12:09





Date: 9_JAN_2020 13:12:49

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.36	9.10	Complies
60	5300	7.69	9.10	Complies
64	5320	7.44	9.10	Complies



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.08	0.00	2.08	9.10	Complies
62	5310	1.96	0.00	1.96	9.10	Complies



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.31	0.00	2.31	9.10	Complies
62	5310	2.15	0.00	2.15	9.10	Complies




Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.21	9.10	Complies
62	5310	5.07	9.10	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.15	0.00	-1.15	9.10	Complies



Date: 9.JAN.2020 15:19:15

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.99	0.00	-1.99	9.10	Complies






Date: 9.JAN.2020 15:17:07

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.46	9.10	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.95	0.00	3.95	9.10	Complies
116	5580	3.44	0.00	3.44	9.10	Complies
140	5700	4.29	0.00	4.29	9.10	Complies






Date: 9_JAN.2020 13:41:04

Date: 9_JAN.2020 13:41:26

Date: 9_JAN.2020 13:41:48

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.23	0.00	4.23	9.10	Complies
116	5580	3.63	0.00	3.63	9.10	Complies
140	5700	3.81	0.00	3.81	9.10	Complies



Date: 9_JAN.2020 13:12:125

Date: 9_JAN.2020 13:12:100




Date: 9_JAN.2020 13:12:31

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.10	9.10	Complies
116	5580	6.55	9.10	Complies
140	5700	7.07	9.10	Complies




Test Mode UNII-2C_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.19	0.00	1.19	9.10	Complies
110	5550	0.97	0.00	0.97	9.10	Complies
134	5670	1.41	0.00	1.41	9.10	Complies



Test Mode UNII-2C_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.48	0.00	1.48	9.1	Complies
110	5550	1.39	0.00	1.39	9.1	Complies
134	5670	1.87	0.00	1.87	9.1	Complies




Test Mode UNII-2C_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.35	9.10	Complies
110	5550	4.20	9.10	Complies
134	5670	4.66	9.10	Complies


Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.14	0.00	-2.14	9.10	Complies



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.10	0.00	-2.10	9.10	Complies




Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.89	9.10	Complies


Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.22	0.00	1.22	28.10	Complies
157	5785	1.23	0.00	1.23	28.10	Complies
165	5825	1.02	0.00	1.02	28.10	Complies



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.79	0.00	0.79	28.10	Complies
157	5785	0.71	0.00	0.71	28.10	Complies
165	5825	0.99	0.00	0.99	28.10	Complies





Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.02	28.10	Complies
157	5785	3.99	28.10	Complies
165	5825	4.02	28.10	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.53	0.00	-1.53	28.10	Complies
159	5795	-1.53	0.00	-1.53	28.10	Complies





Date: 9.JAN.2020 14:27:35

Date: 9.JAN.2020 14:27:55

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.11	0.00	-1.11	28.1	Complies
159	5795	-1.23	0.00	-1.23	28.1	Complies



Date: 20.JAN.2020 13:53:47


Date: 20.JAN.2020 13:54:12

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.70	28.10	Complies
159	5795	1.63	28.10	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-4.82	0.00	-4.82	28.10	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-5.67	0.00	-5.67	28.10	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.21	28.10	Complies

End of Test Report