



11G-CDD_Ant1_2462_0~Reference



11G-CDD_Ant1_2462_30~1000




11G-CDD_Ant1_2462_1000~26500




11N20MIMO_Ant1_2412_0~Reference



11N20MIMO_Ant1_2412_30~1000




11N20MIMO_Ant1_2412_1000~26500




11N20MIMO_Ant1_2437_0~Reference




11N20MIMO_Ant1_2437_30~1000




11N20MIMO_Ant1_2437_1000~26500



11N20MIMO_Ant1_2462_0~Reference




11N20MIMO_Ant1_2462_30~1000




11N20MIMO_Ant1_2462_1000~26500



11N40MIMO_Ant1_2422_0~Reference




11N40MIMO_Ant1_2422_30~1000




11N40MIMO_Ant1_2422_1000~26500




11N40MIMO_Ant1_2437_0~Reference



11N40MIMO_Ant1_2437_30~1000




11N40MIMO_Ant1_2437_1000~26500




11N40MIMO_Ant1_2452_0~Reference



11N40MIMO_Ant1_2452_30~1000




11N40MIMO_Ant1_2452_1000~26500



Band Edge

TestMode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B-CDD	Ant1	Low	2412	4.03	-41.63	≤-15.97	PASS
		High	2462	3.73	-50.12	≤-16.27	PASS
11G-CDD	Ant1	Low	2412	2.31	-43.49	≤-17.69	PASS
		High	2462	2.07	-48.45	≤-17.93	PASS
11N20MIMO	Ant1	Low	2412	2.00	-42.73	≤-18	PASS
		High	2462	2.01	-49.11	≤-17.99	PASS
11N40MIMO	Ant1	Low	2422	-0.69	-39.01	≤-20.69	PASS
		High	2452	-0.47	-48.03	≤-20.47	PASS


11B-CDD_Ant1_Low_2412




11B-CDD_Ant1_High_2462



11G-CDD_Ant1_Low_2412



11G-CDD_Ant1_High_2462




11N20MIMO_Ant1_Low_2412




11N20MIMO_Ant1_High_2462



11N40MIMO_Ant1_Low_2422



11N40MIMO_Ant1_High_2452




Appendix B.5: Test Results of Radiated Spurious Emissions

Note: 1. Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported. 2. This testing was carried out on different modulations, but only the worst case was presented in this report.

30MHz - 1GHz (Worst case)

EUT Information

EUT Name:	ZBox 1
Model:	ZXV10 B866V2K
Test Mode:	WIFI 2.4G_11b_Ch6
Order No/Sample No:	168372225/A003258254-002
Test Voltage::	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
51.000500	25.30	40.00	14.70	100.0	H	239.0	-18.3
101.828500	27.92	43.50	15.58	100.0	H	232.0	-18.9
220.362500	32.16	46.00	13.84	100.0	H	277.0	-18.5
918.811000	35.17	46.00	10.83	100.0	H	61.0	-4.8

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
49.959615	36.90	40.00	3.10	100.0	V	327.0	-18.6
102.526154	23.80	43.50	19.70	100.0	V	287.0	-19.2
198.406923	23.92	43.50	19.58	100.0	V	319.0	-19.4
834.652308	24.27	46.00	21.73	100.0	V	357.0	-6.1

Final_Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

1GHz - 18GHz

Note: The highest waveform in the figure is Wi-Fi Fundamental.

EUT Information

EUT Name:	ZBox 1
Model:	ZXV10 B866V2K
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168372225/A003258254-002
Test Voltage::	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4817.500000	50.61	---	74.00	23.39	100.0	H	23.0	11.8
4823.500000	---	42.01	54.00	11.99	100.0	H	53.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch1
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4823.000000	---	39.23	54.00	14.77	100.0	V	189.0	11.8
4824.000000	49.79	---	74.00	24.21	100.0	V	175.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch1
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7236.433333	---	36.30	54.00	17.70	100.0	H	61.0	8.6
7256.591667	43.73	---	74.00	30.27	100.0	H	122.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch1
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7234.958333	43.75	---	74.00	30.25	100.0	V	240.0	8.6
7234.958333	---	36.33	54.00	17.67	100.0	V	240.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4871.000000	50.35	---	74.00	23.65	100.0	H	278.0	11.8
4874.000000	---	42.85	54.00	11.15	100.0	H	355.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4873.500000	---	39.54	54.00	14.46	100.0	V	180.0	11.8
4888.500000	51.04	---	74.00	22.96	100.0	V	106.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7310.183333	---	35.66	54.00	18.34	100.0	H	57.0	8.2
7335.750000	43.93	---	74.00	30.07	100.0	H	257.0	8.1

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7309.200000	42.28	---	74.00	31.72	100.0	V	122.0	8.2
7310.183333	---	35.43	54.00	18.57	100.0	V	246.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch11
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4924.000000	---	42.93	54.00	11.07	100.0	H	1.0	11.8
4925.000000	51.32	---	74.00	22.68	100.0	H	58.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch11
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4921.500000	50.02	---	74.00	23.98	100.0	V	3.0	11.8
4924.000000	---	39.89	54.00	14.11	100.0	V	322.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch11
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7384.425000	43.54	---	74.00	30.46	100.0	H	72.0	8.2
7384.916667	---	36.10	54.00	17.90	100.0	H	60.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch11
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7384.916667	---	37.37	54.00	16.63	100.0	V	248.0	8.2
7385.900000	44.12	---	74.00	29.88	100.0	V	248.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11g_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4871.000000	49.62	---	74.00	24.38	100.0	V	2.0	11.8
4876.000000	---	38.86	54.00	15.14	100.0	V	149.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11g_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7303.791667	43.19	---	74.00	30.81	100.0	H	175.0	8.3
7321.000000	---	33.30	54.00	20.70	100.0	H	330.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11g_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7310.183333	---	33.37	54.00	20.63	100.0	V	187.0	8.2
7319.033333	42.30	---	74.00	31.70	100.0	V	5.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n20_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4853.500000	---	39.39	54.00	14.61	100.0	V	331.0	11.8
4868.000000	50.53	---	74.00	23.47	100.0	V	148.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n20_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7312.150000	---	34.70	54.00	19.30	100.0	H	69.0	8.2
7314.116667	44.28	---	74.00	29.72	100.0	H	121.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n20_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7307.233333	44.31	---	74.00	29.69	100.0	V	210.0	8.3
7309.200000	---	35.10	54.00	18.90	100.0	V	236.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n40_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4870.000000	---	39.44	54.00	14.56	100.0	H	77.0	11.8
4870.500000	50.45	---	74.00	23.55	100.0	H	314.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n40_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4871.000000	---	39.28	54.00	14.72	100.0	V	332.0	11.8
4882.500000	50.66	---	74.00	23.34	100.0	V	142.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n40_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7306.250000	---	33.72	54.00	20.28	100.0	H	161.0	8.3
7328.375000	41.91	---	74.00	32.09	100.0	H	136.0	8.1

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n40_Ch6
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7320.016667	43.64	---	74.00	30.36	100.0	V	243.0	8.2
7323.950000	---	34.09	54.00	19.91	100.0	V	72.0	8.2


Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix B.6: Test Results of Radiated Emissions in Restricted Bands

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch1
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2364.500000	---	41.73	54.00	12.27	100.0	H	34.0	6.9
2368.200000	50.84	---	74.00	23.16	100.0	H	34.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch1
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2354.400000	49.45	---	74.00	24.55	100.0	V	0.0	6.9
2379.500000	---	39.97	54.00	14.03	100.0	V	260.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch11
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.400000	53.05	---	74.00	20.95	100.0	H	59.0	7.4
2485.800000	---	44.18	54.00	9.82	100.0	H	49.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11b_Ch11
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.900000	50.00	---	74.00	24.00	100.0	V	316.0	7.4
2488.500000	---	40.77	54.00	13.23	100.0	V	216.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11g_Ch1
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.200000	58.53	---	74.00	15.47	100.0	H	63.0	7.0
2389.000000	---	50.53	54.00	3.47	100.0	H	63.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11g_Ch1
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.400000	---	42.05	54.00	11.95	100.0	V	263.0	7.0
2389.400000	50.43	---	74.00	23.57	100.0	V	263.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11g_Ch11
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.600000	59.49	---	74.00	14.51	100.0	H	42.0	7.4
2485.400000	---	49.93	54.00	4.07	100.0	H	42.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11g_Ch11
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.800000	52.42	---	74.00	21.58	100.0	V	270.0	7.4
2484.600000	---	41.99	54.00	12.01	100.0	V	270.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n20_Ch1
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.900000	---	50.79	54.00	3.21	100.0	H	58.0	7.0
2389.300000	59.42	---	74.00	14.58	100.0	H	48.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n20_Ch1
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.000000	---	42.75	54.00	11.25	100.0	V	342.0	7.0
2389.700000	51.75	---	74.00	22.25	100.0	V	342.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n20_Ch11
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.100000	59.62	---	74.00	14.38	100.0	H	52.0	7.4
2484.500000	---	51.15	54.00	2.85	100.0	H	52.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n20_Ch11
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2498.600000	---	45.00	54.00	9.00	100.0	V	256.0	7.4
2498.600000	53.64	---	74.00	20.36	100.0	V	256.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n40_Ch3
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.600000	60.69	---	74.00	13.31	100.0	H	45.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.719900	49.36	54.00	4.64	100.0	H	59.0	7.0

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n40_Ch3
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2385.600000	---	42.96	54.00	11.04	100.0	V	340.0	7.0
2385.600000	51.17	---	74.00	22.83	100.0	V	340.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n40_Ch9
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.600000	---	51.83	54.00	2.17	100.0	H	44.0	7.4
2488.000000	61.28	---	74.00	12.72	100.0	H	54.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: ZBox 1
 Model: ZXV10 B866V2K
 Test Mode: WIFI 2.4G_11n40_Ch9
 Order No/Sample No: 168372225/A003258254-002
 Test Voltage:: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.100000	54.14	---	74.00	19.86	100.0	V	201.0	7.4
2484.500000	---	45.58	54.00	8.42	100.0	V	201.0	7.4


Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix B.7: Test Results of Conducted Emission

EUT Information

EUT Name: ZBox 1
 Order No: 168372225
 Model: ZXV10 B866V2K
 Test mode: WIFI operation+HDMI(4K)
 Test Voltage: AC 120V/60Hz
 Test Standard: FCC Part 15
 Test By:/Review By: Shower Dai/Gary Chen
 Tem./Hum./Pressure: 24.2°C/51%/101kPa
 Remark: Adapter model:KL-WA120100-E



Critical Freqs


Frequency (MHz)	MaxPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Line	Corr. (dB)
0.473500	45.48	---	56.37	10.89	L1	10.0
0.477500	---	40.29	46.37	6.08	L1	10.0
0.538000	42.39	---	56.00	13.61	L1	10.0
0.542000	---	29.23	46.00	16.77	L1	10.0
0.750000	40.66	---	56.00	15.34	L1	10.0
0.762000	---	30.20	46.00	15.80	L1	10.0
4.486000	38.92	---	56.00	17.08	L1	10.2
4.538000	---	28.72	46.00	17.28	L1	10.2
7.702000	---	36.99	50.00	13.01	L1	10.3
7.778000	46.75	---	60.00	13.25	L1	10.3
19.062000	---	28.95	50.00	21.05	L1	10.4
19.130000	39.91	---	60.00	20.09	L1	10.4

Final Result

Frequency (MHz)	QuasiPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.473500	40.11	---	56.45	16.34	3000.0	9.000	L1	10.0
0.477500	---	38.12	46.38	8.26	3000.0	9.000	L1	10.0

EUT Information

EUT Name: ZBox 1
 Order No: 168372225
 Model: ZXV10 B866V2K
 Test mode: WIFI operation+HDMI(4K)
 Test Voltage: AC 120V/60Hz
 Test Standard: FCC Part 15
 Test By:/Review By: Shower Dai/Gary Chen
 Tem./Hum./Pressure: 24.2°C/51%/101kPa
 Remark: Adapter model:KL-WA120100-E



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Line	Corr. (dB)
0.473500	---	42.19	46.37	4.19	N	9.8
0.477500	47.84	---	56.37	8.54	N	9.8
0.542000	---	31.11	46.00	14.89	N	9.8
0.542000	42.29	---	56.00	13.71	N	9.8
0.694000	41.47	---	56.00	14.53	N	9.8
0.734000	---	32.27	46.00	13.73	N	9.8
0.850000	---	31.47	46.00	14.53	N	9.8
0.866000	40.21	---	56.00	15.79	N	9.8
1.018000	---	31.10	46.00	14.90	N	9.8
1.018000	39.44	---	56.00	16.56	N	9.8
7.770000	---	38.06	50.00	11.95	N	10.0
7.778000	47.28	---	60.00	12.72	N	10.0

Final Result

Frequency (MHz)	QuasiPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.473500	---	39.52	46.45	6.93	3000.0	9.000	N	9.8
0.477500	46.79	---	56.38	9.59	3000.0	9.000	N	9.8