


Test Mode	UNII-1_TX AC (VHT80)
-----------	----------------------

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	141.80	77.00




**CH42**



Print: 1\_0110\_5013 14:40:06



Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	23.80	18.10
60	5300	22.81	18.10
64	5320	23.19	18.10



Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	79.20	39.80
62	5310	77.19	39.20



Test Mode	UNII-2A_TX AC (VHT80)
-----------	-----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	141.98	76.80




**CH58**



Date: 1..07.2019 14:44:05




Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	29.49	18.40
116	5580	26.90	18.20
140	5700	29.55	18.40





Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	60.30	38.20
110	5550	56.79	37.80
134	5670	57.40	38.00



Test Mode	UNII-2C_TX AC (VHT80)
-----------	-----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	89.40	76.80
122	5610	88.40	76.80




Date: 1.201.2019 14:45:32


Date: 1.201.2019 14:46:46

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Emission Bandwidth (MHz)	6dB Bandwidth Min. Limit(kHz)	Result
149	5745	17.75	17.80	500	Complies
157	5785	17.75	17.90	500	Complies
165	5825	17.75	17.90	500	Complies



Date: 1.701.2019 14:25:06




Date: 1.701.2019 14:25:59




Date: 1.701.2019 14:26:57

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Emission Bandwidth (MHz)	6dB Bandwidth Min. Limit(kHz)	Result
151	5755	36.80	36.40	500	Complies
159	5795	36.70	36.60	500	Complies



Date: 1.701.2019 14:28:40




Date: 1.701.2019 14:29:56

Test Mode UNII-3\_TX AC (VHT80)

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Emission Bandwidth (MHz)	6dB Bandwidth Min. Limit(kHz)	Result
155	5775	76.80	76.40	500	Complies

**CH155**






Date: 2019-07-14 14:08:02

### Beamforming

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	5180	43.61
40	5200	5200	40.29
48	5240	5240	38.19





Date: 2019-07-02 13:57:01

Date: 2019-07-02 13:58:15

Date: 2019-07-02 13:59:19

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	92.20	50.20
46	5230	89.80	49.00






Date: 2019-07-02 14:12:23

Date: 2019-07-02 14:13:29



Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	23.75	18.10
60	5300	23.50	18.10
64	5320	23.69	18.10






Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	55.00	37.60
62	5310	49.19	37.60






Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	22.89	18.00
116	5580	23.20	18.10
140	5700	22.85	18.10






Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	45.70	37.60
110	5550	45.80	37.40
134	5670	45.79	37.60





Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Emission Bandwidth (MHz)	6dB Bandwidth Min. Limit(kHz)	Result
149	5745	17.75	29.00	500	Complies
157	5785	17.75	28.70	500	Complies
165	5825	17.75	30.00	500	Complies






Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Emission Bandwidth (MHz)	6dB Bandwidth Min. Limit(kHz)	Result
151	5755	36.50	48.60	500	Complies
159	5795	36.70	53.60	500	Complies





Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	41.79	23.30
40	5200	43.75	22.20
48	5240	39.40	22.20



Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------




Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	97.30	51.20
46	5230	91.59	51.60







Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	24.09	18.10
60	5300	24.20	18.10
64	5320	23.70	18.10



Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	59.59	38.00
62	5310	47.60	37.60






Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	23.39	18.00
116	5580	23.29	18.10
140	5700	23.39	18.10



Date: 2.JUL.2019 14:38:40




Date: 2.JUL.2019 14:40:45




Date: 2.JUL.2019 14:41:59

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	46.20	37.40
110	5550	46.40	37.40
134	5670	46.19	37.60



Date: 2.JUL.2019 14:59:34



Date: 2.JUL.2019 15:01:41




Date: 2.JUL.2019 15:07:19




Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Emission Bandwidth (MHz)	6dB Bandwidth Min. Limit(kHz)	Result
149	5745	17.75	21.20	500	Complies
157	5785	17.75	28.50	500	Complies
165	5825	17.75	23.70	500	Complies



Date: 2.701.2019 14:43:43




Date: 2.701.2019 14:44:59




Date: 2.701.2019 14:46:26

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Emission Bandwidth (MHz)	6dB Bandwidth Min. Limit(kHz)	Result
151	5755	36.61	48.60	500	Complies
159	5795	36.70	56.20	500	Complies



Date: 2.701.2019 15:08:52




Date: 2.701.2019 15:11:09

Test Mode	UNII-3_TX AC (VHT80)
-----------	----------------------

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Emission Bandwidth (MHz)	6dB Bandwidth Min. Limit(kHz)	Result
155	5775	77.00	113.60	500	Complies

**CH155**



Date: 2-2024-2019 15:22:44

## APPENDIX F - CONDUCTED OUTPUT POWER

### Non-Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.15	0.14	20.29	30.00	1.00	Complies
40	5200	19.84	0.14	19.98	30.00	1.00	Complies
48	5240	19.67	0.14	19.81	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.98	0.14	20.12	30.00	1.00	Complies
40	5200	20.05	0.14	20.19	30.00	1.00	Complies
48	5240	19.18	0.14	19.32	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.85	0.14	18.99	30.00	1.00	Complies
40	5200	18.57	0.14	18.71	30.00	1.00	Complies
48	5240	19.44	0.14	19.58	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.31	0.14	20.45	30.00	1.00	Complies
40	5200	20.33	0.14	20.47	30.00	1.00	Complies
48	5240	19.10	0.14	19.24	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.02	30.00	1.00	Complies
40	5200	25.91	30.00	1.00	Complies
48	5240	25.51	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.74	0.00	15.74	30.00	1.00	Complies
40	5200	16.60	0.00	16.60	30.00	1.00	Complies
48	5240	19.02	0.00	19.02	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.58	0.00	15.58	30.00	1.00	Complies
40	5200	16.74	0.00	16.74	30.00	1.00	Complies
48	5240	19.06	0.00	19.06	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.91	0.00	15.91	30.00	1.00	Complies
40	5200	16.66	0.00	16.66	30.00	1.00	Complies
48	5240	19.13	0.00	19.13	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.01	0.00	14.01	30.00	1.00	Complies
40	5200	14.81	0.00	14.81	30.00	1.00	Complies
48	5240	20.53	0.00	20.53	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.39	30.00	1.00	Complies
40	5200	22.29	30.00	1.00	Complies
48	5240	25.50	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.14	0.17	19.31	30.00	1.00	Complies
46	5230	18.06	0.17	18.23	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.06	0.17	19.23	30.00	1.00	Complies
46	5230	18.42	0.17	18.59	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.75	0.17	19.92	30.00	1.00	Complies
46	5230	18.29	0.17	18.46	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.64	0.17	20.81	30.00	1.00	Complies
46	5230	20.21	0.17	20.38	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.89	30.00	1.00	Complies
46	5230	25.03	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.66	0.14	14.80	24.00	0.25	Complies
60	5300	13.88	0.14	14.02	24.00	0.25	Complies
64	5320	13.64	0.14	13.78	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.23	0.14	15.37	24.00	0.25	Complies
60	5300	14.77	0.14	14.91	24.00	0.25	Complies
64	5320	15.11	0.14	15.25	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.54	0.14	14.68	24.00	0.25	Complies
60	5300	13.97	0.14	14.11	24.00	0.25	Complies
64	5320	13.78	0.14	13.92	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.80	0.14	14.94	24.00	0.25	Complies
60	5300	14.58	0.14	14.72	24.00	0.25	Complies
64	5320	14.61	0.14	14.75	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.97	24.00	0.25	Complies
60	5300	20.48	24.00	0.25	Complies
64	5320	20.49	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.53	0.00	14.53	24.00	0.25	Complies
60	5300	14.11	0.00	14.11	24.00	0.25	Complies
64	5320	14.92	0.00	14.92	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.27	0.00	14.27	24.00	0.25	Complies
60	5300	14.29	0.00	14.29	24.00	0.25	Complies
64	5320	14.75	0.00	14.75	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.34	0.00	14.34	24.00	0.25	Complies
60	5300	14.81	0.00	14.81	24.00	0.25	Complies
64	5320	14.86	0.00	14.86	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.62	0.00	14.62	24.00	0.25	Complies
60	5300	14.73	0.00	14.73	24.00	0.25	Complies
64	5320	14.43	0.00	14.43	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.46	24.00	0.25	Complies
60	5300	20.52	24.00	0.25	Complies
64	5320	20.76	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.75	0.17	14.92	24.00	0.25	Complies
62	5310	12.39	0.17	12.56	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.34	0.17	15.51	24.00	0.25	Complies
62	5310	13.46	0.17	13.63	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.85	0.17	15.02	24.00	0.25	Complies
62	5310	12.34	0.17	12.51	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.20	0.17	13.37	24.00	0.25	Complies
62	5310	11.41	0.17	11.58	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.80	24.00	0.25	Complies
62	5310	18.65	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.13	0.14	12.27	24.00	0.25	Complies
116	5580	13.26	0.14	13.40	24.00	0.25	Complies
140	5700	11.48	0.14	11.62	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.36	0.14	12.50	24.00	0.25	Complies
116	5580	13.52	0.14	13.66	24.00	0.25	Complies
140	5700	11.98	0.14	12.12	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.15	0.14	12.29	24.00	0.25	Complies
116	5580	13.23	0.14	13.37	24.00	0.25	Complies
140	5700	11.81	0.14	11.95	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.13	0.14	13.27	24.00	0.25	Complies
116	5580	16.24	0.14	16.38	24.00	0.25	Complies
140	5700	13.61	0.14	13.75	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.62	24.00	0.25	Complies
116	5580	20.42	24.00	0.25	Complies
140	5700	18.46	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.52	0.00	13.52	24.00	0.25	Complies
116	5580	12.98	0.00	12.98	24.00	0.25	Complies
140	5700	13.29	0.00	13.29	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.03	0.00	14.03	24.00	0.25	Complies
116	5580	13.26	0.00	13.26	24.00	0.25	Complies
140	5700	13.79	0.00	13.79	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.99	0.00	13.99	24.00	0.25	Complies
116	5580	14.16	0.00	14.16	24.00	0.25	Complies
140	5700	14.22	0.00	14.22	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.86	0.00	14.86	24.00	0.25	Complies
116	5580	14.80	0.00	14.80	24.00	0.25	Complies
140	5700	15.23	0.00	15.23	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.15	24.00	0.25	Complies
116	5580	19.88	24.00	0.25	Complies
140	5700	20.21	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.50	0.17	10.67	24.00	0.25	Complies
110	5550	9.56	0.17	9.73	24.00	0.25	Complies
134	5670	8.73	0.17	8.90	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.82	0.17	10.99	24.00	0.25	Complies
110	5550	9.92	0.17	10.09	24.00	0.25	Complies
134	5670	9.35	0.17	9.52	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.89	0.17	11.06	24.00	0.25	Complies
110	5550	10.51	0.17	10.68	24.00	0.25	Complies
134	5670	10.01	0.17	10.18	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.13	0.17	12.30	24.00	0.25	Complies
110	5550	11.41	0.17	11.58	24.00	0.25	Complies
134	5670	10.89	0.17	11.06	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.32	24.00	0.25	Complies
110	5550	16.60	24.00	0.25	Complies
134	5670	16.01	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.79	0.14	18.93	30.00	1.00	Complies
157	5785	19.05	0.14	19.19	30.00	1.00	Complies
165	5825	19.95	0.14	20.09	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.63	0.14	19.77	30.00	1.00	Complies
157	5785	19.29	0.14	19.43	30.00	1.00	Complies
165	5825	19.42	0.14	19.56	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.06	0.14	19.20	30.00	1.00	Complies
157	5785	19.24	0.14	19.38	30.00	1.00	Complies
165	5825	19.60	0.14	19.74	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.78	0.14	21.92	30.00	1.00	Complies
157	5785	22.25	0.14	22.39	30.00	1.00	Complies
165	5825	22.67	0.14	22.81	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.15	30.00	1.00	Complies
157	5785	26.34	30.00	1.00	Complies
165	5825	26.79	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.06	0.00	20.06	30.00	1.00	Complies
157	5785	18.14	0.00	18.14	30.00	1.00	Complies
165	5825	19.02	0.00	19.02	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.07	0.00	21.07	30.00	1.00	Complies
157	5785	19.37	0.00	19.37	30.00	1.00	Complies
165	5825	18.04	0.00	18.04	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.52	0.00	18.52	30.00	1.00	Complies
157	5785	18.82	0.00	18.82	30.00	1.00	Complies
165	5825	18.65	0.00	18.65	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.05	0.00	21.05	30.00	1.00	Complies
157	5785	21.31	0.00	21.31	30.00	1.00	Complies
165	5825	22.11	0.00	22.11	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.31	30.00	1.00	Complies
157	5785	25.60	30.00	1.00	Complies
165	5825	25.79	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.31	0.17	20.48	30.00	1.00	Complies
159	5795	19.63	0.17	19.80	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.97	0.17	21.14	30.00	1.00	Complies
159	5795	19.42	0.17	19.59	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.52	0.17	18.69	30.00	1.00	Complies
159	5795	19.53	0.17	19.70	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.93	0.17	21.10	30.00	1.00	Complies
159	5795	21.41	0.17	21.58	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.48	30.00	1.00	Complies
159	5795	26.27	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.66	0.26	13.92	30.00	1.00	Complies
40	5200	13.85	0.26	14.11	30.00	1.00	Complies
48	5240	15.41	0.26	15.67	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.98	0.26	13.24	30.00	1.00	Complies
40	5200	13.98	0.26	14.24	30.00	1.00	Complies
48	5240	15.57	0.26	15.83	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.98	0.26	14.24	30.00	1.00	Complies
40	5200	14.71	0.26	14.97	30.00	1.00	Complies
48	5240	15.72	0.26	15.98	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.81	0.26	12.07	30.00	1.00	Complies
40	5200	12.44	0.26	12.70	30.00	1.00	Complies
48	5240	13.63	0.26	13.89	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.46	30.00	1.00	Complies
40	5200	20.10	30.00	1.00	Complies
48	5240	21.44	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.68	0.50	19.18	30.00	1.00	Complies
46	5230	13.45	0.50	13.95	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.87	0.50	19.37	30.00	1.00	Complies
46	5230	13.65	0.50	14.15	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.07	0.50	19.57	30.00	1.00	Complies
46	5230	13.98	0.50	14.48	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.03	0.50	21.53	30.00	1.00	Complies
46	5230	11.87	0.50	12.37	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26.05	30.00	1.00	Complies
46	5230	19.83	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.33	1.09	9.42	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.22	1.09	9.31	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.72	1.09	9.81	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	6.71	1.09	7.80	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.17	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.78	0.26	14.04	24.00	0.25	Complies
60	5300	13.91	0.26	14.17	24.00	0.25	Complies
64	5320	14.72	0.26	14.98	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.07	0.26	14.33	24.00	0.25	Complies
60	5300	14.57	0.26	14.83	24.00	0.25	Complies
64	5320	14.61	0.26	14.87	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.20	0.26	14.46	24.00	0.25	Complies
60	5300	15.02	0.26	15.28	24.00	0.25	Complies
64	5320	14.80	0.26	15.06	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.20	0.26	14.46	24.00	0.25	Complies
60	5300	14.34	0.26	14.60	24.00	0.25	Complies
64	5320	14.03	0.26	14.29	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.34	24.00	0.25	Complies
60	5300	20.76	24.00	0.25	Complies
64	5320	20.83	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.44	0.50	13.94	24.00	0.25	Complies
62	5310	11.02	0.50	11.52	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.66	0.50	14.16	24.00	0.25	Complies
62	5310	11.82	0.50	12.32	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.47	0.50	13.97	24.00	0.25	Complies
62	5310	10.97	0.50	11.47	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.77	0.50	12.27	24.00	0.25	Complies
62	5310	10.12	0.50	10.62	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.67	24.00	0.25	Complies
62	5310	17.55	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.87	1.09	9.96	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.61	1.09	10.70	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.05	1.09	10.14	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.54	1.09	8.63	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.94	24.00	0.25	Complies

Test Mode UNII-2C\_TX AC (VHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.19	0.26	13.45	24.00	0.25	Complies
116	5580	13.28	0.26	13.54	24.00	0.25	Complies
140	5700	13.17	0.26	13.43	24.00	0.25	Complies

Test Mode UNII-2C\_TX AC (VHT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.39	0.26	13.65	24.00	0.25	Complies
116	5580	12.75	0.26	13.01	24.00	0.25	Complies
140	5700	13.34	0.26	13.60	24.00	0.25	Complies

Test Mode UNII-2C\_TX AC (VHT20) Mode\_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.42	0.26	13.68	24.00	0.25	Complies
116	5580	14.00	0.26	14.26	24.00	0.25	Complies
140	5700	14.37	0.26	14.63	24.00	0.25	Complies

Test Mode UNII-2C\_TX AC (VHT20) Mode\_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.03	0.26	14.29	24.00	0.25	Complies
116	5580	14.62	0.26	14.88	24.00	0.25	Complies
140	5700	15.01	0.26	15.27	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.80	24.00	0.25	Complies
116	5580	20.00	24.00	0.25	Complies
140	5700	20.32	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.22	0.50	9.72	24.00	0.25	Complies
110	5550	8.30	0.50	8.80	24.00	0.25	Complies
134	5670	8.48	0.50	8.98	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.22	0.50	9.72	24.00	0.25	Complies
110	5550	8.26	0.50	8.76	24.00	0.25	Complies
134	5670	8.81	0.50	9.31	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.60	0.50	10.10	24.00	0.25	Complies
110	5550	9.27	0.50	9.77	24.00	0.25	Complies
134	5670	9.69	0.50	10.19	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.07	0.50	9.57	24.00	0.25	Complies
110	5550	9.76	0.50	10.26	24.00	0.25	Complies
134	5670	10.63	0.50	11.13	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.81	24.00	0.25	Complies
110	5550	15.47	24.00	0.25	Complies
134	5670	16.01	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.95	1.09	10.04	24.00	0.25	Complies
122	5610	12.04	1.09	13.13	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.26	1.09	10.35	24.00	0.25	Complies
122	5610	12.50	1.09	13.59	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.77	1.09	10.86	24.00	0.25	Complies
122	5610	13.44	1.09	14.53	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.63	1.09	11.72	24.00	0.25	Complies
122	5610	15.22	1.09	16.31	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.81	24.00	0.25	Complies
122	5610	20.59	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.21	0.26	20.47	30.00	1.00	Complies
157	5785	19.47	0.26	19.73	30.00	1.00	Complies
165	5825	18.98	0.26	19.24	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.83	0.26	21.09	30.00	1.00	Complies
157	5785	18.02	0.26	18.28	30.00	1.00	Complies
165	5825	17.85	0.26	18.11	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.25	0.26	18.51	30.00	1.00	Complies
157	5785	18.68	0.26	18.94	30.00	1.00	Complies
165	5825	18.65	0.26	18.91	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.53	0.26	20.79	30.00	1.00	Complies
157	5785	21.03	0.26	21.29	30.00	1.00	Complies
165	5825	21.59	0.26	21.85	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.34	30.00	1.00	Complies
157	5785	25.73	30.00	1.00	Complies
165	5825	25.79	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.31	0.50	20.81	30.00	1.00	Complies
159	5795	20.03	0.50	20.53	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.78	0.50	21.28	30.00	1.00	Complies
159	5795	19.15	0.50	19.65	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.45	0.50	19.95	30.00	1.00	Complies
159	5795	19.61	0.50	20.11	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.94	0.50	21.44	30.00	1.00	Complies
159	5795	21.04	0.50	21.54	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.93	30.00	1.00	Complies
159	5795	26.54	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.84	1.09	17.93	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.73	1.09	17.82	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.69	1.09	18.78	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.31	1.09	19.40	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.55	30.00	1.00	Complies

### Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.34	0.00	15.34	28.60	1.00	Complies
40	5200	16.21	0.00	16.21	28.60	1.00	Complies
48	5240	19.02	0.00	19.02	28.60	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.28	0.00	15.28	28.60	1.00	Complies
40	5200	16.34	0.00	16.34	28.60	1.00	Complies
48	5240	19.06	0.00	19.06	28.60	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.45	0.00	15.45	28.60	1.00	Complies
40	5200	16.26	0.00	16.26	28.60	1.00	Complies
48	5240	19.13	0.00	19.13	28.60	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.28	0.00	14.28	28.60	1.00	Complies
40	5200	14.56	0.00	14.56	28.60	1.00	Complies
48	5240	20.53	0.00	20.53	28.60	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.13	28.60	1.00	Complies
40	5200	21.92	28.60	1.00	Complies
48	5240	25.50	28.60	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.14	0.17	19.31	28.60	1.00	Complies
46	5230	18.06	0.17	18.23	28.60	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.06	0.17	19.23	28.60	1.00	Complies
46	5230	18.42	0.17	18.59	28.60	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.75	0.17	19.92	28.60	1.00	Complies
46	5230	18.29	0.17	18.46	28.60	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.64	0.17	20.81	28.60	1.00	Complies
46	5230	20.21	0.17	20.38	28.60	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.89	28.60	1.00	Complies
46	5230	25.03	28.60	1.00	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.16	22.60	0.25	Complies
60	5300	6.16	22.60	0.25	Complies
64	5320	6.16	22.60	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.49	0.00	14.49	22.60	0.25	Complies
60	5300	14.23	0.00	14.23	22.60	0.25	Complies
64	5320	14.31	0.00	14.31	22.60	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.25	0.00	14.25	22.60	0.25	Complies
60	5300	14.12	0.00	14.12	22.60	0.25	Complies
64	5320	14.28	0.00	14.28	22.60	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.33	0.00	14.33	22.60	0.25	Complies
60	5300	14.67	0.00	14.67	22.60	0.25	Complies
64	5320	14.17	0.00	14.17	22.60	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.59	0.00	14.59	22.60	0.25	Complies
60	5300	14.62	0.00	14.62	22.60	0.25	Complies
64	5320	14.67	0.00	14.67	22.60	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.44	22.60	0.25	Complies
60	5300	20.44	22.60	0.25	Complies
64	5320	20.38	22.60	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.51	0.17	14.68	22.60	0.25	Complies
62	5310	12.11	0.17	12.28	22.60	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.14	0.17	15.31	22.60	0.25	Complies
62	5310	13.25	0.17	13.42	22.60	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.61	0.17	14.78	22.60	0.25	Complies
62	5310	12.12	0.17	12.29	22.60	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.01	0.17	13.18	22.60	0.25	Complies
62	5310	11.21	0.17	11.38	22.60	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.58	22.60	0.25	Complies
62	5310	18.42	22.60	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.26	0.00	13.26	22.20	0.25	Complies
116	5580	12.68	0.00	12.68	22.20	0.25	Complies
140	5700	13.19	0.00	13.19	22.20	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.80	0.00	13.80	22.20	0.25	Complies
116	5580	13.06	0.00	13.06	22.20	0.25	Complies
140	5700	13.54	0.00	13.54	22.20	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.75	0.00	13.75	22.20	0.25	Complies
116	5580	13.89	0.00	13.89	22.20	0.25	Complies
140	5700	13.98	0.00	13.98	22.20	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.64	0.00	14.64	22.20	0.25	Complies
116	5580	14.54	0.00	14.54	22.20	0.25	Complies
140	5700	15.14	0.00	15.14	22.20	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.91	22.20	0.25	Complies
116	5580	19.62	22.20	0.25	Complies
140	5700	20.05	22.20	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.24	0.17	10.41	22.20	0.25	Complies
110	5550	9.26	0.17	9.43	22.20	0.25	Complies
134	5670	8.52	0.17	8.69	22.20	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.65	0.17	10.82	22.20	0.25	Complies
110	5550	9.72	0.17	9.89	22.20	0.25	Complies
134	5670	9.11	0.17	9.28	22.20	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.56	0.17	10.73	22.20	0.25	Complies
110	5550	10.25	0.17	10.42	22.20	0.25	Complies
134	5670	9.85	0.17	10.02	22.20	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.85	0.17	12.02	22.20	0.25	Complies
110	5550	11.21	0.17	11.38	22.20	0.25	Complies
134	5670	10.64	0.17	10.81	22.20	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.06	22.20	0.25	Complies
110	5550	16.36	22.20	0.25	Complies
134	5670	15.79	22.20	0.25	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.06	0.00	20.06	28.60	1.00	Complies
157	5785	18.14	0.00	18.14	28.60	1.00	Complies
165	5825	19.02	0.00	19.02	28.60	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.07	0.00	21.07	28.60	1.00	Complies
157	5785	19.37	0.00	19.37	28.60	1.00	Complies
165	5825	18.04	0.00	18.04	28.60	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.52	0.00	18.52	28.60	1.00	Complies
157	5785	18.82	0.00	18.82	28.60	1.00	Complies
165	5825	18.65	0.00	18.65	28.60	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.05	0.00	21.05	28.60	1.00	Complies
157	5785	21.31	0.00	21.31	28.60	1.00	Complies
165	5825	22.11	0.00	22.11	28.60	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.31	28.60	1.00	Complies
157	5785	25.60	28.60	1.00	Complies
165	5825	25.79	28.60	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.31	0.17	20.48	28.60	1.00	Complies
159	5795	19.63	0.17	19.80	28.60	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.97	0.17	21.14	28.60	1.00	Complies
159	5795	19.42	0.17	19.59	28.60	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.52	0.17	18.69	28.60	1.00	Complies
159	5795	19.53	0.17	19.70	28.60	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.93	0.17	21.10	28.60	1.00	Complies
159	5795	21.41	0.17	21.58	28.60	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.48	28.60	1.00	Complies
159	5795	26.27	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.42	0.26	13.68	28.60	1.00	Complies
40	5200	13.61	0.26	13.87	28.60	1.00	Complies
48	5240	15.41	0.26	15.67	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.74	0.26	13.00	28.60	1.00	Complies
40	5200	13.74	0.26	14.00	28.60	1.00	Complies
48	5240	15.57	0.26	15.83	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.74	0.26	14.00	28.60	1.00	Complies
40	5200	14.55	0.26	14.81	28.60	1.00	Complies
48	5240	15.72	0.26	15.98	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.56	0.26	11.82	28.60	1.00	Complies
40	5200	12.24	0.26	12.50	28.60	1.00	Complies
48	5240	13.63	0.26	13.89	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.22	28.60	1.00	Complies
40	5200	19.89	28.60	1.00	Complies
48	5240	21.44	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.68	0.50	19.18	28.60	1.00	Complies
46	5230	13.21	0.50	13.71	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.87	0.50	19.37	28.60	1.00	Complies
46	5230	13.42	0.50	13.92	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.07	0.50	19.57	28.60	1.00	Complies
46	5230	13.74	0.50	14.24	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.03	0.50	21.53	28.60	1.00	Complies
46	5230	11.61	0.50	12.11	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26.05	28.60	1.00	Complies
46	5230	19.59	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.12	1.09	9.21	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.22	1.09	9.31	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.56	1.09	9.65	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	6.71	1.09	7.80	28.60	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.07	28.60	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.56	0.26	13.82	22.60	0.25	Complies
60	5300	13.87	0.26	14.13	22.60	0.25	Complies
64	5320	14.01	0.26	14.27	22.60	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.03	0.26	14.29	22.60	0.25	Complies
60	5300	14.52	0.26	14.78	22.60	0.25	Complies
64	5320	14.22	0.26	14.48	22.60	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.19	0.26	14.45	22.60	0.25	Complies
60	5300	14.53	0.26	14.79	22.60	0.25	Complies
64	5320	14.76	0.26	15.02	22.60	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.08	0.26	14.34	22.60	0.25	Complies
60	5300	14.62	0.26	14.88	22.60	0.25	Complies
64	5320	14.89	0.26	15.15	22.60	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.25	22.60	0.25	Complies
60	5300	20.67	22.60	0.25	Complies
64	5320	20.76	22.60	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.21	0.50	13.71	22.60	0.25	Complies
62	5310	11.21	0.50	11.71	22.60	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.41	0.50	13.91	22.60	0.25	Complies
62	5310	11.66	0.50	12.16	22.60	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.24	0.50	13.74	22.60	0.25	Complies
62	5310	10.75	0.50	11.25	22.60	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.55	0.50	12.05	22.60	0.25	Complies
62	5310	10.12	0.50	10.62	22.60	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.44	22.60	0.25	Complies
62	5310	17.50	22.60	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.61	1.09	9.70	22.60	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.61	1.09	10.70	22.60	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.05	1.09	10.14	22.60	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.54	1.09	8.63	22.60	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.88	22.60	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.08	0.26	13.34	22.20	0.25	Complies
116	5580	13.01	0.26	13.27	22.20	0.25	Complies
140	5700	12.98	0.26	13.24	22.20	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.14	0.26	13.40	22.20	0.25	Complies
116	5580	12.45	0.26	12.71	22.20	0.25	Complies
140	5700	13.14	0.26	13.40	22.20	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.21	0.26	13.47	22.20	0.25	Complies
116	5580	13.87	0.26	14.13	22.20	0.25	Complies
140	5700	14.17	0.26	14.43	22.20	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.89	0.26	14.15	22.20	0.25	Complies
116	5580	14.41	0.26	14.67	22.20	0.25	Complies
140	5700	14.87	0.26	15.13	22.20	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.62	22.20	0.25	Complies
116	5580	19.78	22.20	0.25	Complies
140	5700	20.14	22.20	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.14	0.50	9.64	22.20	0.25	Complies
110	5550	8.32	0.50	8.82	22.20	0.25	Complies
134	5670	8.27	0.50	8.77	22.20	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.15	0.50	9.65	22.20	0.25	Complies
110	5550	8.14	0.50	8.64	22.20	0.25	Complies
134	5670	8.58	0.50	9.08	22.20	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.42	0.50	9.92	22.20	0.25	Complies
110	5550	9.18	0.50	9.68	22.20	0.25	Complies
134	5670	9.47	0.50	9.97	22.20	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.14	0.50	9.64	22.20	0.25	Complies
110	5550	9.67	0.50	10.17	22.20	0.25	Complies
134	5670	10.42	0.50	10.92	22.20	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.74	22.20	0.25	Complies
110	5550	15.40	22.20	0.25	Complies
134	5670	15.79	22.20	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.75	1.09	9.84	22.20	0.25	Complies
122	5610	13.27	1.09	14.36	22.20	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.14	1.09	10.23	22.20	0.25	Complies
122	5610	13.41	1.09	14.50	22.20	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.77	1.09	10.86	22.20	0.25	Complies
122	5610	13.14	1.09	14.23	22.20	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.63	1.09	11.72	22.20	0.25	Complies
122	5610	13.28	1.09	14.37	22.20	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.74	22.20	0.25	Complies
122	5610	20.39	22.20	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.21	0.26	20.47	28.60	1.00	Complies
157	5785	19.47	0.26	19.73	28.60	1.00	Complies
165	5825	18.98	0.26	19.24	28.60	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.83	0.26	21.09	28.60	1.00	Complies
157	5785	18.02	0.26	18.28	28.60	1.00	Complies
165	5825	17.85	0.26	18.11	28.60	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.25	0.26	18.51	28.60	1.00	Complies
157	5785	18.68	0.26	18.94	28.60	1.00	Complies
165	5825	18.65	0.26	18.91	28.60	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.53	0.26	20.79	28.60	1.00	Complies
157	5785	21.03	0.26	21.29	28.60	1.00	Complies
165	5825	21.59	0.26	21.85	28.60	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.34	28.60	1.00	Complies
157	5785	25.73	28.60	1.00	Complies
165	5825	25.79	28.60	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.31	0.50	20.81	28.60	1.00	Complies
159	5795	20.03	0.50	20.53	28.60	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.78	0.50	21.28	28.60	1.00	Complies
159	5795	19.15	0.50	19.65	28.60	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.45	0.50	19.95	28.60	1.00	Complies
159	5795	19.61	0.50	20.11	28.60	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.94	0.50	21.44	28.60	1.00	Complies
159	5795	21.04	0.50	21.54	28.60	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.93	28.60	1.00	Complies
159	5795	26.54	28.60	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.62	1.09	17.71	28.60	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.53	1.09	17.62	28.60	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.69	1.09	18.78	28.60	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.31	1.09	19.40	28.60	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------



Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.46	28.60	1.00	Complies

## APPENDIXG - POWER SPECTRAL DENSITY

### Non-Beamforming

Test Mode UNII-1\_TX A Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density +Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.06	0.14	7.20	17.00	Complies
40	5200	7.21	0.14	7.35	17.00	Complies
48	5240	6.48	0.14	6.62	17.00	Complies





Date: 20\_JUN\_2019 16:54:52

Date: 20\_JUN\_2019 16:30:35

Date: 20\_JUN\_2019 17:09:42

Test Mode UNII-1\_TX A Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density +Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.92	0.14	7.06	17.00	Complies
40	5200	6.89	0.14	7.03	17.00	Complies
48	5240	6.58	0.14	6.72	17.00	Complies



Date: 20\_JUN\_2019 16:54:03

Date: 20\_JUN\_2019 16:29:27


Date: 20\_JUN\_2019 17:08:59

Test Mode UNII-1\_TX A Mode\_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density +Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.41	0.14	7.55	17.00	Complies
40	5200	7.95	0.14	8.09	17.00	Complies
48	5240	6.57	0.14	6.71	17.00	Complies



Date: 20\_JUN.2019 16:53:17



Date: 20\_JUN.2019 16:28:29




Date: 20\_JUN.2019 17:08:15

Test Mode UNII-1\_TX A Mode\_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density +Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.44	0.14	7.58	17.00	Complies
40	5200	7.98	0.14	8.12	17.00	Complies
48	5240	6.51	0.14	6.65	17.00	Complies



Date: 20\_JUN.2019 16:52:32



Date: 20\_JUN.2019 17:04:16



Date: 20\_JUN.2019 17:07:18

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.37	17.00	Complies
40	5200	13.69	17.00	Complies
48	5240	12.69	17.00	Complies

Test Mode UNII-1\_TX N (HT20) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density +Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.94	0.00	7.94	17.00	Complies
40	5200	6.71	0.00	6.71	17.00	Complies
48	5240	5.61	0.00	5.61	17.00	Complies



Date: 29\_JUN.2019 11:14:49



Date: 29\_JUN.2019 11:23:08




Date: 29\_JUN.2019 11:22:40

Test Mode UNII-1\_TX N (HT20) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density +Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.16	0.00	7.16	17.00	Complies
40	5200	6.51	0.00	6.51	17.00	Complies
48	5240	5.99	0.00	5.99	17.00	Complies



Date: 29\_JUN.2019 11:15:52



Date: 29\_JUN.2019 11:23:31




Date: 29\_JUN.2019 11:23:17

Test Mode UNII-1\_TX N (HT20) Mode\_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density +Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.74	0.00	7.74	17.00	Complies
40	5200	6.67	0.00	6.67	17.00	Complies
48	5240	5.58	0.00	5.58	17.00	Complies



Date: 29\_JUN.2019 11:16:31



Date: 29\_JUN.2019 11:19:49




Date: 29\_JUN.2019 11:24:12

Test Mode UNII-1\_TX N (HT20) Mode\_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density +Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.44	0.00	6.44	17.00	Complies
40	5200	5.46	0.00	5.46	17.00	Complies
48	5240	5.18	0.00	5.18	17.00	Complies



Date: 29\_JUN.2019 11:17:07



Date: 29\_JUN.2019 11:19:07





Date: 29\_JUN.2019 11:24:49

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.38	17.00	Complies
40	5200	12.39	17.00	Complies
48	5240	11.62	17.00	Complies

Test Mode UNII-1\_TX N (HT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density +Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.01	0.17	5.18	17.00	Complies
46	5230	2.97	0.17	3.14	17.00	Complies





Test Mode UNII-1\_TX N (HT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density +Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.86	0.17	5.03	17.00	Complies
46	5230	4.29	0.17	4.46	17.00	Complies





Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density +Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.70	0.17	5.87	17.00	Complies
46	5230	2.68	0.17	2.85	17.00	Complies



Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density +Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.91	0.17	6.08	17.00	Complies
46	5230	2.27	0.17	2.44	17.00	Complies



Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.58	17.00	Complies
46	5230	9.31	17.00	Complies

Test Mode UNII-2A\_TX A Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density +Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.69	0.14	1.83	11.00	Complies
60	5300	1.70	0.14	1.84	11.00	Complies
64	5320	2.12	0.14	2.26	11.00	Complies



Date: 20\_JUN.2019 17:15:36




Date: 20\_JUN.2019 17:21:47




Date: 20\_JUN.2019 17:27:07

Test Mode UNII-2A\_TX A Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density +Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.44	0.14	1.58	11.00	Complies
60	5300	1.44	0.14	1.58	11.00	Complies
64	5320	2.21	0.14	2.35	11.00	Complies



Date: 20\_JUN.2019 17:14:52



Date: 20\_JUN.2019 17:23:10



Date: 20\_JUN.2019 17:26:26